1912

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

TALL ORGANIZATION.

FORM

REGIST

31 .

297

1912

PENDENNIS

1931, 32

780111

Kept at Pendennis.

in the County of Comu

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·85									1
2													2
3			1·18								1·74	·42	3
4									·74				4
5													5
6										·35			6
7					·68								7
8													8
9													9
10													10
11		·40					1·26						11
12													12
13													13
14													14
15													15
16						·84							16
17													17
18								1·23					18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	3·86	2·85	4·39	2·28	2·93	2·79	4·9~~3~~5	3·85	2·49	0·64	7·25	1·79	YEAR'S TOTAL 40·07
*Days with ·01 in. or more.	22	22	16	10	18	13	24	17	13	8	23	14	200
*Days with ·04 in. or more.	16	19	11	7	12	9	16	12	10	3	18	12	145
40-9999	98·1	72·4	111·6	57·9	74·5	70·9	125·8	97·7	63·2	16·3	184·1	45·4	101·9

(Signed)

P.T.O.

*See Instruction 2 (*f*) on other side.

1912

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1931.

297

Kept at Pendennis.

in the County of Cornwall

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 200 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·85									1
2													2
3			1·18								1·74	·42	3
4									·74				4
5													5
6										·35			6
7					·68								7
8													8
9													9
10													10
11		·40					1·26						11
12													12
13													13
14													14
15													15
16						·84							16
17													17
18								1·23					18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	3·86	2·85	4·39	2·28	2·93	2·79	4·9~~3~~5	3·85	2·49	0·64	7·25	1·79	YEAR'S TOTAL 40·07
*Days with ·01 in. or more.	22	22	16	10	18	13	24	17	13	8	23	14	200
*Days with ·04 in. or more.	16	19	11	7	12	9	16	12	10	3	18	12	145
40-9999	98·1	72·4	111·6	57·9	74·5	70·9	125·8	97·7	63·2	16·3	184·1	45·4	1017·9

(Signed)..................................... P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.** 1912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM I

REGISTER OF RAINFALL IN 1932.

297

Kept at Pendennis

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12	1·20												12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24		·02											24
25													25
26													26
27													27
28													28
29			·75										29
30		×											30
31		×		×		×			×		×		31
TOTAL	4·08	·02	2·28										YEAR'S TOTAL
*Days with ·01 in. or more.	18	1	14										
*Days with ·04 in. or more.	11	0	10										
40-9999	103·7	0·6	58·0										

Station closed

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

1913

Sec

FOR OFFICIAL USE.

1913.

FICE.—BRITISH RAINFALL ORGANIZATION.

For

FALL IN 193/ .

296

FALMOUTH OBSERVATORY

1931 – 40

mm

780311

TO THE PREVIOUS DAY.

insert the reading made on January 1st of the following

year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·73									1
2												·49	2
3			1·45								1'67		3
4									·70				4
5													5
6										·42			6
7					·63								7
8													8
9													9
10													10
11		·57					1·78						11
12													12
13													13
14													14
15													15
16						·89							16
17													17
18								1'31					18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31	83	×		×		×			×		×		31
TOTAL	4·50	3·65	5·26	2·12	3'12	3'29	5·43	4'72	3·16	0·70	7'69	2·09	YEAR'S TOTAL 45·73
*Days with ·01 in. or more.	23	23	15	9	20	13	22	17	13	8	22	16	201
*Days with ·04 in. or more.	18	20	12	5	15	12	15	13	12	3	20	11	156
40-9999	114·3	92·7	133·7	53·8	79'2	83'5	137·8	120'0	80·3	17·9	195·3	53·1	1161·6

*See Instruction 2 (*f*) on other side.

(Signed) ....

[P.T.O.

Se

FICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

1913

296

FORM I

REGISTER OF RAINFALL IN 193/ .

Kept at Falmouth Observatory
in the County of Cornwall

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level 167 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ?

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·73									1
2												·49	2
3			1·45								1·67		3
4									·70				4
5													5
6										·42			6
7					·63								7
8													8
9													9
10													10
11		·57					1·78						11
12													12
13													13
14													14
15													15
16						·89							16
17													17
18								1·31					18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31	83	×		×		×			×		×		31
TOTAL	4·50	3·65	5·26	2·12	3·12	3·29	5·43	4·72	3·16	0·70	7·69	2·09	YEAR'S TOTAL 45·73
*Days with ·01 in. or more.	23	23	15	9	20	13	22	17	13	8	22	16	201
*Days with ·04 in. or more.	18	20	12	5	15	12	15	13	12	3	20	11	156
40-9999	114·3	92·7	133·7	53·8	79·2	83·5	137·8	120·0	80·3	17·9	195·3	53·1	1161·6

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 100

REGISTER OF RAINFALL IN 1933.

296

Kept at Falmouth Obs.
in the County of Cornwall
Diameter of Funnel of Gauge............in.
Height of top of Gauge above Ground............ft............in.
,, Ground ,, Sea Level 167 ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	73	265	57		39	53					10	194	**1**
2	122	25	230		53	81					32	28	**2**
3	37	32	56		98	05					15		**3**
4	24	09			86								**4**
5	24	04	114		64								**5**
6		118	10		09		17			17			**6**
7	02	11			15		04			10		03	**7**
8	06	10			09		75						**8**
9		34			08		131	05		160	18		**9**
10	17	25					28	28		252	22		**10**
11	20			30	10			11	15	30	07	15	**11**
12				25	10	53	82	13	04	09	116	111	**12**
13	06				12	73	10			63	11		**13**
14	62						127	21			88		**14**
15	40		92			17	68			40	53		**15**
16	15		207			15		04	02	02			**16**
17	10	41	22			04	05	34	28				**17**
18	31	06	32					04		110	23		**18**
19	83		21			10		06	36	355	19		**19**
20		12			54	34		20	87				**20**
21		42						30		16			**21**
22				122		05		80	216	13			**22**
23		106		21		30				20			**23**
24		03		36					06	64			**24**
25		74		28	23	03			72			62	**25**
26				92	54					36			**26**
27		42		11	03					79		230	**27**
28		64		63			107	36		170		05	**28**
29	50	×	03	154			06		17	198		12	**29**
30	43	×	31	16	05		18		125	09		10	**30**
31	103	×	45	×	13	×			×	28	×		**31**
TOTAL	3.02	3.63	3.62	2.35	2.22	1.51	2.67	1.15	2.39	6.62	1.63	2.64	YEAR'S TOTAL 33.45
*Days with ·01 in. or more.	19	19	13	11	18	13	13	13	11	21	12	10	173
*Days with ·04 in. or more.	16	15	12	11	13	9	10	9	8	18	11	8	140
40-9999	76.8	192.3	192.0	59.8	56.5	38.3	67.8	29.2	60.8	168.1	41.4	67.0	

*See Instruction 2 (*f*) on other side.

(*Signed*)..............................

P.T.O.

850.0 ~~847.0~~

1913.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 192 3,

Kept at Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 inch in.

Height of top of Gauge above Ground one ft. — in.

" Ground " Sea Level 167 ft.

Compd ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	0.1	Trace	18.5	—	—	2.1	—	17.6	0.6	—	—	1
2	9.6	1.4	0.9	Trace	—	Trace	—	—	1.7	0.3	1.7	12.5	2
3	2.5	—	36.9	—	0.3	—	3.0	—	12.0	0.5	42.5	7.5	3
4	1.0	0.5	10.3	—	1.5	1.7	13.0	—	17.9	1.2	—	2.0	4
5	—	9.7	25.3	0.6	0.3	4.9	Trace	1.2	—	Trace	1.8	5.0	5
6	—	1.1	2.1	Trace	5.7	10.5	7.3	—	—	10.7	Trace	1.5	6
7	—	3.0	—	—	16.1	3.8	2.4	15.7	—	—	14.6	4.6	7
8	0.8	3.8	—	5.3	—	14.0	2.7	11.3	—	—	1.5	0.9	8
9	—	7.4	—	—	—	1.2	0.7	0.4	—	0.7	3.5	0.4	9
10	0.3	1.5	2.1	—	6.4	1.7	0.8	0.8	14.3	—	22.0	0.6	10
11	6.3	14.5	Trace	—	1.0	8.0	45.2	—	5.2	—	12.1	—	11
12	2.6	5.5	—	—	—	—	0.8	—	3.3	3.2	2.5	—	12
13	—	2.1	0.5	—	12.0	Trace	10.1	6.9	—	—	12.2	—	13
14	0.5	2.5	—	—	2.6	6.0	3.6	4.0	—	—	8.1	—	14
15	—	2.3	—	Trace	1.4	3.7	Trace	8.4	1.1	—	—	—	15
16	0.6	7.0	—	Trace	0.2	22.5	Trace	2.0	0.7	—	—	2.1	16
17	—	7.2	—	Trace	—	—	0.5	—	1.0	—	—	—	17
18	0.3	—	1.3	Trace	—	4.8	0.3	33.3	—	—	8.5	—	18
19	1.8	3.7	16.5	Trace	0.2	0.7	5.2	0.4	2.3	—	6.0	—	19
20	1.5	4.0	4.7	—	—	—	—	9.4	Trace	—	0.3	Trace	20
21	8.5	0.8	—	2.1	3.8	—	Trace	—	—	—	1.0	—	21
22	21.0	1.2	0.6	0.8	3.1	—	Trace	—	—	—	4.0	—	22
23	4.9	—	—	12.5	8.2	—	0.4	11.2	—	0.7	22.9	—	23
24	4.4	0.4	Trace	13.1	Trace	Trace	24.3	4.0	—	—	Trace	—	24
25	2.6	Trace	Trace	0.5	—	—	7.0	—	—	—	2.5	0.3	25
26	1.0	3.0	—	0.4	—	—	2.2	—	—	—	19.8	0.5	26
27	6.7	7.8	—	Trace	2.6	—	1.0	—	—	Trace	5.1	Trace	27
28	6.7	2.2	2.0	Trace	0.7	—	Trace	3.3	—	Trace	0.7	2.1	28
29	3.8	X	4.2	—	2.2	—	4.8	7.2	1.5	Trace	2.0	4.5	29
30	5.7	X	6.9	—	2.9	—	Trace	0.5	1.7	Trace	—	2.0	30
31	21.2	X	19.4	X	8.0	X	0.4	Trace	X	—	X	6.6	31
TOTAL	~~4.50~~ 114.3	~~3.65~~ 92.7	~~5.26~~ 133.7	~~2.12~~ 53.8	~~3.12~~ 79.2	~~3.29~~ 83.5	~~5.43~~ 137.8	~~4.72~~ 120.0	~~3.16~~ 80.3	~~.70~~ 17.9	~~7.69~~ 195.3	~~2.09~~ 53.1	~~45.73~~ YEAR'S TOTAL 1161.6
Days with 0·2 mm. or more.	23	23	15	9	20	13	22	17	13	8	22	16	201
Days with 1·0 mm. or more.	18	20	12	5	5	12	15	13	12	3	20	11	146

(144w)

40—9999.

M

(Signed) W. T. Hooper

[P.T.O.

1913

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

296

Kept at Falmouth Observatory

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 167 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	20			46			02	12	09			20	1
2	33			58			10	24	80			123	2
3	11					93	11	03	83	09	08		3
4	03					86	09	03			138		4
5	215		07				50		130				5
6	180			43			48		100				6
7	15								201 [illegible]	356		17	7
8	07		146 [illegible]	38	87			02	02	28			8
9	130		05	97	05								9
10	150		06	80	26				26				10
11	30			30	05							23	11
12	323 [illegible]				270 [illegible]		04			71		08	12
13	33			54				52 [illegible]		351		39	13
14	46			13	78					08		03	14
15	05			20						05	80	20	15
16	25			06			64			04	10	02	16
17	04			02	113		19		25	22			17
18					45				08	03	28		18
19				30	164				80	147	04	17	19
20			02	28	36			24	05	359 [illegible]	4·9	38	20
21	21		08	46				15	11	163	67	102	21
22	03		02	22	04		33	02	171	143	129	34	22
23		06 [illegible]			09		98	19		203	07	72	23
24							161		45	05	04		24
25			46		199		11		09	160	28		25
26			78	107 [illegible]			03		08	31	30		26
27			70	45	32	06	40			133	08	90	27
28			93	14	05	16	33		03	67		15	28
29			126	11	12	116	06	07	151	172	76	230	29
30		×	22	24	36	384 [illegible]	210 [illegible]	24	117	33	140		30
31		×	25	×	136	×	25	01	×	07	×	281	31
TOTAL	~~4·94~~	~~0·02~~	~~2·50~~	~~3·22~~	~~4·97~~	~~2·76~~	~~3·30~~	~~0·74~~	~~4·98~~	~~9·77~~	~~3·17~~	~~4·46~~	YEAR'S TOTAL ~~44·83~~
*Days with ·01 in. or more.	19	1	14	21	18	6	19	12	20	23	16	18	187
*Days with ·04 in. or more.	14	0	8	19	13	5	14	7	13	16	11	15	135
40-9999	125·4	0·6	63·6	81·8	126·2	70·1	83·7	18·8	126·4	248·0	80·6	113·4	1138·6

(Signed) .... P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

1913

Kept at Falmouth Obs.
in the County of Cornwall

24

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground ...... ft ...... in.
,, Ground ,, Sea Level 167 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	34		11					96	~~[illegible]~~	05	21	370 ~~146~~	1
2	25		16						156 ~~61~~		03	57	2
3	28							43	05	134 ~~53~~	34	123	3
4	65		42	66	95			37		24		83	4
5			49	16	96 ~~38~~			286 ~~113~~		40		124	5
6	21		82	56	92			08	21	53		60	6
7	20									116	32	157	7
8					07				18		136	210	8
9	03		88	02				10			171 ~~67~~	23	9
10	144		128	49			08	17			20	52	10
11	181 ~~71~~		02	200 ~~79~~							30	177	11
12	44						81	20			04	31	12
13	101		03	95		10	92 ~~36~~				128	69	13
14	176		130							26		90	14
15	86		26	02	83		09	01		56		53	15
16	48		117		05				121			169	16
17	95		185 ~~73~~	51			07		21	30		90	17
18	12		94	116	05	26			28	05		113	18
19	08		40		09			02	61			08	19
20				62	01		22		27	04		08	20
21			75	03		49		19	46	104	03	02	21
22	04		02	04		06		19	34		01	29	22
23	07		06	112		147 ~~58~~		62	110	06		34	23
24		18	03	23		58	16			47		80	24
25	44			76					03	35		131	25
26	13		01	04		52			64	09		31	26
27		28 ~~11~~				17		47	60	12	17	60	27
28		26						80	33		06	173	28
29		×						25	40	04		07	29
30		×			89			03	34	74		130	30
31	02	×		×		×		62	×	61	×		31
TOTAL	116.1 ✓ ~~4.57~~	7.2 ✓ ~~0.28~~	110.0 ✓ ~~4.33~~	93.7 ✓ ~~3.69~~	48.2 ✓ ~~1.90~~	36.5 ✓ ~~1.44~~	23.5 ✓ ~~0.93~~	83.7 ✓ ~~3.30~~	88.2 ✓ ~~3.47~~	84.5 ✓ ~~3.33~~	60.6 ✓ ~~[illegible]~~	274.4 ~~10.80~~	YEAR'S TOTAL 1026.6 ~~40.43~~
*Days with ·01 in. or more.	22	3	19	17	9	8	7	17	18	20	13	30	183 ✓
*Days with .04 in. or more.	17	3	14	12	5	7	4	14	16	14	9	26	141 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~296~~ 1913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Falmouth Obs.

in the County of Cornwall

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 167 ft.

Duration 24/12

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		03	·155 ~~[illegible]~~			30			11	25		46		1
2		05	27	25		09			33	60	48	38		2
3			03	06	18	27			02	22	75	95		3
4		47	01	30		51				24	28	158		4
5	32	65	02	05		14			50	98	50	142		5
6	14			91		243 ~~·96~~				10	30	25		6
7	03			104						112	55	04		7
8				168						28	67			8
9	32			85			02			200	75			9
10	12		06	04		05			01	06	48			10
11	160 ~~[illegible]~~	14	03			109		~~[illegible]~~	101 ~~[illegible]~~	17	212			11
12	22	90		38		68		37	18		46			12
13	04	54		50					02	24	74			13
14		34				118			83	24	240	91		14
15		25	05	224 ~~·88~~	20	17			19	05	41	38		15
16		33	52	50	11		14		94	04	77	47		16
17			01	09	107 ~~[illegible]~~	117	05	02	12	~~[illegible]~~	32			17
18		12		125				02	77	30	13	77		18
19		07		46	96	30	72 ~~·28~~		55	42	41			19
20		102		106	03	03	05		02	192				20
21		140 ~~[illegible]~~		22		02	12		09	21	03			21
22		12		52				74	22	106				22
23		85	20	08	06			408 ~~[illegible]~~	31	45		120		23
24	10	117			47			35	34			41		24
25	41	100		02	49	10				07		33		25
26	68	126				07		82	53	03	07	111		26
27		21						18	47		50	32		27
28	10	29					02	56	66		23	05		28
29	03	×			35			08	93		68	159		29
30	10	×			01	05		266	10	53	25.4 ~~[illegible]~~	171 ~~[illegible]~~		30
31		×	03	×		×		27	×	146	×	127		31
TOTAL	42.1 ~~[illegible]~~	112.1 ~~[illegible]~~	27.8 ~~[illegible]~~	125.0 ~~[illegible]~~	39.3 ~~[illegible]~~	86.5 ~~[illegible]~~	11.2 ~~[illegible]~~	101.5 ~~[illegible]~~	925 ~~[illegible]~~	130.4 ~~[illegible]~~	165.7 ~~[illegible]~~	156.0 ~~[illegible]~~	Year's Total ~~4292~~	1090.1
*Days with ·01 in. or more.	14	21	10	21	10	18	7	12	23	25	24	20	205	
*Days with .04 in. or more.	11	18	11	15	8	12	3	9	19	20	22	18	159	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)..

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 296

1913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Kept at Falmouth Obs.

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. 1 in.

,, Ground ,, Sea Level 167 ft.

mm.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	38	20	04	47	[illegible]	80	144	17			15	01		1
2	26		02	16	[illegible]	56	31	02	24		02	03		2
3	16		42	198 [illegible]	[illegible]	08			73		12	08		3
4	05		39		[illegible]	03	02		78		31	42		4
5	93	73	04		32		318	44 [illegible]			30	30		5
6	34		19		02	05	70	03	86		230 [illegible]			6
7	92		25						03		183	14		7
8	56		100				55		51	17	146	17		8
9	42	141	07						47		69			9
10	12	416 [illegible]					12				120	17		10
11	179	125				21	120	02	163 [illegible]		201	37		11
12	43	08		35			91				58	12		12
13	15	10		04			03			18	39	277 [illegible]		13
14	03	05		02		21	165		16	14		83		14
15		18		05	61 [illegible]		02	03			226	100		15
16		52		40		03	42				51	45		16
17	62	154		02	45		107			12	13	170		17
18	106	56	46			207	56	10				25		18
19	145	03	61	120		03		39	15					19
20	35	106		38		25			21			12		20
21	20	87	18	38			74			16				21
22	109	75			48		82			02		12		22
23		105	45	47	37		08			21				23
24	82	25	26	17	56				36	100		05		24
25	82		167	64	02		47			134 [illegible]		08		25
26	125	49	131				03			11				26
27	209 [illegible]	37	31				131		03	18	45			27
28	173	11	208 [illegible]				74			03		70		28
29	05	35	12			08				13	18	53		29
30	32	×	06		11	218 [illegible]	01			11		05		30
31	40	×	147	×	28	×	38		×	03	×	115		31
TOTAL	4·40 ✓	6·34 ✓	4·49 ✓	2·65 ✓	1·27 ✓	2·59 ✓	6·60 ✓	0·47 ✓	2·43 ✓	1·55	5·86	4·57	Year's Total. 46·22 ✓	
* Days with .01 in. or more.	28	22	21	15	10	13	23	8	13	15	18	23	209	
* Days with .04 in. or more.	25	19	16	11	8	7	18	4	11	12	17	18	166	
40-9999	187·9	161·1	114·0	67·3 2	32·2	65·8	167·6	12·0	61·6	39·3	148·9	116·1	1173·[illegible]	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE. 1913

Section **A** for the entry of Daily Observations. Station No. 296

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

T.L.

Kept at Falmouth (Observatory)

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 167 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	43	03		166					01	04		118		1
2	24	312		54					05			28		2
3	02	28		01			09					19		3
4	28	140		25	31						03	180		4
5	92			34	05		160					26		5
6	25	273	79	89		46	04		02			106		6
7		100	39	04	11	04			09		23	08		7
8	08	32	07		106	21	03		01	03				8
9	22	25	19	40				03	140					9
10	28	12	140	97	03	51	04	06				191		10
11	40		82	70	115	41	66					06		11
12	171	86	71		02	75		08	36			110		12
13		23	255	46				92	101			41		13
14			110					05	50			66		14
15	131	62	92	149					60			51		15
16	141	53	77				31	09	67		126			16
17	150	22	13	02					07	01	23			17
18	12	90	75	13		31			118		80	75		18
19	80	25	16	97	14				131		65			19
20	144		08	41			01		09			270		20
21	80	215			46		25		57	16	70	10		21
22	18	05	07		26		28		02	138	24	35		22
23	76	138	09		46		01			206		04		23
24	101	97	15				11		03	205		31		24
25	26	224	127		04					06				25
26	38	102										06		26
27	37	55								101	05			27
28	14	46				05	14							28
29	20	✕								165	112			29
30	104	✕				02			15	02	96			30
31	43	✕		✕		✕			✕	97	✕			31
TOTAL	6.69 ✓	8.53 ✓	4.89 ✓	3.65 ✓	1.61 ✓	1.09 ✓	1.51 ✓	·48 ✓	3.20	3.72 ✓	2.47 ✓	5.42 ✓	Year's Total 43.26 ✓	
* Days with 0.2 mm. or more.	28	24	19	15	12	9	11	6	17	11	11	20	183 ✓	
* Days with 1.0 mm. or more.	26	22	15	13	8	6	8	1	10	7	9	16	141 ✓	
	169.8	216.8	124.1	92.8	40.9	27.6	38.4 357	12.3	81.4	94.4	62.7	138.1	1099.3	

10986

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. (Signed) ....

P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~38

Kept at FALMOUTH OBSERVATORY

COPY

in the County of CORNWALL

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following yecr in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1		56				187	18	165	03	133	03	46		1
2		02		06						33	02	27		2
3					37		06	80		183	88	10		3
4						02	48	09	02	100	02	83		4
5	03					04		39	20	135	06	11		5
6	72					51	411		23	21	04	37		6
7	71						16		06	20	05	36		7
8	250	23					68			81		21		8
9	38	55				17				07	22	200		9
10	67						15	40			13	64		10
11	113				14	11	25				61	210		11
12	110				82					127	124	03		12
13	57				90		02			56	07	92		13
14	228				28		36	02			03	23		14
15	66							07		57	110	120		15
16	63		09					11			02	68		16
17		23	06		176	28			20	41	13	25		17
18	83				32	04		110	15	12	77			18
19	08				03			17	180		190			19
20	09							14			107			20
21	21							36	32	10	46			21
22	06				01	13		254	28	04	60			22
23				08	01			02	43		46			23
24	04	57	56		13	01	56		13		157			24
25	28	153	11		08		05			42	352	02		25
26	103	24			99	59				18	11	21		26
27	68	10			37	08	56	133		45	119			27
28	33	76			14	19	03		27	11	03	04		28
29	53	X			71		01		36	109	85	12		29
30	12	X					07		04	03	53	09		30
31	73	X		X	96	X			X	98	X	107		31
TOTAL	163·9	47·9	8·2	1·4	80·2	40·4	77·3	91·9	45·2	134·6	177·1	123·1	Year's Total 991·2	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(Signed) .... (P.T.O.)

~~296~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]1.

REGISTER OF RAINFALL IN 1938.

Kept at Falmouth (Observatory)
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 167 ft.

T.L.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						·74								1
2														2
3										·72				3
4														4
5														5
6							1·62							6
7														7
8	·98													8
9														9
10														10
11												·83		11
12														12
13														13
14														14
15														15
16														16
17					·69									17
18														18
19									·71					19
20														20
21														21
22								1·00						22
23				·03										23
24			·22											24
25		·60									1·39			25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	163·9	47·9	8·2	1·4	80·2	40·4	77·3	91·9	45·2	134·6	177·1	123·1	991·2	✓
* Days with 0.2 mm. or more.	25	10	4	2	15	12	15	15	15	23	29	23	188	✓
* Days with 1.0 mm. or more.	20	9	2	0	13	8	10	11	11	20	19	19	142	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 6·46 1·89 ·32 2·27 ·06 3·16 1·59 3·04 (Signed) 3·62 1·78 5·30 6·98 4·85 39·05 [P.T.O.

FOR OFFICIAL USE.

~~296~~
1913

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939 .

Kept at Falmouth (Observatory)

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 167 ft.

T.L.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	64			40	02		02				57	22	1
2	13			99				51	270			19	2
3	97		36	93			02	01			83	100	3
4	60		123	12	80		230			111	77	92	4
5	31		11	91	95		124			32	258	104	5
6	142		47	138	12		189	20		08	12		6
7	08	94				107	31	03			50	241	7
8	15	78			10	31	23	06		336	56	18	8
9	15	03						76		05	31	41	9
10	54							26	14	45	02	70	10
11	04	20	11			12				62	06	11	11
12		19		32					33	17	02		12
13		15		32		19	237		21	176	19	100	13
14	230				29	07	16			23	42	10	14
15	114	10		10		165	238				128	12	15
16	19	14	15	33	02	04	30				64		16
17	120	51				20	66				04		17
18	25	08	07		02	01	08				98	02	18
19	119						05	37				05	19
20	247				05		04						20
21	65	80	31		03	213	15						21
22	138	108	45	06		133	16	05			190		22
23	12	12	13	19		01	43			03	440		23
24	269	10	72	37									24
25	147	20	02				03	134		08	214		25
26	05	23									166	08	26
27		96	26	36		06	09	05		05	25		27
28		18		13		03	49	15			70	10	28
29	04	✕		06		42	29			106	30		29
30		✕	33	24		12				126	18		30
31		✕		✕		✕	01	40	✕	07	✕		31
TOTAL	201.7	67.9	47.2	72.1	24.0	77.6	137.0	41.9	33.8	107.0	214.2	86.5	YEAR'S TOTAL 1110.9
Days with 0·2 mm. or more.	25	18	14	17	10	14	22	12	4	16	25	17	194
Days with 1·0 mm. or more.	21	16	12	16	5	19	15	8	4	10	21	14	151
	7.94	2.67	1.86	2.84	.94	3.06	5.39	1.65	1.33	4.21	8.43	3.41	43.73

(144w)

40-9999

(Signed)

[P.T.O.

296

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Falmouth (Observatory)
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 167 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1		27									74			1
2		83		48			03				274	62		2
3	34	172								21	319	54		3
4		11		02			27			37	31	12		4
5		01					02			09	148	66		5
6	145	222					61			79	43	142		6
7	38	02							08	10		07		7
8	01	11					02		23	208	189	104		8
9							50	14	02	50	40	54		9
10						42			13	39	13	97		10
11		03	03	04		25	16				41	20		11
12			23			11	49		160		02	04		12
13			103				27			64	256	262		13
14		23		15			04	02	59	100	17	77		14
15	20	77		08					44	07	159			15
16	06	293	261	37			91		23	10	15	33		16
17	02	60	133	119			24				70			17
18		190	55	294			13	01	30	03	30	27		18
19		29	47	31			40	02	181	42	114			19
20			02	38			07	20		56	31			20
21			05	19		78			13		133			21
22	11		16	23	36	154	10		20	06	01			22
23	15	31	31	08	23		23			45	14			23
24	34		04	08	10		71		02		01			24
25	86		104	03	49	21						20		25
26	103	118		22	62	02	21				11			26
27	130	26	03	87	28									27
28	164	64	10	71	04	11		03				08		28
29	10	05	45			05				36		105		29
30	10	✕								132		90		30
31	45	✕		✕		✕			✕	121	✕	198		31
TOTAL	85·4	144·8	84·5	83·7	21·2	34·9	54·1	4·2	57·8	107·5	239·6	144·2	Year's Total 1061·9	
* Days with 0.2 mm. or more.	16	19	16	18	7	9	19	5	13	20	22	20	184	
* Days with 1.0 mm. or more.	14	16	11	12	6	7	14	2	10	16	21	17	146	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) .... [P.T.O.

3·36 5·70 3·33 3·30 ·83 1·37 2·13 ·17 2·28 4·23 9·43 5·68 41·81

1913/3

FORM 1090.

B Mont
Summ

1913/3

FALMOUTH, GRAMMAR SCH
1940

780311

, The following register of monthly
&c., is NOT required if daily or
values are given on the other si

n and also the space for

s register should be sent:—

...ar School.......

RAINFALL IN 19~~3~~4

At ...Falmouth (Grammar Sc

In the County of ...Cornwall......

....in Summer...9.0. am.

e.½ mile.gauge....S... Direction from

Rain Gauge
Diameter of Funnel.......5"..........in.
Height of Top above Ground....1...*ft*....—....*in.*
Height of Ground above Sea Level.....170.....*ft.*

Nearest Parish Church at...All Saints.......... Distance ½ mile gauge...SE. Direction from

Nature of objects nearest to gauge	House				
Height of objects	25 feet				
Distances ...	40 feet				
Directions from gauge ...	N.				

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.77	·90	25	15	12
FEB.	4·43	1·03	16	19	15
MAR.	3·46	1·02	16	13	11
APRIL	4·34	1·28	18	18	13
MAY	·74	·27	26	8	4
JUNE	1·59	·79	22	8	6
JULY	2·12	·38	16	17	13
AUG.	0·20				
SEPT.	2·01				
OCT.	3·92				
NOV.	9·58				
DEC.	6·17				
TOTAL	42·32				

Print WH

Signature ...N. J. G. Pounds Esq.

~~per C.R.A.~~

Mr. Pounds is Hon Sec. of C.R.A.

* See Instruction 3 (*f*) below.

If gauge has been moved during the year state –

Date of move.............................. Distance.............. Direction..............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

N

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 653/91
S.O. Code No. 40-9999

FORM 1090. **B** Mont Summary.

Particulars of Station.

1913/3

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Falmouth (Grammar School)

In the County of Cornwall

Rain Gauge
Diameter of Funnel 5" in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 170 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·77	·90	25	15	12
FEB.	4·43	1·03	16	19	15
MAR.	3·46	1·02	16	13	11
APRIL	4·34	1·28	18	18	13
MAY	·74	·27	26	8	4
JUNE	1·59	·79	22	8	6
JULY	2·12	·38	16	17	13
AUG.	0·20				
SEPT.	2·01				
OCT.	3·92				
NOV.	9·58				
DEC.	6·17				
TOTAL	42·32				

Print WH

Signature N. J. G. Pounds Esq.

~~per C.R.A.~~

Mr. Pounds is Hon Sec. of C.R.A.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Falmouth Grammar School
N. J. G. Pounds.

Hour of observation by the clock—in Winter 9.0 am. in Summer 9.0 am.

Nearest Railway Station Penmere Halt Distance ½ mile Direction from gauge S.

Nearest Parish Church at All Saints Distance ½ mile Direction from gauge SE.

Nature of objects nearest to gauge	House			
Height of objects	25 feet			
Distances ...	40 feet			
Directions from gauge ...	N.			

If gauge has been moved during the year state –

Date of move ––– Distance ––– Direction –––

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

N.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 653/91 S.O. Code No. 40-9999

PENRHYN RES.

1913/5
PENRHYN RES
1938 – 40
780311

~~1235~~

Section **A** for the entry … CIAL USE

AIR MINIS… FICE.—BRITISH RAINFALL ORGANIZATION

Station No. 1913/5

FORM 1090

REG… FALL IN 1938

Kept at The Reservoirs, Falmo…

in the County of Cornwal…

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ~~213~~ 600 ft.

Put in the [illegible] books only.

~~Please return~~ 15-5-39

Record from Recorder said to be identical with check values

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0·23	–	–	–	1·09	0·15	0·75	–	0·12	–	0·11		1
2	–	–	–	0·02	–	–	–	–	–	0·50	–	0·14		2
3	–	–	–	–	0·18	–	0·02	0·63	–	0·77	0·54	0·02		3
4	–	–	–	–	–	0·03	0·22	0·03	–	0·34	–	0·41		4
5	0·01	–	–	–	–	0·04	–	0·13	0·10	0·50	0·02	0·02		5
6	0·32	–	–	–	–	0·28	2·03	+	0·13	0·18	0·03	0·19		6
7	0·32	0·02	–	–	–	–	0·15	–	–	0·11	0·04	0·24		7
8	0·98	0·06	–	–	–	–	0·45	–	–	0·44	–	0·15		8
9	0·20	0·31	–	–	–	0·03	–	0·03	–	0·03	0·09	0·75		9
10	0·32	–	–	–	–	–	0·07	–	–	0·01	0·11	0·28		10
11	0·50	–	–	–	0·10	0·07	0·10	0·02	–	–	0·24	0·91		11
12	0·48	–	–	–	0·38	–	–	–	–	0·74	0·45	0·01		12
13	0·26	–	–	–	0·39	–	0·01	–	–	0·24	0·07	0·58		13
14	0·34	–	–	–	0·17	–	0·14	0·01	–	–	0·05	0·05		14
15	0·31	–	–	–	0·01	–	–	0·05	–	0·23	0·61	0·49		15
16	0·32	–	0·05	–	0·01	–	–	0·05	–	–	–	0·25		16
17	–	0·11	0·03	–	0·34	0·11	–	–	0·14	0·30	0·08	0·24		17
18	0·35	–	–	–	–	–	–	0·59	0·10	0·05	0·41	–		18
19	0·02	–	–	–	0·02	–	–	0·05	1·09	–	1·01	–		19
20	0·09	–	–	–	–	–	–	0·03	–	–	0·36	–		20
21	0·03	–	–	–	–	–	–	0·16	0·23	0·05	0·16	–		21
22	0·04	–	–	–	–	0·06	–	1·20	0·16	0·05	0·33	–		22
23	–	–	–	0·02	–	–	–	–	0·25	–	0·28	–		23
24	0·15	0·31	0·30	–	0·08	–	0·27	–	0·07	–	0·80	–		24
25	–	0·68	0·04	–	–	–	0·04	–	–	0·18	1·27	–		25
26	0·44	0·11	–	–	0·37	0·12	–	–	–	0·07	0·23	0·13		26
27	0·34	0·05	–	–	0·12	–	0·25	0·49	–	0·10	0·72	0·03		27
28	0·16	0·31	–	–	0·07	0·12	0·05	–	0·11	0·06	0·03	0·05		28
29	0·22		–	–	0·34	–	–	–	0·11	0·55	0·42	0·02		29
30	0·07	✕	–	–	–	–	0·03	–	0·02	0·02	0·18	0·06		30
31	0·35	✕	–	✕	0·39	✕	–	–	✕	0·50	✕	0·04		31
TOTAL	6·62	2·19	0·42	0·04	2·97	1·95	3·98	4·22	2·50	6·18	8·53	5·27	Year's Total 44·88	7
* Days with .01 in. or more.	24	10	3	2	14	10	15	15	12	24	25	23	177	
* Days with .04 in. or more.	21	9	2	–	12	10	11	10	11	21	21	18	146	

up Recorder
GB
15/5/39

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*)

[P.T.O.

PENRYN RES.

COPY FOR OFFICIAL USE ~~[illegible]~~

Section A for the entry of Daily Observations

Station No. 1913/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Reservoirs, Falmouth Corporation Waterworks

in the County of Cornwall

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ~~213~~ 600 ft.

Put in type-recorder books and.

Please stamp.

Record from

Recorder said to be identical with checking value

15-5-39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0·23	–	–	–	1·09	0·15	0·75	–	0·12	–	0·11		1
2	–	–	–	0·02	–	–	–	–	–	0·50	–	0·14		2
3	–	–	–	–	0·18	–	0·02	0·63	–	0·77	0·54	0·02		3
4	–	–	–	–	–	0·03	0·22	0·03	–	0·34	–	0·41		4
5	0·01	–	–	–	–	0·04	–	0·13	0·10	0·50	0·02	0·02		5
6	0·32	–	–	–	–	0·28	2·03	–	0·13	0·18	0·03	0·19		6
7	0·32	0·02	–	–	–	–	0·15	–	–	0·11	0·04	0·24		7
8	0·98	0·06	–	–	–	–	0·45	–	–	0·44	–	0·15		8
9	0·20	0·31	–	–	–	0·03	–	0·03	–	0·03	0·09	0·75		9
10	0·32	–	–	–	–	–	0·07	–	–	0·01	0·11	0·28		10
11	0·50	–	–	–	0·10	0·07	0·10	0·02	–	–	0·24	0·91		11
12	0·48	–	–	–	0·38	–	–	–	–	0·74	0·45	0·01		12
13	0·26	–	–	–	0·39	–	0·01	–	–	0·24	0·07	0·58		13
14	0·34	–	–	–	0·17	–	0·14	0·01	–	–	0·05	0·05		14
15	0·31	–	–	–	0·01	–	–	0·05	–	0·23	0·61	0·49		15
16	0·32	–	0·05	–	0·01	–	–	0·05	–	–	–	0·25		16
17	–	0·11	0·03	–	0·34	0·11	–	–	0·14	0·30	0·08	0·24		17
18	0·35	–	–	–	–	–	–	0·59	0·10	0·05	0·41	–		18
19	0·02	–	–	–	0·02	–	–	0·05	1·09	–	1·01	–		19
20	0·09	–	–	–	–	–	–	0·03	–	–	0·36	–		20
21	0·03	–	–	–	–	–	–	0·16	0·23	0·05	0·16	–		21
22	0·04	–	–	–	–	0·06	–	0·20	0·16	0·05	0·33	–		22
23	–	–	–	0·02	–	–	–	–	0·25	–	0·28	–		23
24	0·15	0·31	0·30	–	0·08	–	0·27	–	0·07	–	0·80	–		24
25	–	0·68	0·04	–	–	–	0·04	–	–	0·18	1·27	–		25
26	0·44	0·11	–	–	0·37	0·12	–	–	–	0·07	0·23	0·13		26
27	0·34	0·05	–	–	0·12	–	0·25	0·49	–	0·10	0·72	0·03		27
28	0·16	0·31	–	–	0·07	0·12	0·05	–	0·11	0·06	0·03	0·05		28
29	0·22		–	–	0·34	–	–	–	0·11	0·55	0·42	0·02		29
30	0·07	✕	–	–	–	–	0·03	–	0·02	0·02	0·18	0·06		30
31	0·35	✕	–	✕	0·39	✕	–	–	✕	0·50	✕	0·04		31
TOTAL	6·62	2·19	0·42	0·04	2·97	1·95	3·98	4·22	2·50	6·18	8·53	5·27	Year's Total 44·88 7	
* Days with .01 in. or more.	24	10	3	2	14	10	15	15	12	24	25	23	177	
* Days with .04 in. or more.	21	9	2	–	12	10	11	10	11	21	21	18	146	

up recorder GB 15/5/39

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X PENRYN RESERVOIRS X COPY FOR OFFICIAL USE 937925/39

Section **A** for the entry of Daily Observations

Station No. [illegible]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Falmouth Corporation Waterworks Reservoirs

in the County of Cornwall

Diameter of Funnel of Gauge ~~6~~ 5 in. *

Height of top of Gauge above Ground ~~1~~ ft. ~~6~~ 6 in.

,, Ground ,, Sea Level ~~[illegible]~~ ft. 235.06 ft

2/40 letter re standard [illegible] readings
8/3/40 Letter of engineer [illegible] of 1938

* Obs. [illegible] sent in corr'd details of altitude + height of gauge.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·25	–	0·02	0·10	0·01	–	0·02	–	–	–	0·21	0·15		1
2	0·03	–	–	0·53	–	–	–	0·30	0·73	–	–	0·05		2
3	0·46	–	0·13	0·43	–	–	–	–	0·12	–	0·39	0·49		3
4	0·25	–	0·50	0·09	0·32	–	1·02	–	–	0·37	0·37	0·35		4
5	0·16	–	0·04	0·51	0·35	–	0·76	–	–	0·14	1·08	0·53		5
6	0·59	0·01	0·21	0·53	0·12	–	1·00	0·02	–	0·03	–	–		6
7	0·04	0·50	–	–	–	0·04	0·11	0·08	–	–	0·28	1·21		7
8	0·12	0·35	–	–	0·04	0·08	0·16	0·37	–	1·52	0·26	0·09		8
9	0·04	0·02	–	–	–	–	–	0·09	–	0·10	0·02	0·24		9
10	0·22	–	–	–	–	–	–	0·10	0·10	0·24	–	0·34		10
11	0·04	0·08	0·06	–	–	0·01	–	–	–	0·30	0·02	0·05		11
12	–	0·08	–	0·25	–	–	–	–	0·11	0·07	0·02	–		12
13	–	–	–	0·09	–	0·05	1·03	–	0·01	0·64	0·27	0·52		13
14	1·03	–	–	–	0·15	0·03	0·05	–	–	0·07	0·22	0·06		14
15	0·45	0·03	–	0·04	–	0·86	0·95	–	–	–	0·58	0·04		15
16	0·14	0·05	0·02	0·16	–	–	0·21	–	–	–	0·39	–		16
17	0·63	0·20	–	–	–	0·12	0·31	–	–	–	0·02	–		17
18	0·09	0·03	0·03	–	–	–	0·02	–	–	–	0·41	0·02		18
19	0·64	0·02	–	–	–	–	0·03	0·03	–	–	–	0·03		19
20	0·99	–	–	–	–	0·02	0·05	–	–	–	–	–		20
21	0·21	0·31	0·15	–	0·04	0·83	–	0·49	–	–	–	–		21
22	0·75	0·34	0·22	–	–	0·48	0·12	–	–	–	1·10	–		22
23	–	0·01	0·11	0·04	–	–	0·25	–	–	–	1·75	–		23
24	1·10	0·05	0·33	0·16	–	–	–	–	–	0·02	–	–		24
25	0·58	0·13	–	–	–	–	0·04	0·55	–	0·01	1·00	0·01		25
26	0·03	0·13	–	0·01	–	–	0·01	–	–	–	0·82	0·02		26
27	–	0·28	0·04	0·05	–	0·02	0·08	0·02	–	–	0·05	–		27
28	–	0·05	–	0·05	–	0·10	0·26	–	–	–	0·31	0·03		28
29	–	X	–	0·01	–	0·03	0·22	–	–	0·36	0·14	–		29
30	–	X	0·16	0·10	–	0·15	–	–	–	0·53	0·10	–		30
31	–	X	–	X	–	X	0·03	0·24	X	0·05	X	–		31
TOTAL	8·84	2·67	2·02	3·15	1·03	2·82	6·72	2·29	1·07	5·16	9·81	4·23	Year's Total 49·81	Print WHl
* Days with .01 in. or more.	23	19	14	17	7	14	22	11	5	15	23	18	188	
* Days with .04 in. or more.	20	13	11	15	6	9	15	8	4	12	20	13	146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

X FALMOUTH CORPN. WW X

(*Signed*) Engineer + Manager. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1913/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

acc sent 9-4-41

Kept at Reservoir's. Penryn.

in the County of Cornwall

Diameter of Funnel of Gauge 5 5 in. *

Height of top of Gauge above Ground ~~1~~ ft. 6 in.

,, Ground ,, Sea Level 235.56.0 ft. D

Nov. Monthly total corrected for arith.
Jan " " " "
May " " " "
Feb Days " " "
Jan 6th 27th & 28th est. from nearby stn

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

* observer cor^d height of gauge in 1939

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	---	0.16	----	----	----	----	----	----	----	----	0.29	----		1	
2	----	0.33	---	0.22	----	----	0.02	----	----	----	1.02	0.25		2	
3	----	0.68	----	----	----	----	0.08	----	----	0.08	1.44	0.23		3	
4	0.16	0.15	----	0.01	----	----	0.04	----	----	0.27	0.21	0.06		4	
5	----	----	----	----	----	----	0.03	----	----	0.04	0.64	0.37		5	
6	(·50)	1.02	----	----	----	----	0.10	----	----	0.41	0.19	0.64		6	
7	----	----	----	----	----	----	0.03	----	0.05	0.03	----	0.04		7	
8	----	0.04	----	----	----	----	0.04	----	0.01	0.86	0.72	0.48		8	
9	----	0.02	----	----	----	----	0.27	0.06	----	0.25	0.21	0.22		9	
10	----	----	----	----	----	0.08	----	----	0.06	0.10	0.12	0.38		10	
11	----	----	----	----	----	0.01	0.04	----	----	----	1.75	----		11	
12	----	----	0.13	0.06	----	0.08	0.31	----	0.76	----	0.01	----		12	
13	----	0.47	0.40	----	----	----	0.15	----	0.01	0.37	0.91	1.39		13	
14	----	1.48	0.01	0.08	----	----	0.01	----	0.30	0.50	0.08	0.25		14	
15	0.10	0.04	----	0.04	----	----	----	----	0.19	----	0.79	----		15	
16	----	1.08	0.04	0.43	----	----	0.35	----	0.17	0.02	0.05	0.14		16	
17	----	0.14	0.71	0.40	----	----	0.11	----	----	----	0.29	----		17	
18	Snow 0.29	----	0.22	0.98	----	----	0.25	----	0.18	----	0.13	0.13		18	
19	----	----	0.19	0.26	----	----	0.13	0.05	0.73	----	0.56	----		19	
20	----	----	----	0.13	----	----	0.03	0.08	----	0.05	0.18	----		20	
21	----	0.04	0.05	0.07	0.01	0.45	----	----	0.09	0.26	0.65	----		21	
22	0.16	----	0.10	0.10	0.01	0.58	----	----	0.15	----	0.01	----		22	
23	0.14	----	0.16	0.08	0.46	----	0.14	----	----	0.10	0.06	----		23	
24	0.08	0.48	0.03	----	0.01	----	0.27	----	0.04	0.13	----	0.03		24	
25	0.12	0.14	0.44	0.01	0.31	0.10	----	----	----	----	----	----		25	
26	0.26	0.48	----	0.09	0.19	----	0.08	----	----	----	0.05	----		26	
27	(60) 0.~~11~~	0.14	0.02	0.19	0.08	----	----	----	----	----	----	0.04		27	
28	(64) 0.~~14~~	----	0.07	0.32	0.05	0.09	----	0.02	----	----	----	0.51		28	
29	0.02	----	0.25	----	----	----	----	----	----	0.25	----	0.34		29	Print
30	0.02	✖	----	----	----	----	----	----	----	0.67	----	0.90		30	
31	0.46	✖	0.02	✖	----	✖	----	----	✖	0.55	✖	----		31	WH
TOTAL	3.76 ~~3.76~~	6.84 ~~2.07~~	3.74	3.47	1.12 ~~1.02~~	1.39	2.48	0.21	2.74	4.94	10.36 ~~9.36~~	6.40	Year's Total ~~46.58~~	47.45	
* Days with .01 in. or more.	~~13~~	~~17~~	~~16~~	~~17~~	~~8~~	~~7~~	~~20~~	~~4~~	~~13~~	~~18~~	~~23~~	~~18~~	~~30~~	174 " d"	
* Days with .04 in. or more.	11	16 ~~15~~	12	15	5	6	15	3	11	16	21 ~~20~~	17	~~148~~	148	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Engineer & Manager.

1914

Section **A** for the entry c FOR OFFICIAL USE.
AIR MINISTI NFALL ORGANIZATION.

FORM 1090.

REGIS 931.

1914

TREFUSIS
1931 — 40

780311

Kept at Trefusis
in the County of Corn

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	·04	·01	·68	0	0	·10	0	·60	0	0	0	1
2	·35	·04	·02	0	0	·01	0	0	·16	0	·06	·42	2
3	·04	0	1·15	0	0	0	0	0	·24	·02	1·59	·19	3
4	·03	·03	·28	0	·05	·06	·48	0	·28	·02	0	·42	4
5	0	·05	·97	·02	·01	·18	·01	·10	0	0	·09	·32	5
6	0	·05	·07	0	·21	·35	·19	0	0	·12	·01	·07	6
7	0	·03	0	0	·56	·22	·10	·32	0	·02	·42	0	7
8	·03	·10	0	·17	0	·48	·11	·40	0	0	·14	·11	8
9	0	·09	0	0	0	·06	·03	·07	0	·02	·12	·01	9
10	0	·17	·05	0	0	·04	·01	·03	·73	0	·65	·02	10
11	0	·42	0	0	·03	·34	1·80	0	·13	0	·42	0	11
12	·16	·04	0	0	·06	0	·07	0	·15	·16	·06	0	12
13	0	·02	·02	0	·44	0	·38	·23	0	0	0	0	13
14	·03	·08	0	0	·10	·20	·21	·15	0	0	·74	0	14
15	0	·09	0	0	·06	·12	0	·42	·03	0	·32	0	15
16	·03	·16	0	0	0	·76	0	·05	·03	0	0	·08	16
17	0	·18	0	0	0	0	·01	0	·09	0	0	0	17
18	·02	0	·04	0	0	·15	·01	1·15	0	0	·34	0	18
19	·04	·13	·58	0	0	·46	·13	·02	·05	0	·26	0	19
20	·05	·10	·16	0	0	0	0	·35	·02	0	·01	·01	20
21	·32	·31	·01	·09	·20	0	0	0	0	0	·01	0	21
22	·15	·08	·01	·02	·14	0	0	0	0	0	·14	0	22
23	·14	·02	0	·51	·28	0	·02	·30	0	·02	·80	0	23
24	·17	·02	0	·45	0	0	·87	·36	0	0	0	0	24
25	·11	0	0	·02	0	0	·20	0	0	0	·07	·01	25
26	·04	·04	·01	0	0	0	·09	0	0	0	·69	·01	26
27	·15	·20	0	0	·11	0	·04	·08	0	0	·17	0	27
28	·38	·10	·08	0	·03	0	0	·15	0	0	·03	·02	28
29	·10		·16	0	·16	0	·14	0	·04	0	·09	·16	29
30	·20	×	·24	0	·06	0	0	0	·10	0	0	·08	30
31	·65	×	·77	×	·30	×	·03	·01	×	·01	×	·21	31
TOTAL	3·19	2·29	4·63	1·96	2·80	3·44	5·03	4·19	2·65	·39	7·23	2·14	YEAR'S TOTAL 39·94
Days with ·01 in. or more.	21	25	18	8	17	14	22	17	14	8	23	16	203
Days with ·04 in. or more.	16	19	12	5	14	13	15	14	11	2	19	10	150

40-9999

(Signed) H W Trefusis P.T.O.

1914

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Trefusis
in the County of Cornwall
Diameter of Funnel of Gauge 5½ in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	·04	·01	·68	0	0	·10	0	·60	0	0	0	1
2	·35	·04	·02	0	0	·01	0	0	·16	0	·06	·42	2
3	·04	0	1·15	0	0	0	0	0	·24	·02	1·59	·19	3
4	·03	·03	·28	0	·05	·06	·48	0	·28	·02	0	·42	4
5	0	·05	·97	·02	·01	·19	·01	·10	0	0	·09	·32	5
6	0	·05	·07	0	·21	·35	·19	0	0	·12	·01	·07	6
7	0	·03	0	0	·56	·22	·10	·32	0	·02	·42	0	7
8	·03	·10	0	·17	0	·48	·11	·40	0	0	·14	·11	8
9	0	·09	0	0	0	·06	·03	·07	0	·02	·12	·01	9
10	0	·17	·05	0	0	·04	·01	·03	·73	0	·65	·02	10
11	0	·42	0	0	·03	·34	1·80	0	·13	0	·42	0	11
12	·16	·04	0	0	·06	0	·07	0	·15	·16	·06	0	12
13	0	·02	·02	0	·44	0	·38	·23	0	0	0	0	13
14	·03	·08	0	0	·10	·20	·21	·15	0	0	·74	0	14
15	0	·09	0	0	·06	·12	0	·42	·03	0	·32	0	15
16	·03	·16	0	0	0	·76	0	·05	·03	0	0	·08	16
17	0	·18	0	0	0	0	·01	0	·09	0	0	0	17
18	·02	0	·04	0	0	·15	·01	1·15	0	0	·34	0	18
19	·04	·13	·58	0	0	·46	·13	·02	·05	0	·26	0	19
20	·05	·10	·16	0	0	0	0	·35	·02	0	·01	·01	20
21	·32	·01	·01	·09	·20	0	0	0	0	0	·01	0	21
22	·15	·08	·01	·02	·14	0	0	0	0	0	·14	0	22
23	·14	·02	0	·51	·28	0	·02	·30	0	·02	·80	0	23
24	·17	·02	0	·45	0	0	·87	·36	0	0	0	0	24
25	·11	0	0	·02	0	0	·20	0	0	0	·07	·01	25
26	·04	·04	·01	0	0	0	·09	0	0	0	·69	·01	26
27	·15	·20	0	0	·11	0	·04	·08	0	0	·17	0	27
28	·38	·10	·08	0	·53	0	0	·15	0	0	·03	·02	28
29	·10		·16	0	·16	0	·14	0	·04	0	·09	·16	29
30	·20	×	·24	0	·06	0	0	0	·10	0	0	·08	30
31	·65	×	·77	×	·30	×	·03	·01	×	·01	×	·21	31
TOTAL	3·19	2·29	4.63	1·96	2·80	3.44	5·03	4·19	2·65	·39	7.23	2·14	YEAR'S TOTAL 39·94
Days with ·01 in. or more.	21	25	18	8	17	14	22	17	14	8	23	16	203
Days with ·04 in. or more.	16	19	12	5	14	13	15	14	11	2	19	10	150

40-9999

(Signed) Hw Trefusis

P.T.O.

1914

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	0	0	·20	0	0	·01	·06	·02	0	0	·09	1
2	·15	0	0	·12	·01	0	0	·10	·14	0	0	·36	2
3	·04	0	0	0	0	·33	·02	0	·59	·01	·03	·01	3
4	0	0	0	0	0	·34	·15	0	0	0	·10	0	4
5	·71	0	·02	0	0	0	·10	0	·36	0	0	0	5
6	·71	0	·02	·15	0	0	·18	0	·46	0	0	0	6
7	·05	0	0	·01	0	0	0	0	·69	inch 1.24	0	·04	7
8	·04	0	·37	·12	·29	0	0	0	·01	·06	0	0	8
9	·45	0	0	·37	·02	0	0	0	0	0	0	0	9
10	·57	0	·03	·34	·06	0	0	0	·04	0	0	0	10
11	·12	0	0	·03	·01	0	0	0	0	0	0	·07	11
12	inch 1.03	0	0	0	·90	0	·02	0	0	·32	0	·02	12
13	·19	0	0	·23	·02	0	0	0	0	inch 1·06	0	·13	13
14	·21	0	0	·09	·29	0	0	0	0	0	0	·01	14
15	·02	0	0	·06	·01	0	0	0	0	·02	·20	·06	15
16	·10	0	0	0	0	0	·16	0	0	·01	0	0	16
17	·02	0	0	·02	·36	0	·02	0	·05	·06	·01	0	17
18	·01	0	0	0	·52	0	0	0	·03	0	·12	0	18
19	0	0	0	·14	0	0	0	0	·25	·45	·01	·05	19
20	0	0	0	·08	·18	0	0	·10	·01	inch 1·29	·14	·11	20
21	·10	0	·06	·09	0	0	·01	·02	·03	·58	·20	·31	21
22	·02	0	·01	·10	0	0	·08	0	·56	·54	·40	·12	22
23	0	·03	0	0	·05	0	·34	·04	0	·63	·02	·29	23
24	0	0	0	·10	·02	0	·75	0	·12	·02	·01	·01	24
25	0	0	·19	0	·72	0	·07	0	·05	·52	·12	0	25
26	0	0	·25	·26	0	0	·01	0	·02	·11	·06	0	26
27	0	0	·30	·14	·21	0	·14	0	0	·30	·03	·32	27
28	0	0	·36	·06	·10	·06	·10	·02	·01	·18	0	·05	28
29	0		·43	·03	·06	·48	0	·08	·49	·63	·27	·84	29
30	0	×	·05	·13	·13	inch 1.52	·92	·01	·44	·05	·52	0	30
31	0	×	·28	×	·54	×	·09	0	×	·02	×	·92	31
TOTAL	4·57	·03	2·37	2·87	4·50	2·73	3·17	·43	4·37	8·10	2·24	3.81	YEAR'S TOTAL 39·19
*Days with ·01 in. or more.	19	1	13	22	20	5	18	8	20	21	16	19	182
*Days with ·04 in. or more.	15	0	9	18	14	5	12	5	13	16	10	15	132

40-9999

(Signed) H W F Trefusis

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·80	·21	0	·02	·16	0	0	0	0	·01	·70		1
2	·40	·07	·82	0	·25	·36	0	0	0	0	·17	·09		2
3	·09	·08	·20	0	·28	·04	0	0	0	0	0	0		3
4	·06	·02	·02	0	·38	0	0	0	0	0	0	0		4
5	·06	0	·39	0	·16	0	0	0	0	0	0	0		5
6	·06	·44	0	0	·05	0	·05	0	0	·05	0	0		6
7	0	·04	0	0	·03	0	·03	0	0	·03	·01	0		7
8	·01	·02	·01	0	·01	0	·30	0	0	0	0	0		8
9	0	·16	0	0	·02	0	·43	·01	0	·63	·06	0		9
10	·07	·05	0	0	0	0	·15	·03	0	·82	·03	0		10
11	·07	0	0	·10	·02	0	0	·07	·12	·11	·02	·86		11
12	0	0	0	·10	·03	·21	·25	·02	·01	·01	·48	·16		12
13	·04	0	0	0	·05	·19	·06	0	0	·23	·03	0		13
14	·20	0	0	0	0	0	·22	·06	0	0	·26	0		14
15	·07	0	·32	0	0	·07	·96	0	0	·24	·08	0		15
16	·07	·01	·20	0	0	·03	0	·01	·01	0	0	0		16
17	·02	·09	·08	0	0	·02	·01	·10	·05	0	0	0		17
18	·12	·01	·11	0	0	·03	0	0	0	·36	·07	0		18
19	·28	0	·07	0	0	·03	0	·04	·09	1·27	·08	0		19
20	·01	·05	0	0	·20	·20	0	·05	·28	0	0	0		20
21	0	·10	0	0	0	0	0	·09	0	·07	0	0		21
22	0	·05	0	·42	0	·03	0	0	·69	·06	0	0		22
23	0	·36	0	·06	0	·10	0	0	0	·10	0	0		23
24	0	·01	0	·15	0	·01	0	0	·02	·22	0	0		24
25	0	·25	0	·07	·12	·01	0	0	·17	·01	0	·19		25
26	0	0	0	·29	·16	0	0	0	0	·10	0	0		26
27	0	·14	0	·01	0	0	0	0	0	·18	0	·80		27
28	0	·19	0	·22	·04	0	·31	·13	0	·20	0	·08		28
29	·18		·05	·65	0	0	0	0	·03	·47	0	·02		29
30	·09	×	0	·06	·01	0	·07	0	·45	·04	0	·01		30
31	·40	×	·16	×	·07	×	0	0	×	·06	×	0		31
TOTAL	2·63	2·94	3.14	2·13	1·90	1·49	2.84	·61	1·92	5.26	1·30	2·11	Year's Total 28·27	
*Days with ·01 in. or more.	20	20	13	11	18	15	12	11	11	21	12	9	173	
*Days with .04 in. or more.	17	15	11	10	11	8	10	4	7	18	7	7	128	

40-9999

*See Instruction 2 (*f*) on other side.

Ⓓ

† Spare column, no entries required.

(*Signed*) Trefusis

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5 ½ in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.09	0	.04	0	0	0	0	.32	0	.03	.11	1.46		1
2	.10	0	.10	0	0	0	0	0	.50	0	.01	.17		2
3	.06	0	0	0	0	0	0	.15	.02	.50	.14	.37		3
4	.20	0	.15	.19	.37	0	0	.07	0	.16	0	.27		4
5	0	0	.18	.03	.30	0	0	1.13	0	.09	0	.46		5
6	.04	0	.30	.15	.32	0	0	.01	.10	.20	0	.19		6
7	.06	0	0	0	0	0	0	0	0	.42	.10	.55		7
8	0	0	0	0	.02	0	0	0	.10	0	.45	.72		8
9	.02	.01	.27	0	0	0	0	.03	0	0	.65	.10		9
10	.50	0	.43	.14	0	0	0	.03	0	0	.07	.18		10
11	.78	0	.07	.65	0	0	0	0	0	0	.10	.52		11
12	.11	0	.02	0	0	.04	.28	.10	0	0	.01	.14		12
13	.30	0	.04	.35	0	.01	.27	0	0	0	.45	.35		13
14	.43	0	.42	0	0	0	0	0	0	.12	0	.25		14
15	.29	0	.10	.01	.10	0	.03	0	.01	.22	0	.14		15
16	.17	0	.41	0	.02	0	0	.01	.43	0	0	.74		16
17	.30	0	.58	.21	0	0	.02	0	.03	.15	0	.33		17
18	.10	0	.32	.35	.01	.07	0	0	.07	.04	0	.45		18
19	0	0	.14	.02	0	.03	0	.01	.11	0	0	.03		19
20	0	.01	0	.18	0	0	.11	0	.11	.01	0	.05		20
21	.03	0	.26	0	0	.17	0	.11	.07	.39	.02	.02		21
22	.02	0	0	0	0	.03	0	.25	.21	0	0	.05		22
23	.02	0	.03	.29	0	.65	0	.10	.37	.03	0	.12		23
24	0	.09	.02	0	0	.24	.08	0	0	.17	0	.20		24
25	.15	0	0	.29	0	.02	0	0	.02	.11	0	.42		25
26	.05	0	.02	.01	0	.24	0	0	.27	.01	0	.11		26
27	0	.11	0	0	0	.11	0	.10	.22	.01	.05	.20		27
28	0	.15	0	0	0	0	0	.41	.10	.01	.01	.57		28
29	0		0	0	0	0	0	.09	.12	.04	0	.02		29
30	0	×	0	0	.27	0	0	.09	.13	.23	.01	.04		30
31	0	×	0	×	.04	×	0	.21	×	.24	×	0		31
TOTAL	3.82	.37	3.90	2.87	1.44	1.61	.79	3.22	2.99	3.18	2.18	9.52	Year's Total 35.89	
*Days with .01 in. or more.	21	5	20	14	9	11	6	18	20	21	14	30	189	
*Days with .04 in. or more.	17	3	16	10	6	7	4	13	15	15	9	27	142	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Lt Col The Honble H. F. Trefusis [P.T.O.

Form 1093.

AIR MINISTRY,
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
KINGSWAY, LONDON, W.C.2,
or
METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

1914

RAINFALL IN 192 34

NOTE.—Records taken in millimetres should be entered on Form 1094

At Trefusis

In the County of Cornwall

PLEASE FILL IN.

Rain Gauge
Diameter of Funnel 5½ in.
Height of Top
Above Ground 1 ft. 3 in.
Above Sea Level 200 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.		
JAN.	3.82	·78	11th	21	17
FEB.	·37	·15	28th	5	3
MAR.	3·90	·58	17th	20	16
APR.	2·87	·65	11th	14	10
MAY	1.44	·37	4th	9	6
JUNE	1.61	·66	23rd	11	7
JULY	·79	·28	12th	6	4
AUG.	3·22	1·13	5th	18	13
SEPT.	2·99	·50	2nd	20	16
OCT.	3·18	·50	3rd	21	15
NOV.	2·18	·65	9th	14	9
DEC.	9·52	1·46	1st	30	27
Total	35·89			189	142

Signature H. W. F. Trefusis

Titles Lt Col. the Hon ble

[*Please fill in the other side also.*]

Duplicate

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground —— ft. 14½ in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	·58	0	0	·10	·02	0	·05	·04	0	·14		1
2	0	·01	·11	·09	0	·01	0	0	·07	·22	·20	·22		2
3	·01	0	·03	·03	·07	·14	0	0	·05	·06	·27	·34		3
4	0	·11	·01	·05	0	·17	0	0	0	·05	·08	·38		4
5	·12	·23	·01	·03	0	·03	0	0	·17	·63	·19	·58		5
6	·05	0	0	·32	0	·93	0	0	0	·05	·08	·06		6
7	0	0	0	·35	0	·01	0	0	0	0	·21	·03		7
8	0	0	0	·62	0	0	0	0	0	·06	·23	0		8
9	·10	0	0	30	0	0	·02	0	0	·91	·29	0		9
10	·05	0	·02	·05	0	·02	0	0	0	·01	·24	0		10
11	·45	·05	·01	·01	0	·32	0	·01	·27	0	·78	0		11
12	·06	·25	0	·07	0	·25	0	0	·08	0	·22	0		12
13	·01	0	·01	·20	0	0	0	·11	·02	·09	·22	0		13
14	0	·14	0	0	0	·39	0	0	·33	·01	·91	·28		14
15	0	·02	·02	·70	·03	·09	0	0	·09	0	·22	·10		15
16	0	·08	·36	·16	·02	0	·01	0	·32	·04	·28	·15		16
17	0	0	·01	·03	·35	·40	·02	·01	·01	0	·10	0		17
18	0	·04	0	·47	·01	0	0	0	·29	·10	·05	·24		18
19	0	·04	·01	·16	·23	·11	·17	0	·18	·11	·15	0		19
20	0	·40	0	·35	·06	·01	·02	0	·01	·62	0	0		20
21	0	·52	·01	·10	0	·01	·04	0	·04	·11	·03	0		21
22	·01	·01	0	·16	0	0	·01	·23	·07	·39	0	0		22
23	0	·25	·03	·02	·02	0	0	1·52	·11	·18	0	·42		23
24	·02	·47	0	0	·17	0	0	·25	·14	0	·01	·16		24
25	·14	40	0	0	·16	·05	0	0	0	·06	0	·12		25
26	·32	42	0	0	0	·03	0	·27	·17	·01	·05	·37		26
27	0	·07	·01	0	0	0	0	·06	·19	0	·14	·11		27
28	·05	·09	0	0	0	0	0	·24	·18	·01	·08	·04		28
29	·02		0	0	·17	0	0	·02	·38	0	·24	·63		29
30	·04	✕	0	0	·02	·03	0	·95	·13	·18	·96	·79		30
31	0	✕	0	✕	0	✕	0	·10	✕	·52	✕	·46		31
TOTAL	1.47	3·61	1.23	4·27	1·31	3·10	·31	3·77	3·35	4·46	6·23	5·62	Year's Total 38·73	
* Days with .01 in. or more.	16	20	15	21	12	19	8	12	23	23	25	20	214	
* Days with .04 in. or more.	10	16	3	16	7	10	2	9	20	19	23	19	154	

40-9999.

† Spare column, no entries required.

(*Signed*) HwJ. Trefusis [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·15	·01	·16	0	·23	·69	·02	0	0	·03	0		1
2	·10	0	0	·05	0	·21	·10	·02	·05	0	·01	·02		2
3	·05	0	·15	·68	0	·03	0	0	·27	0	·05	·04		3
4	·03	0	·10	0	0	·03	0	0	·22	0	·11	·17		4
5	·33	·26	·01	0	·11	0	1·11	·07	0	0	·14	·16		5
6	·19	0	·07	0	·03	·04	·30	·09	·28	0	·85	0		6
7	·37	0	·08	0	0	0	0	0	·01	0	·57	0		7
8	·27	0	·43	0	0	0	·22	0	·10	·05	·59	·06		8
9	·20	·53	·03	0	0	0	·01	0	·35	0	·17	0		9
10	·06	1.55	0	0	0	·08	·21	0	0	0	·28	·08		10
11	·72	·52	0	0	0	0	·29	·02	·61	0	·66	·15		11
12	·15	·04	0	·10	0	0	·29	0	·05	0	·26	·07		12
13	·05	·04	0	·04	0	·04	·05	0	0	·06	·15	1.15		13
14	·01	·03	0	·03	0	0	·44	0	·06	·06	0	·24		14
15	0	·06	0	·16	·24	·01	·06	·01	0	0	·26	·20		15
16	0	·16	0	0	0	·01	·16	0	0	0	·19	·13		16
17	·21	·47	0	0	·23	·01	·25	0	0	·03	·05	·50		17
18	·37	·25	·24	·39	0	·79	·35	·03	0	0	0	·04		18
19	·50	0	·23	·10	0	·12	·01	·13	·04	0	0	0		19
20	·10	·35	0	·20	0	·10	0	·01	·09	0	0	·05		20
21	·11	·39	·08	0	0	0	·32	0	·02	·06	0	0		21
22	·25	·25	0	0	·05	0	·28	0	·01	0	0	·06		22
23	0	·35	·13	·15	·12	0	·04	0	0	·06	0	0		23
24	·23	·15	·06	·03	·21	0	·02	0	·13	·34	0	·04		24
25	·30	0	·63	·20	·03	0	·17	0	0	·39	0	0		25
26	·32	·16	·46	0	0	0	·06	0	0	·02	0	0		26
27	·80	·13	·19	0	0	0	·56	0	·01	·01	·06	0		27
28	·62	·07	·81	0	0	0	·30	0	0	·01	0	·22		28
29	·04	·12	·04	0	0	0	0	0	0	·03	·04	·21		29
30	·07	✕	·01	0	·10	·71	0	0	0	·06	0	0		30
31	·18	✕	·47	✕	·11	✕	·11	0	✕	0	✕	·34		31
TOTAL	5·72	6·03	4·23	2·29	1·23	2·41	6.40	·40	2·30	1·18	4·87	3·93	Year's Total 40.99	
* Days with .01 in. or more.	28	21	20	13	10	14	25	9	16	13	18	20	207	
* Days with .04 in. or more.	26	20	16	11	8	9	22	3	12	8	16	19	170	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H W Trefusis [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·02	0	·60	0	0	0	0	0	·07	0	·29		1
2	·05	1·22	0	·24	0	0	0	0	·03	0	0	·02		2
3	·01	·10	0	0	0	0	·04	0	0	0	0	·07		3
4	·11	·55	·01	·13	·13	0	0	0	0	0	·01	·68		4
5	·29	0	0	·15	·02	0	·55	0	0	0	0	·12		5
6	·06	·94	·32	·36	·02	·15	·02	0	0	0	0	·25		6
7	0	·34	·20	0	·02	·07	0	0	·01	0	·08	·02		7
8	·02	·10	·01	0	·04	·07	·11	0	0	·05	0	0		8
9	·08	·14	·05	·15	·38	0	0	·01	·47	0	0	0		9
10	·12	·06	·53	·36	·01	·20	·01	·06	0	0	0	·71		10
11	·10	0	·36	·29	·25	·26	·11	0	0	0	0	·02		11
12	·68	·30	·38	0	·07	·32	0	·01	·13	0	0	·41		12
13	0	·04	·65	·20	0	0	0	·33	·28	0	0	·16		13
14	0	·01	·37	0	0	0	0	·05	·16	0	0	·26		14
15	·40	·23	·36	·47	0	0	0	0	·16	0	0	·14		15
16	·41	·24	·28	0	0	0	·06	·02	·41	0	·45	0		16
17	·48	·10	·05	0	0	0	0	0	0	·01	·07	0		17
18	·07	·28	·29	·03	0	·15	0	0	·40	0	·30	·22		18
19	·20	·07	·10	·30	·06	0	0	0	·58	0	·23	0		19
20	·56	0	·02	·09	0	0	0	0	·05	0	0	·88		20
21	·29	·74	0	0	·17	0	0	0	·21	·57	·21	·05		21
22	·08	·05	·04	0	·12	0	·12	0	0	·58	·08	·13		22
23	·29	·58	0	0	·20	0	0	0	0	·35	·01	·01		23
24	·36	·35	·09	0	0	0	·11	0	0	·75	0	·08		24
25	·08	·88	·46	0	·02	0	0	0	0	·03	0	0		25
26	·14	·44	0	0	0	0	0	0	0	0	0	·01		26
27	·18	·32	0	0	0	0	0	0	·01	·37	0	0		27
28	·07	·14	0	0	0	0	·05	0	0	0	0	0		28
29	·10		0	0	0	0	0	0	0	·74	·39	0		29
30	·42	✕	0	0	0	·01	0	0	·06	0	·35	0		30
31	·19	✕	0	✕	0	✕	0	0	✕	·38	✕	0		31
TOTAL	5.94	8·24	4.57	3.37	1.51	1.23	1.18	·48	2·96	3.90	2·18	4.53	Year's Total 40.09	✓ ✓
* Days with .01 in. or more.	28	25	19	13	14	8	10	6	14	11	11	20	179	✓ ✓
* Days with .04 in. or more.	26	23	16	12	9	7	8	3	11	9	9	15	148	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hw Trefusis

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·21	·01	–	–	·72	·03	·67	·01	·46	–	·10		1
2	–	–	–	·02	–	–	–	–	–	·13	–	·15		2
3	–	–	–	–	·11	–	·02	·30	–	·60	·33	·03		3
4	–	–	·02	–	·03	·01	·16	·03	–	·32	–	·25		4
5	·03	–	–	–	–	·02	·01	·18	·03	·52	·02	·04		5
6	·26	–	·01	–	–	·19	1·56	–	·20	·11	·01	·13		6
7	·25	–	·01	–	–	–	·05	–	–	·12	·03	·10		7
8	·85	·09	–	–	–	·06	·25	–	–	·30	–	·14		8
9	·23	·16	–	–	–	·01	–	–	–	·03	·10	·80		9
10	·19	–	–	–	–	·10	·03	·01	–	·02	·05	·20		10
11	·42	–	–	–	·04	–	·10	–	–	–	·20	·76		11
12	·41	–	–	–	·30	·04	–	–	–	·40	·50	·05		12
13	·20	–	–	–	·28	–	·01	–	–	·14	·05	·40		13
14	·77	–	·01	–	·08	–	·14	–	–	–	·03	·10		14
15	·25	–	–	–	·01	·01	–	·03	–	·26	·46	·70		15
16	·21	–	·03	–	–	–	–	·04	–	–	·01	·20		16
17	–	·06	·05	–	·22	·01	–	–	·05	·18	·06	·10		17
18	·27	–	–	–	·44	·08	–	·38	·03	·04	·30	–		18
19	·02	–	–	–	·01	–	·01	·04	1.inch	·01	·80	–		19
20	·03	–	–	–	–	–	–	·05	–	–	·40	–		20
21	·06	–	–	–	–	–	–	·07	·13	·08	·10	–		21
22	·02	–	–	–	–	·04	–	·70	·08	·01	·22	–		22
23	–	–	–	·01	–	–	–	–	·18	–	·15	–		23
24	·06	·24	·17	–	–	–	·22	–	·04	–	·90	–		24
25	·06	·56	·04	–	·05	–	·06	–	–	·20	1·25	–		25
26	·36	·10	–	–	·37	·17	·01	–	–	·10	·04	·10		26
27	·21	·03	–	–	·09	·03	·21	·55	–	·18	·40	–		27
28	·11	·27	–	–	·06	·06	·01	–	·07	·06	·01	·04		28
29	·18		–	–	·26	–	–	–	·16	·35	·32	·03		29
30	·04	✕	–	–	–	–	·01	–	·02	–	·20	·34		30
31	·25	✕	–	✕	·28	✕	–	–	✕	·31	✕			31
TOTAL	5·75	1·72	·35	·03	2·63	1·55	2·89	3·05	2.inch	4·93	6·94	4·18	Year's Total 36·02	✓ ✓
* Days with .01 in. or more.	25	9	9	2	16	15	18	13	13	24	26	22	192	✓ ✓
* Days with .04 in. or more.	21	8	3	0	13	9	9	9	8	20	20	19	139	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Hw. F. Trefusis ✓

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 3 in,

,, Ground 1ft,, 3in Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	0	·02	·10	·01	✓	✓	✓	✓	·60	·23	·10		1
2	·04	0	✓	·29	✓	✓	✓	·17	·80	✓	✓	·05		2
3	·35	0	·18	·36	✓	✓	✓	✓	✓	·23	·18	·47		3
4	·24	✓	·48	·10	·30	✓	1·02	✓	✓	·14	·44	·31		4
5	·12	✓	·06	·42	·32	✓	·35	✓	✓	·03	1·07	·35		5
6	·42	✓	·19	·42	·22	✓	·74	·08	✓	✓	·04	✓		6
7	·03	·30	·01	✓	✓	·29	·11	·06	✓	·03	·20	·93		7
8	·05	·30	✓	✓	·07	[illegible]	·08	·03	✓	1·17	·20	·05		8
9	·04	·01	✓	✓	✓	✓	✓	·30	✓	·05	·13	·15		9
10	·17	0	✓	✓	✓	·01	✓	·07	·04	·20	✓	·19		10
11	·02	·06	·02	✓	✓	·10	✓	✓	✓	·17	·01	·04		11
12	·01	·04	✓	·12	·12	0	·88	✓	·17	·05	·01	✓		12
13	·91	·04	✓	·12	✓	·05	·07	✓	·08	·62	·05	·40		13
14	·49	0	✓	✓	·12	·03	✓	✓	✓	·10	·12	·07		14
15	·10	·02	✓	·01	✓	·50	·87	✓	✓	✓	·40	·07		15
16	·43	·03	✓	·10	·02	✓	·21	✓	✓	✓	·15	✓		16
17	·05	·20	✓	✓	✓	·10	·34	✓	✓	✓	✓	✓		17
18	·42	·02	·02	✓	✓	✓	·06	✓	✓	✓	·30	✓		18
19	·98	✓	✓	✓	✓	✓	·06	·01	✓	✓	·01	·03		19
20	·13	✓	✓	✓	✓	✓	·06	✓	✓	✓	✓	✓		20
21	·14	·25	·07	✓	·03	·80	·03	·02	✓	✓	✓	✓		21
22	·03	·32	·20	·01	✓	·45	·10	·22	✓	✓	·57	✓		22
23	✓	·08	·07	·09	✓	✓	·08	✓	✓	·01	1·45	✓		23
24	1·05	·06	·20	·14	✓	✓	·01	✓	✓	·03	✓	✓		24
25	·50	·06	✓	✓	✓	✓	·05	·40	✓	·07	·55	✓		25
26	·03	·11	✓	·01	✓	✓	✓	✓	✓	·05	·40	·05		26
27	0	·37	·10	·20	✓	·05	·05	✓	✓	·02	·13	✓		27
28	0	·10	✓	·06	✓	·04	·16	✓	✓	✓	·20	·01		28
29	·02		✓	✓	✓	·14	·12	✓	✓	·35	·05	✓		29
30	0	✕	·20	·10	✓	·06	·01	✓	✓	·50	·05	·04		30
31	0	✕	✓	✕	✓	✕	·02	·20	✕	·01	✕	✓		31
TOTAL	6·98	2·37	1·82	2·65	1·21	3·02	5.48	1·56	1·12	3·83	6·94	3·31	Year's Total 40·29	✓
* Days with .01 in. or more.	26	18	14	17	9	13	23	11	4	19	24	17	195	✓
* Days with .04 in. or more.	20	14	10	14	6	11	19	8	4	13	21	15	155	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Trefusis

in the County of Cornwall

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0	·10	0	0	0	0	0	0	0	0	·26	0		1
2	0	·22	0	·16	0	0	·01	0	0	0	·90	·14		2
3	·08	·62	0	0	0	0	0	0	0	·05	1·13	·23		3
4	0	·10	0	·01	0	0	·06	0	0	·23	·10	·03		4
5	·02	·01	0	0	0	0	·01	0	0	·03	·64	·22		5
6	·56	·66	0	0	0	0	·13	0	0	·28	·11	·48		6
7	·08	·01	0	0	0	0	·13	0	·04	·02	·01	·04		7
8	·01	·05	0	0	0	0	·01	0	·11	·65	·72	·30		8
9	0	0	0	0	0	0	·22	·05	0	·32	·20	·20		9
10	0	0	0	0	0	·23	0	0	·04	·01	·07	·21		10
11	0	·01	0	·01	0	·02	·02	0	0	0	1·21	·06		11
12	0	0	·01	·01	0	·05	·18	0	·59	0	·06	·01		12
13	0	0	·11	0	0	0	·10	0	0	·19	·86	·88		13
14	0	·11	·34	·06	0	0	0	·01	·24	·34	·09	·45		14
15	·06	·38	·02	·04	0	0	0	0	·11	·03	·51	0		15
16	0	1·06	·89	·35	0	0	·40	0	·08	·01	·06	·12		16
17	·01	·19	·50	·28	0	0	·06	0	0	·01	·14	0		17
18	·22	·55	·25	1·01	0	0	·02	·01	·08	·01	·14	·08		18
19	·01	·70	·20	·19	0	0	·14	0	·75	·04	·39	0		19
20	0	0	·02	·15	0	0	·02	·07	0	·25	·12	0		20
21	0	0	·02	·09	0	·19	0	0	·05	0	·50	0		21
22	·01	0	·06	·09	·02	·85	·04	0	·08	0	0	0		22
23	·11	·09	·14	·01	·16	0	·09	0	0	·15	·07	0		23
24	·09	·01	·04	·02	·04	0	·30	0	·01	0	·01	0		24
25	·26	0	·38	·01	·26	·08	0	0	0	0	0	·01		25
26	·30	·43	0	·07	·22	0	·04	0	0	0	·03	0		26
27	·44	·10	·06	·58	·09	0	0	0	0	0	0	0		27
28	·70	·09	·03	·29	·03	·01	0	·01	0	0	0	·05		28
29	·04	·21	·20	0	0	·04	0	0	0	·71	·01	·32		29
30	·02	✕	0	0	0	0	0	0	0	·48	0	·32		30
31	·30	✕	0	✕	0	✕	0	0	✕	·45	✕	·64		31
TOTAL	3·32	5·10	3,27	3.43	·82	1·47	1·98	·15	2·18	3·66	8·34	4·79	Year's Total 38·51	
* Days with .01 in. or more.	19	21	17	19	7	8	19	5	12	20	25	20	192	
* Days with .04 in. or more.	13	17	12	13	5	6	13	2	11	13	21	17	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. W. F. Trefusis

[P.T.O.

X HALWIN COUNCIL

1914/5

HALWIN COUNCIL SCHOOL
1932 — 40

780311

Section **A** **for the entry of Da** **Station No** 1914/5
AIR MINISTRY.– L ORGANIZATION.

FORM 1090. **REGIST** 2. Cornwall /2

Kept at WENDRON.
in the County of CORNW
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level 340 ft.

O.K. print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·00

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	·00	·00	·40	·04	·00		·07	·00	·57	·01	·16	1
2	·11	·00	·00	·20	·00	·00	·11-	·30	·00	·00	·00		2
3	·00	·00	·00	·00	·00		x	·05	·54	·00	·20	·34	3
4	·50	·00		·00	·00	·66	·00	·00	·00	·00			4
5	1·00		·00	·00	·00		·02	·00	·34	·00	·52	·01	5
6	·18	·00		·00		·00	·00	·00	·53	·14		·00	6
7	·00		·02	·00	·36	·00	·53	·00	·56		·00	·09	7
8	x	·00	·00	·34		·00		·00	·26	1·56	·00		8
9	1·09	·00	·50	·00	·00	·00	·00	·00			·00	·15	9
10	x	·00	·00	·11	·15			·00	1·10		·00		10
11	·02	·00		·25	·12	·00	·00	·00		·23		·00	11
12	1·50		·00	·00	·00		·03	·00	·07	1·34	·00	·00	12
13	·10	·00		·00	1·21	·00	·00	·00	·04	·00		·00	13
14	·11		·00	·13		·00	·00	·40	·00		·00	·03	14
15	x	·00	·00		·30	·00		·20	·01	·06	·02	·04	15
16	·11 x	·00	·00	·12		·00	·40	·00			·00		16
17	x	·00	·00		·74			·00	·12	·00	·03	·00	17
18	·00	·00		·00	·12	·00	·10	·00		·05			18
19	·00		·02	·14	·60		·00	·00	·26	·65	·34	·05	19
20	·00	·00		·12		·00	·04	·00	·06	1·09		·15	20
21	·19		·24	·00	·17	·00	·00	·01	·24		·35	·30	21
22	✓	·00	·00			·00		·03	·64	1·95	·04	·00	22
23	·02-	·00	·00	·35	·06	·00	1·40	1·03	·41		·43	·11	23
24		·05	·00		·02			·00	·57	·65	·01	·05	24
25	·00	·00	·00	·01	·10	·00	·04	·00	·00	·62	·02	·02	25
26	·00		·00	·69	·69		·12	·00	·00	·02		·00	26
27	·00	·00	·50	·23		·00	·15	·00			·27	·04	27
28	·00		·22	·02	·38	·00	·10	·00	1·12			·02	28
29		·00	·35	·21		·68	·12	·31		·77	·40	·10	29
30	·00	×	·08		·24	1·50	·00	·00	·00		·50	·20	30
31		×	·00	×	·68	×	1·40	·00	×		×	1·10	31
TOTAL	5·06	·05	1·93	3·32	5·34	2·84	4·56	2·40	6·84	9·70	3·14	2·97	YEAR'S TOTAL 48·15
*Days with ·01 in. or more.	~~13~~	~~1~~	~~8~~	~~15~~	~~17~~	~~3~~	~~14~~	~~9~~	~~17~~	~~14~~	~~14~~	~~18~~	~~143~~
*Days with .04 in. or more.	~~11~~	~~1~~	~~6~~	~~13~~	~~16~~	~~3~~	~~12~~	~~7~~	~~16~~	~~13~~	~~9~~	~~14~~	~~121~~

40-9999
*See Instruction 2 (*f*) on other side.

N. (*Signed*) Francis P. Yorkin P.T.O.

HALWIN COUNCIL

Section **A** **for the entry of Daily Observations.** **Station No.** 1914/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Cornwall /2

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WENDRON, HALWIN CL SCHOOL.

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 540 ft.

Previous records 1925 - 1929

Restarted 1932.

O.K. print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·00

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	·00	·00	·40	·04	·00		·07	·00	·57	·01	·16	1
2	·11	·00	·00	·20	·00	·00	·11-	·30	·00	·00	·00		2
3	·00	·00	·00	·00	·00		x	·05	·54	·00	·20	·34	3
4	·50	·00		·00	·00	·66	·00	·00	·00	·00			4
5	1·00		·00	·00	·00		·02	·00	·34	·00	·52	·01	5
6	·18	·00		·00		·00	·00	·00	·53	·14		·00	6
7	·00		·02	·00	·36	·00	·53	·00	·56		·00	·09	7
8	x	·00	·00	·34		·00		·00	·26		·00		8
9	1·09	·00	·50	·00	·00	·00	·00	·00		1·56	·00	·15	9
10	x	·00	·00	·11	·15			·00	1·10		·00		10
11	·02	·00		·25	·12	·00	·00	·00		·23		·00	11
12	1·50		·00	·00	·00		·03	·00	·07	1·34	·00	·00	12
13	·10	·00		·00	1·21	·00	·00	·00	·04	·00		·00	13
14	·11		·00	·13		·00	·00	·40	·00		·00	·03	14
15	x	·00	·00		·30	·00		·20	·01	·06	·02	·04	15
16	·11 x	·00	·00	·12		·00	·40	·00			·00		16
17	x	·00	·00		·74			·00	·12	·00	·03	·00	17
18	·00	·00		·00	·12	·00	·10	·00		·05			18
19	·00		·02	·14	·60		·00	·00	·26	·65	·34	·05	19
20	·00	·00		·12		·00	·04	·00	·06	1·09		·15	20
21	·19		·24	·00	·17	·00	·00	·01	·24		·35	·30	21
22	✓	·00	·00			·00		·03	·64	1·95	·04	·00	22
23	·02-	·00	·00	·35	·06	·00	1·40	1·03	·41		·43	·11	23
24		·05	·00		·02			·00	·57	·65	·01	·05	24
25	·00	·00	·00	·01	·10	·00	·04	·00	·00	·62	·02	·02	25
26	·00		·00	·69	·69		·12	·00	·00	·02		·00	26
27	·00	·00	·50	·23		·00	·15	·00			·27	·04	27
28	·00		·22	·02	·38	·00	·10	·00	1·12			·02	28
29		·00	·35	·21		·68	·12	·31		·77	·40	·10	29
30	·00	×	·08		·24	1·50	·00	·00	·00		·50	·20	30
31		×	·00	×	·68	×	1·40	·00	×		×	1·10	31
TOTAL	5·06	·05	1·93	3·32	5·34	2·84	4·56	2·40	6·84	9·70	3·14	2·97	YEAR'S TOTAL 48·15
*Days with ·01 in. or more.	~~13~~	~~1~~	~~8~~	~~15~~	~~17~~	~~3~~	~~14~~	~~9~~	~~17~~	~~14~~	~~14~~	~~18~~	~~143~~
*Days with .04 in. or more.	~~11~~	~~1~~	~~6~~	~~13~~	~~16~~	~~3~~	~~12~~	~~7~~	~~16~~	~~13~~	~~9~~	~~14~~	~~121~~

40-9999

*See Instruction 2 (*f*) on other side.

N.

(Signed) Francis P. [illegible]

P.T.O.

1914/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Halwin Council School, Wendron Helston

In the County of Cornwall

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft* 6 *in.*

Height of Ground above Sea Level 540 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·67	·75	27th	14	9
FEB.	4·43	1·45	1st	15	13
MAR.	2·50	·50	6th	12	8
APRIL	1·94	·48	23rd	11	8
MAY	3·23	·65	1st	13	11
JUNE	1·74	·21	12th	13	11
JULY	2·73 ✓	·45	31st	11	9
AUG.	2·85	·51	23rd	19	11
SEPT.	2·11 ✓	1·14	23-25	9	7
OCT.	7·40	1·56	20th	16	13
NOV.	1·81 ✓	·38	15th	16	9
DEC.	·94	·75	2-4	5	2
Total	33·35			154	111

Signature Francis P. Jenkin

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent

Mr F. P. Jenkin

Headmaster

HALWIN COUNCIL SCHOOL,
WENDRON,
HELSTON.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Helston Distance 4 Direction from gauge S.W

Nearest Parish Church at ~~H~~ Carnmenellis Distance 1½ Direction from gauge N

Nature of objects nearest to gauge	School			
Heights of objects	30 ft.			
Distances ..	30 yds.			
Directions from gauge ..	S.E.			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

~~If~~ the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

W.D. Rejected Jan 1-2 Low

Please examine

1911/5
1915
1904

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

X HALWIN (COUNCIL SCH.) X

+7882/30.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1914/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ~~ORGANIZATION~~.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

V/Cornwall/2

Kept at HALWIN COUNCIL SCHOOL WENDRON,
in the County of Cornwall HELSTON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 540 ft.

C 1932
1933 Loc/sup.

~~WP~~

20 ok

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·00	·10	·00	·00		·00	·25	·00	TR	·08			1
2	·00	·00		·00	·00	·00	·00	·00	·21	·03	·00	2·60		2
3	·16	·00	·31	·37	·00		·00	TR	·03	·50	·00			3
4	·24	·00		·06		·00	·00	·85	·00	·15	TR	·53		4
5	·05	·00	·28	·00	1·41	·00	·00	1·93	·02		·27	·35		5
6	·29	·00	·10	·19		TR		2·50	·06	·93	TR	·65		6
7	·00	·00	·00	·00	·00	·00	·00	TR	·00		·20	·45		7
8	·00	·00	·00	·00	·00	·00		·01	·00	TR	·40			8
9	·04			·00	·00	·00	·00	·05	TR	TR		·90		9
10	·27	·00	·77	·09	·00	·00	TR	·08	TR	TR	1·35			10
11	·35			·90		·00	TR	·01	TR	TR		·40		11
12		·00	·00	·03	·00	·08	·25	·61	·00		·05	·63		12
13	1·02	·00	·15			·00		TR	TR	·17	·60	·21		13
14		·01	·30	·49	·00	TR	·10	TR			TR	·24		14
15	·45	·00	·09		·14			·00	·5	·25	TR			15
16	·12			·00	·00	·00	TR	TR		TR		1·20		16
17	·25	·00	1·60	·07	·00		TR	·00	·03	·36	TR			17
18	·03			4 ·29		·02	TR	·00	·08	·04		·31		18
19		·00	·12	·09	·10	TR	·00	TR	·33		TR	·40		19
20	·03	·00	·00			TR		·00	·05	·21	TR	TR		20
21		·00	·45	·31	·00	·21	·02	·31			·02	·06		21
22	·02	·00	·00		·00			·30	·7	·01	·03	TR		22
23	·04			·40	·00	1·15	·03	·01		TR		·40		23
24	·06	·15	·14	·10	·00		·20	·00	TR	·35	·03	·05		24
25	·14			·28	·00	TR	·00	·01	TR	TR		·50		25
26		·00	·00	·01	·00	·40	·00	·06	·40	·03	TR	·50		26
27	·08	·00	·00		·00	TR		·00	·25		·05	·15		27
28		·11	·00	·00	·00	·00	TR	·25		·37	TR	·20		28
29	·00	×	·00		·00	TR		·01	·40		TR	·03		29
30	·01	×	·00	·00	·50	TR	TR	·00		·40	TR	·06		30
31	·00	×	·00	×	TR	×	·10	·00	×	·21	×	·17		31
TOTAL	3·68 ✓	·27 ✓	1 4·4~~X~~	88 3·~~XX~~	2·15 ✓	1·86 ✓	·70 ✓	4 7·2~~X~~	3·06 ✓	4·01 ✓	3·08 ✓	11·99 ✓	Year's Total 33 46·~~27~~	Pass ✓ d
*Days with ·01 in. or more.	~~21~~	~~3~~	~~12~~	~~14~~	~~4~~	~~5~~	~~6~~	~~16~~	~~13~~	~~15~~	~~11~~	~~23~~	~~143~~	
*Days with ·04 in. or more.	~~15~~	~~2~~	~~12~~	~~12~~	~~4~~	~~4~~	~~4~~	~~11~~	~~9~~	~~12~~	~~8~~	~~21~~	~~114~~	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~[illegible]~~
Y F.P. JENKIN Esq X

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1914/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WENDRON HALWIN CL. SCH.

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 540 ft.

HALWIN COUNCIL SCHOOL
WENDRON.
HELSTON.

Mar July & Dec adjusted by surr stns 35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12				·00	·25	·05		·13	·01	·06	1·3		1
2	·	·10	·52	·12	·00			·00	·00	·22		·14		2
3			)	·05	·00	·15	·05	·00	·00	·04		·06		3
4		·14	·02	·05	·00	·20		·00	2·22	·	·52	·45		4
5	·32	·12	(·40)		·00	·03		·07	·00	·81	·25	·4		5
6	·00		·02	·95	·00	·30	·00		·00	·44		·47		6
7	·00	·00			·00	·00			·01	·13	·35			7
8				·5	·00		·00	·01	·00	·76	·30			8
9	·09	·02	·00	·15		·05	·02	·01	·00	·05		·13		9
10	·04			·10				·01	·36	·10				10
11		·06	·07		·00	·24		·04	·03	·00	1·15	·00		11
12	·55	·35				·11		·21	·00		·66	·00		12
13		·18		·23	·00	·00		·00		·11	·34	·00		13
14		·18	·00		·00		·00	·00	·07	·10	·			14
15	·00			·87	·16	·40	·04	·09	·04	·03	1·20			15
16	·00	·19	·20	·20	·10			·02	·02	·10		·60		16
17	·00			·04	·95	·50		·01	·21	·01		·16		17
18		·10		·45				·00	·12	·	·7	·00		18
19	·00	·15		·40	·06	·05	·27		·01		·09	·37		19
20		·17	·00	·30		·02		·00	·17	·65	·36	·00		20
21	·00	·5	·02	·02	·00	·0~~8~~ 2	·00	·00		·10		·00		21
22	·00			·55	·01	·00	·00	·23	·20	·37	·00	·01		22
23	·00	·15	·07	·00		·00	·01	·01	·20	·34	·00	·02		23
24	·06			·00	—44—	·00	·00	·00	·15			·01		24
25		·31	·00	·00		·08	·00	·00			·00	·00		25
26	·34	·38	·00	·00	·00	·03	·	·01	·15			·00		26
27		·13	·00	·00	·00	·00	~~1·12~~	·00			·06	·01		27
28	·07	·16		·00	·14		·01	·00		·13	·19	·15		28
29		×		·00	·00	·10		·06	·82	·04	·06	·03 (72)		29
30	·15	×		·00	·00			·01	·13	·14		·00		30
31	0·0	×		×	·00	×		1·	×	·57	×	·01		31
TOTAL	1·74	3·39	(1·32) ~~·92~~	4·98	1·86	2·43	(·45) ~~1·54~~	79 2·~~65~~	4·04 ~~3·04~~	5·25	6·29	4·97 ~~4·25~~	Year's Total. 39·51	✓
* Days with .01 in. or more.	9	18	7	15	7	16	10	15	18	22	15	17	~~169~~	
* Days with .04 in. or more.	9	17	3	15	6	12	7	7	14	18	15	11	~~134~~	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Francis P. Perkins

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1914/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at WENDRON HALWIN CL SCHOOL

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 540 ft.

Corr: ~~April and~~ annual total for B.A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	–	·5	·26	TR	·55	·49	–	·00	TR	·35	·01		1
2	·03	–	·03	·20	–	·75	·35	–	·2	–	·07	·05		2
3	TR	·4	·22	–	–	·1	–	·09	·32	–	·09	·06		3
4	–	TR	·2	–	TR	TR	–	TR	·24	TR	·15	–		4
5	–	·05	·13	·75	·25	–	1·64	·18	–	·00	·16	–		5
6	·08	·41	–	·00	·05	–	·33	·09	–	·00	–	TR		6
7	·35	TR	–	·00	·01	·1	·02	TR	·03	·1	–	·26		7
8	·14	–	·65	·00	TR	·01	·4	–	·11	·00	1·51	TR		8
9	·09	–	·05	·00	–	·04	·28	–	·67	–	·14	·04		9
10	·85	·75	·00	·00	–	TR	–	TR	TR	–	·7	·07		10
11	–	1·7	TR	·00	·00	·04	–	·01	T	TR	·51	–		11
12	–	·7	00	·09	TR	–	·8	·03	–	TR	·5	–		12
13	·05	·03	–	·02	·00	–	·04	·01	·98	·08	–	1·04		13
14	·04	TR	–	·02	·00	·1	·51	TR	·12	·11	–	·55		14
15	TR	–	·01	TR	–	TR	·06	·03	TR	·00	·86	·35		15
16	·01	–	TR	·33	–	·07	·2	·03	·74	–	·15	·1		16
17	1·25	·35	·00	·02	·41	·01	–	·06	TR	–	·1	·4		17
18	–	·72	·19	TR	TR	·4	–	·12	–	·08	·00	–		18
19	–	·1	TR	·26	·00	–	·85	·36	–	·06	·00	–		19
20	·25	·01	–	·11	·00	–	·01	·03	·15	·26	–	·05		20
21	·14	·4	–	·30	TR	·2	·56	·01	·08	TR	–	TR		21
22	·4	–	·12	TR	–	·03	·25	·00	·02	TR	·00	·1		22
23	TR	–	·19	·19	–	·00	TR	·00	·01	–	·00	·03		23
24	·75	1·1	·14	–	·7	·00	–	·00	·19	–	·00	·13		24
25	–	·1	·6	–	·03	TR	–	TR	–	–	·01	·02		25
26	–	TR	·75	·25	TR	–	TR	·00	–	1·03	TR	TR		26
27	·7	·2	–	TR	·00	–	TR	·00	·1	·08	–	TR		27
28	·7	–	–	·03	·00	TR	·01	TR	TR	·05	–	·4		28
29	·03	–	·9	TR	·00	·02	·07	TR	·00	·1	·00	·15		29
30	·16	✕	·02	·00	TR	·29	·01	·00	TR	–	TR	·05		30
31	TR	✕	·7	✕	TR	✕	·39	TR	✕	–	✕	·45		31 'd'
TOTAL	4·81	7·01	5·4	3·83 ~~3·81~~ ~~2·83~~	1·45	2·71	7·24	1·05	3·96	1·95	5·3	4·31	Year's Total 48·14	~~73~~ 48.02
* Days with .01 in. or more.	19	15	17	14	6	15	20	13	15	10	14	20	178	
* Days with .04 in. or more.	16	13	14	9	4	11	16	6	12	10	13	17	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Francis T. Jenkins [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1914/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Halwin Council School, Wendron

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
0·00.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.			
1	·12	·20	·12	·64	-	TR	—	—	·11		·50	1·05		1	
2	·15	1·45	TR	·22	TR	—		—	·02	·10	·02	·05		2	
3	·06	·10	TR	TR	TR	—	·13	—	-		TR			3	
4	·11	·64	TR	·12	·07			—	-	·02	TR	1·00		4	
5	·32			·21	·04	·35	·79	—	TR	—	·18			5	
6	·10	1·48	·54	·42	TR		·08	—	·07	TR		·28		6	
7	·02			·02		·20	TR	—	·09	TR	·13	TR		7	
8		·15	·12	TR	·48	·19	·25	—	TR			TR		8	
9	·30	·19	·07			·06		·04	·65	—	TR	TR		9	
10		·16	·65	·73	TR	·25	·76	·06			TR			10	
11	·12	TR	·31		·59			TR	·29	TR	-	1·45		11	
12	·35			·06	TR	·70	·06	·41		—	TR			12	
13	TR	·50	2·02	·26	—		·01	·05	·56	—		·24		13	
14	TR			TR		TR	TR	·06	·18	—	·09	·10		14	
15		·26	·45	·56	-	·04	-	·10	·38			·28		15	
16	1·30	·14	·23			·03		·15	·23	—	-	—		16	
17		·12	·22	·16	-	—	·23	·04			·97			17	
18	·05	·46	·18		·18			·02	1·22	—	·15	·41		18	
19	·25			·29	·03	·26	-	TR		—	·35			19	
20	·72	·73	·12	·16	TR		-	TR	·18	—		·97		20	
21	·25			·06		—	·11	—	·35	·08	·47	·16		21	
22		TR	·09	TR	·52	·02	·08	—	·05			·22		22	
23	·80	·77	TR			—		—	-	2·80	·14	·06		23	
24		·46	·10	·03	·05	—	·05	—			TR	·23		24	
25	·15	·42	·46		·03			—	·12	·08	TR	TR		25	
26	·25		TR	—	-	—	-	—		TR	TR	·02		26	
27	·25	·59	TR	—	TR		·04	—	·03	·46		·02		27	
28	·07		TR	—		·06	—	—	-	TR	·73	—		28	
29		×	-	—	·03	TR	-	—	TR			TR		29	
30	·85	×	-	—		TR	-	TR	·03	1·50	·28	—		30	
31		×	-	×	TR	×	-	·03	×		×	—	d	31	
TOTAL	6·59	8·73	5·68	3·94	2·02	2·16	2·59	·96	4·59	5·04	4·01	6·54	Year's Total 52·85		✓
* Days with .01 in. or more.	21	18	15	15	10	11	12	10	17	7	12	16	163		
* Days with .04 in. or more.	20	18	15	13	7	9	11	8	14	6	11	14	146		✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Francis P. Jenkin [P.T.O.

1914/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At HALWIN COUNCIL SCHOOL

In the County of CORNWALL

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground – *ft.* – *in.*

Height of Ground above Sea Level 540 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·10			19	14
FEB.	2·24			9	4
MAR.	·74			10	6
APRIL	·03			1	0
MAY	2·90			18	11
JUNE	1·51			12	7
JULY	3·88			16	13
AUG.	2·38			12	4
SEPT.	3·08			14	11
OCT.	5·40			19	14
NOV.	8·20			21	14
DEC.	3·96			16	13
TOTAL	41·45 ✓			140 ✓	120 ✓

Signature Francis P. Jenkin

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
MR F. P. JENKIN, HALWIN SCHOOL HOUSE
WENDRON, HELSTON CORNWALL

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station HELSTON Distance 4½ Direction from gauge S.W

Nearest Parish Church at CARNMENELLIS Distance 1⅛ Direction from gauge N

Nature of objects nearest to gauge	School	House	Wall	
Height of objects	30ft	30ft	5ft.	
Distances ...	70ft	60ft.	30ft.	
Directions from gauge ...	S.E	S.W.	N.	

If gauge has been moved during the year state –

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 7
-8 FEB. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big\}{\cdot}14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 638/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1914/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HALWIN COUNCIL SCHOOL, WENDRON

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·00	·05		·25	·00		·05	·02		·00	·06		1
2	·45	·00	·02		·01	·00		·00	·35	·00	·90			2
3	·05	·00	·00	·33	·00		·09	·36	·45	·00	·00			3
4	·68			·45	·00		·04	·00	·00	·00		·54		4
5	·13			·44	·18	·00	1·40		·00	·45		·31		5
6	·14	·01	·59	·38		·00				·14	1·33	·28		6
7		·00	·15	·36		·00	1·20	·00			·04	·01		7
8		·56	·00		·38	·00		·14	·00		·16	1·03		8
9	·84	·26	·00		·05	·04		·13	·00	1·46	·34			9
10	·06	·02	·01	·00	·00		·26	·05	·18	·03	·04			10
11	·20			·00	·00		·01	·36	·08	·19		·65		11
12	·06			·00	·00	·03	·00		·14	·38		·09		12
13	·02	·08	·05	·33		·00	·00			·00	·04	·00		13
14		·02	·00	·11		·06	·96	·08			·11	·51		14
15		·00	·00		·14	·04		·00	·14		·11	·00		15
16	1·08	·02	·00		·00	1·05		·00	·00	·78	·69			16
17	·22	·03	·05	·25	·01		·96	·00	·00	·01	·13			17
18	·39			·00	·01		·33		·00	·00		·03		18
19	·05			·00	·00	·12	·09		·00	·00		·04		19
20	·43	·23	·09	·00		·00	·24	·00		·00	·35	·01		20
21		·01	·00	·00		1·25	·00	·00			·00	·03		21
22		·25	·04		·04	·45		·29	·00		·00	·00		22
23	1·04	·19	·13		·00	·10		·02	·00	·00	1·03			23
24	·00	·06	·14	·10	·00		·30	·23	·00	·03	1·45			24
25	·04			·16	·00		·09		·00	·00		·00		25
26	·25			·04	·00	·05	·10		·00	·02		·01		26
27	·05	·23	·34	·10		·00	·01	·00		·09	1·04	·04		27
28		·25	·01	·01		·08	·15	·00			·06	·01		28
29			·01		·00	·04		·00	·00		·25	·00		29
30	·02	✕	·01		·00	·12		·40	·00		·05			30
31	·00	✕	·11	✕	·00	✕	·84	·00	✕	·99	✕			31
TOTAL	6·62	2·22	1·83	3·09	1·10	3·45	4·05	2·41	1·34	4·54	4·44	3·41	Year's Total ~~48~~	44·93
* Days with .01 in. or more.	~~24~~ 20	15	16	13	9	13	17 ~~16~~	11	6	13	18 ~~19~~	16		166
* Days with .04 in. or more.	18	9	11	12	6	12	15	10	5	8	18 ~~19~~	10	~~135~~	134

† Spare column; no entries required.

(*Signed*) J. P. Jenkins

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 1914/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Halwin (Council School)

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Cord for wg.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (·80)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·00	·32	·23	·00	·00		·15	·00		·00	~~2·27~~	·01		1
2	·00	·14		·00	·00		·00	·00	·21	·00	[illegible]	·10		2
3	·00			·13	·00	·00	·00		·00	·00	1·80	·05		3
4	·29		·00	·00		·00	·09		·01	·08	·25	·00		4
5	·02	1·24	·00	·00		·00	·00	·00	·00		·43	·05		5
6		·02	·00		·00	·00		·00	·00		·34			6
7		·44	·00		·00	·00		·00		·75	·00			7
8	·75	·01	·00	·03	·00		·30	·00		·00	·00	·75		8
9	·01	·05		·00	·00		·05	·00	HOLIDAY	·00		·16		9
10	·00			·00	·00	·00	·37		·22	·59		·19		10
11	·00		·01	·00		·01	·00		·05	·10	2·26	·00		11
12	·00	·02	·06	·07		·05	·05	·00	·00		·01	·00		12
13		·00	·19		·00	·17		·00	·75		1·02			13
14		·00	·36		·00	·00		·00		·31	·07			14
15	·00	·00	·01	·17	·00		·53	·00		·41	·92	1·00		15
16	·06	·44		·06	·00		·19	·00	·61	·02		·1		16
17	·00			·22	·00	·00	·26		·19	·01		·16		17
18	·03		1·72	·06		·00	·15		·11	·00	·07	·00		18
19	·20	1·86	·15	1·35		·00	·11	·00	1·10		·4	·00		19
20		·24	·16		·00	·00		·00	·00		·44			20
21		·00	·00		·00	·00		·00		·28	·5			21
22	·00	·03	·03	·30	·00		·31	·00		·00	·17	·00		22
23	·05	·01		·25	·14		·04	·00	·00	·02		·00		23
24	·00			·05	·05	·84	·08		·00	·13		·00		24
25	·05		·20	·01		·00	·40		·00	·00	·01	·00		25
26	·35	·10	·05	·06		·06	·00	·00	·00		·07	·00		26
27		·34	·15		·24	·00		·00	·00		·01			27
28		·15	·25		·03	·00		·00		·00	·00			28
29	1·69	·05	·37	·65	·08		·09	·00		·14	·00	·25		29
30	·05	✕	[illegible]	·01	·03		·00	·00	·00	·56		·29		30
31	·05	✕		✕	·00	✕	·00		✕	·00	✕	·00		31
	·32	·23	–	–	–	·15	–	–	–	·47	·01	(·80)	Year's Total	
TOTAL	~~3·60~~	~~5·46~~	~~3·95~~	~~3·42~~	~~·57~~	~~1·13~~	~~3·17~~	~~·00~~	~~3·25~~	~~3·40~~	~~9·24~~	~~3·11~~	~~40·3~~	
* Days with .01 in. or more.	13	17	17	15	6	5	16	0	9	14	18	12	132	
* Days with .04 in. or more.	10	12	12	12	4	4	16	0	8	10	15	9	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side:

(Signed) .... [P.T.O.

3·92 5·37 3·72 3·42 ·57 1·28 3·02 – 3·25 3·87 8·78 3·90 41·10

OCT 194

1915

Section A for the entry of Dai

AIR MINISTRY.—

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTE

1915

ASHFIELD. FALMOUTH.

1931—40

780311

Kept at Ashfield, Fal

in the County of Cornw

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	Trace	·80	–	·01	·10	–	·66	·01	–	·02	1
2	·35	·06	·08	·01	–	·01	trace	–	·07	trace	·08	·53	2
3	·08	–	1·46	–	·02	–	·24	–	·38	·03	1·87	·03	3
4	·03	·03	·47	–	·03	·05	·31	–	·64	·02	·05	·04	4
5	·01	·42	1·17	·02	·12	·18	·03	·10	·01	·43	·16	·18	5
6	–	·03	·07	–	·26	·44	·26	–	–		·04	·08	6
7	–	·15	–	–	·63	·19	·21	·52	–	·02	·56	·13	7
8	·03	·11	–	·21	–	·67	·11	·47	–	trace	·14	·01	8
9	·01	·22	–	–	–	·03	·06	·02	–	·03	·09	·02	9
10	·01	·07	snow ·09	–	·29	·07	·02	·02	·60	–	·52	·02	10
11	·26	·33	–	–	·03	·34	1·61	–	·19	–	·52	trace	11
12	·22	·15	–	–	Trace	–	·10	–	·14	·17	·09	–	12
13	–	·09	·03	–	·53	trace	·37	·30	trace		·63	–	13
14	·03	·08	–	–	·12	·22	·17	·13	–	·01	·20	–	14
15	·01	·08	–	–	·10	·15	–	·43	·04	–	–	–	15
16	·04	·27	–	–	–	·93	–	·07	·03	–	–	·08	16
17	–	·11	–	trace	–	–	·01		·005	–	·03	–	17
18	·02	·01	·06	trace	–	·20	·03	1·35		–	·39	–	18
19	·04	·19	·61	–	·12	·05	·20	·02	·005	–	·24	–	19
20	·08	·10	·17	–	–	–	trace	·30	·03	–	·02	·02	20
21	·37	·04	·02	·09	·15	–	–	–	–	–	·02	–	21
22	·93	·08	·01	·03	·16	–	–	–	–	trace	·18	–	22
23	·12	·01	–	·40	·35	–	·02	·45	–	·02	·99	trace	23
24	·15	·01	·01	·60	–	–	1·04	·17	–	–	·01	–	24
25	·08	·02	–	·02	–	–	·24	–	–	–	·23	trace	25
26	·10	·10	–	·01	–	–	·08	–	–	–	·73	"	26
27	·18	·23	–	–	·11	–	·06	–	–	–	·19	"	27
28	·20	·12	·10	–	·05	–	·02	·13	–	–	·04	·04	28
29	·11	×	·18	–	·10	–	·17	·23	·04	·02	·06	·20	29
30	·28	×	·35	–	·14	–	·02	·01	·10	·01	–	·08	30
31	·75	×	·93	×	·31	×	·02	–	×	–	×	·24	31
TOTAL	4·50	3·15	5·81	2·20	3·52	3·54	5·50	4·64	2·95	·77	8·05	1·72	YEAR'S TOTAL 46·~~75~~ 34
*Days with ·01 in. or more.	27	27	17	10	19	15	25	17	15	11	26	16	225
*Days with ·04 in. or more.	18	21	13	5	15	12	17	13	10	2	21	10	157

40-9999

(Signed) J Gilbert Stephens

[P.T.O.

*See Instruction 2 (*f*) on other side.

1915

Section **A** for the entry of Dai

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Ashfield, Falmouth
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	Trace	·20	—	·01	·10	—	·66	·01	—	·02	1
2	·35	·06	·08	·01	—	·01	[illegible]	—	·07	trace	·08	·53	2
3	·08	—	1·46	—	—	—	·24	—	·38	·03	1·87	·03	3
4	·03	·03	·47	—	·03	·05	·31	—	·64	·02	·05	·04	4
5	·01	·42	1·17	·03	·12	·18	·03	·10	·01	·43	·16	·18	5
6	—	·05	·07	—	·26	·44	·26	—	—		[illegible]	·08	6
7	—	·15	—	—	·63	·19	·21	·52	—	·02	·56	·13	7
8	·03	·11	—	·21	—	·07	·11	·42	—	trace	·14	·01	8
9	·01	·22	—	—	—	·03	·06	·02	—	·03	·09	·02	9
10	·01	·07	snow ·04	—	·29	·07	·02	·02	·60	—	·52	·02	10
11	·26	·33	—	—	·03	·34	1·61	—	·19	—	·52	trace	11
12	·22	·15	—	—	Trace	—	·10	—	·14	·17	·09	—	12
13	—	·09	·03	—	·53	trace	·37	·30	trace		·63	—	13
14	·03	·08	—	—	·12	·22	·17	·13	—	·01	·20	—	14
15	·01	·08	—	—	·10	·15	—	·43	·04	—	—	—	15
16	·04	·27	—	—	—	·93	—	·07	·03	—	—	·08	16
17	—	·11	—	trace	—	—	·01		·005	—	·03	—	17
18	·02	·01	·06	trace	—	·20	·03	1·35		—	·39	—	18
19	·04	·19	·61	—	·12	·05	·20	·02	·005	—	·24	—	19
20	·08	·16	·17	—	—	—	trace	·30	·03	—	·02	·02	20
21	·37	·04	·02	·09	·15	—	—	—	—	—	·02	—	21
22	·93	·08	·01	·03	·16	—	—	—	—	trace	·18	—	22
23	·12	·01	—	·40	·35	—	·02	·45	—	·02	·99	trace	23
24	·15	·01	·01	·60	—	—	1·04	·17	—	—	·01	—	24
25	·08	·02	—	·02	—	—	·24	—	—	—	·23	trace	25
26	·10	·10	—	·01	—	—	·08	—	—	—	·13	"	26
27	·18	·23	—	—	·11	—	·06	—	—	—	·19	"	27
28	·20	·12	·10	—	·05	—	·02	·13	—	—	·04	·04	28
29	·11	×	·18	—	·10	—	·17	·23	·04	·02	·06	·20	29
30	·28	×	·35	—	·14	—	·02	·01	·10	·01	—	·08	30
31	·75	×	·93	×	·31	×	·02	—	×	—	×	·24	31

													YEAR'S TOTAL
TOTAL	4·50	3·15	5·81	2·20	3·52	3·54	5·50	4·64	2·95	·77	8·05	1·72	46·75
*Days with ·01 in. or more.	27	27	17	10	19	15	25	17	15	11	26	16	225
*Days with ·04 in. or more.	18	21	13	5	15	12	17	13	10	2	21	10	157

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Gilbert Stephens

[P.T.O.

1915

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ashfield in Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·19	Trace	—	Trace	·01	·02	·01	—	·10	1
2	·06	—	trace	·16	—	—	Trace	·11	·14	—	—	·32	2
3	·03	—	—	—	—	·42	·02	—	·61	·03	—	·02	3
4	·02	—	—	—	—	·35	·07	—	·01	—	·55	—	4
5	·71	—	·02	—	trace	trace	·70	—	·42	—	trace	·01	5
6	·52	—	·01	·15	—	—	·29	—	·54	·01	—	—	6
7	·08	—	—	·01	—	—	Trace	—	·83	1·39	—	·05	7
8	·05	—	·58	·12	·34	—	—	trace	·01	·08	? Trace	—	8
9	·74	—	—	·35	·02	—	—	—	—	—	—	—	9
10	·50	—	·04	·33	·10	—	—	—	·04	—	—	—	10
11	·13	—	·01	·07	·02	—	·02	—	—	—	—	·07	11
12	1·40	—	—	trace	1·16	—	·02	—	trace	·35	—	·03	12
13	·12	—	—	·24	·01	·01	Trace	·29	—	1·44	—	·20	13
14	·18	—	—	·02	·27	—	—	·04	—	·02	—	·02	14
15	·03	—	—	·07	·01	—	—	—	—	—	·28	·08	15
16	·13	—		·02	trace	—	·28	—	—	—	·02	·01	16
17	·03	—		·02	·42	—	·09	—	·07	—	·01	·01	17
18	·01	—		—	·22	—	·01	—	·04	—	·11	trace	18
19	trace	—		·16	·71	—	—	—	·25	·50	·02	·08	19
20	—	—	·01	·08	·14	—	—	·09	·02	1·20	·16	·18	20
21	·15	—	·04	·20	—	—	—	·07	·04	·07	·22	·44	21
22	·02	—	—	·10	·02	—	·15	·01	·74	·56	·34	·14	22
23	—	·02	—	·01	·03	—	·40	·07	·12	·67	·03	·34	23
24	—	trace	—	—	·01	—	·68	—	·03	·02	·03	Condensation ? ·01	24
25	—	—	·20	·01	·67	—	·11	—	·06	·56	·12	trace	25
26	—	—	·33	·33	—	—	·04	—	·02	·13	·06	—	26
27	—	—	·37	·20	·11	·02	·17	—	—	·46	·03	·38	27
28	—	—	·43	·07	·03	·07	·08	·03	·01	·17	—	·08	28
29	—	—	·41	·06	·09	·70	·01	·11	·63	·58	·46	·91	29
30	—	×	·06	·12	·18	1·72	·78	·02	·49	·05	·48	Trace	30
31	—	×	·10	×	·65	×	·12	—	×	8 ·50 ·04	×	1·08	31
TOTAL	4·96	·02	2·61	3·08	5·21	3·29	3·44	·85	5·14	8·54	2·92	4·56	YEAR'S TOTAL 44·62
*Days with ·01 in. or more.	20	1	14	24	21	7	19	11	22	21	16	22	198
*Days with ·04 in. or more.	14	0	10	18	13	5	14	7	15	16	9	15	136

40-9999

(Signed) J Gilbert Stephens

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~[illegible]~~ 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ashfield nr Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·79	·28	Trace	·10	·17	—	—	—	·01	·03	·82	1
2	·55	·10	1·01	—	·26	·32	—	—	—	—	·14	·09	2
3	·05	·12	·22	—	·28	·03	—	—	—	—	·04	—	3
4	08	·03	·02	—	·46	—	—	—	—	—	—	·01	4
5	·10	—	·47	—	·25	—	—	—	trace	—	·01	—	5
6	·06	·52	·04	—	·07	—	·08	—	—	·07	trace	—	6
7	·01	·04	trace	—	·06	—	·03	—	—	·03	—	·01	7
8	·02	·02	·01	—	·03	—	·35	—	—	—	—	—	8
9	·10	·10	—	—	·03	—	·50	·02	—	·67	·08	—	9
10	·03	·06	—	—	—	—	·11	·10	—	1·03	·09	—	10
11	—	—	—	·09	·03	—	—	·18	·11	·16	·02	·07	11 Snow
12	·01	—	—	·12	·05	·22	32	·02	·02	01	·43	·48	12
13	02	—	—	—	·04	·60	09	—	—	·25	·04	—	13
14	·34	—	—	—	trace	—	·73	·07	—	·01	·39	·01	14
15	·10	—	·44	—	—	·06	·32	trace	—	·18	·20	·01	15
16	·09	·03	·83	—	—	—	trace	·02	·02	·02	·01	—	16
17	03	·14	·12	—	—	—	·01	·08	·13	—	—	—	17
18	·11	·02	·14	—	—	—	·01	·01	·04	·58	·08	—	18
19	41	·01	·07	trace	—	·14	—	04	·14	1·52	·06	01	19
20	·01	·05	Trace	—	·18	·14	—	07	·42	trace	·01	—	20
21	—	·14	—	—	·02	trace	—	·13	trace	·07	—	—	21
22	—	·04	—	58	trace	·03	—	·32	·85	·06	—	—	22
23	—	·35	—	·11	—	·12	—	—	—	·12	—	—	23
24	—	·03	—	·16	trace	·01	—	—	·04	·22	—	—	24
25	—	·28	—	·10	·09	·03	—	—	·25	·01	—	·28	25
26	—	·01	—	·35	·21	—	—	—	—	·15	—	·01	26
27	—	·17	—	·02	trace	—	—	trace	trace	·27	—	·90	27
28	—	·32	—	·28	—	—	·33	·17	—	·43	—	·02	28
29	·22	×	·05	·52	—	—	trace	—	·07	·72	—	06	29
30	·05	×	·11	·06	·03	—	·10	—	·46	·07	·02	·03	30
31	·42	×	·24	×	·12	×	—	—	×	·05	×	·01	31
TOTAL	3·14	3·37	4·05	2·39	2·31	1·67	2·98	1·23	2·52	6·71	1·65	2·82	YEAR'S TOTAL 34·84
*Days with ·01 in. or more.	22	22	15	11	18	12	13	13	12	24	16	16	194
*Days with .04 in. or more.	15	15	13	10	13	8	10	9	9	18	10	7	137

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) J Gilbert Stephens

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ashfield nr Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	—	·05	—	—	—	—	·40	·01	·03	·11	1·79		1
2	·09	—	·07	—	—	—	—	—	·60	·02	·03	·12		2
3	·08	—	trace	—	—	—	—	·38	·04	·52	·15	·49		3
4	·18	—	·21	·29	·41	—	—	·11	—	·10	—	·36		4
5	·04	—	·22	·03	·45	—	—	1·31	—	·18	trace	·70		5
6	·10	—	·25	·22	·40	trace	—	·03	·09	·21	—	·30		6
7	·08	trace	trace	·01	—	—	—	—	—	·53	·15	·70		7
8	·01	—	—	—	·02	—	—	—	·09	·01	·50	·92		8
9	·04	—	·38	trace	—	—	—	·02	—	—	·55	·14		9
10	·63	—	·42	·16	—	—	·02	·04	—	trace	·09	·28		10
11	·76	—	·10	·69	—	—	·30	·01	—	—	·04	·64		11
12	·11	—	trace	trace	—	·07	·46	·09	—	—	·02	·20		12
13	·53	—	·03	·43	—	—	·02	—	—	—	·52	·27		13
14	·38	—	·49	·01	—	—	·02	—	trace	·06	·01	·34		14
15	·33	—	·12	·02	·12	—	—	trace	·01	·18	—	·17		15
16	·17	—	·50	·01	·02	—	—	—	·43	·01	—	·01		16
17	·27	—	·79	·33	—	—	·02	—	·02	·10	—	·36		17
18	·10	—	·40	·46	·04	·07	—	—	·04	·02	—	·44		18
19	·02	—	·16	·01	·01	·01	—	·03	·18	—	—	·01		19
20	—	·02	·01	·21	—	trace	·11	—	·13	·03	—	·04		20
21	trace	—	·33	·02	—	·21	—	·11	·06	·44	·02	·05		21
22	·05	—	·02	·03	—	·04	—	·23	·25	trace	—	·09		22
23	·02	—	·05	·33	—	·61	—	·10	·49	·01	—	·15		23
24	—	·08	·01	·05	—	·23	·05	—	trace	·31	—	·35		24
25	·21	·01	—	·31	—	·02	trace	—	·02	·13	—	·64		25
26	·05	—	trace	·02	—	·29	—	—	·35	·02	—	·13		26
27	·01	·12	—	—	—	·04	—	·19	·31	·05	·05	·42		27
28	—	·08	—	—	—	—	—	·40	·13	·02	·01	·60		28
29	—	×	—	—	—	—	—	·07	—	·03	—	·15		29
30	trace	×	—	—	·29	—	·01	·05	·28	·24	·02	·32		30
31	·02	×	—	×	trace	×	—	·29	×	·21	×	·01		31
TOTAL	4·38	·31	4·61	3·64	1·76	1·59	1·01	3·86	3·53	3·46	2·27	11·89	Year's Total 42·31	
*Days with ·01 in. or more.	25	5	20	20	9	10	9	18	19	24	15	31	205	
*Days with .04 in. or more.	19	3	16	11	6	8	5	14	15	14	9	29	149	

† Spare column, no entries required.

(Signed) J. Gilbert Stephens

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ashfield, Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·01	·81	—	—	·15	Trace	—	·09	·10	·01	·04		1
2	—	·01	·11	·11	trace	·07	—	—	·01	·23	·22	·16		2
3	—	Trace	·02	·08	·09	·12	—	—	·01	·08	·35	·37		3
4	—	·18	—	·05	—	·24	—	—	Trace	·09	·12	·45		4
5	·15	·20	·02	·03	—	·02	—	—	·21	·51	·20	·58		5
6	·08	·01	—	·38	—	·92	—	—	Trace	·07	·10	·09		6
7	—	—	—	·40	—	·02	—	—	—	·52	·23	·02		7
8	—	—	—	·67	—	—	—	—	—	·08	·32	—		8
9	·15	—	—	·27	—	—	·02	—	—	·90	·38	—		9
10	·04	—	·02	·05	—	·03	trace	—	—	·02	·14	—		10
11	·53	·03	·02	—	—	·35	—	·01	·50	·01	·90	—		11
12	·08	·33	—	·18	—	·25	—	·16	·13	—	·43	—		12
13	·01	·17	—	·10	—	—	—	—	·02	·09	·30	—		13
14	trace	·15	—	·01	—	·40	—	—	·41	·09	·97	·31		14
15	—	·09	·03	·96	·08	·04	—	—	·05	·01	·17	·13		15
16	—	·09	·16	·14	·03	—	·02	—	·42	·03	·28	·18		16
17	—	·01	trace	·02	·43	·46	·01	·01	·02	—	·13	—		17
18	—	·08	—	·35	·01	—	trace	—	·26	·08	·10	·30		18
19	—	·10	—	·17	·25	·75	·19	—	·20	·22	·19	·01		19
20	—	·33	—	·60	·01	·63	·01	—	·03	·62	·01	—		20
21	—	·54	·01	·02	trace	—	·02	·27	·03	·11	·02	—		21
22	·01	·01	·01	·20	—	—	—	Tr	·06	·52	—	—		22
23	—	·33	·05	·03	·02	—	—	1·66	·21	·20	—	·56		23
24	·03	·55	·01	—	·20	—	—	·13	·12	·01	—	·16		24
25	·09	·30	—	—	·21	·09	—	—	Trace	·04	—	·17		25
26	·19	·60	—	—	trace	·02	—	·29	·21	·01	·04	·40		26
27	·01	·05	·01	—	—	—	—	·10	·22	trace	·17	·14		27
28	·04	·10	—	—	·19	—	trace	·24	·22	·02	·05	·05		28
29	·02	×	—	—	·01	—	—	·03	·45	·03	·32	·66		29
30	·04	×	—	—	—	·03	—	1·13	·11	·13	1·06	·76		30
31	·01	×	·01	×	—	×	—	·14	×	·63	×	·52		31
TOTAL	1·49	4·27	1·29	4·82	1·53	3·39	·27	4·17	3·99	5·46	7·21	6·06	Year's Total. 43·95	
* Days with .01 in. or more.	17	23	14	21	12	18	6	12	23	28	26	21	221	
* Days with .04 in. or more.	10	17	4	16	7	12	1	9	17	20	23	19	155	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Gilbert Stephens

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ashfield Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·09	·01	·19	–	·26	·87	·03	–	–	·04	·01		1
2	·11	·01	·01	·09	–	·25	·11	–	·12	–	·01	·01		2
3	05	–	·16	·77	–	·03	·01	–	·26	–	·03	·02		3
4	·11	·01	·15	·61	–	·02	1·32	–	·25	–	·14	·17		4
5	·32	·34	·02	–	·10	–	–	·17	·01	–	·16	·06		5
6	·10	–	·09	–	·02	·03	·29	·02	·36	–	·96	–		6
7	·56	–	·10	–	–	–	·01	–	·02	–	·68	·05		7
8	·10	–	·42	–	–	–	·23	–	·10	·05	·50	·08		8
9	·19	·61	·03	–	–	–	·01	–	·30	–	·33	·01		9
10	03	1·78	–	–	–	–	·04	–	–	–	·41	·11		10
11	·71	·68	trace	–	–	·08	·45	·01	·66	–	·74	·17		11
12	·21	·05	–	·13	–	–	·27	–	·06	–	·12	·03		12
13	·06	·02	–	·02	–	–	·02	–	–	·10	·16	1·23		13
14	·01	·03	–	trace	–	·06	·67	–	·08	·01	Trace	·26		14
15	–	·03	–	·03	·24	–	·02	·01	–	–	·72	·39		15
16	–	·22	–	·20	·01	·01	·22	–	·02	–	·17	·16		16
17	·27	·71	–	·01	·17	·02	·40	–	–	·03	·04	·53		17
18	·42	·15	·38	–	–	·87	·34	·05	–	–	–	·03		18
19	·64	·01	·06	·15	–	–	trace	·13	·04	–	trace	·03		19
20	·15	·43	–	·15	–	·10	–	–	·09	–	–	·01		20
21	·23	·36	·10	[illegible]	–	–	·37	–	·02	·06	–	–		21
22	·27	·26	·01	–	·26	–	·41	–	·01	·02	–	·05		22
23	·01	·33	·20	·17	·18	–	·07	–	trace	·08	–	–		23
24	·39	·07	·12	[illegible]	·21	–	·08	–	·18	·34	–	·04		24
25	·33	–	·70	·21	·02	–	·18	–	trace	·46	–	·04		25
26	·64	·19	·68	–	–	–	·08	–	–	·03	–	–		26
27	·82	·14	·07	–	–	–	·48	–	·02	·03	·11	–		27
28	·73	·05	·94	–	–	–	·33	–	–	·03	·01	·23		28
29	·03	·14	·06	–	–	·01	trace	–	–	·02	·05	·21		29
30	·10	×	·02	–	·03	·95	·01	–	–	·03	·01	·01		30
31	·17	×	·71	×	·12	×	·14	–	×	·01	×	·40		31
TOTAL	7·86	6·73	5·04	2·88	1·36	2·69	7·03	·42	2·60	1·30	5·39	4·34	Year's Total. 47·62	
* Days with .01 in. or more.	29	24	22	15	11	13	27	7	18	15	20	26	217	
* Days with .04 in. or more.	25	18	16	11	7	7	21	3	12	6	16	17	159	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) J. Gilbert Stephens

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ashfield, Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·02	·01	·72	—	—	—	—	·01	·03	·01	·37		1
2	·05	1·46	—	·20	—	—	—	—	·01	—	—	·14		2
3	·02	·07	—	·01	—	—	·09	—	—	—	—	·05		3
4	·11	·63	—	·20	·12	—	—	—	—	—	·02	·75		4
5	·25	—	—	16	·02	·01	73	—	—	—	—	·10		5
6	·09	1·10	·35	·37	·01	·20	—	—	Trace	—	—	·25		6
7	—	·45	·23	02	·04	·07	—	—	·01	—	·11	·01		7
8	·04	·06	·03	—	·47	·05	·15	—	Slight trace	·01	·01	—		8
9	·10	·13	·06	·18	—	·01	·01	·02	·54	—	—	—		9
10	·14	·04	·61	38	·01	18	·01	·05	trace	—	—	63		10
11	·20	—	·24	·33	·45	24	·05	—	—	—	—	·03		11
12	·67	·35	·33	—	13	·37	—	·05	·13	—	—	·45		12
13	—	·07	·95	·20	—	—	—	·37	·43	—	—	·16		13
14	—	—	·42	·01	—	—	—	·01	·17	—	—	·15		14
15	·57	·24	·62	53	—	—	—	·62	·17	—	—	·11		15
16	·73	·22	·12	trace	—	—	·14	—	·31	—	·59	—		16
17	·63	·09	·11	—	—	—	—	—	·02	·01 dew	·11	—		17
18	·07	·31	·29	·05	—	·15	·01	—	·44	—	·34	·24		18
19	·28	·05	·12	·31	·19	—	—	—	·59	—	·25	—		19
20	·61	—	·15	·11	—	—	—	—	·07	—	02	1·24		20
21	·45	·73	·01	·01	·19	—	·07	—	·32	·06	·39	·05		21
22	·07	·02	·04	—	·14	—	·08	—	·02	·53	·13	·15		22
23	·32	·65	·03	—	·21	—	—	—	trace	·57	·01	·02		23
24	·41	·46	·08	—	trace	—	·04	—	Trace	·88	·01	·09		24
25	·03	·95	·50	·01	·02	—	—	—	—	·24	—	—		25
26	·16	·25	—	—	—	—	—	—	—	·01	—	·02		26
27	·19	·15	—	—	—	—	—	—	Trace	·41	·03	—		27
28	·04	·13	—	—	—	·01	·04	—	—	·01	01	—	—	28
29	·12	✕	—	—	—	—	—	Trace	—	·62	·47	—		29
30	·43	✕	—	—	—	—	—	—	·11	·24	·40	—		30
31	·17	✕	—	✕	—	✕	—	—	✕	·16	✕	—		31
TOTAL	7·08	8·63	5·46	3·80	2·00	1·29	1·40	·52	3·35	3·58	2·91	5·01	Year's Total 45·03 ✓	
* Days with .01 in. or more.	28	24	21	18	13	10	12	6	16	14	17	20	199 ✓	
* Days with .04 in. or more.	26	22	17	13	9	7	9	3	11	9	9	16	151 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J Gilbert Stephens

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ashfield Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·17	·01	–	–	·79	·14	·70	trace	·54	·01	·06		1
2	–	–	–	·01	–	–	·01	–	–	·16	–	·10		2
3	–	·01	–	–	–	–	·02	·40	–	·59	·45	·08		3
4	–	–	·01	–	·15	–	·21	·03	–	·50	trace	·24		4
5	·02	·01	·01	–	trace	·01	·01	·19	·05	·22	·04	·04		5
6	·26	–	–	–	–	·03	1·80	·01	·11	·09	·02	·18		6
7	·24	–	–	–	–	·24	·09	–	·01	·12	·04	·13		7
8	·93	·09	–	–	–	trace	·25	–	–	·26	trace	·17		8
9	·17	·15	–	–	–	·04	–	–	–	·04	·10	·76		9
10	·15	·01	–	–	–	trace	·03	·04	–	·01	·05	·25		10
11	·37	–	–	–	·08	·05	·10	–	trace	trace	·30	·85		11
12	·37	–	–	–	·37	–	trace	–	–	·36	·57	·03		12
13	·54	–	–	–	·44	–	·01	trace	–	·12	·01	·05		13
14	·53	–	–	–	·14	–	·11	·01	–	·01	·02	·10		14
15	·39	–	–	–	·01	–	–	·02	–	·21	·53	·55		15
16	·11	–	·03	–	·01	–	–	·04	–	trace	·05	·33		16
17	–	·11	·03	–	·64	·11	–	–	·07	·19	·03	·12		17
18	·25	·01	–	–	·07	·01	–	·42	·04	·05	·30	trace		18
19	·03	–	–	–	·01	–	trace	·04	1·04	–	·88	–		19
20	·02	–	–	–	–	–	–	·04	·01	–	·41	–		20
21	·04	–	–	–	–	–	–	·15	·16	·06	·10	–		21
22	·04	–	–	–	trace	·05	–	·86	·15	·03	·28	–		22
23	–	–	–	·02	trace	trace	–	·01	·21	–	·17	–		23
24	·11	·28	·20	–	·02	trace	·26	–	·05	·16	·69	–		24
25	·01	·71	·05	–	·03	–	·05	–	–	·07	1·07	·04		25
26	·23	·60	·01	–	·44	·19	–	–	–	·07	·05	·04		26
27	·10	·03	–	–	·19	·02	·22	·57	–	·10	·42	trace		27
28	·20	·23	–	–	·10	·05	·03	–	·08	·05	·02	·01		28
29	·16	×	trace	–	·31	–	·02	–	·14	·42	·35	–		29
30	·08		–	–	trace	–	·02	–	·03	·01	·18	·06		30
31	·23		trace		·33		–			·31		·31		31
TOTAL	5·58	1·90	·35	·03	3·31	1·59	3·38	3·47	2·15	4·72	7·14	4·50	Year's Total 38·12	✓
* Days with .01 in. or more.	25	13	8	2	17	12	18	16	14	26	27	22	200	✓
* Days with .04 in. or more.	21	8	2	–	12	8	9	11	11	22	21	20	145	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Gilbert Stephens

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ashfield, Falmouth

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 95 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	—	·01	·10	·02	—	·05	—	·01		·26	·09		1
2	·03	—	trace	·57	—	—	trace	·22	·75	—	·01	·05		2
3	·45	—	·15	·40	—	—	—	·01	·05	—	·38	·45		3
4	·19	—	·53	·10	·34	—	·97	—	—	·37	·33	·37		4
5	·21	—	·08	·43	·45	—	·57	—	—	·17	1·08	·26		5
6	·46	—	·20	·58	·07	—	·90	·09	—	·03	·03	—		6
7	·02	·41	—	—	trace	—	·13	·04	—	—	·33	·98		7
8	·08	·32	—	—	·05	·14	·11	·05	—	1·46	·22	·04		8
9	·02	·01	—	—	·01	·12	—	·30	—	·05	·05	·18		9
10	·24	—	—	—	—	—	—	·11	·06	·17	·01	·20		10
11	·04	—	·02	—	—	·03	—	·01	—	·17	·02	·03		11
12	·01	·08	—	·22	—	trace	—	—	·13	·09	·08	—		12
13	·01	·03	—	·49	—	·04	1·12	—	·07	·70	·08	·45		13
14	1·06	·01	—	—	·11	·03	·03	—	·01	·09	·15	·08		14
15	·40	·02	—	·03	trace	·67	·85	—	—	—	·18	·03		15
16	·23	·05	·01	·12	·01	trace	·17	—	—	—		—		16
17	·36	·15	—	—	—	·13	·28	—	—	—	·02	—		17
18	·04	·03	·03	—	·02	trace	·05	—	—	—	—	·02		18
19	·70	—	·01	—	—	—	·05	·05	—	—	—	·02		19
20	·75	—	—	—	·01	trace	·05	trace	—	—	—	·01		20
21	·20	·29	·11	—	·03	·83	·08	·02	—	—	—	—		21
22	·36	·32	·15	·01	—	·67	·07	·40	—	—	·84	—		22
23	·01	·07	·08	·08	—	trace	·15	·04	—	·01	1·60	—		23
24	1·80	·03	·32	·20	—	—	trace	—	—	·01	—	·01 x	dew	24
25	·41	·10	·01	—	—	—	·05	·63	—	·01	·50	·01 x	"	25
26	·02	·09	—	—	—	—	·01	·01	—	·02	·44	·03		26
27	—	·36	·10	·15	—	·06	·06	·03	—	trace	·07	·01		27
28	·02	·04	·01	·05	—	·04	·20	·07	—	—	·29	·03		28
29	·01	x	—	·05	—	·10	·17	·01	—	·39	·07	—		29
30	—	✕	·13	·10	—	·07	·91	—	—	·53	·04	—		30
31	—	✕	·01	✕	—	✕	·04	·24	✕	·05	✕	·01		31
TOTAL	7·72	2·36	1·91	3·21	1·12	2·72	6·14	2·33	1·07	4·32	7·03	3·36	Year's Total 43·29	✓
* Days with .01 in. or more.	28	18	18	17	11	13	24	18	6	17	24	22	216	✓
* Days with .04 in. or more.	19	13	9	15	5	11	21	12	5	12	18	11	151	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Gilbert Stephens

T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Ashfield, Falmouth
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 95 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	trace	·10	–	·01	·01	–	–	–	–	–	·29	–		1
2	–	·33	–	·18	–	–	·02	–	–	–	·77	·24		2
3	·13	·75	–	–	–	–	–	–	–	·07	1·02	·16		3
4	·01	·06	–	–	–	–	·07	–	–	·20	·10	·03		4
5	·02	·01	–	–	–	–	·01	–	–	·03	·16	·22		5
6	·63	1·06	–	trace	–	–	·16	–	–	·26	·17	·50		6
7	·08	trace	–	–	–	–	·01	–	·04	·03	·01	·03		7
8	·02	·06	–	–	–	–	·02	–	·12	·89	·74	·31		8
9	–	–	–	–	–	–	·21	·05	trace	·24	·14	·15		9
10	–	–	–	–	–	·15	trace	–	·06	·14	·10	·24		10
11	–	·02	·02	·02	–	·05	·03	trace	–	·01	1·21	·04		11
12	–	–	·11	–	–	·06	·22	·01	·57	–	·01	·03		12
13	–	–	·32	·01	–	–	·11	–	·01	·28	·96	1·21		13
14	–	·08	–	·03	–	–	·02	–	·30	·46	·07	·38		14
15	·08	·35	–	·06	–	–	–	–	·17	·02	·66	·02		15
16	trace	1·40	1·03	·38	–	–	·35	–	·09	·02	·03	·01		16
17	·02	·21	·44	·43	–	–	·09	trace	–	·01	·26	·01		17
18	·39	·60	·18	·90	–	–	·13	–	·20	·01	·09	·08		18
19	·02	·11	·15	·10	–	–	·10	trace	·74	·15	·47	–		19
20	–	–	·02	·27	–	–	·02	·05	trace	·12	·10	–		20
21	–	·01	·04	·09	–	·30	–	–	·05	·01	·56	–		21
22	·03	·01	·05	·10	·03	·80	·04	–	·21	·02	·02	–		22
23	·15	·09	·14	·03	·12	·01	·05	–	trace	·14	·04	–		23
24	·06	–	·06	trace	·03	–	·30	–	·02	–	·01	–		24
25	·61	·01	·41	·02	·20	·01	·01	–	–	–	·01	·04		25
26	·21	·53	·01	·09	·22	·06	·04	–	trace	–	·02	–		26
27	·68	·09	·03	·44	·09	trace	trace	–	–	–	–	–		27
28	·61	·27	·02	·31	·02	·04	–	·01	–	–	–	·05		28
29	·03	·01	·20	·01	·01	·03	–	–	–	·22	trace	·34		29
30	·04	×	·01	–	–	–	–	–	–	·62	–	·34		30
31	·36	×	–	×	trace	×	–	–	×	·64	×	·88		31
TOTAL	4·18	6·16	3·22	3·46	·71	1·51	2·01	·12	2·58	4·59	8·00	5·31	Year's Total 41·85	
* Days with .01 in. or more.	20	22	18	19	9	10	21	4	13	23	26	22	207	
* Days with .04 in. or more.	13	16	12	12	4	7	13	2	11	14	19	16	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Gilbert Stephens

P.T.O.

FORM 1090. **B** Mon
Sum

1916

—

1916
ROSKROW PENRYN
1931 — 36, 1937-39

78034

⁎ The following register of monthl
&c., is NOT required if daily or
values are given on the other sid

on and also the space for

is register should be sent:—

RAINFALL IN 1931

At Penryn (Roskrow

In the County of Cornwall

in Summer

ce Direction from gauge

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft.* .... *in.*
Height of Ground above Sea Level 550 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·30	1·20	22	23	19
FEB.	3·51	·61	5	20	19
MAR.	7·18	1·38	5	15	13
APRIL	2·50	1·00	1	8	–
MAY	4·48	·89	7	16	16
JUNE	3·82	1·21	16	11	10
JULY	5·76	1·36	11	20	19
AUG.	5·48	1·53	16	–	–
SEPT.	4·04	·93	4	11	–
OCT.	1·08	·60	6	9	5
NOV.	10·06	2·41	3	21	20
DEC.	2·14	·52	2	17	13
Total	55·35			–	–

Signature Mrs Stephen.

*See Instruction 2 (*f*) below.

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

1916

B Mon
Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Penryn (Roskrow)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground* ...... *ft* ...... *in*.
- *Height of Ground above Sea Level* 550 *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·30	1·20	22	23	19
FEB.	3.51	·61	5	20	19
MAR.	7.18	1.38	5	15	13
APRIL	2.50	1.00	1	8	–
MAY	4·48	·89	7	16	16
JUNE	3·82	1·21	16	11	10
JULY	5.76	1.36	11	20	19
AUG.	5.48	1.53	16	-	-
SEPT.	4·04	·93	4	11	-
OCT.	1.08	·60	6	9	5
NOV.	10.06	2·41	3	21	20
DEC.	2.14	·52	2	17	13
Total	55·35			–	–

Signature Mrs Stephen.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter............ in Summer............

Nearest Railway Station............ Distance............ Direction from gauge............

Nearest Parish Church at............ Distance............ Direction from gauge............

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

- (*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*
- (*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  - (A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.
- (*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in
- (*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.
- (*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*
- (*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1916

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932.

At Penryn (Roskrow)

In the County of Cornwall.

Rain Gauge

Diameter of Funnel..........in.

Height of Top above Ground.....ft.......in.

Height of Ground above Sea Level 550 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	6·92	2·84	12	21	16
FEB.	·07	·07	24	1	1
MAR.	2·89	·62	29	14	10
APRIL	3·30	·37	9	21	18
MAY	5·26	1·28	12	16	14
JUNE	4·00	2·05	30	5	4
JULY	4·42	1·19	16	17	11
AUG.	1·61	·47	13	11	9
SEPT.	5·73	·78	7	20	16
OCT.	9·68	1·46	7	22	19
NOV.	2·98	·65	29	16	13
DEC.	4·50	·96	31	21	18
Total	51·36			185	149

per Cornish Rainfall Assn

Signature Mrs. E. Stephen.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge

Heights of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

1916

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193

At PENRYN (Roskrow)

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft* .... *in*.
Height of Ground above Sea Level 550 *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·54	·62	2	21	18
FEB.	3·89	·83	1	19	16
MAR.	4·33	·98	16	15	11
APRIL	2·54	·81	25	10	8
MAY	2·77	·57	4	·14	·14
JUNE	2·02	·43	15	13	12
JULY	2·99	·83	9	12	10
AUG.	1·70	·41	22	9	7
SEPT.	2·58	·50	30	11	10
OCT.	7·92	1·61	19	18	17
NOV.	1·96	·48	12	10	16
DEC.	2·79	1·01	28	6	4
Total	39.03			158	137

Signature Mrs E. Stephen

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from records of Cornwall Rainfall Assocⁿ
A. Pearse Jenkin Esq. Hon. Sec.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

1916

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1934

At Penryn (Roskrow)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel - in.
- *Height of Top above Ground* - *ft* - *in.*
- *Height of Ground above Sea Level* 550 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·96	·92	11th	13	13
FEB.	·32	·19	24th	2	2
MAR.	4·83	·66	16th	14	14
APRIL	4·23	·72	18th	14	12
MAY	2·23	·96	6th	6	6
JUNE	1·99	·73	23rd	10	9
JULY	0·82	·53	14th	6	4
AUG.	5·09	1·25	5th	18	14
SEPT.	3·99	·77	2	18	16
OCT.	4·48	·62	7th	21	19
NOV.	2·80	·54	13th	10	10
DEC.	13·94	2·25	1st	30	29
Total	49·68			~~162~~	148

Signature Mrs E. O Stephen

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

Copied from Cornwall Rainfall Assoc. Return.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1916

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Penryn (Roskrow)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel.......................in.
- *Height of Top above Ground........ft............in.*
- *Height of Ground above Sea Level....550.....ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1.83	·56	11	10	9
FEB.	4.85	·84	24	21	21
MAR.	1.07	·49	1	12	6
APRIL	5.61	·68	8	19	14
MAY	1.41	·22	17	11	10
JUNE	3.65	·80	6	21	15
JULY	·51	·10	19	10	8
AUG.	4.06	1.74	23	12	10
SEPT.	4.17	·37	19	22	20
OCT.	5.06	·46	7	28	25
NOV.	5.60	·73	14	23	23
DEC.	6.23	·78	30	21	19
TOTAL	44.05			210	180

Signature pp Mrs Stephens

Copied in M.O.7. per C.R.A.

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter......................in Summer..................

Nearest Railway Station.................................. Distance.................. Direction from gauge............

Nearest Parish Church at.................................. Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1916

Copy by B.R.O.

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Penryn. Roskrow.

In the County of Cornwall.

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.........ft...........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·98	·68	7	29	27
FEB.	5·92	1·40	10	22	20
MAR.	4·62	·82	31	19	18
APRIL	2·59	·65	3	14	13
MAY	1·41	·21	5	10	10
JUNE	2·05	·56	18	15	13
JULY	6·18	1·00	5	25	22
AUG.	·65	·16	5	11	6
SEPT.	2·69	·94	11	18	16
OCT.	1·60	·30	24	16	12
NOV.	4·74	·57	16	18	17
DEC.	4·23	·65	17 31	24	21
TOTAL	44·66 ?			221	195

MRS E. STEPHEN *

* per Signature Cornish Rainfall Association.

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— Mrs E. Stephen.

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1916

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Penryn (Roskrow)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel......in.
- *Height of Top above Ground......ft......in.*
- *Height of Ground above Sea Level......ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·39	·86	12	28	27
FEB.	7·98	1·82	2	25	25
MAR.	4·23	·65	10	19	17
APRIL	4·30	–	–	(18)	(10)
MAY	1·71	·28	8	10	10
JUNE	1·55	·27	11	11	10
JULY	1·30	·24	8	14	10
AUG.	1·10	·48	13	5	3
SEPT.	3·39	·56	9	17	16
OCT.	3·84	·90	23	11	8
NOV.	3·01	·87	16	12	12
DEC.	5·50	1·20	20	18	17
TOTAL	44·30			(188) 170 ?	(165) 155 ?

Signature Per Cornish Rainfall Association.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— Mrs Stephen

Hour of observation by the clock—in Winter......in Summer......

Nearest Railway Station...... Distance...... Direction from gauge......

Nearest Parish Church at...... Distance...... Direction from gauge......

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move...... Distance...... Direction......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

......

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

COPY by B.R.O

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

Copy by BRO.

1916

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At Penryn (Roskrow)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel.....................in.
- *Height of Top above Ground........ft...........in.*
- *Height of Ground above Sea Level* 550 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·33			26	25
FEB.	1·83			8	8
MAR.	·60			6	3
APRIL	·02			1	0
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.	4·49			24	24
NOV.	6·07			27	22
DEC.	4·01			21	17
TOTAL					

Signature Mrs E. Stephen ×
per Cornwall Rainfall Assoc.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......................in Summer..................

Nearest Railway Station.................................. Distance............... Direction from gauge............

Nearest Parish Church at.................................. Distance............... Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

up up

SB
31/3/39

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91
S.O. Code No. 40-9999

FORM 1090.

B Mo
Sur

n.

1916/3

1916/3
STITHIANS TREVALES
1940

7103 11

, The following register of montl
&c., is NOT required if daily
values are given on the other

ion and also the space for

this register should be sent :—

Cornwall

RAINFALL IN 193

At Stithians (Trevales)

In the County of Cornwall

.m....in Summer.....9 a.m.

nce. 3¼ m. Direction from gauge NE

Nearest Parish Church at Stithians Distance 1¼ m. Direction from gauge NW

Rain Gauge
Diameter of Funnel 5" in.
Height of Top above Ground 1 ft. 6 *in.*
Height of Ground above Sea Level 500 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.	5·53	·71	30	18	18
NOV.	10·59	1·42	11	25	21
DEC.	6·64	1·28	13	19	17
TOTAL					

Nature of objects nearest to gauge	House	Trees		
Height of objects	40'	35'		
Distances ...	40'	40'		
Directions from gauge ...	S.	E		

If gauge has been moved during the year state—

Date of move.............. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature Col. H. Gordon*

* per C.R.A.

* See Instruction 3 *(f)* below.

N.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

FORM 1090.

1916/3

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Stithians (Trevales)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 500 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.	5·53	·71	30	18	18
NOV.	10·59	1·42	11	25	21
DEC.	6·64	1·28	13	19	17
TOTAL					

upimp.

Signature Col. H. Gordon

WH ^ per C.R.A.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Lt. Col. H. Gordon,
Trevales, Stithians, Cornwall.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Perranwell Distance 3¼ m. Direction from gauge N.E.

Nearest Parish Church at Stithians Distance 1¼ m. Direction from gauge N.W.

Nature of objects nearest to gauge	House	Trees		
Height of objects	40'	35'		
Distances ...	40'	40'		
Directions from gauge ...	S.	E		

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

File No. 683846/37

LAWN BANK ST MAWES
1916/5 1937-38
1916/1/5 1939-40

780311

Section **A** for the entry o

AIR MINIST

Station No. 1916/5

AINFALL ORGANIZATION

FORM 1090

REGIS 1937

Kept at Lawn Bank,

in the County of Co

Diameter of Funnel of Gauge......

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASURE SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							–	–	–	tr	–	.46		1
2							–	–	.02	–	–	.12		2
3							.02	–	–	–	–	.05		3
4							–	–	–	–	tr	.61		4
5							.55	–	–	–	–	.07		5
6							.03	–	tr	–	–	.30		6
7							–	–	–	–	–	.06		7
8						.06	.12	–	tr	.01	–	–		8
9						.02	–	.01	–	–	–	tr		9
10						.22	tr	.03	.45	–	–	.59		10
11						.18	.15	–	–	–	–	.16		11
12						.32	–	.04	.14	–	–	.39		12
13						–	–	.49	.37	–	–	.21		13
14						–	–	tr	.14	–	–	.32		14
15						–	–	–	.20	–	–	.16		15
16						–	.06	.01	.33	–	.33	–		16
17						–	tr	–	.03	–	.07	–		17
18						.16	–	–	.52	–	.21	.21		18
19						–	–	–	.73	–	.16	–		19
20						–	tr	–	.01	–	–	.80		20
21						–	.05	–	.18	.12	.22	.05		21
22						–	.09	–	tr	.37	.25	.11		22
23						–	–	tr	–	.38	tr	.02		23
24						–	.01	–	.01	.68	–	.06		24
25						–	–	–	–	.02	–	–		25
26						–	–	–	–	–	–	.04		26
27						–	–	–	tr	.41	tr	–		27
28						–	.03	–	–	–	.01	–		28
29						tr	–	–	–	.82	.28	–		29
30		✕				tr	–	tr	.10	.01	.28	–		30 mp.
31		✕		✕		✕	–	–	✕	.39	✕	–	months	31 wmp.
													~~Year's~~ Total	
TOTAL							1.11	.58	3.23	3.21	1.81	4.79	~~14.73~~	mp
* Days with .01 in. or more.							10	5	14	10 ~~9~~	9	20	~~68~~	
* Days with .04 in. or more.							6	2	10	7 8	8	19	~~52~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N

(*Signed*) J. Harvey Verde [P.T.O.

File No. 683846/37

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No 1916/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lawn Bank, St Mawes

in the County of Cornwall

Diameter of Funnel of Gauge 1.8 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

,, Ground ,, Sea Level (app.) 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							–	–	–	tr	–	.46		1
2							–	–	.02	–	–	.12		2
3							.02	–	–	–	–	.05		3
4							–	–	–	–	tr	.61		4
5							.55	–	–	–	–	.07		5
6							.03	–	tr	–	–	.30		6
7							–	–	–	–	–	.06		7
8						.06	.12	–	tr	.01	–	–		8
9						.02	–	.01	–	–	–	tr		9
10						.22	tr	.03	.45	–	–	.59		10
11						.18	.15	–	–	–	–	.16		11
12						.32	–	.04	.14	–	–	.39		12
13						–	–	.49	.37	–	–	.21		13
14						–	–	tr	.14	–	–	.32		14
15						–	–	–	.20	–	–	.16		15
16						–	.06	.01	.33	–	.33	–		16
17						–	tr	–	.03	–	.07	–		17
18						.16	–	–	.52	–	.21	.21		18
19						–	–	–	.73	–	.16	–		19
20						–	tr	–	.01	–	–	.80		20
21						–	.05	–	.18	.12	.22	.05		21
22						–	.09	–	tr	.37	.25	.11		22
23						–	–	tr	–	.38	tr	.02		23
24						–	.01	–	.01	.68	–	.06		24
25						–	–	–	–	.02	–	–		25
26						–	–	–	–	–	–	.04		26
27						–	–	–	tr	.41	tr	–		27
28						–	.03	–	–	–	.01	–		28
29						tr	–	–	–	.82	.28	–		29
30		✕				tr	–	tr	.10	.01	.28	–		30 mp.
31		✕		✕		✕	–	–	✕	.39	✕	–	months ~~Year's~~ Total	31 lmp.
TOTAL							1.11	.58	3.23	3.21	1.81	4.79	~~14.73~~	mp
* Days with .01 in. or more.							10	5	14	10 ~~9~~	9	20	~~68~~	
* Days with .04 in. or more.							6	2	10	~~7~~ 8	8	19	~~52~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Harvey Verde

[P.T.O.

ST MAWES (LAWN BANK)

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** Station No. 1916/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No. 68384b/37

n p mp 1937

Kept at Lawn Bank, St Mawes

in the County of Cornwall /2

Diameter of Funnel of Gauge 1.7 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level app 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.14	–	–	–	.85	–	.64	tr	.47	.01	.13		1
2	–	tr	–	–	–	–	–	–	–	.11	–	.09		2
3	–	–	tr	–	.01	–	.02	.30	–	.74	.21	.04		3
4	–	–	tr	–	–	.01	.18	.04	tr	.60	tr	.23		4
5	.01	tr	tr	–	–	.01	–	.14	.07	.36	.01	.03		5
6	.24	tr	–	–	–	.18	1.68	–	.02	.10	tr ~~.03~~	.19		6
7	.24	–	–	–	–	–	.05	–	–	.09	.03	.18		7
8	.85	.12	–	–	–	–	.21	–	–	.25	–	.10		8
9	.11	.14	–	–	–	.04	–	–	–	.03	.06	.88		9
10	.19	–	–	–	–	–	.02	.02	–	tr	.03	.23		10
11	.35	–	tr	–	.04	.07	.11	–	–	–	.22	.76		11
12	.35	–	–	–	.26	–	–	–	tr	.29	.53	.06		12
13	.19	–	–	–	.35	–	.01	–	–	.15	.03	.26		13
14	.89	–	–	–	.10	–	.17	tr	–	–	.09	.18		14
15	.29	–	–	–	–	–	–	tr	–	.28	.39	.67		15
16	.12	–	.01	–	–	–	–	.02	–	tr	tr	.07		16
17	–	.08	.02	–	.31	.08	–	–	.04	.23	.03	.39		17
18	.23	–	–	–	.17	–	tr	.32	.14		.22	–		18
19	.03	–	–	–	tr	–	–	.08	.61	–	.52	–		19
20	.03	–	.01	–	–	–	–	.06	tr	–	.40	–		20
21	.04	–	–	–	–	–	–	.11	.02	.05	.12	–		21
22	.01	–	–	–	tr	.02	–	.59	.09	–	.17	–		22
23	–	–	–	tr	–	–	–	.01	.13	–	.56	–		23
24	.05	.18	.13	–	.03	–	.18	–	.03	tr	1.38	–		24
25	.04	.58	–	–	.02	–	tr	–	–	.15	.04	.01		25
26	.34	.10	–	–	.48	.18	–	–	–	.12	.32	.10		26
27	.21	.03	–	–	.04	.01	.22	.66	tr	.18	tr	tr		27
28	.08	.27	–	–	.06	.03	tr	–	.09	.04	tr	.04		28
29	.18	–	–	–	.29	–	–	–	.09	.41	.30	.03		29
30	.05	✕	–	–	–	tr	.01	–	.04	–	.18	.03		30
31	.23	✕	–	✕	.32	✕	–	–	✕	.30	✕	.30		31
TOTAL	5.35	1.64	.17	–	2.48	1.48	2.86	2.99	1.37	4.95	5.85	5.00	Year's Total 34.14	
* Days with .01 in. or more.	25	9	4	–	14	11	12	13	12	21	23	23	167	
* Days with .04 in. or more.	21	8	1	–	11	6	8	10	9	20	17	19	130	

wt low GB
9/5/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Stanley Verde

[P.T.O.

St. MAWES (LAWN BANK)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1916/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No. 683846/37

np 1938

Kept at Lawn Bank, St Mawes

in the County of Cornwall

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level (app.) 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	—	tr	·07	tr	—	tr	—	—	—	—	·05		1
2	·04	—	—	·35	—	—	—	·27	·97	—	·01	·03		2
3	·31	—	·15	·43	—	—	—	tr	—	—	·18	·42		3
4	·19	—	·41	·03	·29	—	·03	—	—	·18	·48	·37		4
5	·09	tr	·04	·35	·44	—	1·10	—	—	·16	·99	·18		5
6	·40	·01	·24	·37	·08	—	·52	·11	—	·02	·04	tr		6
7	·02	·32	—	—	tr	tr	·60	·01	—	—	·22	·79		7
8	·04	·26	—	—	·07	·12	·08	·02	—	1·39	·32	·04		8
9	·04	·01	—	—	—	—	·11	·28	tr	·01	·10	·09		9
10	·16	tr	—	—	—	—	—	·07	·04	·14	·11	·27		10
11	·01	·06	·02	tr	—	·01	—	—	—	·25	·02	·10		11
12	—	·04	—	·13	—	—	—	—	·18	·06	·01	—		12
13	—	·11	—	·12	—	·06	—	—	·04	·71	·04	·42		13
14	·92	—	—	—	·10	·02	·73	—	—	·15	·12	·09		14
15	·55	·04	—	·02	—	·47	·03	—	—	—	·45	·05		15
16	·08	·01	·07	·15	·01	·02	1·18	—	tr	—	·16	—		16
17	·38	·13	—	—	—	·06	·32	—	—	—	·01	—		17
18	·01	·01	·02	—	—	·01	·28	—	—	—	·35	·02		18
19	·44	—	—	—	—	—	—	—	—	—	·01	·03		19
20	·82	—	—	—	·02	tr	·08	—	—	—	—	·02		20
21	·18	·40	·06	tr	tr	·83	·01	·01	—	—	—	—		21
22	·61	·42	·16	·02	—	·54	·05	·05	—	—	·48	—		22
23	·01	·06	·04	·09	—	—	·08	—	—	tr	1·48	—		23
24	·82	·02	·24	·13	—	—	·14	—	—	·04	tr	tr		24
25	·46	·07	—	—	—	—	—	·70	—	·04	·59	tr		25
26	·01	·14	—	·03	—	—	·01	—	—	·03	·57	·05		26
27	—	·48	·03	·07	—	·03	·03	·01	—	—	·09	—		27
28	—	·13	—	·02	—	·01	·10	·02	—	—	·24	·02		28
29	tr	—	—	—	—	·15	·10	—	—	·41	·09	—		29
30	—	✕	·12	·10	—	·14	—	—	—	·50	·04	—		30
31	—	✕	—	✕	—	✕	·01	·18	✕	—	✕	—		31
TOTAL	6·91	2·72	1·60	2·48	1·01	2·47	5·59	1·73	1·23	4·09	6·79	3·02	Year's Total 39·64	Print WH.
* Days with .01 in. or more.	24	19	13	17	7	14	21	12	4	15	26	18	190	
* Days with .04 in. or more.	19	14	10	12	5	8	15	7	4	12	21	13	140 ~~136~~	

J.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. Stanley Verde

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1916/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

File No. 683846/37

Kept at Lawn Bank, St Mawes
in the County of Cornwall
Diameter of Funnel of Gauge 18 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level (app.) 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	.12	–	–	tr	–	–	–	–	–	.29	–		1
2	–	.39	–	.21	–	–	.02	–	–	–	.91	.24		2
3	.07	.56	–	tr	–	–	–	–	–	.05	.99	.15		3
4	tr	.07	–	.01	–	–	.09	–	–	.18	.09	.02		4
5	tr	tr	–	–	–	–	.01	–	–	.24	.57	.22		5
6	.60	.85	–	–	–	–	.38	–	–	.01	.20	.66		6
7	.09	tr	–	–	–	–	.02	–	.04	.68	–	.01		7
8	.01	.04	–	–	–	–	tr	–	.04	–	1.15	.31		8
9	–	–	–	–	–	–	.25	.03	–	.18	.15	.18		9
10	–	–	–	–	–	.15	–	–	.02	.06	.05	.26		10
11	–	–	.02	.01	–	–	.02	–	–	–	1.38	.04		11
12	–	–	.09	tr	–	.02	.12	–	50	–	.02	.02		12
13	–	–	.38	–	–	–	.09	–	–	.23	1.06	.94		13
14	–	.17	.06	.05	–	–	–	–	.20	.32	.01	.25		14
15	.04	.40	–	.04	–	–	.36	–	.15	.01	.41	tr		15
16	–	1.20	.85	.20	–	–	.04	–	.06	tr	.08	.14		16
17	–	.19	.54	.48	–	–	.05	–	–	–	.35	tr		17
18	.21	.57	.20	.95	–	–	.03	tr	.10	.01	.29	.07		18
19	–	.69	.18	.10	–	–	.22	–	.78	.16	.35	–		19
20	–	.01	.02	.12	–	–	.02	.08	–	.18	.08	–		20
21	–	tr	.02	.11	–	.32	–	–	.05	.01	.47	–		21
22	.07	–	.05	.04	.18	.42	.04	–	.04	–	.01	–		22
23	.05	.07	.16	.10	–	–	.09	–	–	.18	.03	–		23
24	.13	.01	.04	.01	.07	–	.25	–	–	–	–	–		24
25	.36	–	.37	.01	.23	.04	–	–	–	–	tr	–		25
26	.33	.40	–	.10	.12	tr	.04	–	–	–	.02	.07		26
27	.57	.06	.04	.29	.06	–	–	–	–	–	–	.01		27
28	.75	.33	.03	.29	.02	.01	–	.01	–	–	–	.04		28
29	.09	.03	.13	.04	–	–	–	–	–	.14	–	.28		29
30	.03	✕	.01	–	–	–	–	–	–	.53	–	.35		30
31	.15	✕	tr	✕	tr	✕	–	–	✕	.47	✕	.83		31
													Year's Total	
TOTAL	3.49	5.56	3.19	3.16	.68	.96	2.14	.12	1.98	3.64	8.94	5.09	38.95	✓
* Days with .01 in. or more.	16	19	18	19	6	6	19	3	11	18	23	21	175	✓
* Days with .04 in. or more.	14	16	13	15	5	4	13	2	10	14	18	17	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Hawley Verde

[P.T.O.

1917

FORM 1090. **B** Month
Summ

1917
DEVERON
1931 — 34
780311

*** The following register of monthly t
&c., is NOT required if daily or w
values are given on the other side.

and also the space for

egister should be sent:—

RAINFALL IN 1931

At Devoran

In the County of Cornwall

in Summer

Direction from gauge

Rain Gauge
Diameter of Funnel in.
Height of Top above Ground ft. in.
Height of Ground above Sea Level 120 ft.

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4.30	-	-	-	-
FEB.	9.50	-	-	-	-
MAR.					
APRIL	1.60	-	-	-	-
MAY	2.40	-	-	-	-
JUNE	2.60	-	-	-	-
JULY	5.00	-	-	-	-
AUG.	5.25	-	-	-	-
SEPT.	2.65	-	-	-	-
OCT.	0.90	-	-	-	-
NOV.	8.80	-	-	-	-
DEC.	1.60	-	-	-	-
Total	44.60			-	-

Signature R. J. S. Langdon
Lord Clifden

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

1917

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Devoran

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft* .... *in.*
Height of Ground above Sea Level 120 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4·30	-	-	-	-
FEB.	9·50	-	-	-	-
MAR.					
APRIL	1.60	-	-	-	-
MAY	2.40	-	-	-	-
JUNE	2.60	-	-	-	-
JULY	5·00	-	-	-	-
AUG.	5·25	-	-	-	-
SEPT.	2.65	-	-	-	-
OCT.	0.90	-	-	-	-
NOV.	8.80	-	-	-	-
DEC.	1.60	-	-	-	-
Total	44·60			-	.

Signature R. J. S. Langdon
Lord Clifden

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— ....

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

1917

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Devoran

In the County of Cornwall.

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground* .... *ft.* .... *in.*
- *Height of Ground above Sea Level* 120 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4·65	(monthly record)			
FEB.	·04				
MAR.	2·80				
APRIL	2·50				
MAY	(4·75)				
JUNE	3·10				
JULY	3·70				
AUG.	1·20				
SEPT.	4·15				
OCT.	8·30				
NOV.	2·80				
DEC.	4·00				
Total	41·99				

Signature R. J. S. Langdon.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— ....

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:— ....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

per Cornish Rainfall Assn

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace"* *The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Copy by B.R.C.

1917

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Devoran

In the County of Cornwall

Rain Gauge

Diameter of Funnel .... in.

Height of Top above Ground ...... *ft* ...... *in.*

Height of Ground above Sea Level 120 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·30				
FEB.	3·70				
MAR.	3·70				
APRIL	2·00				
MAY	2·70				
JUNE	(2·00)				
JULY	2·38				
AUG.	1·55				
SEPT.	2·20				
OCT.	7·45				
NOV.	(2·00)				
DEC.	(3·00)				
Total	(35·98)				

Signature Rev. J.S. Langdon
per. Cornwall Rainfall Association.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

June Nov + Dec estimated by surrounding stns.

Stretch

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1914.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Devoran

In the County of Cornwall

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft* 0 *in.*

Height of Ground above Sea Level 120 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·90				
FEB.	·50				
MAR.	4·40				
APRIL	3·4				
MAY	1·55				
JUNE	1·35				
JULY					
AUG.	4·25				
SEPT.	3.50				
OCT.					
NOV.					
DEC.					
Total		imp.			

Signature R J & S Langdon, Esq.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.................. in Summer..................

Nearest Railway Station.................. Distance.................. Direction from gauge..................

Nearest Parish Church at.................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Cornwall Rainfall Assoc. Return

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London,

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1917/2

Section **A** for the entry of I

AIR MINISTRY

ALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST

32.

1917/2

DEVERON HOUSE

1932—40

780311

Kept at Devoran Hou

in the County of Cornw

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground.

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	—	.16	—	—	—	.03	.01	—	—	.07	1
2	.01	—	—	.19	—	—	.02	.11	.30	—	—	.33	2
3	.02	—	—	—	—	.45	.05	.01	.48	.02	.05	.02	3
4	.01	—	—	—	—	.36	.06	.06	—	—	.53	—	4
5	.69	—	.04	—	.01	—	—	—	.36	—	—	—	5
6	.57	—	.01	.17	—	—	.29	.01	.26	.07	—	—	6
7	.12	—	—	.01	—	—	—	—	.70	1.40	—	.02	7
8	.04	—	.70	.06	.29	—	—	—	—	.39	—	—	8
9	.75	—	—	.30	.02	—	—	—	.14	—	—	—	9
10	.50	—	.04	.28	.10	—	—	—	.04	—	—	.01	10
11	.04	—	.03	.04	.04	—	.17	—	—	—	—	.10	11
12	1.54	—	—	—	1.00	—	.03	—	.02	.16	—	.02	12
13	.16	—	—	.22	—	—	—	.32	.01	.97	—	.27	13
14	.16	—	—	.12	.31	—	—	.07	—	.03	.03	.02	14
15	.02	—	—	.04	.01	—	—	—	—	.03	.21	.06	15
16	.15	—	—	.03	—	—	.67	—	—	.02	.01	.01	16
17	.01	—	—	.01	.45	—	.12	—	.01	.05	—	.02	17
18	.01	—	—	—	.23	—	.01	—	.01	—	.14	—	18
19	—	—	—	.05	.63	—	—	—	.23	.42	.01	.09	19
20	—	—	—	.05	.13	—	—	.12	.06	1.13	.12	.11	20
21	.06	—	.07	.03	—	—	—	.27	.05	.57	.15	.41	21
22	.01	—	.02	.12	.04	—	.10	.03	.56	.48	.40	.22	22
23	—	.04	—	—	.02	—	.33	.02	—	.62	.07	.41	23
24	—	—	—	—	.01	—	.59	—	.20	.02	.01	.01	24
25	—	—	.22	—	.28	—	.17 }	—	.13	.69	.10	—	25
26	—	—	.39	.26	.02	—		—	.10	.15	.09	—	26
27	—	—	.33	.24	.19	—	.11	—	—	.56	.06	.29	27
28	—	—	.34	.07	.02	.06	.05	.02	.01	.22	—	.04	28
29	—	—	.62	.06	.11	.68	—	.15	.72	.45	.40	.83	29
30	—	×	.03	.16	.25	1.73	.80	.02	.50	.13	.65	.01	30
31	—	×	.04	×	.73	×	.13	—	×	.03	×	.84	31
TOTAL	4.90	.04	2.88	2.67	4.89	3.28	3.70	1.24	4.90	8.61	3.03	4.15	YEAR'S TOTAL 44.29
*Days with ·01 in. or more.	20	1	14	22	22	5	18	14	22	23	17	23	201
*Days with ·04 in. or more.	12	1	10	18	15	5	14	7	16	17	13	14	142

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Arthur S. Rashleigh

[P.T.O.

T917/2

Section **A** for the entry of I

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Devoran House, Devoran, nr. Truro

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	—	.16	—	—	—	.03	.01	—	—	.07	1
2	.01	—	—	.19	—	—	.02	.11	.30	—	—	.33	2
3	.02	—	—	—	—	.45	.05	.01	.48	.02	.05	.02	3
4	.01	—	—	—	—	.36	.06	.06	—	—	.53	—	4
5	.69	—	.04	—	.01	—	—	—	.36	—	—	—	5
6	.57	—	.01	.17	—	—	.29	.01	.26	.07	—	—	6
7	.12	—	—	.01	—	—	—	—	.70	1.40	—	.02	7
8	.04	—	.70	.06	.29	—	—	—	—	.39	—	—	8
9	.75	—	—	.30	.02	—	—	—	.14	—	—	—	9
10	.50	—	.04	.28	.10	—	—	—	.04	—	—	.01	10
11	.04	—	.03	.04	.04	—	.17	—	—	—	—	.10	11
12	1.54	—	—	—	1.00	—	.03	—	.02	.16	—	.02	12
13	.16	—	—	.22	—	—	—	.32	.01	.97	—	.21	13
14	.16	—	—	.12	.31	—	—	.07	—	.03	.03	.02	14
15	.02	—	—	.04	.01	—	—	—	—	.03	.21	.06	15
16	.15	—	—	.03	—	—	.67	—	—	.02	.01	.01	16
17	.01	—	—	.01	.45	—	.12	—	.01	.05	—	.02	17
18	.01	—	—	—	.23	—	.01	—	.01	—	.14	—	18
19	—	—	—	.05	.63	—	—	—	.23	.42	.01	.09	19
20	—	—	—	.05	.13	—	—	.12	.06	1.13	.12	.11	20
21	.06	—	.07	.03	—	—	—	.27	.05	.57	.15	.41	21
22	.01	—	.02	.12	.04	—	.10	.03	.56	.48	.40	.22	22
23	—	.04	—	—	.02	—	.33	.02	—	.62	.07	.41	23
24	—	—	—	—	.01	—	.59	—	.20	.02	.01	.01	24
25	—	—	.22	—	.28	—	.17 }	—	.13	.69	.10	—	25
26	—	—	.39	.26	.02	—		—	.10	.15	.09	—	26
27	—	—	.33	.24	.19	—	.11	—	—	.56	.06	.29	27
28	—	—	.34	.07	.02	.06	.05	.02	.01	.22	—	.04	28
29	—	—	.62	.06	.11	.68	—	.15	.72	.45	.40	.83	29
30	—	×	.03	.16	.25	1.73	.80	.02	.50	.13	.65	.01	30
31	—	×	.04	×	.73	×	.13	—	×	.03	×	.84	31
TOTAL	4.90	.04	2.88	2.67	4.89	3.28	3.70	1.24	4.90	8.61	3.03	4.15	YEAR'S TOTAL 44.29
*Days with ·01 in. or more.	20	1	14	22	22	5	18	14	22	23	17	23	201
*Days with ·04 in. or more.	12	1	10	18	15	5	14	7	16	17	13	14	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Arthur S. Rashleigh [P.T.O.

N

149634/31.

1917/2

Cornwall/2

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

& Devorans

At (Devoran House)

In the County of Cornwall.

Rain Gauge
Diameter of Funnel 2 in.
Height of Top above Ground ft. – in.
Height of Ground above Sea Level '' ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4·90	1·54	12	20	12
FEB.	·04	·04	23	1	1
MAR.	2·88	·70	8	14	10
APRIL	2·67	·30	9	22	18
MAY	4·89	1·00	12	22	15
JUNE	3·28	1·73	30	5	5
JULY	3·70	·80	30	18	14
AUG.	1·24	·32	13	14	7
SEPT.	4·90	·72	29	22	16
OCT.	8·61	1·40	7	23	17
NOV.	3·03	·65	30	17	13
DEC.	4·15	·84	31	23	14
Total	44·29			201	142

Signature Rev. A. S. Rashleigh.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

From Bolventor / Cornwall/2.

* Posted

Circ. sent 27/2/33 asking for position, site, etc.,

Good monthly agreement with Devoran No! 1917

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

N

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Devoran House, Devoran

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

" Ground " Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	.75	.30	—	.11	.24	—	—	—	—	.03	1.01		1
2	.76	.09	1.03	—	.26	.30	—	—	—	—	.16	.09		2
3	.08	.13	.25	—	.40	.01	—	—	—	—	.13	—		3
4	.15	.02	.01	—	.30	—	—	—	—	—	—	—		4
5	.09	.01	.50	—	.31	—	—	—	—	—	.02	—		5
6	.05	.50	.01	—	.21	—	.11	—	—	.07	.02	—		6
7	—	.05	—	—	.03	—	.02	—	—	.08	—	—		7
8	.06	.01	.01	—	.02	—	.43	.01	—	—	—	—		8
9	—	.16	—	—	.05	—	.31	—	—	.64	.16	—		9
10	.08	.03	—	—	—	—	.06	.20	—	1.35	.10	—		10
11	.12	—	—	.12	.06	.01	.01	.19	.03	.23	.03	.08		11
12	—	—	—	.08	.03	.19	.27	—	.02	—	.60	.31		12
13	.03	—	—	—	.08	.36	.01	—	—	.24	.08	—		13
14	.26	—	—	—	—	—	.29	.13	—	.01	.34	—		14
15	.11	—	.40	—	—	.07	.62	.08	—	.14	.41	.01		15
16	.10	.02	.86	—	—	.05	—	.01	.01	.04	—	—		16
17	.04	.16	.20	—	—	.20	.02	.03	.16	—	—	—		17
18	.09	.05	.16	—	—	.06	.01	.02	.01	.59	.09	—		18
19	.42	—	.16	—	—	.17	—	.04	.40	1.68	.07	—		19
20	—	.07	—	—	.15	.24	—	.13	.27	—	.01	—		20
21	—	.09	—	—	—	—	—	.13	—	.05	—	—		21
22	—	.06	—	.59	—	.02	—	.35	.63	.03	—	—		22
23	—	.57	—	.11	—	.16	—	—	—	.11	—	—		23
24	—	.06	—	.18	—	—	—	—	.05	.28	—	—		24
25	—	.24	—	.07	.25	.05	—	—	.06	.02	—	.30		25
26	—	—	—	.27	.24	—	—	—	—	.19	—	—		26
27	—	.27	—	.03	.03	—	—	—	—	.26	—	.93		27
28	—	.39	—	.15	—	—	.22	.20	—	.67	.01	.06		28
29	.19	×	.02	.35	—	—	—	—	.06	.90	—	.05		29
30	.10	×	.03	.05	.04	—	.08	—	.59	.07	—	.06		30
31	.45	×	.19	×	.13	×	—	—	×	.08	×	.01		31
TOTAL	3.48	3.73	4.13	2.00	2.70	2.13	2.46	1.52	2.29	7.73	2.26	2.91	Year's Total 37.34	
*Days with ·01 in. or more.	19	21	15	11	18	15	14	13	12	22	16	11	187	
*Days with .04 in. or more.	18	16	10	10	14	12	9	9	8	19	10	9	144	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Arthur S. Rashleigh

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Devoran House, Devoran
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.11	–	.03	–	–	–	–	.57	–	–	.04	1.54		1
2	.09	–	.09	–	–	–	–	–	.64	.05	.02	.09		2
3	.06	–	.01	–	–	–	–	.26	.03	.44	.16	.48		3
4	.20	–	.16	.22	.38	–	–	.18	–	.20	–	.40		4
5	–	–	.17	.06	.45	–	–	1.25	–	.20	.01	.48		5
6	.14	–	.33	.18	.45	–	–	–	.10	.26	–	.34		6
7	.19	–	–	–	–	–	–	–	–	.36	.12	.77		7
8	–	–	–	–	.02	.01	–	.01	.07	–	.43	.93		8
9	.06	.01	.45	–	–	–	–	.02	–	–	.81	.16		9
10	.41	–	.37	.15	–	–	–	.03	–	–	.10	.26		10
11	.70	–	.08	.81	–	–	–	.01	–	–	.15	.70		11
12	.12	–	.06	–	–	.08	.01	.12	–	.01	–	.35		12
13	.44	–	.03	.42	–	.02	.32	–	–	.01	.37	.21		13
14	.37	–	.54	–	–	–	.03	–	–	.14	–	.28		14
15	.33	–	.11	.02	.10	–	.02	–	–	.36	.01	.25		15
16	.15	–	.46	–	.07	–	–	–	.47	.01	–	.73		16
17	.23	–	.90	.30	.04	–	.02	–	.01	.19	–	.41		17
18	.04	–	.48	.63	.06	.08	–	–	.11	.04	–	.54		18
19	–	–	.13	.01	.01	.01	–	.04	.17	–	–	.03		19
20	–	–	–	.17	–	–	.10	–	.09	.02	–	.06		20
21	–	–	.23	.06	.01	.14	–	.09	.07	.39	.03	.03		21
22	.03	–	–	.03	–	.05	–	.12	.16	–	–	.08		22
23	.01	–	.04	.22	–	.62	.02	–	.43	.04	.01	.20		23
24	–	.14	.02	–	–	.43	.12	–	.03	.28	–	.29		24
25	.17	–	–	.27	.01	.06	–	–	.03	.22	–	.71		25
26	.10	–	.02	.01	–	.31	–	–	.31	.03	–	.16		26
27	–	.14	–	–	–	.04	–	.19	.32	.04	.03	.18		27
28	–	.11	–	–	–	–	–	.48	.26	.02	.01	.84		28
29	–	×	–	–	–	–	–	.05	.26	.05	–	.02		29
30	.01	×	–	–	.19	–	.01	.06	.28	.42	–	.25		30
31	.01	×	–	×	.04	×	.01	.32	×	.32	×	–		31
TOTAL	3.97	.40	4.71	3.56	1.83	1.85	.66	3.80	3.84	4.10	2.30	11.77	Year's Total. 42.79	
* Days with .01 in. or more.	22	4	21	16	13	12	10	17	19	24	15	30	203	
* Days with .04 in. or more.	18	3	16	12	9	9	3	13	15	18	8	27	151	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Arthur S. Rashleigh

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Devoran House, Devoran,

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	†	
1	.03	.02	.54	.02	—	.19	.01	—	.24	.08	—	.19		1
2	—	.02	.10	.10	.01	.06	— tr	—	—	.30	.20	.11		2
3	.01	—	—	.03	.08	.12	—	—	.01	.15	.30	.42		3
4	—	.14	.01	.12	—	.18	—	—	—	.13	.15	.50		4
5	.18	.22	.04	.12	—	.03	—	—	.20	.61	.22	.33		5
6	.07	—	—	.44	—	.76	—	—	—	.11	.08	.06		6
7	—	—	—	.39	—	— tr	—	—	—	.53	.22	.03		7
8	—	—	—	.47	—	—	—	—	—	.11	.37	—		8
9	.10	—	—	.24	— tr	—	.01	—	—	.86	.35	—		9
10	.02	—	.03 s	— tr	—	.05	—	—	—	—	.22	.01		10
11	.64	.03	.02 s	—	—	.52	—	.02	.38	.05	.87	—		11
12	.12	.29	—	.14	—	.21	—	.18	.07	—	.36	—		12
13	.02	.14	—	.21	—	—	—	—	—	.04	.21	—		13
14	—	.10	—	.02	—	.40	—	—	.41	.04	.87	.30		14
15	—	.01	.02	1.04	.07	.10	—	.01	.11	—	.21	.14		15
16	—	.08	.20	.20	.10	—	.02	—	.44	.05	.27	.17		16
17	—	—	.01	.02	2.h.s .36	.43	.05	.03	.06	—	.15	—		17
18	—	.05	— tr	.38	.05	—	— tr	.01	.24	.08	.06	.27		18
19	—	.07	— tr	.16	.58	.06	.13	—	.11	.16	.28	—		19
20	—	.39	— tr	.40	— tr	— tr	.02	—	.03	.67	—	—		20
21	—	.66	.01	.01	—	.01	.06	—	.10	.11	—	—		21
22	.01	.01	.01	.44	—	—	—	.21	.04	.46	—	—		22
23	—	.34	.03	.03	— tr	—	—	1.86	.13	.22	—	.52		23
24	.03	.41	.02	—	.18	—	—	.16	.11	.01	—	.22		24
25	.12	.43	—	.17	.28	.11	—	—	—	.05	—	.17		25
26	.25	.49	—	—	—	.05	—	.32	.13	.01	.04	.37		26
27	—	.11	.01	—	—	—	.03	.09	.15	.01	.11	.08		27
28	.06	.30	—	—	—	—	.03	.10	.28	.03	.08	.05		28
29	.02	×	—	—	.13	—	—	.03	.43	—	.19	.72		29
30	.06	×	—	—	.03	.04	—	.98	.04	.13	1.00	.75		30
31	—	×	.01	×	—	×	—	.14	×	.52	×	.50		31
TOTAL	1.74	4.31	1.06	5.15	1.87	3.32	.36	4.14	3.71	5.52	6.81	5.91	Year's Total. 43.90	
* Days with .01 in. or more.	16	21	05	22	11	17	9	14	21	26	23	21	216	
* Days with .04 in. or more.	9	16	4	16	9	15	3	9	19	22	23	19	164	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Arthur S. Rashleigh

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Devoran House, Devoran

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.08	.01	.19	—	.26	.54	.06	—	—	.04	—		1
2	.09	—	—	.10	—	.26	.05	—	.13	—	.01	.03		2
3	.04	—	.15	.86	—	.04	.01	.01	.29	—	.12	.01		3
4	.02	.06	.13	—	—	.01	—	—	.30	—	.08	.23		4
5	.31	.38	.01	—	.21	—	1.05	.14	.01	—	.18	.18		5
6	.05	—	.08	—	.02	.03	.34	—	.28	—	.95	—		6
7	.45	—	.12	—	—	.01	—	—	.03	—	.61	.05		7
8	.26	—	.45	—	—	—	.27	—	.28	.10	.69	.11		8
9	.22	.68	.04	—	—	—	.13	—	.14	—	.14	—		9
10	.27	2.09	—	—	—	—	.21	—	—	—	.39	.05		10
11	.74	.85	—	—	—	.04	.18	—	.83	—	.74	.15		11
12	.22	.03	—	.19	—	—	.32	—	—	—	.23	.03		12
13	.07	.01	—	.08	—	—	—	—	.03	.06	.11	1.40		13
14	—	.04	—	.01	—	.04	.60	—	.21	.04	—	.60		14
15	—	.04	—	.04	.27	—	.03	.04	—	—	.66	.52		15
16	—	.23	—	.40	—	.05	.20	—	.13	—	.21	.20		16
17	.27	.78	—	—	.26	—	.51	—	—	.02	.06	.63		17
18	.33	.20	.29	—	—	.86	.33	.08	—	.01	—	.08		18
19	.66	—	.22	.37	—	.07	.07	.04	.04	—	—	—		19
20	.25	.45	—	.16	—	.11	.01	.02	.11	.02	—	.02		20
21	.10	.38	.11	.21	—	—	.49	—	.01	.11	—	—		21
22	.29	.35	—	—	.04	—	.43	—	—	.01	—	.07		22
23	—	.37	.24	.24	.18	—	.01	—	—	.05	—	—		23
24	.44	.09	.10	.01	.28	—	.02	—	.14	.32	—	.04		24
25	.31	—	.51	.14	.02	—	.16	—	.04	.32	—	.02		25
26	.53	.19	.52	—	—	—	.01	—	—	.01	—	—		26
27	.93	.13	.15	—	—	—	.56	—	.03	.07	.17	—		27
28	.70	.09	.87	.01	—	—	.19	—	—	.01	—	.27		28
29	.04	.21	.02	—	.02	.35	—	—	—	.05	.08	.26		29
30	.07	✕	.01	—	.08	.18	—	—	—	.06	—	.01		30
31	.12	✕	.68	✕	.08	✕	.28	—	✕	.01	✕	.52	Year's Total	31
TOTAL	7.88	7.73	4.71	3.01	1.46	2.31	7.00	.39	3.03	1.27	5.47	5.48	49.74	
* Days with .01 in. or more.	27	22	20	15	11	14	26	7	18	17	18	23	248	
* Days with .04 in. or more.	26	20	16	12	8	11	20	5	13	10	17	17	175	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) (Rev.) Arthur S. Rashleigh [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Devoran House, Devoran,
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.06	.01	.83	—	—	—	—	.08	.02	—	.53		1
2	.04	1.43	—	.42	—	—	—	—	.06	—	—	.11		2
3	.01	.11	.04	.02	.01	—	.11	—	—	—	—	.08		3
4	.14	.64	.01	.17	.10	—	—	—	—	—	.02	.75		4
5	.23	—	—	.21	.01	—	.38	—	—	—	—	.07		5
6	.04	.91	.33	.41	.04	.23	.02	—	—	—	—	.16		6
7	—	.29	.22	.02	.02	.15	—	—	—	—	.09	—		7
8	.03	.12	.02	—	.46	.11	.11	—	—	.01	—	—		8
9	.15	.15	.13	.19	—	.02	—	.01	.48	—	—	—		9
10	.17	.08	.62	.28	—	.31	.02	.10	—	—	—	.65		10
11	.14	—	.25	.30	.61	.17	.21	—	—	—	—	.06		11
12	.91	.34	.45	.05	.06	.40	.02	.02	.18	—	—	.59		12
13	—	.09	1.23	.21	—	—	—	.52	.29	—	—	.36		13
14	—	.01	.31	—	—	—	—	.06	.12	—	—	.29		14
15	.71	.23	.41	.35	—	—	—	—	.30	—	—	.11		15
16	.60	.13	.30	—	—	—	.07	.04	.14	—	.74	—		16
17	.77	.12	.23	—	—	—	—	—	.10	.01	.09	—		17
18	.08	.33	.27	.02	—	.26	.01	.01	.74	—	.27	.10		18
19	.24	.05	.08	.24	.10	—	—	—	.54	—	.20	—		19
20	.89	—	.19	.07	—	—	—	—	.02	—	—	1.15		20
21	.35	.73	.03	—	.22	—	.02	—	.38	.06	.18	.04		21
22	.09	.05	.06	—	.23	—	.04	—	—	.79	.10	.17		22
23	.25	.68	.02	—	.21	—	—	—	—	.52	—	.01		23
24	.37	.41	.08	—	—	—	.08	—	—	.92	—	.04		24
25	.07	.69	.42	—	.14	—	—	—	—	.01	—	—		25
26	.15	.25	—	—	—	—	—	—	—	—	—	.01		26
27	.22	.20	—	—	—	—	—	—	—	.38	.03	—		27
28	.06	.17	—	—	—	.01	.01	—	—	—	.01	—		28
29	.09	×	—	—	—	—	—	—	—	.70	.24	—		29
30	.44	×	—	—	—	.03	—	—	.11	.02	.30	—		30
31	.17	×	—	×	—	×	—	—	×	.54	×	—		31
TOTAL	7.53	8.27	5.81	3.79	2.21	1.69	1.10	.76	3.54	3.98	2.27	5.28	Year's Total 46.23	✓ ✓
* Days with .01 in. or more.	28	25	23	16	13	10	13	7	14	12	12	19	192	✓ ✓
* Days with .04 in. or more.	26	24	18	13	10	7	7	4	13	7	9	17	155	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arthur S. Rashleigh [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Devoran House, Devoran,

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.22	–	–	–	.90	.20	.80	–	.58	.04	.10		1
2	–	.01	–	.02	–	–	–	–	–	.09	.01	.08		2
3	–	–	–	–	.16	tr	.02	.63	–	.45	.45	.03		3
4	–	–	.01	tr	.01	.02	.29	.03	–	.22	–	.22		4
5	.04	–	–	–	–	.06	.02	.23	.04	.62	.01	.02		5
6	.27	–	–	–	–	.22	1.76	–	.10	.15	.02	.14		6
7	.17	–	–	–	–	–	.11	–	.02	.07	.05	.24		7
8	.91	.07	–	–	–	–	.29	–	–	.24	–	.18		8
9	.21	.17	–	–	–	.07	–	–	–	.03	.09	.69		9
10	.21	–	–	–	–	.01	.02	.03	–	.03	.06	.32		10
11	.39	–	–	–	.12	.12	.11	–	.01	.02	.32	.95		11
12	.42	–	–	–	.35	–	–	–	–	.15	.48	.03		12
13	.16	–	–	–	.44	–	.01	–	–	.06	.07	.56		13
14	.89	–	–	–	.18	–	.16	.01	–	–	.04	.04		14
15	.37	–	–	–	.03	–	–	.04	–	.09	.63	.53		15
16	.27	–	.01	–	.01	–	–	.02	–	–	–	.24		16
17	–	.12	.01	–	.71	.08	–	–	.08	.18	.03	.25		17
18	.23	–	–	–	.05	–	–	.18	.13	.02	.41	–		18
19	.02	–	–	–	.02	–	.01	.02	.72	–	.89	–		19
20	.01	–	–	–	–	–	–	.04	–	–	.31	–		20
21	.05	–	–	–	–	–	–	.11	.08	.08	.08	tr.		21
22	.02	–	–	–	–	.07	–	.87	.19	.03	.28	–		22
23	–	–	–	tr	–	–	–	–	.21	–	.04	–		23
24	.05	.32	.20	–	.04	–	.23	–	.06	–	.77	–		24
25	.18	.77	.02	–	.02	–	.09	–	–	.19	1.68	.01		25
26	.29	.15	.01	–	.30	.07	.01	–	–	.08	.04	.17		26
27	.32	.01	–	–	.09	tr	.22	.67	.01	.17	.44	–		27
28	.09	.25	.01	–	.29	.07	.02	–	.09	.06	.09	.04		28
29	.22	×	–	–	.31	.05	tr	–	.08	.41	.39	.04		29
30	.05	×	–	–	.01	.28	.01	–	.06	.02	.19	.02		30
31	.36	×	.01	×	.28	×	–	–	×	.26	×	.38		31
TOTAL	6.20	2.09	.28	.02	3.42	2.02	3.58	3.68	1.88	4.30	7.91	5.28	Year's Total 40.66	✓
* Days with .01 in. or more.	25	10	8	1	19	13	18	14	15	25	27	23	198	✓
* Days with .04 in. or more.	22	8	1	0	13	11	10	9	12	19	23	18	146	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arthur S. Rashleigh

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Devoran House, Devoran

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	—	.02	.08	.01	—	.03	—	—	—	.34	.10		1
2	.04	—	—	.53	—	—	—	.27	.34	—	—	.03		2
3	.44	—	.18	.54	—	—	—	.01	.02	—	.31	.49		3
4	.15	—	.64	.32	.34	—	1.08	. tr	—	.39	.29	.27		4
5	.12	—	.02	.40	.56	—	.38	—	—	.35	1.09	.38		5
6	.46	. tr	.23	.72	.11	—	.76	.07	—	.03	.03	—		6
7	.01	.34	. tr	—	.01	—	.07	.06	. tr	—	.29	.94		7
8	.07	.44	.01	—	.10	.12	.10	.04	—	1.63	.60	.06		8
9	.02	. tr	.01	—	—	—	—	.26	—	.03	.08	.18		9
10	.26	—	—	—	—	.02	—	.09	.11	.11	. tr	.34		10
11	.04	.02	.04	—	—	.05	—	—	—	.40	.03	.04		11
12	.04	.10	—	.18	—	—	—	—	.18	.07	.02	—		12
13	. tr	.04	—	.17	. tr	.02	.97	—	.11	.51	.06	.57		13
14	1.15	—	—	—	.13	.03	.06	—	—	.07	.12	.07		14
15	.50	.02	—	.04	—	.54	(T) .66	—	—	—	.42	.01		15
16	.23	.01	.07	.14	.02	.02	.28	—	—	—	.24	—		16
17	.68	.09	—	—	—	.07	.40	—	—	—	.05	—		17
18	.06	.03	.06	—	.05	.02	.02	—	—	—	.29	.03		18
19	.51	—	—	—	—	—	.08	—	—	—	.01	.03		19
20	.79	—	—	—	.05	. tr	.07	—	—	—	—	—		20
21	.18	.29	.09	—	—	.65	.06	—	—	—	—	—		21
22	.51	.32	.15	.01	—	.40	.07	(T.SS) .34	—	—	.53	—		22
23	.03	.10	.06	.13	—	—	.12	—	—	.04	1.39	—		23
24	1.15	.02	.27	.18	—	—	—	—	—	.08	—	—		24
25	.68	.08	. tr	.05	—	—	.16	.68	—	.05	.43	—		25
26	.07	.09	—	.03	—	—	—	.04	—	.05	.39	.04		26
27	. tr	.29	.11	.10	—	.08	.01	. tr	—	.02	.14	—		27
28	.01	.09	—	. tr	—	.03	.23	.04	—	—	.22	.05		28
29	.01	×	—	.01	—	.21	.19	—	—	.46	.02	—		29
30	. tr	✕	.20	.13	—	.16	.07	—	—	.42	.02	—		30
31	—	✕	—	✕	—	✕	.04	.31	✕	.01	✕	—		31
TOTAL	8.43	2.37	2.16	3.76	1.38	2.42	5.91	2.21	.76	4.71	7.41	3.63	Year's Total 45.15	
* Days with .01 in. or more.	27	17	16	18	10	15	23	12	5	18	25	17	203	
* Days with .04 in. or more.	22	12	12	15	7	9	20	11	4	14	19	13	158	

† Spare column, no entries required.

(*Signed*) Arthur S. Rashleigh [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1917/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Devoran House, Devoran

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground above Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.11	—	.06	—(tr)	—	—	—	—	—	T .35	—		1
2	—	.35	—	.25	—	—	.03	—	—	—	.87	.11		2
3	.08	.82	—	—	—	—	—	—	—	.05	.83	.10		3
4	—	.03	—	.01	—	—	.03	—	—	.15	.11	.05		4
5	.01	.01	—	.01	—	—	—	—	—	.04	.69	.20		5
6	.64	.97	—	—	—	—	.09	—	—	.20	.22	.53		6
7	.03	.01	—	—	—	—	.02	—	.04	.01	—	.05		7
8	—(tr)	.03	—	—	—	—	—	.02	.19	.94	.71	.41		8
9	—	—	—	—	—	—	.20	.03	.01	.20	.28	.20		9
10	—	.01	—	—	—	.08	—	—	.03	.13	.11	.18		10
11	—	.01	.04	.06	—	—	—	—	—	—	1.12	.05		11
12	—	—	.11	.03	—	.04	.30	—	.65	—	.03	.02		12
13	—	—	.32	.01	—	—	.14	.01	.01	.38	1.03	1.26		13
14	—	s.s. .20	.02	.09	—	—	—	.03	.30	.50	.07	.42		14
15	.06	sn .24	—	.11	—	—	—	—	.14	.01	.68	—(tr)		15
16	.01	1.28	.90	—	—	—	.48	—	.14	—	.02	.14		16
T.sn. 17	.03	.19	.38	.45	—	—	.28	—	—	—	.11	—		17
s.sl.h 18	.44	.71	.29	1.21	—	—	.06	.03	.21	.01	.19	.11		18
19	—	.11	.14	.16	—	—	.18	.03	.72	.16	.43	—		19
20	—	—	—	.20	—	—	.06	.08	—	.14	.07	—		20
21	—	—	.04	.12	.02	.45	—	—	.07	—	.74	—		21
S.22	.07	—(tr)	.09	.11	.06	1.14	.03	—	.06	—	.03	—		22
23	x .16 }	.10	.26	.05	.21	—	.10	—	.02	.14	.03	—		23
24	x	—	.05	—(tr)	.06	—	.26	—	.07	—	—(tr)	—		24
25	.53	—	.43	.01	.22	.05	—	—	—	—	—(tr)	—(tr)		25
26	.38	.52	—	.06	.14	x .07	.07	—	.03	—	.01	—		26
27	.37	.13	.03	T .07	.09	—	—	—	—	—	.01	—		27
28	.80	.24	.04	.29	.13	.02	—	.02	—	—	—	.07		28
29	.05	.05	.17	.03	.01	—	—	—	—	.26	.01	.24		29
30	.02	×	.01	—	.01	—	—	—	—	.74	—	.31		30
31	.29	×	—	×	—	×	—	—	×	.52	×	.98		31
TOTAL	3.97	6.12	3.32	3.39	.95	1.85	2.28	.25	2.69	4.58	8.70	5.43	Year's Total 43.53	
* Days with .01 in. or more.	18	21	17	21	10	7	16	8	16	18	25	19	196	
* Days with .04 in. or more.	13	15	14	15	7	6	11	1	11	15	18	17	143	

x Amount thrown away before being measured. Amount was entered from gauge at Tregolls, Truro.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Arthur S. Rashleigh

[P.T.O.

1918

Section **A** for the entry

AIR MINIS

FORM 1090.

REC

FOR OFFICIAL USE.

GANIZATION.

1918

—

GWENNAP TREVINCE

1931 - 40

780311

Kept at Trevince, G

in the County of Corn

Diameter of Funnel of Gaug

Height of top of Gauge above

„ Ground „

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	01	—	1·33	—	—	12	—	73	—	—	—	1
2	43	07	08	—	06	01	—	—	25	01	13	41	2
3	10	—	1·32	—	07	—	07	—	68	04	2·46	07	3
4	08	06	55	—	03	09	28	07	93	01	05	01	4
5	—	58	1·19	09	—	26	02	02	—	—	22	19	5
6	—	15	10	—	32	28	68	—	—	68	—	07	6
7	—	18	01	—	34	20	30	52	—	02	67	12	7
8	—	07	—	20	—	35	03	47	—	—	23	01	8
9	—	15	02	—	—	07	10	06	—	03	26	04	9
10	10	13	12	—	28	04	07	12	—	—	65	08	10
11	33	21	—	—	05	30	1·43	—	27	—	54	—	11
12	15	18	—	02	—	—	20	—	31	19	04	—	12
13	—	04	05	—	50	—	40	33	—	—	83	—	13
14	07	22	—	—	15	23	60	16	—	—	43	—	14
15	—	09	—	—	14	15	—	83	—	—	—	—	15
16	05	34	—	—	—	95	02	05	03	—	—	08	16
17	—	25	—	08	—	—	04	—	20	—	—	—	17
18	09	—	06	—	—	20	12	1·12	—	—	64	—	18
19	04	16	69	—	26	—	30	05	03	—	44	—	19
20	08	10	15	—	—	—	—	39	01	—	—	09	20
21	45	03	01	08	12	—	—	—	—	—	04	—	21
22	91	11	01	02	22	—	—	01	—	—	19	—	22
23	14	—	—	28	41	—	03	30	—	02	1·04	—	23
24	16	02	01	44	—	—	1·08	28	—	—	—	—	24
25	08	—	—	06	—	—	29	—	—	—	21	07	25
26	03	08	—	—	—	—	28	—	—	—	99	07	26
27	15	15	—	—	06	—	02	—	—	—	32	01	27
28	22	15	11	05	04	—	01	15	—	01	04	03	28
29	12	X	13	—	25	—	11	05	05	02	07	33	29
30	09	X	51	—	31	—	01	02	13	01	—	15	30
31	84	X	1·64	X	33	X	03	—	X	—	X	26	31
TOTAL	4·72	3·53	6·76	2·65	39 4	3·13	6·64	5·00	3·62	1·04	10·49	2·09	YEAR'S TOTAL 53·61
Days with ·01 in. or more.	~~23~~	~~24~~	~~19~~	~~11~~	~~19~~	~~13~~	~~26~~	~~19~~	~~12~~	~~11~~	~~22~~	~~16~~	~~215~~
Days with ·04 in. or more.	~~21~~	~~21~~	~~14~~	~~9~~	~~18~~	~~12~~	~~18~~	~~16~~	~~9~~	~~3~~	~~22~~	~~13~~	~~176~~

40-9999

(Signed) C. H. Beauchamp [P.T.O.

1918.

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~2~~31.

Kept at Trewince, Gwennap, Redruth

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	01	–	1·33	–	–	12	–	73	–	–	–	1
2	43	07	08	–	06	01	–	–	25	01	13	41	2
3	10	–	1·32	–	07	–	07	–	68	04	2·46	07	3
4	08	06	55	–	03	09	28	07	93	01	05	01	4
5	–	58	1·19	09	–	26	02	02	–	–	22	19	5
6	–	15	10	–	32	28	68	–	–	68	–	07	6
7	–	18	01	–	34	20	30	52	–	02	67	12	7
8	–	07	–	20	–	35	03	47	–	–	23	01	8
9	–	15	02	–	–	07	10	06	–	03	26	04	9
10	10	13	12	–	28	04	07	12	–	–	65	08	10
11	33	21	–	–	05	30	1·43	–	27	–	54	–	11
12	15	18	–	02	–	–	20	–	31	19	04	–	12
13	–	04	05	–	50	–	40	33	–	–	83	–	13
14	07	22	–	–	15	23	66	16	–	–	43	–	14
15	–	09	–	–	14	15	–	83	–	–	–	–	15
16	05	34	–	–	–	95	02	05	03	–	–	08	16
17	–	25	–	08	–	–	04	–	20	–	–	–	17
18	09	–	06	–	–	20	12	1·12	–	–	64	–	18
19	04	16	69	–	26	–	30	05	03	–	44	–	19
20	08	10	15	–	–	–	–	39	01	–	–	09	20
21	45	03	01	08	12	–	–	–	–	–	04	–	21
22	91	11	01	02	22	–	–	01	–	–	19	–	22
23	14	–	–	28	41	–	03	30	–	02	1·04	–	23
24	16	02	01	44	–	–	1·08	28	–	–	–	–	24
25	08	–	–	06	–	–	29	–	–	–	21	07	25
26	03	08	–	–	–	–	28	–	–	–	99	07	26
27	15	15	–	–	06	–	02	–	–	–	32	01	27
28	22	15	11	05	04	–	01	15	–	01	04	03	28
29	12	X	13	–	25	–	11	05	05	02	07	33	29
30	09	X	51	–	31	–	01	02	13	01	–	15	30
31	84	X	1·64	X	33	X	03	–	X	–	X	26	31
TOTAL	4·72	3·53	6·76	2·65	3·94	3·13	6·64	5·00	3·62	1·04	10·49	2·09	YEAR'S TOTAL 53·61
Days with ·01 in. or more.	~~23~~	~~24~~	~~19~~	~~11~~	~~19~~	~~13~~	~~26~~	~~19~~	~~12~~	~~11~~	~~22~~	~~16~~	~~215~~
Days with ·04 in. or more.	~~21~~	~~21~~	~~14~~	~~9~~	~~18~~	~~12~~	~~18~~	~~16~~	~~9~~	~~3~~	~~22~~	~~13~~	~~176~~

40-9999

(Signed) C. H. B

[P.T.O.

1918

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at TREVINCE

in the County of Cornwall

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	–	–	25	–	–	–	11	01	–	–	04	1
2	01	–	02	13	02	–	02	14	07	01	–	45	2
3	01	–	–	–	–	50	06	62	82	02	09	–	3
4	–	–	–	–	–	36	06	15	–	–	69	–	4
5	58	–	04	–	–	–	–	–	22	–	–	01	5
6	53	–	–	09	–	–	35	–	48	02	–	–	6
7	46	–	–	–	–	–	–	–	78	1·68	–	–	7
8	08	–	59	04	23	–	01	–	04	24	–	–	8
9	69	–	–	35	07	–	–	–	07	–	–	–	9
10	47	–	05	23	07	–	–	–	04	–	–	–	10
11	05	–	03	12	08	–	26	–	01	–	–	15	11
12	1·45	–	–	–	1·01	–	02	–	04	19	–	02	12
13	21	–	–	20	03	–	01	34	03	1·04	–	22	13
14	21	–	–	20	27	–	–	03	–	–	14	05	14
15	03	–	–	04	08	–	–	–	–	04	34	04	15
16	19	–	–	03	–	–	37	–	–	03	50	–	16
17	–	–	–	01	41	–	06	–	03	08	01	02	17
18	01	–	–	–	30	–	04	–	07	–	24	–	18
19	–	–	–	04	51	–	–	–	23	47	–	07	19
20	–	–	02	05	10	–	–	11	11	1·38	22	21	20
21	05	–	17	02	–	–	–	90	07	86	15	32	21
22	01	–	05	12	12	–	04	04	51	50	49	29	22
23	–	04	02	–	05	–	42	05	–	02	11	41	23
24	–	–	–	–	02	–	69	–	17	52	02	02	24
25	–	–	20	–	08	–	03	–	11	10	09	–	25
26	–	–	35	36	–	–	04	–	04	20	14	04	26
27	–	–	30	20	08	–	11	–	–	15	06	30	27
28	–	–	32	04	05	–	11	02	01	28	–	05	28
29	–	–	48	14	21	63	01	23	53	17	57	67	29
30	–	×	02	17	20	1·62	67	05	66	04	80	02	30
31	03	×	02	×	79	×	22	01	×	–	×	80	31
TOTAL	510 ~~4·60~~	·04	2·68	2·83	4·78	3·11	3·60	8 2·X0	5·15	7·96	4·66	4·~~48~~20	~~[illegible]~~ 46·91
*Days with ·01 in. or more.	~~19~~	~~1~~	~~16~~	~~21~~	~~22~~	~~4~~	~~21~~	~~14~~	~~24~~	~~22~~	~~17~~	~~21~~	~~202~~
*Days with ·04 in. or more.	~~12~~	~~1~~	~~10~~	~~18~~	~~19~~	~~4~~	~~16~~	~~10~~	~~20~~	~~19~~	~~16~~	~~14~~	~~161~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. H. V. Beauchamp

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Trewinn

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·85	·60	–	·03	·38	–	–	–	–	·03	·79	1
2	63	10	1·23	–	46	44	–	–	–	–	35	08	2
3	10	11	27	–	37	02	–	–	–	–	08	–	3
4	27	–	03	–	45	–	–	–	–	–	–	–	4
5	17	01	48	–	29	–	–	–	02	–	02	–	5
6	02	55	01	–	17	–	05	–	–	07	01	–	6
7	–	07	01	–	15	–	11	02	–	17	–	–	7
8	07	–	–	–	03	–	14	04	–	01	–	–	8
9	01	23	–	–	06	–	68	01	–	70	16	–	9
10	16	06	–	–	–	–	05	03	–	1·95	12	–	10
11	16	–	–	–	12	05	–	2·04	04	25	06	06	11
12	–	–	–	08	04	25	27	04	01	01	25	50	12
13	07	–	–	07	10	05	05	–	–	25	11	–	13
14	34	–	–	–	–	–	28	12	–	02	34	–	14
15	21	–	49	–	–	08	75	02	01	20	31	–	15
16	12	05	1·13	–	–	08	–	02	04	02	–	–	16
17	–	18	22	–	–	15	06	08	13	–	–	–	17
18	19	04	16	–	–	03	–	–	01	66	11	–	18
19	37	–	20	–	–	23	–	08	24	1·61	02	02	19
20	–	06	–	–	17	09	–	65	40	–	01	–	20
21	–	10	–	–	–	–	–	11	–	09	–	–	21
22	–	16	–	69	–	07	–	45	52	01	–	–	22
23	–	79	–	10	–	27	–	–	04	09	–	–	23
24	–	01	–	24	–	02	–	–	17	38	–	–	24
25	–	31	–	12	20	10	–	–	16	–	–	28	25
26	–	–	–	47	29	–	–	–	01	13	–	–	26
27	–	27	–	02	–	–	–	–	–	31	–	1·08	27
28	–	53	–	20	–	–	44	29	–	45	02	02	28
29	25	×	–	33	–	–	01	01	08	1·01	–	07	29
30	12	×	05	16	04	–	10	–	61	25	01	05	30
31	37	×	26	×	13	×	–	–	×	10	×	–	31
TOTAL	3·98	4·46	5·14	2·48	3·[illegible]0	2·31	2·99	3·41	2·49	8·74	2·01	2·95	YEAR'S TOTAL 40 4~~3·9~~6
*Days with ·01 in. or more.	~~19~~	~~19~~	~~14~~	~~11~~	~~17~~	~~16~~	~~13~~	~~16~~	~~16~~	~~23~~	~~17~~	~~10~~	~~191~~
*Days with .04 in. or more.	~~17~~	~~17~~	~~11~~	~~10~~	~~15~~	~~13~~	~~12~~	~~10~~	~~11~~	~~18~~	~~10~~	~~8~~	~~152~~

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) C. H. Beauchamp

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Trevince, Gwennap

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09	–	04	–	–	–	–	57	–	–	11	1.90		1
2	10	–	18	–	–	–	–	–	70	02	01	04		2
3	09	–	–	–	–	–	–	66	10	29	19	65		3
4	21	–	20	31	45	–	–	10	–	24	01	45		4
5	–	–	14	28	44	–	–	1.24	–	14	04	46		5
Rl. 6	09	–	30	23	54	–	–	50	15	15	–	36		6
7	29	–	–	–	–	–	–	–	–	57	18	82		7
8	–	–	–	–	01	–	–	04	03	–	64	95		8
9	06	–	52	01	–	–	–	02	–	–	98	13		9
Rl. 10	57	–	46	11	–	–	–	02	–	–	28	26		10
11	64	–	14	1.01	–	–	–	02	–	–	28	76		11
12	15	–	–	01	–	08	02	36	–	03	–	24		12
13	45	–	06	47	–	04	46	–	–	06	55	23		13
14	39	–	55	01	–	–	–	–	–	19	–	15		14
15	22	–	10	05	14	–	03	–	01	20	02	26		15
16	08	–	51	–	–	–	–	01	40	05	–	55		16
17	25	–	67	22	08	–	01	–	06	30	–	37		17
18	06	–	57	61	01	07	–	02	14	03	–	63		18
19	–	–	11	02	01	01	–	07	26	–	–	02		19
20	–	–	–	20	01	–	08	–	31	02	–	05		20
21	–	–	40	04	02	18	–	10	04	38	02	07		21
22	03	–	–	–	–	04	–	10	14	01	02	10		22
23	01	–	04	39	–	70	04	–	42	03	01	26		23
24	–	15	01	02	–	85	19	–	02	34	–	48		24
25	17	05	–	25	02	15	01	–	02	22	–	68		25
26	08	–	06	03	–	36	–	–	40	08	–	25		26
27	–	13	–	–	–	02	01	22	27	05	03	19		27
28	–	05	–	–	–	–	02	77	16	02	01	1.05		28
29	–	X	–	–	–	–	–	04	10	07	–	02		29
30	03	X	–	–	21	–	02	10	27	35	01	17		30
31	–	X	–	X	–	X	06	44	X	13	X	01		31
TOTAL	4.06	.38	5.06	4.37	1.94	2.47	.95	5.40	4.00	3.97	3.39	12.55	Year's Total 48.44	
*Days with ·01 in. or more.	~~21~~	~~4~~	~~19~~	~~19~~	~~12~~	~~11~~	~~12~~	~~23~~	~~20~~	~~25~~	~~18~~	~~31~~	~~213~~	
*Days with ·04 in. or more.	~~18~~	~~4~~	~~18~~	~~13~~	~~6~~	~~9~~	~~5~~	~~15~~	~~16~~	~~19~~	~~9~~	~~25~~	~~166~~	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. G. Beauchamp

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Trevince, Gwennap

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10	02	55	05	—	26	03	—	35	08	04	07		1
2	—	04	09	09	—	02	03	—	—	62	20	23		2
3	01	—	03	03	15	18	—	—	04	15	29	49		3
4	—	12	02	12	—	22	01	—	03	38	25	50		4
5	22	24	03	08	—	03	—	—	23	53	21	41		5
6	15	—	—	48	—	82	—	—	—	08	05	09		6
7	—	—	—	51	—	03	—	—	—	55	23	06		7
8	—	—	—	42	—	—	—	—	—	16	31	—		8
9	07	—	—	30	—	—	01	—	—	80	41	—		9
10	03	—	03	—	—	06	—	—	—	01	17	—		10
11	48	02	02	—	—	40	—	02	36	10	95	—		11
12	13	27	—	15	—	18	—	31	07	—	30	—		12
13	03	14	—	10	—	—	—	—	—	05	24	—		13
14	—	08	—	02	—	54	—	—	73	03	1·14	38		14
15	—	03	—	1·15	26	11	—	01	17	—	15	12		15
16	—	07	30	25	06	—	03	—	33	11	19	17		16
17	—	—	01	02	47	43	09	05	04	—	21	—		17
18	—	08	—	48	06	—	01	02	17	—	05	39		18
19	—	11	—	27	80	02	19	—	14	22	41	—		19
20	—	49	—	58	17	—	02	—	02	35	—	—		20
21	—	68	01	03	—	—	10	—	09	22	—	—		21
22	—	—	—	64	—	—	—	16	06	45	—	—		22
23	—	28	01	10	—	—	—	1·07	13	35	—	58		23
24	32	37	01	—	02	—	—	13	14	—	—	33		24
25	16	48	—	02	15	08	—	—	—	07	—	37		25
26	11	64	—	02	30	09	—	47	10	01	06	50		26
27	—	13	—	—	—	—	07	05	12	07	12	11		27
28	19	23	—	—	—	—	06	25	34	03	10	08		28
29	01	x	—	—	—	—	—	06	35	—	18	82		29
30	10	✕	—	—	12	11	—	95	06	13	82	72		30
31	02	✕	04	✕	09	✕	—	11	✕	55	✕	64		31
TOTAL	1·83 ✓	4·52 ✓	1·15 ✓	5·94 ✓	2·65 ✓	3·58	·65 ✓	3·64 ✓	4·07 ✓	6·04	7·08 ✓	7·06 ✓	Year's Total 48·21	
* Days with .01 in. or more.	~~16~~	~~20~~	~~13~~	~~23~~	~~12~~	~~17~~	~~12~~	~~14~~	~~22~~	~~26~~	~~24~~	~~20~~	~~219~~	
* Days with .04 in. or more.	~~10~~	~~17~~	~~4~~	~~17~~	~~11~~	~~14~~	~~5~~	~~10~~	~~20~~	~~21~~	~~24~~	~~20~~	~~173~~	

40-9999.

† Spare column, no entries required.

(*Signed*) E. H. Beauchamp [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. File No 10335/30

Kept at Trevince, Gwennap

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	15	10	01	18	—	46	70	06	—	—	06	—		1
2	16	01	03	14	—	45	08	—	16	—	03	05		2
3	04	—	14	82	—	01	01	—	30	—	13	03		3
4	07	03	16	—	—	—	—	—	30	—	15	37		4
5	26	36	01	—	26	—	1·01	12	01	—	25	11		5
6	09	—	06	—	08	06	30	08	30	—	89	01		6
7	49	—	15	—	—	02	—	—	04	—	57	04		7
8	17	—	64	—	—	—	57	—	08	09	53	14		8
9	15	80	03	—	—	03	09	—	44	—	12	—		9
10	12	1·75	—	—	—	—	06	—	—	—	40	05		10
11	71	65	—	—	—	05	27	—	83	—	68	21		11
12	25	02	—	20	—	—	33	01	15	01	29	04		12
13	06	04	—	—	—	—	07	—	06	12	16	1·33		13
14	01	06	—	09	—	10	44	—	05	10	—	37		14
15	—	06	—	01	16	—	09	—	—	—	60	47		15
16	01	31	—	10	—	05	17	—	22	—	15	13		16
17	24	95	—	02	26	01	54	01	—	10	08	49		17
18	47	11	31	—	—	46	64	10	—	02	—	09		18
19	77	—	12	40	—	10	01	11	04	—	—	—		19
20	25	59	—	09	—	09	01	05	10	01	—	—		20
21	16	30	10	21	—	—	47	—	03	20	—	—		21
22	24	30	01	—	03	02	43	—	01	03	—	08		22
23	—	42	31	28	24	—	03	—	02	07	—	—		23
24	47	11	10	01	31	—	—	—	11	32	—	12		24
25	29	—	55	19	02	—	26	—	10	33	—	02		25
26	51	21	50	—	—	—	07	—	—	—	01	—		26
27	68	16	25	—	—	—	38	—	06	05	13	—		27
28	68	21	82	—	—	—	04	—	—	—	—	—		28
29	03	31	02	—	—	—	04	—	—	14	10	18		29
30	05	✕	—	—	04	19	01	—	—	16	—	01		30
31	10	✕	60	✕	15	✕	35	—	✕	01	✕	63		31
TOTAL	7·68	7·86	4·90	2·74	1·55	2·10	7·47	·54	3·41	1·75	5·33	4·97	Year's Total A 50·30	
* Days with .01 in. or more.	~~29~~	~~33~~	~~21~~	~~14~~	~~13~~	~~15~~	~~28~~	~~8~~	~~21~~	~~16~~	~~18~~	~~22~~	[illegible]	
* Days with .04 in. or more.	~~26~~	~~20~~	~~15~~	~~11~~	~~8~~	~~10~~	~~23~~	~~6~~	~~17~~	~~11~~	~~12~~	[illegible]	~~186~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. H. Beauchamp

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Trevine

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.04	.04	.87	-	-	02	-	.22	.04	-	.48		1
2	04	1.30	01	37	-	-	-	-	03	-	-	05		2
3	-	07	02	04	-	-	14	-	02	-	-	07		3
4	21	55	-	21	.20	-	-	-	-	-	05	81		4
5	17	-	01	22	-	02	47	-	-	-	-	07		5
6	05	83	35	42	05	17	04	-	02	-	-	09		6
7	-	44	27	02	02	12	-	-	25	-	07	-		7
8	03	11	05	-	35	12	16	-	-	02	-	-		8
9	17	24	11	18	03	05	02	04	57	-	-	-		9
10	18	10	84	24	-	30	03	03	-	-	-	60		10
11	15	-	47	32	74	27	35	-	-	-	-	09		11
12	94	33	40	16	05	44	03	03	19	-	-	61		12
13	-	11	1.20	14	-	-	-	79	70	-	-	23		13
14	-	01	36	-	-	-	-	07	13	-	-	15		14
15	82	26	54	33	-	-	-	-	36	-	-	16		15
16	80	13	30	-	-	-	08	07	40	-	1.20	-		16
17	04	10	14	-	-	-	01	-	19	-	15	-		17
18	09	29	25	06	-	27	01	04	62	-	30	19		18
19	18	03	04	26	11	[illegible]	-	-	70	-	34	01		19
20	78	-	08	06	-	[illegible]	-	-	05	-	-	1.17		20
21	29	71	08	-	25	-	05	-	37	80	18	04		21
22	07	05	09	-	20	-	07	-	03	85	15	11		22
23	38	59	11	-	24	-	-	-	-	94	-	01		23
24	57	52	14	-	-	-	02	-	03	04	-	03		24
25	10	59	50	05	01	-	01	-	-	-	-	-		25
26	22	24	-	-	-	-	-	-	-	44	-	02		26
27	18	25	-	-	-	-	-	-	-	-	06	-		27
28	06	12	-	-	-	-	02	-	-	52	02	-		28
29	15	X	-	-	-	01	-	-	-	03	28	-		29
30	47	✗	-	-	-	02	-	-	03	43	56	-		30
31	12	✗	-	✗	-	✗	-	-	✗	-	✗	-		31
TOTAL	743	8.01	6.40	3.95	2.25	1.79	1.53	1.07	9 4.~~8~~1	4.11	3.36	4.99	Year's Total ~~50.20~~ 49.80	✓
* Days with .01 in. or more.	~~27~~	~~25~~	~~26~~	~~17~~	~~12~~	~~11~~	~~17~~	~~7~~	~~17~~	~~10~~	~~12~~	~~20~~	~~201~~	✓
* Days with .04 in. or more.	~~26~~	~~23~~	~~21~~	~~16~~	~~9~~	~~8~~	~~8~~	~~6~~	~~13~~	~~9~~	~~11~~	~~16~~	~~167~~ 4	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. H. Bun...

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Trevince, Gwennap

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	25	–	–	–	87	03	76	07	56	05	05		1
2	–	01	–	02	–	–	–	–	–	04	01	09		2
3	–	–	–	–	18	–	04	61	–	47	26	08		3
4	02	–	–	–	03	–	32	03	–	30	–	11		4
5	07	–	–	–	–	05	04	14	07	61	02	10		5
6	32	03	–	–	–	24	2·05	–	20	13	02	15		6
7	19	–	–	–	–	–	18	–	03	04	–	24		7
8	94	14	–	–	–	–	40	–	–	20	01	22		8
9	24	22	–	–	–	06	–	–	–	04	16	81		9
10	16	–	–	–	–	–	04	11	–	05	07	25		10
11	31	–	–	–	10	18	11	04	01	03	32	1·07		11
12	45	–	–	–	37	–	–	–	01	10	51	05		12
13	25	–	–	–	42	–	02	–	–	05	–	28		13
14	98	–	–	–	23	–	13	–	–	–	06	05		14
15	34	–	–	–	07	–	–	–	–	19	74	50		15
16	23	–	01	–	04	–	–	07	–	–	–	18		16
17	–	10	01	–	20	05	–	04	14	17	03	29		17
18	16	–	–	–	02	05	–	28	14	03	42	–		18
19	03	–	–	–	02	–	02	05	47	–	1·09	–		19
20	–	–	06	–	–	–	–	05	–	–	26	–		20
21	08	–	–	–	–	–	–	08	06	22	05	–		21
22	02	–	–	–	–	11	–	1·13	40	16	21	–		22
23	01	–	–	–	–	–	–	01	46	–	05	–		23
24	05	–	28	–	01	–	33	01	07	–	64	–		24
25	17	75	09	–	07	–	20	–	–	15	1·38	05		25
26	37	08	01	–	27	07	16	–	–	08	04	24		26
27	25	–	–	–	05	01	28	50	–	25	42	–		27
28	07	25	01	–	37	08	05	02	12	05	08	05		28
29	19	×	01	–	33	02	02	–	14	56	36	08		29
30	03	×	01	–	–	15	02	–	09	04	15	05		30
31	30	×	–	×	42	×	–	–	×	36	×	32		31
TOTAL	6·23	1·83	·49	·02	3·20	1·92	444	3·93	2·48	4·82	7·47	5·31	Year's Total 42·44 ·08	
* Days with .01 in. or more.	~~26~~	~~9~~	~~9~~	~~1~~	~~18~~	~~13~~	~~19~~	~~17~~	~~16~~	~~25~~	~~26~~	~~23~~	~~202~~	
* Days with .04 in. or more.	~~21~~	~~7~~	~~3~~	~~0~~	~~11~~	~~10~~	~~14~~	~~13~~	~~13~~	~~23~~	~~21~~	~~23~~	~~162~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. H. Branham

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Trevince, Redruth

in the County of Cornwall

Diameter of Funnel of Gauge 10 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·28	–	05	02	02	–	07	01	–	–	80	04		1	
2	04	–	–	50	–	–	–	39	35	–	01	04		2	
3	53	–	19	38	–	–	–	02	02	–	36	55		3	
4	16	–	59	48	33	–	1·37	–	–	46	42	29		4	
5	14	–	04	48	30	–	18	–	–	34	90	50		5	
6	48	01	27	54	22	–	1·06	07	–	–	07	03		6	
7	–	32	–	–	02	01	08	05	–	1·56	18	92		7	
8	03	36	–	–	04	15	18	03	–	04	35	·04		8	
9	03	01	02	–	–	–	–	30	–	04	09	19		9	
10	26	–	–	–	–	03	–	06	16	22	01	31		10	
11	05	02	04	–	–	–	–	03	–	01	03	06		11	
12	06	15	–	20	–	–	–	–	14	63	02	01		12	
13	–	03	–	22	02	05	95	–	20	–	09	60		13	
14	1·15	–	–	–	20	06	10	–	–	06	10	10		14	
15	36	07	–	03	–	75	72	–	–	–	39	02		15	
16	15	04	04	22	02	–	21	–	–	–	14	–		16	
17	53	06	–	–	01	10	28	–	–	–	03	–		17	
18	03	04	10	–	–	–	10	–	–	–	25	03		18	
19	45	–	–	–	–	–	17	11	–	–	01	04		19	
20	74	–	–	–	12	–	07	–	–	–	–	–		20	
21	19	29	06	–	03	65	12	–	–	–	–	–		21	
22	37	34	20	02	–	35	14	51	–	–	56	–		22	
23	02	–	10	12	–	05	20	–	–	01	1·53	–		23	
24	91	01	39	19	–	–	05	01	–	02	–	–		24	
25	58	13	–	07	–	–	22	63	–	03	17	–		25	
26	–	10	–	03	–	–	–	22	–	07	19	07		26	
27	–	40	05	03	–	15	05	–	–	11	20			27	
28	02	16	–	03	–	07	27	05	–	–	20	05		28	
29	–	X	–	02	–	32	37	–	–	31	01	–		29	
30	–	X	19	10	–	17	10	–	–	70	01	–		30	
31	–	X	04	X	–	X	03	27	X	04	X	–		31	
TOTAL	7.50	2.54	2.37	3.68	1.33	2.91	7.09	2.76	·87	4.65	7.12	3.88	Year's Total 46.79		✓
* Days with .01 in. or more.	~~24~~	~~18~~	~~16~~	~~19~~	~~18~~	~~14~~	~~24~~	~~15~~	~~5~~	~~17~~	~~22~~	~~19~~	~~211~~		✓
* Days with .04 in. or more.	~~19~~	~~14~~	~~15~~	~~12~~	~~6~~	~~12~~	~~23~~	~~11~~	~~4~~	~~13~~	~~18~~	~~15~~	~~162~~		✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. H. Bronnbaum

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Trevince, Gwennap, Redruth

in the County of Cornwall

Diameter of Funnel of Gauge 12 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·16	–	02	–	–	–	–	–	–	36	–		1
2	–	53	–	19	–	–	07	–	–	–	68	04		2
3	·10	1·06	–	–	–	–	02	–	–	06	73	20		3
4	–	08	–	–	–	–	04	–	–	17	27	04		4
5	–	06	–	03	–	–	01	–	–	03	73	16		5
6	59	77	–	–	–	–	07	–	–	20	34	42		6
7	09	02	–	–	–	–	07	–	15	01	–	07		7
8	01	04	–	–	–	–	03	03	20	55	75	35		8
9	–	–	–	–	–	–	34	04	03	27	29	15		9
10	–	02	–	–	–	04	–	–	03	19	13	15		10
11	–	–	02	06	–	01	01	–	–	02	90	03		11
12	–	–	15	09	–	06	40	–	67	–	03	02		12
13	–	–	38	04	–	–	17	–	–	65	1·02	1·00		13
14	–	32	–	08	–	–	–	07	34	56	19	50		14
15	05	31	–	14	–	–	–	–	14	02	43	–		15
16	02	1·21	84	02	–	–	~~38~~	– ~~12~~	13 ~~02~~	02 ~~08~~	02 ~~16~~	15		16
17	02	18	28	27	–	–	14	–	–	01	41	4		17
18	28	68	20	1·33	–	–	03	05	05	02	12	14		18
19	+	14	15	13	–	–	45	07	54	07	80	–		19
20	–	–	02	16	–	–	02	10	–	24	03	–		20
21	–	–	04	17	07	35	–	–	02	–	67	–		21
22	06	–	07	13	03	72	02	–	15	06	06	–		22
23	10	05	20	04	13	–	04	–	07	15	08	–		23
24	07	01	04	05	–	–	33	–	01	–	02	–		24
25	47	–	31	02	17	07	–	–	–	–	–	–		25
26	40	50	–	02	21	–	05	–	02	–	02	–		26
27	49	05	02	–	03	–	–	–	–	–	02	–		27
28	84	02	07	24	20	02	–	03	–	–	–	03		28
29	04	27	17	–	03	10	–	–	–	20	02	26		29
30	03	×	–	–	01	–	–	–	–	64	–	33		30
31	20	×	–	×	–	×	–	–	×	50	×	90		31
TOTAL	3·86	6·48	~~3·16~~ 296	3·23	·88	1·3~~6~~7	2·69	·39	2·55	4·64	8·~~74~~68	4·94	Year's Total 42·21	
* Days with .01 in. or more.	~~18~~	~~21~~	~~16~~	~~20~~	~~9~~	~~8~~	~~20~~	~~7~~	~~15~~	~~22~~	~~27~~	~~19~~	~~202~~	
* Days with .04 in. or more.	~~14~~	~~17~~	~~14~~	~~18~~	~~6~~	~~6~~	~~13~~	~~5~~	~~10~~	~~16~~	~~21~~	~~16~~	~~155~~	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) C. H. Beauchamp

[P.T.O.

X GORAN HAVEN

1918/5

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

...FALL ORGANIZATION.

FORM 1090.

REGIS

...931.

Commenced 1/2

1918/5

GORAN HAVEN

1931 — 40

780311

Kept at Lamledra

in the County of Corn

...1928.

Letter sent to Drew of Goran Haven asking for 1931 return for comparison. Have no return

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	66	27	85	x	30	x	5	x	20	x	x	1
2	x	4	x	93	x	x	12	x	30	4	x	x	2
3	50	6	x	x	x	5	5	x	40	x	12	20	3
4	18	x	130	x	6	x	10	x	28	x	110	10	4
5	4	8	12	x	10	7	90	4	42	8	x	x	5
6	x	30	60	12	x	17	x	7	12	x	x	55	6
7	x	x	x	x	13	42	6	x	x	40	16	20	7
8	x	13	7	x	45	30	12	30	x	7	35	18	8
9	10	10	x	25	x	50	6	15	x	x	12	18	9
10	x	16	x	x	x	5	10	6	25	x	12	x	10
11	x	16	x	x	25	5	x	25	9	x	40	x	11
12	15	30	x	x	4	55	75	x	22	x	38	x	12
13	5	18	x	x	x	x	23	x	x	28	x	x	13
14	x	12	x	x	28	x	50	20	x	x	40	x	14
15	5	10	x	x	10	16	35	12	x	x	16	x	15
16	x	12	x	x	5	10	4	30	3	x	x	x	16
17	5	22	x	x	20	75	x	4	5	x	x	x	17
18	0	5	x	x	x	20	10	x	12	x	x	x	18
19	5	x	10	x	x	10	25	160	x	x	30	x	19
20	5	14	55	x	x	12	17	5	15	x	55	x	20
21	x	13	40	x	x	x	x	35	x	x	x	x	21
22	35	x	x	15	22	x	x	x	x	x	x	x	22
23	32	8	5	45	12	x	x	x	x	x	10	x	23
24	10	4	x	55	25	20	5	18	x	x	57	x	24
25	24	x	x	15	x	x	80	43	x	x	x	x	25
26	9	x	x	x	x	x	24	x	x	x	x	5	26
27	5	16	x	x	8	x	15	x	x	x	165	4	27
28	16	30	x	x	6	x	5	x	x	x	30	4	28
29	9	x	15	x	x	x	~~8~~	8	x	x	17	12	29
30	10	x	15	x	x	x	10	25	7	x	10	10	30
31	16	x	15	x	8	x	x	6	x	15	x	12	31 43.05
TOTAL	298	3 36~~4~~	391	345	4 2~~3~~7	409	529	58 4~~99~~	58 2~~48~~	122	7.05 ~~662~~	8 1~~7~~8	YEAR'S TOTAL ~~42.32~~
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Joseph Hocking

[P.T.O.

X GORAN HAVEN

19185

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Cornwall/2

Kept at Lamledra Gorran Haven
in the County of Cornwall
Diameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level ft.

low since 1928.

Still low

Letter sent to Drew of Gorran Haven asking for 1931 return for comparison.
Have had no return

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	66	27	85	x	30	x	5	x	20	x	x	1
2	x	4	x	93	x	x	12	x	30	4	x	x	2
3	50	6	x	x	x	5	5	x	40	x	12	20	3
4	18	x	130	x	6	x	10	x	28	x	110	10	4
5	4	8	12	x	10	7	90	4	42	8	x	x	5
6	x	30	60	12	x	17	x	7	12	x	x	55	6
7	x	x	x	x	13	42	6	x	x	40	16	20	7
8	x	13	7	x	45	30	12	30	x	7	35	18	8
9	10	10	x	25	x	50	6	15	x	x	12	18	9
10	x	16	x	x	x	5	10	6	25	x	12	x	10
11	x	16	x	x	25	5	x	25	9	x	40	x	11
12	15	30	x	x	4	55	75	x	22	x	38	x	12
13	5	18	x	x	x	x	23	x	x	28	x	x	13
14	x	12	x	x	28	x	50	20	x	x	40	x	14
15	5	10	x	x	10	16	35	12	x	x	16	x	15
16	x	12	x	x	5	10	4	30	3	x	x	x	16
17	5	22	x	x	20	75	x	4	5	x	x	x	17
18	0	5	x	x	x	20	10	x	12	x	x	x	18
19	5	x	10	x	x	10	25	160	x	x	30	x	19
20	5	14	55	x	x	12	17	5	15	x	55	x	20
21	x	13	40	x	x	x	x	35	x	x	x	x	21
22	35	x	x	15	22	x	x	x	x	x	x	x	22
23	32	8	5	45	12	x	x	x	x	x	10	x	23
24	10	4	x	55	25	20	5	18	x	x	59	x	24
25	24	x	x	15	x	x	80	43	x	x	x	x	25
26	9	x	x	x	x	x	24	x	x	x	x	5	26
27	5	16	x	x	8	x	15	x	x	x	165	4	27
28	16	30	x	x	6	x	5	x	x	x	30	4	28
29	9	x	15	x	x	x	~~8~~	8	x	x	17	12	29
30	10	x	15	x	x	x	10	25	7	x	10	10	30
31	16	x	15	x	8	x	x	6	x	15	x	12	31 43.05
TOTAL	298	36~~4~~ 3	391	345	2~~3~~7 4	409	529	4~~99~~ 77 58	24~~8~~ 58	122	~~662~~ 7.05	1~~X8~~ 8	YEAR'S TOTAL ~~4232~~
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Joseph Hocking [P.T.O.

X GORRANHAVEN X 928495/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Cornwall/2

Row up since 1928.

Kept at Lamledra Gorron Haven

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 300' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	x	x	5	x	40	50	12	x	91	10	50	1
2	7	x	x	17	x	x	x	15	5	x	x	5	2
3	x	x	x	35	x	x	x	10	7	x	x	35	3
4	5	x	x	x	x	60	10	x	40	x	5	x	4
5	x	x	x	x	x	35	x	7	x	x	35	5	5
6	28	x	x	x	x	x	40	x	15	x	x	x	6
7	47	x	x	7	x	x	x	x	45	5	x	x	7
8	25	x	x	x	10	x	x	x	45	75	x	x	8
9	10	x	65	4	24	x	x	x	10	35	x	x	9
10	48	x	x	30	10	x	x	x	x	9	x	x	10
11	45	x	x	35	25	x	x	x	5	x	x	24	11
12	10	x	5	10	14	x	x	x	x	3	x	6	12
13	58	x	x	5	65	x	10	x	5	32	x	16	13
14	11	x	x	10	x	x	7	25	x	80	x	x	14
15	18	x	x	30	25	x	x	10	x	4	x	5	15
16	x	x	x	6	x	x	x	x	x	5	x	3	16
17	7	x	x	x	x	x	5	x	x	x	x	x	17
18	5	x	x	4	45	x	10	x	5	x	x	x	18
19	4	x	x	x	30	x	x	x	x	x	30	x	19
20	x	x	+	7	35	x	x	x	35	45	x	10	20
21	x	+	x	12	37	x	4	10	5	104	30	x	21
22	7	x	12	5	x	x	x	8	12	55	10	20	22
23	x	x	x	x	8	x	x	x	62	40	35	5	23
24	x	+	x	x	x	x	40	5	x	55	x	20	24
25	x	+	x	x	x	x	84	x	15	x	10	x	25
26	x	x	x	x	30	x	6	x	12	85	6	x	26
27	x	x	50	45	x	x	x	x	12	15	18	x	27
28	x	x	x	20	45	x	10	x	x	50	7	25	28
29	x	x	40	10	x	x	10	x	x	10	x	5	29
30	x	x	27	45	12	x	x	30	40	45	20	45	30
31	x	x	4	x	18	x	60	x	x	10	x	35	31
TOTAL	349	x	203	348	450	170	346	120	410	851	216	314	YEAR'S TOTAL 3777
*Days with ·01 in. or more.	~~17~~	~~-~~	~~7~~	~~19~~	~~16~~	~~3~~	~~11~~	~~10~~	~~18~~	~~21~~	~~12~~	~~17~~	~~153~~
*Days with .04 in. or more.	~~17~~	~~-~~	~~7~~	~~19~~	~~16~~	~~3~~	~~14~~	~~10~~	~~18~~	~~20~~	~~12~~	~~16~~	~~151~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Joseph Hocking Esq. P.T.O.

X GORRAN HAVEN X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. f928498/28 Station No. 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Compared/2

Kept at ~~Lamleaza Gorran Ha~~

in the County of Cornwall

15 1924 Lownp since 1928

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level .. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	35	25	40	15	5	15	x	x	x	85	10	x		1
2	18	65	40	x	x	45	x	x	x	x	4	x		2
3	16	10	70	x	50	43	x	x	x	x	4	90		3
4	10	15	20	x	30	x	x	x	x	x	x	12		4
5	10	3	x	x	30	x	x	x	x	x	x	x		5
6	x	x	20	x	45	x	x	x	x	x	x	x		6
7	10	43	3	x	30	x	10	x	x	35	x	x		7
8	x	5	x	x	18	x	x	x	x	37	x	x		8
9	5	5	x	x	x	x	15	3	x	7	8	x		9
10	x	12	x	x	6	x	30	x	x	28	x	x		10
11	3	x	x	x	x	20	25	x	x	45	24	x		11
12	x	x	x	12	x	x	x	145	x	15	5	x		12
13	5	x	x	15	x	40	x	20	15	3	25	15		13
14	x	x	x	x	15	12	20	5	x	25	20	x		14
15	x	x	x	x	x	x	5	14	x	x	20	x		15
16	10	x	x	x	x	5	20	x	x	15	x	x		16
17	x	x	75	x	x	x	25	x	5	x	x	x		17
18	3	x	28	x	x	10	x	x	5	x	x	x		18
19	15	x	20	x	x	10	10	5	x	40	[illegible]	x		19
20	25	x	5	x	x	15	x	10	9	85	33	x		20
21	x	22	x	x	20	20	x	10	75	x	x	x		21
22	x	5	x	x	x	x	x	20	x	15	x	x		22
23	x	0	x	33	x	x	x	60	70	x	x	x		23
24	x	40	x	15	x	35	x	x	30	30	x	x		24
25	x	3	x	15	x	x	x	x	25	10	x	x		25
26	x	30	x	15	13	25	x	x	15	x	x	15		26
27	x	2	x	6	30	x	x	x	x	10	x	5		27
28	x	25	x	65	12	x	x	x	x	35	x	85		28
29	x	x	x	50	x	x	35	20	x	25	x	x		29
30	x	x	x	35	x	x	x	x	5	55	x	10		30
31	25	x	8	x	x	x	x	x	x	5	x	5		31
TOTAL	220	312	291	219	304	280	200	320	254	565	157	237	Year's Total 3358	
*Days with ·01 in. or more.	14	16	11	11	13	13	10	11	10	19	10	8	146	
*Days with ·04 in. or more.	12	14	10	11	13	13	10	10	10	18	10	8	139	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) X JOSEPH HOCKING X

P.T.O.

COPY FOR OFFICIAL USE. f 928498/28

Section **A** for the entry of Daily Observations. Station No. 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lynher Farm Hewin

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level .... ft.

Days

Low cp 1928→33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	x	x	x	x	x	x	x	x	50	12	25	x		1
2	10	x	3	x	x	5	x	35	.3	.10	10	100		2
3	10	x	10	x	x	x	x	x	49	x	x	4		3
4	10	x	x	x	x	x	x	25	x	35	20	30		4
5	3 13	x	20	12	40	x	x	18	x	25	5	30		5
6	x	x	60	x	15	x	x	x	x	10	x	32		6
7	12	x	3	35	35	6	x	5	3	20	10	20		7
8	15	x	x	x	x	x	x	x	12	25	60	30		8
9	14	x	x	x	5	x	x	x	x	x	30	65		9
10	12	x	20	x	x	x	x	x	x	x	10	x		10
11	25	x	35	30	x	x	x	10	x	x	25	65		11
12	35	x	6	75	x	x	x	3	x	x	x	15		12
13	12	x	x	25	x	x	x	35	x	x	x	x		13
14	35	x	x	x	x	5	x	x	x	3	55	20		14
15	20	x	25	3	x	x	5	x	x	7	x	25		15
16	23	x	x	x	15	x	x	x	x	15	5	20		16
17	19	x	30	5	x	x	4	x	35	x	x	75		17
18	20	x	55	x	10	x	x	x	x	15	x	25		18
19	5	x	20	27	x	4	9	x	5	x	x	50		19
20	x	x	20	x	x	4	x	x	12	x	x	5		20
21	x	x	x	25	x	x	8	10	10	10	x	25		21
22	x	x	25	x	x	15	x	10	x	25	x	5		22
23	11	x	x	3	x	x	x	10	26	x	x	x		23
24	x	x	25	12	x	10	3	33	30	x	x	25		24
25	20	5	x	27	x	20	5	35	x	15	x	60		25
26	12	10	x	x	x	x	x	x	x	15	x	35		26
27	x	x	x	x	x	32	x	x	10	x	x	5		27
28	x	x	5	x	x	15	x	x	15	10	x	25		28
29	x	x	x	x	x	x	4	20	14	x	x	55		29
30	x	X	x	x	x	x	4	5	10	10	x	18		30
31	x	X	x	X	x	X	3	15	X	40	X	10	33·73	31
TOTAL	~~3·46~~ 337	15	3·62 336	3·77	120	1·49 135	41	.50 3·66	.12 2·46	.25 3·24 3·17	~~2·50~~ 2·25	~~9·09~~ 9·09	Year's Total 3229	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Hocking

[P.T.O.

COPY FOR OFFICIAL USE. ✗

Section A for the entry of Daily Observations. **Station No.** 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lamledra Gorran Haven

in the County of Cornwall

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level .... ft.

n/p 1927-34

use for 10yr sheet

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	x	x	15	x	x	15	x	x	10	6	55	95		1
2	10	8	70	x	x	x	x	x	16	3	x	21		2
3	x	5	10	5	x	5	10	x	x	21	12	9		3
4	x	x	2	5	10	20	x	x	4	12	25	30		4
5	x	10	3	10	x	20	x	x	x	5	30	31		5
6	10	33	x	8	x	x	x	x	22	33	13	30		6
7	x	x	x	25	x	50	x	x	x	x	x	5		7
8	x	x	x	40	x	x	x	x	x	51	24	6		8
9	x	x	x	40	x	x	x	x	x	11	19	x		9
10	12	x	x	20	x	x	x	x	x	62	22	x		10
11	10	x	x	10	x	x	x	x	x	3	12	x		11
12	30	3	x	x	x	30	x	x	22	x	50	x		12
13	30	35	x	x	x	20	x	x	5	x	24	x		13
14	x	5	x	30	x	x	x	19	x	2	15	30		14
15	x	15	x	x	x	17	x	x	15	8	106	14		15
16	x	6	x	60	x	10	x	x	15	4	21	18		16
17	x	x	15	24	x	x	x	x	blown out	6	30	x		17
18	x	x	3	5	35	45	x	6	2	x	4	x		18
19	x	x	x	35	x	5	x	6	12	x	4	18		19
20	x	3	x	15	75	10	25	x	19	28	18	4		20
21	x	20	x	12	10	5	8	x	2	10	x	x		21
22	x	45	x	10	x	x	x	x	4	6	3	x		22
23	x	x	x	15	x	x	x	5	4	30	x	x		23
24	x	33	x	x	x	x	x	390✓	5	25	x	26		24
25	5	45	x	2	15	x	x	13	17	x	x	22		25
26	x	15	8	x	45	10	x	x	x	x	x	5		26
27	x	35	x	x	x	x	x	35	11	5	4	60		27
28	x	10	x	x	x	x	x	6	19	3	8	28		28
29	10	x	x	x	x	x	x	5	20	5	10	4		29
30	x	x	x	x	x	x	x	x	22	x	x	36		30
31	5	x	x	x	x	x	x	94	x	11	x	50		31
TOTAL	122	316	126	371	190	252	43	579	246	350	509	540	Year's Total 4 3624	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~W. R. Hawkridge~~

JOSEPH HOCKING

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

low up 1928-35

Kept at Lamledra

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ....ft.

928498/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	33	7	7	56	x	x	31	23	x	x	x	x		1
2	39	17	2	7	x	39	31	x	x	x	11	x		2
3	13	x	x	7	x	16	9	9	11	x	7	4		3
4	x	x	7	106	x	5	x	x	69	x	9	3		4
5	x	x	17	x	x	13	x	x	27	x	10	19		5
6	7	28	7	x	6	8	108	8	x	x	7	8		6
7	7	x	6	x	12	x	43	17	9	x	45	x		7
8	20	x	10	x	x	x	x	x	4	x	50	9		8
9	9	x	21	x	x	x	26	x	6	7	46	14		9
10	8	60	13	x	x	x	16	x	41	x	13	x		10
11	8	150	x	x	x	x	12	x	x	x	23	2		11
12	61	50	x	x	x	12	27	x	31	x	11	28		12
13	19	5	x	4	x	x	31	x	17	x	x	x		13
14	12	x	x	3	x	x	x	x	x	x	59	58		14
15	x	4	x	x	x	5	54	x	6	6	9	25		15
16	x	5	x	4	14	x	18	2	x	8	4	19		16
17	x	11	x	30	4	x	14	x	10	x	x	11		17
18	11	43	x	x	20	x	14	2	x	5	x	33		18
19	31	9	17	x	x	36	46	x	x	x	x	6		19
20	70	3	18	30	x	x	13	10	5	x	x	x		20
21	14	33	x	18	x	13	x	x	39	3	x	x		21
22	9	37	15	35	x	x	48	x	2	13	x	3		22
23	28	11	x	x	8	x	11	x	1	x	x	6		23
24	x	26	8	16	17	x	5	x	x	9	x	x		24
25	27	10	15	2	19	x	x	x	14	28	x	5		25
26	38	x	46	18	x	x	18	x	3	29	2	x		26
27	22	16	76	x	x	x	9	x	x	4	x	x		27
28	60	10	5	x	x	x	48	x	4	x	6	x		28
29	69	2	53	x	x	x	12	x	x	8	x	14		29
30	4		3	2	x	9	x	x	x	2	7	10		30
31	3		x		5		x	x		x		x		31
TOTAL	631	537	323	338	125	156	554	77	299	122	264	277	Year's Total 3708	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W.R. Hawkridge

X J. HOCKING X

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lamledra

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ... ft. 6 in.

" Ground " Sea Level 220 ft.

np loss since 1931.

928498/28.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	31	33	8	x	x	x	x	x	x	4	11	32		1
2	11	2	3	48	x	x	x	x	3	x	x	43		2
3	x	53	x	19	x	x	x	x	6	5	x	15		3
4	x	9	x	5	9	x	8	x	x	x	x	3		4
5	12	49	2	x	x	x	x	x	x	x	x	65		5
6	27	x	x	35	x	x	47	x	x	x	x	10		6
7	4	70	31	21	5	x	x	x	2	x	x	30		7
8	x	41	6	2	x	28	x	x	2	x	11	x		8
9	x	13	x	fog	66	20	18	x	x	x	x	x		9
10	5	12	6	14	2	x	x	19	42	x	x	x		10
11	9	x	43	60	x	24	5	x	x	x	x	35		11
12	8	x	11	28	50	24	24	x	x	x	x	7		12
13	32	34	28	x	x	38	x	11	22	x	x	11		13
14	x	10	104	30	x	x	5	23	22	x	x	17		14
15	x	3	43	x	x	x	x	x	12	x	x	69		15
16	31	16	17	30	x	x	x	x	22	x	x	25		16
17	16	7	17	x	x	x	4	4	5	x	45	x		17
18	30	13	11	x	x	x	fog x	x	7	x	5	x		18
19	8	30	26	x	x	x	x	x	44	x	18	11		19
20	20	6	27	23	9	x	x	x	27	x	23	x		20
21	31	x	7	8	x	x	x	x	5	x	22	50		21
22	10	67	x	x	16	x	8	x	10	14	20	10		22
23	3	x	11	x	10	x	9	x	4	63	38	67		23
24	14	63	x	x	15	x	x	x	x	15	x	37		24
25	12	23	12	x	fog 2	x	6	x	4	61	x	fog 6		25
26	x	66	60	x	3	x	x	x	x	x	x	x		26
27	6	17	x	x	x	x	x	x	x	x	x	x		27
28	19	11	x	x	x	x	x	x	1	33	x	x		28
29	8		x	x	x	x	x	x	x	x	x	x		29
30	13	x	x	x	x	x	x	x	x	63	20	x		30
31	27	x	x	x	x	x	x	x	x	3	x	x		31
TOTAL	387	648	473	323	187	134	134	57	240	261	213	523	Year's Total 3580	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

np loss

4B

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. R. Hawkridge [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1918/ 5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

up low since 1931

928498/28

Kept at Lamledra

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 6 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	x	28	23	4	x	32	34	2	x	11	20	x		1
2	x	19	x	x	x	44	18	32	4	43	9	17		2
3	x	x	x	4	x	x	14	x	x	15	3	9		3
4	x	x	3 fog	x	15	x	5	33	x	22	18	11		4
5	x	x	3	x	x	x	28	7	x	16	3	4		5
6	5	x	x	x	x	x	x	142	6	42	3	18		6
7	27	x	x	x	x	x	132	x	6	5	2	4		7
8	22	x	x	x	x	6	10	x	5	4	6	5		8
9	70	11	x	x	x	x	13	16	x	18	x	18		9
10	21	20	x	x	x	17	x	x	x	5	9	7		10
11	11	x	x	x	x	4	6	12	x	3	x	43		11
12	32	x	3	x	5	6	16	x	x	x	16	24		12
13	26	x	x	x	21	x	x	x	x	12	26	70		13
14	20	x	x	x	33	x	3	x	x	9	4	4		14
15	46	x	x	x	7	x	23	x	x	x	5	16		15
16	15	x	x	x	2	x	x	6	x	40	61	x		16
17	19	x	5	x	4	x	x	4	x	x	6	30		17
18	x	7	x	x	28	x	x	x	6	13	7	3		18
19	19	x	x	x	10	x	2	x	32	5	22	9		19
20	5	x	x	x	x	x	3	5	65	x	73	x		20
21	2	x	x	x	x	x	x	14	4	x	33	x		21
22	6	x	x	x	x	x	x	7	20	14	17	x		22
23	4	x	x	3	x	6	x	64	8	13	30	x		23
24	x	x	x	x	x	2	x	3	8	x	8	x		24
25	x	11	32	x	x	x	9	2	7	x	44	x		25
26	14	50	5	4	26	x	12	x	x	17	100	x		26
27	45	9	x	x	9	14	x	x	5	7	9	12		27
28	30	4	x	x	60	x	25	79	x	5	29	x		28
29	11		x	x	10	7	3	4	8	5	7	3		29
30	30	✕	x	x	15	x	2	x	5	40	16	x		30
31	7	✕	x	✕	30	✕	8	x	✕	x	✕	11		31
													Year's Total	
TOTAL	487	159	74	15	275	138	366	432	199	364	586	318	3413	
* Days with .01 in. or more.	23	9	7	4	15	10	20	17	15	23	28	20	191	
* Days with .04 in. or more.	21	9	4	3	14	9	15	14	15	22	24	18	168	

See memo in file

GB 29/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. R. Hawkridge

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lamledra Gorran Haven

in the County of Cornwall

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground ft. 6 in.

,, Ground ,, Sea Level 220 ft.

Entry on Dec 31st 1938 est'd from nearby stns.

29

8 928498/~~38~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	34	x	9	x	18	x	27	5	13	x	10	7		1
2	19	x	x	5	x	x	5	x	x	x	17	6		2
3	5	x	x	19	x	x	x	20	44	x	x	6		3
4	35	x	10	40	6	x	5	4	x	x	6	38		4
5	20	x	37	6	30	x	150	x	x	13	57	26		5
6	8	x	67	29	31	x	27	x	x	14	60	12		6
7	54	x	12	34	12	x	40	9	x	x	8	x		7
8	x	20	x	x	x	x	10	10	x	x	22	51		8
9	6	15	x	x	13	5	10	6	x	120	39	6		9
10	4	2	x	x	x	x	x	20	x	7	14	9		10
11	9	x	x	x	x	x	x	11	5	9	4	22		11
12	5	x	14	x	x	x	x	3	x	71	x	12		12
13	x	8	x	7	x	x	x	x	14	29	6	x		13
14	3	3	x	13	3	5	45	x	x	61	7	22		14
15	61	2	x	x	17	x	19	x	x	14	9	10		15
16	30	5	x	6	x	50	60	x	x	x	25	x		16
17	7	3	x	16	5	x	25	x	x	x	18	x		17
18	33	10	x	x	x	8	40	x	x	x	2	x		18
19	9	4	3	x	x	x	25	x	x	x	36	5		19
20	31	x	x	x	x	x	10	x	x	x	4	6		20
21	71	x	x	x	10	11	x	x	x	x	x	x		21
22	14	20	10	x	x	100	10	x	x	x	x	x		22
23	38	20	14	x	x	50	15	x	x	x	34	x		23
24	5	5	5	18	x	x	10	x	x	2	100	x		24
25	67	5	23	7	x	15	—	5	x	13	x	x		25
26	22	6	x	10	x	x	25	31	x	9	32	x		26
27	x	10	x	21	x	x	8	x	x	4	30	x		27
28	x	30	x	x	x	x	4	2	x	x	19	x		28
29	x	·09	x	x	x	5	8	x	x	x	22	x		29
30	x	~~x~~	x	7	x	9	5	x	x	45	8	x		30
31	x	~~x~~	18	~~x~~ ·18	6	·27 ~~x~~	4 ·05	x ·13	~~x~~	51 ·10	·07 ~~x~~	(~~x~~)	37·36	31
TOTAL	6·16 ~~650~~	1·77 ~~168~~	2·13 ~~222~~	2·59 ~~241~~	1·27 ~~145~~	2·84 ~~257~~	5·65 ~~587~~	1·34 ~~126~~	·63 ~~76~~	4·75 ~~465~~	5·86 ~~589~~	2·37 ~~244~~	Year's Total ~~3770~~	
* Days with .01 in. or more.	243	178	~~12~~11	156	~~10~~9	101	24	12	43	156	25	154	183 2	
* Days with .04 in. or more.	282	134	~~11~~10	156	98	101	24	10	43	145	24	154	171	

WH

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) W. R. Hawkridge [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No 1918/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193[illegible]

Kept at (Lamledra) [Gorran Haven]

in the 1 ~~County of~~ Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 6 in.

,, Ground ,, Sea Level 225 ft.

rp low 1939

f 928498/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 135

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	x	10	11	x	x	x	x	x	x	x	15	x		1
2	x	9	x	x	x	x	x	x	x	x	50	x		2
3	x	39	x	15	x	x	x	x	x	x	50	30		3
4	x	61	x	x	x	x	x	x	x	x	100	29		4
5	x	3	x	6	x	x	x	x	x	20	x	15		5
6	x	x	x	x	x	x	x	x	10	x	60	x		6
7	35	95	x	x	x	x	x	x	x	25	21	50		7
8	12	x	x	x	x	x	x	x	4	18	x	15		8
9	x	6	x	x	x	x	x	x	x	100	170	42		9
10	x	x	x	x	x	x	33	x	6	30	31	31		10
11	x	x	x	x	x	x	x	x	x	25	20	22		11
12	x	x	3	x	x	x	33	x	x	x	95	15		12
13	x	x	10	x	x	x	20	x	60	x	5	x		13
14	x	x	35	x	x	x	12	x	x	30	100	53		14
15	x	20	x	x	x	x	x	x	25	20	5	2[illegible]		15
16	x	x	x	x	x	x	x	x	20	15	40	x		16
17	x	42	95	x	x	x	30	x	10	x	5	14		17
18	x	30	40	33	x	x	20	x	x	x	10	19		18
19	25	80	20	80	x	x	x	x	25	x	35	x		19
20	x	15	22	5	x	x	10	x	100	x	15	x		20
21	x	x	x	10	x	x	x	x	x	15	10	x		21
22	x	x	7	9	5	x	x	x	15	x	36	x		22
23	x	x	[illegible]	15	x	65	x	x	7	5	x	x		23
24	x	4	x	7	14	x	8	x	x	40	8	x		24
25	5	x	x	7	5	x	35	x	x	x	x	x		25
26	32	x	45	x	50	x	x	x	x	x	x	x		26
27	29	26	x	x	14	15	11	x	x	x	10	x		27
28	66	5	x	x	15	x	x	x	x	x	x	x		28
29	150	10	x	33	11	x	x	6	x	x	15	x		29
30	18	x	11	15	5	x	x	x	x	10	x	30		30
31	9	x	x	x	4	x	x	x	x	75	x	35		31
TOTAL	·10 ~~3·81~~ 3·91	·11 ~~4·78~~ 4·89	~~3·04~~ 2·93	2·35	1·23	·80	2·12	6	2·82	·45 ~~4·28~~ 4·73	~~9·36~~ 8·91	1·35 ~~4·22~~ 5·57	Year's Total ~~38·94~~ 40·32	Print WX
* Days with .01 in. or more.	11	16	11	12	9	2	10	1	11	15	22	16	136	
* Days with .04 in. or more.	11	15	10	12	9	2	10	1	11	15	22	16	134	"d"

* See Instruction 3 (f) on other side.

SIR J. F. WILLIAMS K.C.

† Spare column, no entries required.

(Signed) Wm F. Williams (Sir. K.C.)

P.T.O.

footnote - "Gauge moved 400yds E. 31·10·40"

1919

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIS

931 .

1919

St Day, Boys' School

1931 — 40

780311

Kept at St Day Counc

in the County of Corn

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·02	trace	1·18	–	–	0·12	–	0·85	0·01	–	–	1
2	0·39	0·07	0·02	–	0·07	–	0·01	–	0·23	0·01	0·19	0·08	2
3	0·03	trace	1·39	–	0·07	–	0·06	–	0·63	0·02	2·46	0·08	3
4	0·04	0·08	0·66	–	0·01	0·08	0·23	0·04	0·83	0·01	0·01	0·02	4
5	–	0·60	1·07	0·09	0·01	0·25	trace	0·07	trace	trace	0·12	0·12	5
6	–	0·10	0·07	trace	0·26	0·32	0·76	trace	–	0·57	0·01	0·08	6
7	–	0·15	–	–	0·33	0·15	0·27	0·56	–	0·02	0·52	0·12	7
8	0·03	0·12	–	0·21	–	0·33	0·05	0·38	–	0·01	0·13	0·02	8
9	0·01	0·19	trace (snow)	0·01	–	0·04	0·11	0·03	–	0·03	0·22	0·02	9
10	0·01	0·09	snow 0·13	trace	0·25	0·04	0·05	0·08	–	–	0·52	0·06	10
11	0·33	0·22	0·01	–	0·04	0·23	1·30	trace	0·25	–	0·50	–	11
12	0·16	0·11	–	0·02	–	trace	0·15	–	0·27	0·22	0·03	–	12
13	0·02	0·07	0·04	–	0·45	trace	0·27	0·25	–	–	1·01	–	13
14	0·05	0·08	–	–	0·15	0·20	0·78	0·08	0·01	–	0·24	–	14
15	trace	0·05	–	trace	0·13	0·12	trace	0·65	–	–	–	–	15
16	0·09	0·25	–	–	–	0·92	0·01	0·01	0·01	–	–	0·04	16
17	trace	0·13	–	–	trace	–	0·05	–	0·25	–	–	–	17
18	0·06	trace	0·06	–	–	0·14	0·13	1·08	[illegible]	–	0·70	–	18
19	0·09	0·08	0·65	–	0·01	0·01	0·18	0·02	0·01	–	0·35	–	19
20	0·07	0·13	–	0·07	–	–	–	0·32	0·01	0·01	0·01	0·06	20
21	0·53	0·07	–	0·06	0·11	0·01	–	–	–	–	0·01	–	21
22	0·77	0·09	–	0·02	0·26	–	trace	–	–	–	0·14	–	22
23	0·14	trace	–	0·25	0·42	–	0·03	0·30	–	0·01	1·04	–	23
24	0·11	0·01	trace	0·42	trace	–	1·05	0·14	–	–	0·01	–	24
25	0·03	0·02	trace	trace	–	–	0·30	–	–	–	0·12	0·03	25
26	0·03	0·09	–	0·01	–	trace	0·35	–	–	–	1·03	0·05	26
27	0·17	0·16	–	–	0·05	–	0·04	–	–	0·01	0·32	–	27
28	0·15	0·07	0·06	0·02	0·02	–	0·01	0·13	–	–	0·02	0·01	28
29	0·08	×	0·08	–	0·30	–	0·08	0·03	0·01	0·03	0·07	0·22	29
30	0·15	×	0·41	–	0·33	–	0·01	0·01	0·08	0·02	trace	0·16	30
31	0·70	×	1·35	×	0·30	×	0·02	–	×	–	×	0·20	31
TOTAL	4·24	3·05	6·00	2·36	3·57	2·84	6·42	4·18	3·44	0·98	9·78	1·37	YEAR'S TOTAL 48·23
*Days with ·01 in. or more.	25	25	14	12	20	14	26	18	13	14	25	17	223
*Days with ·04 in. or more.	18	22	12	7	15	12	20	13	8	2	16	12	157

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Richard R. Blewett

[P.T.O.

1919

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at St Day Council Boys' School

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·02	trace	1·18	—	—	0·12	—	0·85	0·01	—	—	1
2	0·39	0·07	0·02	—	0·07	—	0·01	—	0·23	0·01	0·19	0·08	2
3	0·03	trace	1·39	—	0·07	—	0·06	—	0·63	0·02	2·46	0·08	3
4	0·04	0·08	0·66	—	0·01	0·08	0·23	0·04	0·83	0·01	0·01	0·02	4
5	—	0·60	1·07	0·09	0·01	0·25	trace	0·07	trace	trace	0·12	0·12	5
6	—	0·10	0·07	trace	0·26	0·32	0·76	trace	—	0·57	0·01	0·08	6
7	—	0·15	—	—	0·33	0·15	0·27	0·56	—	0·02	0·52	0·12	7
8	0·03	0·12	—	0·21	—	0·33	0·05	0·38	—	0·01	0·13	0·02	8
9	0·01	0·19	trace (snow)	0·01	—	0·04	0·11	0·03	—	0·03	0·22	0·02	9
10	0·01	0·09	snow 0·13	trace	0·25	0·04	0·05	0·08	—	—	0·52	0·06	10
11	0·33	0·22	0·01	—	0·04	0·23	1·30	trace	0·25	—	0·50	—	11
12	0·16	0·11	—	0·02	—	trace	0·15	—	0·27	0·22	0·03	—	12
13	0·02	0·07	0·04	—	0·45	trace	0·27	0·25	—	—	1·01	—	13
14	0·05	0·08	—	—	0·15	0·20	0·78	0·08	0·01	—	0·24	—	14
15	trace	0·05	—	trace	0·13	0·12	trace	0·65	—	—	—	—	15
16	0·09	0·25	—	—	—	0·92	0·01	0·01	0·01	—	—	0·04	16
17	trace	0·13	—	—	trace	—	0·05	—	0·25	—	—	—	17
18	0·06	trace	0·06	—	—	0·14	0·13	1·08	[illegible]	—	0·70	—	18
19	0·09	0·08	0·65	—	0·01	0·01	0·18	0·02	0·01	—	0·35	—	19
20	0·07	0·13	—	0·07	—	—	—	0·32	0·01	0·01	0·01	0·06	20
21	0·53	0·07	—	0·06	0·11	0·01	—	—	—	—	0·01	—	21
22	0·77	0·09	—	0·02	0·26	—	trace	—	—	—	0·14	—	22
23	0·14	trace	—	0·25	0·42	—	0·03	0·30	—	0·01	1·04	—	23
24	0·11	0·01	trace	0·42	trace	—	1·05	0·14	—	—	0·01	—	24
25	0·03	0·02	trace	trace	—	—	0·30	—	—	—	0·12	0·03	25
26	0·03	0·09	—	0·01	—	trace	0·35	—	—	—	1·03	0·05	26
27	0·17	0·16	—	—	0·05	—	0·04	—	—	0·01	0·32	—	27
28	0·15	0·07	0·06	0·02	0·02	—	0·01	0·13	—	—	0·02	0·01	28
29	0·08	×	0·08	—	0·30	—	0·08	0·03	0·01	0·03	0·07	0·22	29
30	0·15	×	0·41	—	0·33	—	0·01	0·01	0·08	0·02	trace	0·16	30
31	0·70	×	1·35	×	0·30	×	0·02	—	×	—	×	0·20	31
TOTAL	4·24	3·05	6·00	2·36	3·57	2·84	6·42	4·18	3·44	0·98	9·78	1·37	YEAR'S TOTAL 48·23
*Days with ·01 in. or more.	25	25	14	12	20	14	26	18	13	14	25	17	223
*Days with ·04 in. or more.	18	22	12	7	15	12	20	13	8	2	1~~8~~6	12	15~~7~~8

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Richard R. Blewett [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1919

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at St Day Council Boys' School

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	–	–	0.18	0.01	–	0.01	0.04	0.02	0.01	trace	0.07	1
2	0.01	–	0.02	0.21	0.03	0.01	0.02	0.13	0.56	–	trace	0.38	2
3	0.01	–	–	–	trace	0.57	0.11	0.02	0.32	0.03	0.05	0.01	3
4	0.01	–	–	–	–	0.28	0.04	0.20	trace	trace	0.47	trace	4
5	0.36	–	0.03	trace	–	trace	trace	–	0.36	–	–	–	5
6	0.52	–	0.01	0.12	–	–	0.31	0.02	0.28	0.04	–	–	6
7	0.09	–	0.01	0.01	trace	–	trace	trace	0.86	1.92	trace	0.02	7
8	0.04	–	0.70	0.07	0.26	–	0.01	0.01	0.01	0.54	–	–	8
9	0.75	–	0.01	0.35	0.02	–	trace	0.01	0.04	0.03	–	–	9
10	0.36	–	0.05	0.12	0.09	–	trace	–	0.03	trace	–	–	10
11	0.02	–	–	0.09	0.08	–	0.49	–	0.01	0.01	–	0.10	11
12	1.37	–	trace	–	0.96	–	0.02	–	0.04	0.28	–	0.01	12
13	0.09	–	–	0.19	0.01	trace	0.09	0.31	0.02	1.01	trace	0.14	13
14	0.15	–	–	0.06	0.20	–	trace	0.02	trace	0.02	0.07	0.03	14
15	0.02	–	–	0.05	0.09	–	0.01	–	trace	0.03	0.23	0.02	15
16	0.16	–	–	0.05	0.01	–	0.23	–	–	0.07	0.01	0.01	16
17	0.02	–	–	0.02	0.52	–	0.11	–	0.04	0.07	0.01	0.03	17
18	0.01	–	–	–	0.25	–	0.04	trace	0.14	trace	0.14	0.01	18
19	–	–	trace	0.11	0.57	–	trace	–	0.18	0.46	0.02	0.05	19
20	–	–	0.02	0.05	0.11	–	0.02	0.07	0.08	0.95	0.31	0.19	20
21	0.05	–	0.22	0.03	trace	–	trace	1.00	0.07	0.81	0.11	0.34	21
22	0.02	–	0.03	0.14	0.07	–	0.02	0.06	0.45	0.40	0.39	0.33	22
23	–	0.04	trace	trace	0.04	–	0.52	0.03	0.01	0.58	0.09	0.39	23
24	–	0.01	–	trace	0.02	–	0.66	–	0.18	0.03	0.02	0.01	24
25	–	–	0.20	trace	0.08	–	0.10	–	0.14	0.75	0.21	trace	25
26	–	–	0.43	0.51	trace	–	0.01	–	0.09	0.15		trace	26
27	–	–	0.27	0.23	0.08	–	0.13	–	trace	0.52	0.01	0.30	27
28	–	–	0.22	0.05	0.18	trace	0.14	0.02	0.01	0.16	0.01	0.03	28
29	–	–	0.56	0.15	0.16	0.63	0.01	0.22	0.78	0.42	0.41	0.06	29
30	–	×	0.03	0.19	0.20	1.81	0.76	0.06	0.50	0.07	0.63	0.03	30
31	–	×	0.04	×	0.80	×	0.22	0.01	×	0.05	×	0.75	31
TOTAL	4.08	0.05	2.85	2.98	4.84	3.30	4.08	2.23	5.22	9.41	3.19	3.31	YEAR'S TOTAL 45.54
*Days with ·01 in. or more.	20	2	17	22	24	5	24	17	25	26	18	23	223
*Days with .04 in. or more.	11	1	9	19	18	4	15	9	18	19	12	12	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Richard R. Blewett

P.T.O.

1919

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1919~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at St Day Council Boys' School

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 9 in.

,, Ground ,, Sea Level 390 ft.

August total ~~and~~ and annual total corrected by observer's card. 21/3/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·45	0·96	0·68	-	0·02	0·46	-	-	-	0·01	0·04	0·77		1
2	0·85	0·09	1·01	-	0·45	0·31	-	-	trace	-	0·46	0·07		2
3	0·15	0·11	0·26	-	0·37	0·02	-	-	-	-	0·05	-		3
4	0·25	0·02	0·01	-	0·44	-	-	-	-	-	trace	trace		4
5	0·06	trace	0·50	-	0·25	-	-	-	0·03	-	0·02	-		5
6	0·03	0·50	trace	0·01 ~~-~~	0·17	-	0·03	-	0·01	0·07	0·01	-		6
7	0·01	0·07	trace	-	0·03	trace fog.	0·05	0·02	-	0·07	0·01	-		7
8	0·09	0·01	0·01	-	0·05	-	0·85	0·05	-	0·02	trace	-		8
9	trace	0·16	-	-	0·04	-		0·01	-	0·60	0·20	-		9
10	0·18	0·06	-	-	trace	-	0·01	0·83	-	1·77	0·10	-		10
11	0·09	-	-	0·05	0·10	0·04	0·03	1·56	0·01	0·27	0·06	0·05 snow.		11
12	0·01	trace	-	0·06	0·06	0·23	0·27	0·05	0·01	0·01	0·22	0·31		12
13	0·04	-	-	-	0·07	0·03	0·05	trace	trace	0·11	0·12	-		13
14	0·30	-	-	-	0·01	trace	0·37	0·10	trace	0·01	0·29	-		14
15	0·18	-	0·39	-	-	0·09	0·62	0·19	-	0·09	0·13	-		15
16	0·08	0·02	1·05	-	-	0·05	-	0·01	0·02	0·02	trace	-		16
17	0·02	0·11	0·21	-	-	0·17	0·06	0·07	0·15	-	-	-		17
18	0·15	0·02	0·16	-	-	0·04	trace fog.	0·02	trace	0·59	0·11	-		18
19	0·34	-	0·08	0·01	-	0·15	trace fog	0·06	0·22	1·43	0·02	trace		19
20	-	0·04	trace	-	0·12	0·08	-	0·12	0·32	trace	0·01	-		20
21	-	0·06	-	-	trace	trace	-	0·13	trace	0·07	trace	-		21
22	-	0·06	-	0·60	-	0·06	-	0·37	0·41	0·01	trace	-		22
23	-	0·61	-	0·08	-	0·28	0·01	trace	0·06	0·07	-	-		23
24	-	0·05	-	0·22	trace	0·05	-	-	0·10	0·34	-	-		24
25	-	0·24	-	0·09	0·14	0·08	-	-	0·15	0·02	-	0·27		25
26	-	trace	-	0·45	0·30	-	-	-	trace	0·10	-	0·01		26
27	-	0·18	-	0·02	0·02	-	-	-	trace	0·23	-	0·81		27
28	trace	0·53	-	0·14	trace	-	0·31	0·27	-	0·91	0·04	0·06		28
29	0·19	×	0·03	0·49	-	-	0·01	-	0·06	0·79	-	0·06		29
30	0·06	×	0·03	0·27	0·03	-	0·08	0·02	0·44	0·26	0·01	0·03		30
31	0·36	×	0·20	×	0·11	×	-	-	×	0·05	×	trace		31
TOTAL	3·89	3·90	4·62	2·49	2·78	2·14	2·75	3·88 ~~3·38~~	1·99	7·92	1·90	2·44	Year's Total ~~40·20~~ 40·70	
*Days with ·01 in. or more.	21	20	14	13	20	16	15	17	14	24	18	10	202	
*Days with ·04 in. or more.	17	16	9	10	15	14	10	12	9	17	12	8	149	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Richard R. Blewett.

P.T.O.

3.T. 318558/34.

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.** **Station No.** 1919.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St. DAY Council Boys' School.

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 390. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·13	–	0·05	–	0·01	–	–	0·54	0·01	0·02	0·05	1·68		1
2	0·07	–	0·22	–	–	–	–	trace	0·75	0·07	0·01	0·09		2
3	0·11	trace	0·02	–	–	–	–	0·44	0·04	0·43	0·14	0·62		3
4	0·18	–	0·23	0·19	0·46	–	–	0·24	trace	0·16	0·01	0·52		4
5	trace	–	0·20	0·31	0·53	–	–	1·02	trace	0·18	0·03	0·45		5
6	0·17	–	0·27	0·18	0·63	–	–	0·14	0·13	0·30	trace	0·32		6
7	0·26	trace	trace	trace	trace	–	–	0·01	–	0·47	0·16	0·88		7
8	0·01	–	–	–	0·03	0·01	–	0·05	0·03	–	0·64	1·11		8
9	0·05	0·01	0·50	–	–	–	–	0·03	trace	–	0·95	0·15		9
10	0·62	0·01	0·40	0·08	–	–	–	0·09	–	–	0·22	0·20		10
11	0·61	–	0·11	0·85	–	–	–	0·01	–	–	0·31	0·77		11
12	0·15	–	trace	0·02	–	0·04	0·02	0·33	–	0·02	trace	0·22		12
13	0·70	–	0·06	0·52	trace	0·03	0·21	0·01	–	0·12	0·30	0·17		13
14	0·34	trace	0·55	0·01	–	–	0·02	trace	–	0·15	0·01	0·20		14
15	0·20	–	0·07	0·03	0·14	–	0·03	trace	0·01	0·16	0·01	0·19		15
16	0·13	–	0·47	trace	–	–	–	trace	0·42	0·08	trace	0·48		16
17	0·27	–	0·64	0·19	–	–	–	trace	0·06	0·30	–	0·36		17
18	0·03	–	0·57	0·50	0·15	0·07	trace	0·03	0·13	0·03	–	0·60		18
19	trace	–	0·11	0·01	0·02	0·02	0·01	0·05	0·38	0·01	–	0·02		19
20	–	–	trace	0·22	0·01	–	0·09	trace	0·09	0·03	trace	0·04		20
21	trace	–	0·30	0·06	0·03	0·21	–	0·08	0·11	0·31	0·02	0·06		21
22	0·02	–	0·01	0·01	trace	0·03	–	0·13	0·16	0·03	0·02	0·12		22
23	0·02	–	0·03	0·27	–	0·67	0·03	0·01	0·40	0·03	0·01	0·22		23
24	trace	0·13	0·01	0·04	0·01	0·56	0·26	trace	0·02	0·39	trace	0·30		24
25	0·19	0·03	–	0·22	0·02	0·01	0·02	–	0·03	0·25	–	0·53		25
26	0·10	0·01	0·05	0·02	–	0·36	trace	–	0·37	0·08	–	0·25		26
27	–	0·13	–	trace	–	0·07	0·02	0·32	0·22	0·08	0·02	0·11		27
28	–	0·02	–	–	–	–	0·03	0·50	0·31	0·02	0·01	0·66		28
29	–	×	–	–	–	–	trace	0·05	0·01	0·07	–	0·03		29
30	0·01	×	–	–	0·18	–	0·03	0·10	0·31	0·31	0·01	0·15		30
31	trace	×	–	×	trace	×	0·05	0·56	×	0·09	×	0·01		31
TOTAL	4·37	0·34	4·87	3·73	2·22	2·08	0·82	4·74	3·99	4·19	2·93	11·51	Year's Total 45·79	45·79
*Days with ·01 in. or more.	22	7	21	19	13	12	13	22	21	2~~6~~7	19	31	227	
*Days with .04 in. or more.	17	2	17	13	6	7	4	15.	15.	1~~8~~9	8	28	151	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Richard R. Blewett.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1919

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St. Day Council Boys' School. File No. ~~3786~~ 318558/34.

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

„ Ground „ Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·08	0·05	0·37	0·02	–	0·26	0·04	–	0·29	0·09	–	0·10		1
2	0·01	0·06	0·07	0·09	trace	0·02	0·02	–	–	0·31	0·18	0·10		2
3	0·01	trace	trace	0·02	–	0·16	0·01	–	0·14	0·13	0·37	0·48		3
4	trace	0·23	0·01	0·10	–	0·20	0·04	–	0·04	0·37	0·25	0·32		4
5	0·23	0·18	0·03	0·39	–	0·03	–	–	0·20	0·53	0·25	0·33		5
6	0·11	trace	trace		–	0·71	–	–	trace	0·07	0·01	0·10		6
7	[illegible]	–	trace	0·40	–	0·02	–	–	–	0·59	0·21	0·04		7
8	–	–	–	0·35	–	–	–	–	trace	0·15	0·28	trace		8
9	0·02	–	–	0·26	–	0·33	0·02	–	–	0·79	0·43	–		9
10	0·02	trace	0·02	0·01	–		–	–	–	0·05	0·14	0·01		10
11	0·47	0·02	0·01	–	–		–	0·02	0·28	0·09	0·85	trace		11
12	0·13	0·27	–	0·12	–	0·18	–	0·32	0·06	0·01	0·24	–		12
13	0·02	0·14	–	0·12	–	0·02	–	–	–	0·09	0·09	–		13
14	–	0·08	–	trace	–	0·03	–	–	0·75	0·05	1·04	0·33		14
15	–	0·03	0·02	0·86	0·18	–	trace	0·03	0·11	0·02	0·15	0·11		15
16	–	0·07	0·19	0·19	0·06	–	0·04	–	0·42	0·13	0·17	0·15		16
17	–	0·01	0·01	0·03	0·46	0·41	0·07	0·02	0·11	0·01	0·11	trace		17
18	–	0·08	trace	0·47	0·04	0·01	0·03	–	0·25	0·08	0·07	0·33		18
19	–	0·09	trace	0·25	0·53	0·07	0·14	–	0·15	0·20	0·35	0·01		19
20	–	0·37	0·01	0·42	0·16	0·01	0·03	–	0·11	0·38	0·01	–		20
21	–	0·60	0·02	0·02	–	0·01	0·14	–	0·02	0·15	trace	–		21
22	trace.	0·01	0·01	0·45	–	–	trace	0·15	0·05	0·45	–	–		22
23	trace	0·21	0·04	0·11	trace	–	trace	1*·68	0·12	0·23	–	0·49		23
24	0·06	0·30	0·02	–	0·06	–	trace	0·14	0·19	0·01	–	0·36		24
25	0·17	0·32	trace	0·06	0·39	0·09	–	trace	trace	0·06	–	0·38		25
26	0·12	0·63	trace	0·07	0·01	0·08	trace	0·30	0·14	0·02	0·06	0·36		26
27	trace	0·14	trace	–	–	–	0·13	0·05	0·34	0·01	0·19	0·07		27
28	0·15	0·14	0·01	0·01	–	–	0·07	0·17	0·12	0·04	0·14	0·07		28
29	0·01	✕	–	–	0·10	–	trace	0·05	0·38	0·01	0·15	0·94		29
30	0·08	✕	–	–	–	0·11	–	0·86	0·03	0·16	0·68	0·71		30
31	0·01	✕	0·01	✕	–	✕	–	0·13	✕	0·62	✕	0·57		31
TOTAL	1·70	4·08	0·85	4·82	1·99	2·75	0·83	3·92	4·35	5·90	6·58	6·36	Year's Total 44·13	
* Days with .01 in. or more.	17	22	16	24	10	21	13	13	22	31	24	22	235	
* Days with .04 in. or more.	10	18	4	18	9	12	8	10	20	24	23	20	176	

40-9999.

* See Instruction 2 (f) on other side.

23d - * Aug. = 1·68

† Spare column, no entries required.

(Signed) Richard R. Blewett [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1919

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

File Number – 318558/34

Kept at St. Day Council Boys' School

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·15	0·10	0·03	0·22	–	0·46	0·72	0·04	–	–	0·09	0·02		1
2	0·16	0·01	0·03	0·13	–	0·43	0·07	0·01	0·20	–	0·05	0·05		2
3	0·03	–	0·14	0·82	–	0·02	0·04	trace	0·24	–	0·16	0·09		3
4	0·12	0·04	0·18	0·01	–	–	0·01	–	0·50	–	0·12	0·15		4
5	0·23	0·32	trace	–	0·23	–	1·01	0·25	0·01	–	0·19	0·12		5
6	0·09	–	0·09	–	0·02	0·07	0·31	0·01	0·41	–	0·90	0·01		6
7	0·54	0·17	0·17	–	–	0·04	0·01	–	0·05	–	0·56	0·05		7
8	0·28	trace	0·46	–	–	0·01	0·51	–	0·29	0·11	0·50	0·14		8
9	0·21	0·65	0·03	–	–	0·05	0·09	–	0·27	–	0·07	trace		9
10	0·07	1·42	trace	–	–	–	0·07	–	trace	–	0·35	0·06		10
11	0·62	0·71	trace	–	–	0·09	0·23	0·01	0·94	–	0·78	0·26		11
12	0·24	0·05	–	0·16	–	trace	0·40	0·01	0·05	0·02	0·35	0·04		12
13	0·07	trace	–	trace	–	–	0·01	0·01	0·06	0·11	0·17	1·28		13
14	0·03	0·05	–	0·02	0·04	0·12	0·60	trace	0·08	0·06	trace	0·42		14
15	trace	0·01	–	0·01	0·12	trace	0·03	0·02	trace	–	0·77	0·69		15
16	0·02	0·31	–	0·18	–	0·09	0·28	trace	0·18	–	0·25	0·19		16
17	0·21	1·08	–	0·02	0·28	trace	0·91	0·01	trace	0·09	0·10	0·68		17
18	0·44	0·18	0·31	–	–	0·61	0·41	0·09	0·01	0·01	trace	0·11		18
19	0·68	0·02	0·12	0·35	–	0·04	0·05	0·10	0·06	–	–	trace		19
20	0·21	0·61	0·01	0·15	–	0·08	0·01	0·04	0·11	0·08	–	–		20
21	0·15	0·30	0·10	0·16	–	trace	0·40	trace	0·03	0·20	–	–		21
22	0·22	0·21	0·01	–	0·04	0·04	0·43	–	0·03	0·04	–	0·05		22
23	0·01	0·35	0·32	0·28	0·22	–	0·02	–	0·03	0·09	–	0·02		23
24	0·48	0·12	0·12	0·02	0·26	–	0·06	trace	0·15	0·31	–	0·16		24
25	0·29	trace	0·51	0·26	0·01	–	0·12	–	0·16	0·37	–	0·25		25
26	0·55	0·23	0·43	trace	–	–	trace	–	–	0·02	–	trace		26
27	0·59	0·17	0·21	–	trace	–	0·42	–	0·07	0·11	0·06	–		27
28	0·74	0·18	0·89	0·03	–	–	0·04	–	–	0·03	trace	0·33		28
29	0·05	0·26	0·03	–	0·01	0·01	0·02	–	–	0·14	0·14	0·15		29
30	0·15	×	0·02	–	0·03	0·24	trace	–	–	0·15	trace	0·03		30
31	0·12	×	0·63	×	0·15	×	0·41	–	×	0·03	×	0·62		31
TOTAL	7·75	7·55	4·84	2·81	1·41	2·40	7·69	0·60	3·93	1·97	5·61	5·97	Year's Total 52·53	
* Days with .01 in. or more.	30	24	22	16	12	16	29	12	22	18	18	25	244	
* Days with .04 in. or more.	26	21	15	10	8	13	22	5	17	13	18	21	189	

† Spare column, no entries required.

(*Signed*) Richard R. Blewett [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1919.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File Number - 318558/34.

Kept at St. DAY Council School.

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" Ground " Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·18	0·06	0·01	0·98	–	–	0·01	–	0·10	0·05	0·01	0·56		1
2	0·06	1·35	0·01	0·37	–	–	tr	–	0·03	tr.	tr.	0·50		2
3	0·03	0·11	0·02	0·03	tr.	–	0·20	–	–	–	tr.	0·09		3
4	0·22	0·55	tr.	0·19	0·17	tr.	tr	–	–	–	0·06	0·80		4
5	0·22	0·01	0·01	0·22	tr.	0·24 ✓	0·55	–	–	–	–	0·20		5
6	0·09	0·71	0·30	0·47	0·06		0·03	–	0·03	–	–	0·31		6
7	tr.	0·48	0·22	0·04	tr.	0·10	–	tr.	0·08	–	0·06	–		7
8	0·05	0·08	0·04	tr.	0·36	0·13	0·19	–	0·01	tr.	0·01	–		8
9	0·16	0·18	0·11	0·23	0·04	0·04	0·01	–	0·52	tr.	–	–		9
10	0·19	0·11	0·87	0·16	tr.	0·26	0·02	0·02	0·01	–	tr.	0·53		10
11	0·21	tr.	0·37	0·28	0·74	0·21	0·40	–	tr.	–	0·01	0·07		11
12	1·00	0·31	0·30	0·09	0·02	0·41	0·06	–	0·25	tr.	–	0·56		12
13	0·01	0·15	1·15	0·17	–	0·01	–	0·91	0·70	–	–	0·29		13
14	–	0·03	0·27	tr.	–	trace	–	0·05	0·12	–	–	0·10		14
15	0·79	0·25	0·53	0·35	–	–	–	–	0·30	–	tr.	0·12		15
16	0·73	0·15	0·31	tr.	–	0·01	0·05	0·07	0·22	–	1·25	tr.		16
17	0·79	0·11	0·20	tr.	–	–	0·04	–	0·22	tr.	0·35	–		17
18	0·08	0·33	0·21	0·05	tr.	0·31	0·05	0·04	0·65	tr.	0·29	0·17		18
19	0·24	0·06	0·04	0·31	0·12	tr.	0·02	tr.	0·68	tr.	0·29	0·01		19
20	0·91	0·01	0·06	0·09	tr.	–	0·02	–	0·01	–	trace.	1·04		20
21	0·49	0·79	0·06	tr	0·21	tr.	0·05	–	0·38	–	0·14	0·05		21
22	0·08	0·05	0·07	tr.	0·20	–	0·08	–	0·03	0·78	0·01	0·19		22
23	0·48	0·50	0·07	tr.	0·28	–	–	–	tr.	0·70	0·15	0·02		23
24	0·50	0·50	0·10	–	0·02	–	0·03	–	0·07	0·92	0·01	0·06		24
25	0·19	0·53	0·54	0·04	0·01	–	0·02	–	0·01	0·05	–	tr.		25
26	0·24	0·20	–	tr.	tr.	–	–	–	tr.	tr.	–	tr.		26
27	0·24	0·20	–	–	–	–	–	–	tr.	0·35	0·06	–		27
28	0·06	0·01	–	–	–	0·02	0·02	–	tr.	0·01	–	–		28
29	0·13	X	–	–	–	tr.	–	–	tr.	0·55	0·65	–		29
30	0·36	×	–	–	–	0·04	–	0·02	0·01	0·05	0·56	–		30
31	0·12	×	–	×	–	×	–	–	×	0·45	×	tr.		31
TOTAL	8·85	7·82	5·87	4·07	2·23	1·78	1·85	1·11	4·43	3·91	3·91	5·67	Year's Total 51·50	✓
* Days with .01 in. or more.	29	27	24	17	12	13 ✓	19	6	21	10	16	19	213	✓
* Days with .04 in. or more.	27	23	20	16	9	~~10~~ 9	10	4	14	9	11	17	~~170~~	169 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Richard R. Blewett. [P.T.O.

Kindly send a copy of the "General Table" when published. RRB.

Copy by BRO. 1919

FORM 1090. **B** Monthly Summary. **C** Particulars of Station.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.8

At St Day (Council School)

In the County of ....

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ......*ft.* 9 *in.*
- *Height of Ground above Sea Level* 390 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·47			26	24
FEB.	2·44			11	9
MAR.	1·05			13	5
APRIL	·09			3	1
MAY	4·07			20	14
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
TOTAL	–				

Signature R R Blewett Esq* 31/3/39

per Cornwall Rainfall Assoc.

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter.................in Summer..............

Nearest Railway Station.............................. Distance.................Direction from gauge............

Nearest Parish Church at.............................. Distance.................Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

[illegible] GB

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

Copy by BRO. 1921

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Tregoney (Trewarthenick)

In the County of Cornwall

Rain Gauge { Diameter of Funnel 6 in.

Height of Top above Ground ft. 10 in.

Height of Ground above Sea Level 200 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·84				
FEB.	1·75				
MAR.	·42				
APRIL	—				
MAY	3·00				
JUNE	1·72				
JULY	3·77				
AUG.	4·25				
SEPT.	1·90				
OCT.	4·29				
NOV.	6·53				
DEC.	5·12				
TOTAL	39·59	M			

Signature P. A. Welman Esq.*

* per Cornwall Rainfall Assoc.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter...................in Summer...................

Nearest Railway Station.................................. Distance.................. Direction from gauge............

Nearest Parish Church at.................................. Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

1919/5

FORM 1090. **B** Mo… Su… …n.

1919/5
ST DAY, BALDHU SCH.
1940
780311

*** The following register of mont… &c., is NOT required if daily… values are given on the other… …tion and also the space for … this register should be sent :—

R ST DAY (BALDHU SC…

RAINFALL IN 193…

At X Baldhu, Tr…

In the County of … Cornwa…

…in Summer…

Rain Gauge
Diameter of Funnel …5… in.
Height of Top above Ground …1… *ft.* …0… *in.*
Height of Ground above Sea Level …346… *ft.*

Distance … Direction from gauge …

Nearest Parish Church at … Distance … Direction from gauge …

Nature of objects nearest to gauge	Church	50 yd's	north	
Height of objects				
Distances …	with	plantation	of trees	
Directions from gauge …	at	back of it.		

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN. 3·51	~~2·01~~	·63	26	18	12
FEB. 5·52	~~5·02~~	1·00	4	22	17
MAR.	2·90	·74	17	15	13
APRIL	3·05	1·10	19	21	16
MAY	1·22	·45	23	10	8
JUNE	·83	·58	22	7	4
JULY	3·05	·54	16	17	13
AUG.	·38	·12	13	8	4
SEPT.	2·23	·68	12	13	7
OCT.	3·88	·6	8	13	12
NOV. 10·19	~~11·69~~	2·00	20	25	22
DEC. 5·66	~~4·16~~	·6	5	25	21
TOTAL	42·42 ~~40·42~~			194	149

If gauge has been moved during the year state—

Date of move… Distance… Direction…

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan & Feb pt. estd for snow
Nov & Dec apportioned by ref to nearby stns.

Corrected at the request of Mr H. J. C. Pounds
Cornwall Rainfall Assn.
Falmouth.

10 APR 1941

N.
Print WH/

*Signature … H. Rowe,
Per C.R.A.

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

1919/5

B Mo Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

~~1ST DAY (BALDHU SCHOOL)~~

RAINFALL IN 1940

At ~~Baldhu, Truro~~

In the County of Cornwall

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 346 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·51 ~~2·01~~	·63	26	18	12
FEB.	6·52 ~~5·02~~	1·00	4	22	17
MAR.	2·90	·74	17	15	13
APRIL	3·05	1·10	19	21	16
MAY	1·22	·45	23	10	8
JUNE	·83	·58	22	7	4
JULY	3·05	·54	16	17	13
AUG.	·38	·12	13	8	4
SEPT.	2·23	·68	12	13	7
OCT.	3·88	·6	8	13	12
NOV.	10·19 ~~11·69~~	2·00	20	25	22
DEC.	5·66 ~~4·16~~	·6	5	25	21
TOTAL	42·42 ~~40·42~~			194	149

N.

Print WH/

**Signature* H. Rowe,

Per C.R.A.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge: Church 50 yds north

Height of objects: with plantations of trees

Distances: at back of it.

Directions from gauge

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan & Feb pt estd for snow
Nov & Dec apportioned by ref to nearby stns.

Corrected at the request of Mr. H. J. G. Pounds
Cornwall Rainfall Assn.
Falmouth.

10 APR 1941

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

1920

1520

KILLIOW

1931- 34

780511

Section A for the entry of

AIR MINISTRY … RITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIST … IN 1931.

Kept at Killiow

in the County of Cornw

Diameter of Funnel of Gauge

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		1·03			·11		·54				1
2	·35	·08	·01		·03	·02	·01		·20		·16	·33	2
3	·06		·91		·07		·08		·25	·03	1·85	·11	3
4	·04	·06	·20		·03	·04	·31	·11	1·01			·02	4
5		·40	·63	·12	·02	·20	·02	·19		·51	·14	·20	5
6		·14	·05		·30	·30	·28			·01		·10	6
7		·11			·30	·18	·10	·29			·41	·12	7
8		·09		·17		·35	·07	·50			·20		8
9		·22				·04	·04	·05		·03	·20		9
10		·21	·12		·30	·04	·05	·18			·64	·06	10
11	·30	·35			·05	·20	1·38		·19		·39		11
12	·16	·23			·42		·08		·34	·29	·10		12
13		·04	·04		·22	·23	·45	·28			·56		13
14	·07	·12			·05	·08	·27	·07			·33		14
15	·01	·06				·78	·01	·51	·01				15
16	·04	·36						·05	·05			·03	16
17	·01	·22				·15	·04	·03	·15				17
18	·09		·04				·17	1·00			·46		18
19	·06	·12	·72	·02	·01		·19	·02	·02		·22		19
20	·06	·10	·18					·43				·06	20
21	·25	·04		·07	·18								21
22	·65	·04	·03	·02	·17			·25			·17		22
23	·20			·20	·33		·04	·29			·94		23
24	·13	·01		·34			·89				·01		24
25	·08	·01		·05			·20				·15	·04	25
26	·05	·16		·01	·09		·40				·76	·04	26
27	·15			·01						·02	·29		27
28	·13	·13	·09		·04		·01	·05		·05	·05	·05	28
29	·10	·11	·10		·22		·06	·04		·02	·13	·13	29
30	·17	×	·21		·19		·02	·03	·11			·04	30
31	·82	×	·79	×	·20	×	·03		×		×	·24	31
													YEAR'S TOTAL
TOTAL	3·78	3·42	4·12	2·04	3·22	2·61	5·31	4·37	2·87	·96	8·16	1·57	42·63
*Days with ·01 in. or more.	22	25	15	11	20	13	26	19	11	8	21	15	206
*Days with ·04 in. or more.	20	22	13	7	16	12	20	16	9	3	20	13	171

40-9999

(Signed) E. T. A. Daubuz [P.T.O.

*See Instruction 2 (*f*) on other side.

1920

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Killiow

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		1·03			·11		·54				1
2	·35	·08	·01		·03	·02	·01		·20		·16	·33	2
3	·06		·91		·07		·08		·25	·03	1·85	·11	3
4	·04	·06	·20		·03	·04	·31	·11	1·01			·02	4
5		·40	·63	·12	·02	·20	·02	·19		·51	·14	·20	5
6		·14	·05		·30	·30	·28			·01		·10	6
7		·11			·30	·18	·10	·29			·41	·12	7
8		·09		·17		·35	·07	·50			·20		8
9		·22				·04	·04	·05		·03	·20		9
10		·21	·12		·30	·04	·05	·18			·64	·06	10
11	·30	·35			·05	·20	1·38		·19		·39		11
12	·16	·23			·42		·08		·34	·29	·10		12
13		·04	·04		·22	·23	·45	·28			·56		13
14	·07	·12			·05	·08	·27	·07			·33		14
15	·01	·06				·78	·01	·51	·01				15
16	·04	·36						·05	·05			·03	16
17	·01	·22				·15	·04	·03	·15				17
18	·09		·04				·17	1·00			·46		18
19	·06	·12	·72	·02	·01		·19	·02	·02		·22		19
20	·06	·10	·18					·43				·06	20
21	·25	·04		·07	·18								21
22	·65	·04	·03	·02	·17			·25			·17		22
23	·20			·20	·33		·04	·29			·94		23
24	·13	·01		·34			·89				·01		24
25	·08	·01		·05			·20				·15	·04	25
26	·05	·16		·01	·09		·40				·76	·04	26
27	·15			·01						·02	·29		27
28	·13	·13	·09		·04		·01	·05		·05	·05	·05	28
29	·10	·11	·10		·22		·06	·04		·02	·13	·13	29
30	·17	×	·21		·19		·02	·03	·11			·04	30
31	·82	×	·79	×	·20	×	·03		×		×	·24	31
TOTAL	3·78	3·42	4·12	2·04	3·22	2·61	5·31	4·37	2·87	·96	8·16	1·57	YEAR'S TOTAL 42·63
*Days with ·01 in. or more.	22	25	15	11	20	13	26	19	11	8	21	15	206
*Days with ·04 in. or more.	20	22	13	7	16	12	20	16	9	3	20	13	171

40-9999

(*Signed*) E. F. A. Daubuz.

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 1920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Killiow

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·19			·02	·06	·02			·08	1
2	·03		·03	·20			·08	·11	·08				2
3	·02					·36	·04	·02	·72		·03		3
4	·01					·20		·07			·53		4
5	·55		·02						·15		·33		5
6	·55		·02	·10	·02		·33		·37	·04	·03		6
7	·13		·02						·54	1·29			7
8	·04		·71	·08	·29				·01	·51			8
9	·71			·33	·01				·04				9
10	·42		·02	·26	·11				·02				10
11	·05		·03	·03	·10		·23			·02		·06	11
12	1·20				·76		·03		·04	·21		·03	12
13	·17			·14	·02			·31	·03	·90		·17	13
14	·18			·08	·33			·03		·07		·02	14
15	·01			·03	·05					·05	·25	·03	15
16	·15			·02			·37			·04			16
17	·01			·01	·35		·13		·03	·05			17
18	·01				·30		·02		·19		·13	·02	18
19				·11	·63				·19	·38	·02	·07	19
20	·04			·05	·14			·16	·09	·91	·13	·11	20
21			·12					·28	·02	·53	·12	·33	21
22	·01		·03	·12	·06		·09	·04	·34	·38	·42	·20	22
23		·02					·45			·53	·04	·34	23
24			~~·22~~		·02		·60		·12	·04	·04		24
25			·22 ~~·79~~		·15		·09		·13	·69	·13		25
26			·19 ~~·30~~	·30			·03		·09	·21	·08		26
27			·30 ~~·45~~ ~~·32~~	·15			·10			·53	·04	·27	27
28			·32 ~~·3~~	·05	·23	·01	·09			·30	·02	·02	28
29			·43	·11	·13	·52		·13	·61	·41	·32	·72	29
30		×	·03	·16	·22	1·37	·76	·03	·52	·13	·59		30
31		×	·07	×	·54	×	·07		×	·04	×	·79	31
TOTAL	4·35	·02	2·56	2·52	4·45	2·46	3·48	1·23	4·45	8·20	3·25	3·23	YEAR'S TOTAL 40·20
*Days with ·01 in. or more.	20	1	16	20	20	4	18	11	22	23	16	16	187
*Days with ·04 in. or more.	13		8	16	16	1	13	8	16	21	13	11	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. F. A. Daubuz

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~3

Kept at Killiow

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·74	·27			·23					·02	·83		1
2	·66	·10	·76		·26	·35					·18	·08		2
3	·07	·09	·30		·29						·05			3
4	·15	·03	·02		·39									4
5	·04		·41		·27						·01			5
6	·05	·50	·02		·23		·09			·05	·03			6
7		·08			·05		·04			·08				7
8	·10	·01			·06		·40	·02						8
9		·15			·08		·43			·49	·10			9
10	·11	·02					·09	·04		1·19	·09			10
11	·15			·11	·07	·03		·58	·01	·19	·04			11
12				·12	·03	·20	·20		·01		·37			12
13	·04				·07	·41	·06			·16	·11	·29		13
14	·15						·16	·11		·03	·28			14
15	·11		·37			·10	·65			·10	·06			15
16	·02	·02	·76			·05		·01	·02	·06				16
17	·01	·12	·14			·17	·02	·06	·15					17
18	·14		·26			·15				·53	·09			18
19	·27		·12			·11		·11	·19	1·37	·05			19
20		·13			·15	·29		·04	·29		·03			20
21		·12						·09		·03				21
22		·02		·41		·02		·43	·62	·01				22
23		·53		·06		·20		·02	·10	·15				23
24		·03		·12				·01	·04	·26				24
25		·23		·07		·09			·20	·04		·22		25
26				·25	·20					·18				26
27		·25		·03	·27					·29		·98		27
28				·15	·05		·32	·18		·70		·06		28
29	·12	·29	·02	·29					·05	·94		·05		29
30	·05	×	·02	·04	·02		·07		·60	·10	·02	·05		30
31	·34	×	·19	×	·14	×			×	·10	×			31
TOTAL	2·88	3·46	3·66	1·65	2·63	2·40	2·53	1·70	2·38	7·05	1·53	2·56	Year's Total 34·43	
*Days with ·01 in. or more.	19	19	14	11	17	14	12	13	12	22	16	8	177	
*Days with .04 in. or more.	17	13	10	10	15	12	11	9	9	19	11	8	144	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. F. A. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Killiow

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 250 ft.

T see letter of 29/10/34 from W. D. Caude. f. 365295/34

Last 2 days of Sept
Est. Oct. Nov. & Dec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12		·03					·60						1
2	·07		·13						·55					2
3	·09		·01					·28	·02					3
4	·19		·16	·17	·24			·04						4
5			·18	·03	·35			1·32						5
6	·11		·27	·15	·39			·01	·10					6
7	·18							·06						7
8					·03				·06					8
9	·04		·45											9
10	·42		·41	·12				·03						10
11	·52		·14	·78				·02						11
12	·20		·14			·05	·05	·15						12
13	·42		·02	·39		·03	·52							13
14	·49		·60				·03							14
15	·27		·06	·03	·10									15
16	·14		·39		·13		·01		·45					16
17	·23		·67	·25	·08		·01		·02					17
18	·03		·44	·66	·05	·06			·09					18
19			·17			·05		·04	·20					19
20				·18			·10		·18					20
21			·24	·01	·03	·16			·03					21
22	·02		·01	·04		·03		·08	·15					22
23			·02	·17		·52	·01	·12	·30					23
24		·16	·03	·08		·50	·17		·01					24
25	·15	·01		·20	·01	·04			·02					25
26	·16		·04	·01		·28			·22					26
27		·09				·03		·12	·18					27
28		·20						·47	·12					28
29		×						·11						29
30	·02	×			·08		·01	·04						30
31		×		×	·23	×		·26	×		×			31
													Year's Total	
TOTAL	3·87	·46	4·61	3·27	1·72	1·75	·93	3·74						
*Days with ·01 in. or more.	20	3	22	16	12	11	9	17						
*Days with .04 in. or more.	17	1	16	11	9	8	4	14						

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Miss. E.F.A. Danbury

5

[P.T.O.

FORM 1090. **B** Mo
Su

1921

1921

TREWARTHENICK, TREGONY
1931 — 36, 1938

780311

*** The following register of month
&c., is NOT required if daily o
values are given on the other s

tion and also the space for
his register should be sent:—

RAINFALL IN 1931

At Trewarthenick, T

In the County of Cornwall

in Summer

ance 4 m Direction from gauge NE

Nearest Parish Church at Cornelly Distance 1½ m Direction from gauge E

Rain Gauge
Diameter of Funnel as in in.
Height of Top above Ground previous in.
Height of Ground above Sea Level return ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4.08				
FEB.	3.70				
MAR.	4.74				
APRIL	2.14				
MAY	3.17				
JUNE	2.82				
JULY	6.51				
AUG.	4.76				
SEPT.	3.00				
OCT.	0.90				
NOV.	8.06				
DEC.	1.51				
Total	45.39				

Signature P A Welman

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge	Kitchen	Garden	walls	
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mo Summary. **C** Particulars of Station.

1921

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Trewarthenick, Tregoney

In the County of Cornwall

Rain Gauge
Diameter of Funnel } as in ... in.
Height of Top above Ground } previous ... in.
Height of Ground above Sea Level } return ... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4.08				
FEB.	3.70				
MAR.	4.74				
APRIL	2.14				
MAY	3.17				
JUNE	2.82				
JULY	6.51				
AUG.	4.76				
SEPT.	3.00				
OCT.	0.90				
NOV.	8.06				
DEC.	1.51				
Total	45.39				

Signature P A Welman

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter ... in Summer ...

Nearest Railway Station Grampound Road Distance 4 m Direction from gauge NE

Nearest Parish Church at Cornelly Distance 1½ m Direction from gauge E

Nature of objects nearest to gauge	Kitchen	Garden	walls	
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Form 1090.

1921

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Tregoney (Trewathenick)

In the County of Cornwall.

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground..........ft..........in.*
- *Height of Ground above Sea Level* 200 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
Jan.	4·59	monthly record.			
Feb.	·07				
Mar.	2·31				
April	2·88				
May	4·76				
June	2·68				
July	3·91				
Aug.	1·20				
Sept.	4·39				
Oct.	8·13				
Nov.	2·92				
Dec.	3·82				
Total	41·66				

per Cornish Rainfall Assⁿ

Signature P. A. Welman.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge ....

Nearest Parish Church at.......... Distance.......... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At TREGONEY (Trewarthenick)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground* .... *ft* .... *in.*
- *Height of Ground above Sea Level* 200 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·85				
FEB.	3·29				
MAR.	3·64				
APRIL	2·61				
MAY	2·38				
JUNE	2·62				
JULY	2·68				
AUG.	1·84				
SEPT.	2·78				
OCT.	6·58				
NOV.	1·12				
DEC.	3·13				
Total	35·52				

Signature P. A. Welman Esq.

*See Instruction 2 (*f*) below.

C Particulars of Station.

1921

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from records of Cornwall Rainfall Assocⁿ.
A. Pearse Jenkin. Hon. Sec.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

1921

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1934

At Tregoney (Trewarthenick)
In the County of Cornwall

Rain Gauge
Diameter of Funnel 6 in.
Height of Top above Ground – *ft* 10 *in.*
Height of Ground above Sea Level 200 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·84				
FEB.	·35				
MAR.	4·25				
APRIL	3·30				
MAY	1·23				
JUNE	1·49				
JULY	·56				
AUG.	3·79				
SEPT.	3·24				
OCT.	4·11				
NOV.	1·52				
DEC.	10·83				
Total	38.54				

Signature P. A. Welman, Esq.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter ………… in Summer …………

Nearest Railway Station ………… Distance ………… Direction from gauge …………

Nearest Parish Church at ………… Distance ………… Direction from gauge …………

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ………… Distance ………… Direction …………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Cornwall Rainfall Assoc. Return.

---

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1921

FORM 1090.

B Monthly Summary.

_ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Tregoney (Trewarthenick)

In the County of Cornwall.

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.....*200*.....ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·52				
FEB.	4·40				
MAR.	1·41				
APRIL	5·17				
MAY	1·71				
JUNE	3·24				
JULY	·56				
AUG.	3·21				
SEPT.	3·62				
OCT.	5·52				
NOV.	6·87				
DEC.	5·77				
TOTAL	43·00				

Signature Mr. P. A. Welman Esq....

copied in M.O.7. per C.R.A.

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter........................in Summer....................

Nearest Railway Station.................................. Distance.................Direction from gauge............

Nearest Parish Church at.................................. Distance.................Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January* 1st *is the rainfall for the* 24 *hours following* 9 *a.m. on January* 1st*; it is therefore the amount measured on January* 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005*; this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

Copy by B.R.O. 1921

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Tregoney, Trewarthenick

In the County of Cornwall.

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.........ft..........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·36				
FEB.	6·76				
MAR.	4·22				
APRIL	2·65				
MAY	1·39				
JUNE	2·19				
JULY	7·49				
AUG.	·45				
SEPT.	2·50				
OCT.	1·45				
NOV.	5·21				
DEC.	5·26				
TOTAL	46·93				

P.A. Welman Esq *

Signature* per Cornish Rainfall Association

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— P. A. Welman Esq.

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1921

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Tregoney (Trewarthenick)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel..................in.
- *Height of Top above Ground.......ft...........in.*
- *Height of Ground above Sea Level...............ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·24				
FEB.	8·45				
MAR.	5·77				
APRIL	(3·80) 6·38				
MAY	(2·58)				
JUNE	1·33				
JULY	1·41				
AUG.	·44				
SEPT.	4·06				
OCT.	3·38				
NOV.	2·50				
DEC.	5·16				
TOTAL	43·12				

Signature Per Cornish Rainfall Association

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

P. A. Wellman

Hour of observation by the clock—in Winter....................in Summer...............

Nearest Railway Station.............................. Distance................ Direction from gauge............

Nearest Parish Church at.............................. Distance................ Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

---

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1922

TRURO. TREGOLLS.

1931-40.

780311

1922

Sect

COPY FOR OFFICIAL USE.

ICE.—BRITISH RAINFALL ORGANIZATION.

Fori

FALL IN 1931 .

K

in

D

H

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	1·32	—	·01	·10	—	·85	—	—	—	1
2	·38	·09	·01	—	—	·01	—	—	·05	—	·17	·32	2
3	·17	—	1·02	—	·07	—	·07	·01	·26	·02	2·23	·09	3
4	·07	·09	·17	—	·03	·02	·40	·07	·99	·01	—	·01	4
5	—	·47	·59	·10	·01	·16	·01	·12	—	—	·14	·17	5
6	—	·08	·08	—	·26	·42	·33	·01	·01	·47	·01	·11	6
7	—	·11	—	—	·36	·10	·17	·24	—	·04	·52	·11	7
8	·02	·14	—	·18	—	·41	·07	·62	—	—	·28	·01	8
9	·01	·20	—	—	—	·03	·03	·02	—	·03	·23	·06	9
10	·02	·16	·10s	—	·22	·06	·04	·17	—	—	·63	—	10
11	·18	·30	—	—	·03	·19	1·49	—	·22	—	·36	—	11
12	·14	·23	—	—	—	—	·07	—	·16	·30	·05	—	12
13	—	·08	·06	—	·40	—	·47	·30	—	—	·62	—	13
14	·05	·10	—	—	·21	·25	·25	·10	·01	—	·38	—	14
15	·01	·10	—	·01	·08	·11	·02	·46	·03	—	·01	·02	15
16	·05	·49	—	—	—	·68	·01	·03	·01	—	—	—	16
17	·03	·30	—	·04	—	—	·04	·01	·16	—	—	—	17
18	·04	—	·05	·01	—	·10	·11	1·14	—	—	·40	—	18
19	·05	·19	·81	—	·03	—	·22	·02	·01	—	·30	—	19
20	·08	·11	·20	—	—	—	—	·49	—	—	·01	·04	20
21	·27	—	—	·05	·17	—	—	—	—	—	·01	—	21
22	·60	·06	·02	·04	·21	—	—	·01	—	—	·13	—	22
23	·21	—	—	·26	·33	—	·07	·42	—	—	·95	—	23
24	·08	·01	—	·45	—	—	1·02	·20	—	—	—	·01	24
25	·08	·01	—	·01	—	—	·21	—	—	—	·15	·02	25
26	·05	·16	—	·01	—	—	·33	—	—	—	·88	·03	26
27	·19	·19	—	—	—	—	—	—	—	·03	·31	—	27
28	·09	·21	·11	·05	·04	—	·05	·03	—	·01	·05	·08	28
29	·08	×	·14	—	·15	—	·06	·20	·04	·06	·17	·16	29
30	·22	×	·24	—	·14	—	·01	·01	·11	·01	—	·11	30
31	·89	× 3·90	1·21	×	·33	×	·03	—	×	—	×	·25	31 45·76
99 TOTAL	4·06	3·92	4·81	2·53	3·07	2·55	5·68	4·68	2·91	·98	8·99	1·60	YEAR'S TOTAL 45·78
*Days with ·01 in. or more.	26	24	15	13	18	14	26	22	14	10	24	17	223
*Days with ·04 in. or more.	21	21	13	9	14	10	20	13	9	4	20	11	165

40-9999

(Signed) Constance L. Rashleigh P.T.O.

*See Instruction 2 (*f*) on other side.

Sect

1932

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Tregolls, Truro

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	1·32	—	·01	·10	—	·85	—	—	—	1
2	·38	·09	·01	—	—	·01	—	—	·05	—	·17	·32	2
3	·17	—	1·02	—	·07	—	·07	·01	·26	·02	2·23	·09	3
4	·07	·09	·17	—	·03	·02	·40	·07	·99	·01	—	·01	4
5	—	·47	·59	·10	·01	·16	·01	·12	—	—	·14	·17	5
6	—	·08	·08	—	·26	·42	·33	·01	·01	·47	·01	·11	6
7	—	·11	—	—	·36	·10	·17	·24	—	·04	·52	·11	7
8	·02	·14	—	·18	—	·41	·07	·62	—	—	·28	·01	8
9	·01	·20	—	—	—	·03	·03	·02	—	·03	·23	·06	9
10	·02	·16	·10s	—	·22	·06	·04	·17	—	—	·63	—	10
11	·18	·30	—	—	·03	·19	1·49	—	·22	—	·36	—	11
12	·14	·23	—	—	—	—	·07	—	·16	·30	·05	—	12
13	—	·08	·06	—	·40	—	·47	·30	—	—	·62	—	13
14	·05	·10	—	—	·21	·25	·25	·10	·01	—	·38	—	14
15	·01	·10	—	·01	·08	·11	·02	·46	·03	—	·01	·02	15
16	·05	·49	—	—	—	·68	·01	·03	·01	—	—	—	16
17	·03	·30	—	·04	—	—	·04	·01	·16	—	—	—	17
18	·04	—	·05	·01	—	·10	·11	1·14	—	—	·40	—	18
19	·05	·19	·81	—	·03	—	·22	·02	·01	—	·30	—	19
20	·08	·11	·20	—	—	—	—	·49	—	—	·01	·04	20
21	·27	—	—	·05	·17	—	—	—	—	—	·01	—	21
22	·60	·06	·02	·04	·21	—	—	·01	—	—	·13	—	22
23	·21	—	—	·26	·33	—	·07	·42	—	—	·95	—	23
24	·08	·01	—	·45	—	—	1·02	·20	—	—	—	·01	24
25	·08	·01	—	·01	—	—	·21	—	—	—	·15	·02	25
26	·05	·16	—	·01	—	—	·33	—	—	—	·88	·03	26
27	·19	·19	—	—	—	—	—	—	—	·03	·31	—	27
28	·09	·21	·11	·05	·04	—	·05	·03	—	·01	·05	·08	28
29	·08	×	·14	—	·15	—	·06	·20	·04	·06	·17	·16	29
30	·22	×	·24	—	·14	—	·01	·01	·11	·01	—	·11	30
31	·89	×	1·21	×	·33	×	·03	—	×	—	×	·25	31
99		3·90											45·76
TOTAL	4·06	3·92	4·81	2·53	3·07	2·55	5·68	4·68	2·91	·98	8·99	1·60	YEAR'S TOTAL 45·78
*Days with ·01 in. or more.	26	24	15	13	18	14	26	22	14	10	24	17	223
*Days with ·04 in. or more.	21	21	13	9	14	10	20	13	9	4	20	11	165

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Constance L. Rashleigh

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tregolls, Truro
in the County of Cornwall

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·18	—	—	·03	·05	·01	—	—	·06	1
2	·02	—	·05	·23	·01	—	·06	·13	·31	—	—	·36	2
3	—	—	—	—	—	·52	·07	·01	·49	·01	·03	·03	3
4	·01	—	—	—	—	·20	·06	·03	—	—	·46	—	4
5	·53	—	·02	—	·01	—	·01	—	·30	—	—	—	5
6	·63	—	·02	·11	·01	—	·30	·02	·24	·06	—	—	6
7	·19	—	·03	·01	—	—	—	—	·54	1·35	—	·01	7
8	·07	—	·76	·05	·23	—	—	—	—	·63	—	—	8
9	·83	—	—	·26	·03	—	—	—	·65	·03	—	—	9
10	·48	—	·02	·22	·14	—	—	—	·03	—	—	·01	10
11	·02	—	·06	·05	·08	—	·03	—	—	tr.	—	·07	11
12	1·26	—	—	·02	·80	—	·05	—	·02	·24	—	·02	12
13	·14	—	—	·14	—	—	—	·32	·01	·98	—	·03	13
14	·24	—	—	·10	·29	—	—	·03	—	—	—	·02	14
15	·01	—	—	·06	·06	—	—	—	—	·06	·30	·04	15
16	·23	—	—	·04	—	—	·29	—	—	·01	—	·01	16
17	—	—	—	—	·49	—	·06	—	·02	·04	—	·03	17
18	·01	—	—	—	·26	—	·01	—	·33	—	·15	·01	18
19	—	—	—	·15	·74	—	—	—	·21	·35	·02	·07	19
20	—	—	·01	·06	·17	—	—	·15	·07	·92	·16	·11	20
21	·04	—	·10	·04	—	—	—	·62	·03	·63	·13	·31	21
22	—	—	·03	·10	·05	—	·04	·04	·34	·34	·42	·21	22
23	—	·04	—	—	·03	—	·28	·01	—	·52	·03	·35	23
24	—	—	—	—	·01	—	·58	—	·11	—	·03	·01	24
25	—	—	·19	—	·11	—	·11	—	·10	·83	·11	—	25
26	—	—	·32	·36	—	—	tr.	—	·13	·13	·09	—	26
27	—	—	·28	·21	·28	—	·14	—	—	·56	·05	·32	27
28	—	—	·20	·12	·02	—	·10	·01	—	·13	—	·02	28
29	—	—	·44	·17	·14	·56	—	·18	·53	·39	·30	·87	29
30	·01	×	·02	·11	·25	1·72	·73	·02	·52	·19	·63	—	30
31	—	×	·07	×	·64	×	·15	·01	×	·05	×	·94	31
99 TOTAL	4·77	·04	2·62	2·79	4·85	3·00	3·10	1·63	4·99	8·45	2·91	3·91	YEAR'S TOTAL 43·06
*Days with ·01 in. or more.	18	1	17	22	23	4	19	15	21	22	15	23	200
*Days with .04 in. or more.	12	1	10	20	16	4	15	7	15	19	11	12	142

40-9999
*See Instruction 2 (*f*) on other side.

(*Signed*) Constance L. Rashleigh

P.T.O.

1922

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 1922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Tregolls, Truro

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 65 ft.

Days 17

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·72	·32	—	·06	·28	—	—	—	—	·02	1·07		1
2	·87	·11	·95	—	·21	·39	—	—	—	—	·21	·09		2
3	·09	·10	·24	—	·45	·02	—	—	—	—	·02	—		3
4	·17	·01	~~tr.~~	—	·38	—	—	—	—	—	—	—		4
5	·05	·01	·40	—	·34	—	—	—	·01	—	·01	—		5
6	·05	·58	·01	—	·14	—	·09	—	·01	·12	·02	—		6
7	—	·05	—	—	·07	—	·01	—	—	·05	·01	·01		7
8	·10	·01	·02	—	·03	—	·44	·01	—	—	·06	—		8
9	—	·10	—	—	·08	—	·68	·01	—	·50	·13	—		9
10	·12	·01	—	—	—	—	·06	·06	—	1·42	·05	—		10
11	·14	—	—	·13	·06	·04	—	·48	·01	·11	·20	·02		11
12	~~tr.~~	—	—	·08	·03	·23	·22	·01	·02	—	·14	·21		12
13	·02	—	—	—	·09	·36	·07	—	—	·21	·26	—		13
14	·13	—	—	—	—	—	·61	·12	—	·01	·08	—		14
15	·15	—	·34	—	—	·09	·67	·02	—	·09	—	·02		15
16	·06	·02	·81	—	—	·05	—	·01	·03	·03	—	—		16
17	·17	·15	·15	—	—	·11	·02	·04	·13	—	—	—		17
18	·09	·07	·20	—	—	·19	—	·03	—	·61	·07	—		18
19	·34	·01	·13	—	—	·10	—	·09	·24	1·57	·09	—		19
20	—	·06	—	—	·19	·26	—	·09	·23	—	·04	—		20
21	—	·10	—	—	—	—	—	·04	—	·05	—	—		21
22	—	·01	—	·45	—	·05	—	·38	·63	·01	—	—		22
23	—	·56	—	·08	—	·23	—	—	·11	·12	—	—		23
24	—	·03	—	·15	—	—	—	·02	·04	·29	—	—		24
25	—	·26	—	·06	·15	·10	—	—	·21	·04	—	·26		25
26	—	—	—	·23	·34	—	—	—	—	·14	—	—		26
27	—	·18	—	·09	—	—	—	·01	·01	·27	—	1·16		27
28	—	·31	—	·15	—	—	·28	·26	—	·50	·02	·08		28
29	·13	×	·01	·34	—	—	—	—	·06	1·05	—	·08		29
30	·05	×	·05	·12	·03	—	·05	—	·81	·06	~~tr.~~	·03		30
31	·36	×	·13	×	·13	×	—	—	×	·05	×	—		31
99 TOTAL	~~3·29~~ 3·40	3·46	3·76	1·88	2·78	2·50	3·20	1·68 1·78	2·55	7·30	1·43	3·03	Year's Total ~~36·46~~	36·97
Days with ·01 in. or more.	19	22	14	11	17	15	12	17	15	22	17	11	192	
*Days with .04 in. or more.	18	14	11	11	14	14	10	9	9	19	11	7	147	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Constance L. Rashleigh

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tregolls, Truro.

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 65 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	—	·05	—	—	—	—	·65	·01	—	·12	1·15		1
2	·08	—	·10	—	—	—	—	—	·67	·01	·01	·09		2
3	·06	—	—	—	—	—	—	·44	·03	·23	·15	·48		3
4	·15	—	·24	·16	·39	—	—	·18	—	·27	—	·46		4
5	—	—	·17	·05	·44	—	—	1·19	~~tr.~~	·11	·01	·38		5
6	·09	—	·30	·16	·45	·02	—	—	·10	·21	—	·34		6
7	·17	—	~~tr.~~	—	—	·01	—	—	—	·29	·18	·79		7
8	—	—	—	—	·02	—	—	·02	·04	—	·38	1·01		8
9	·04	—	·56	—	—	—	—	·01	—	—	·77	·16		9
10	·53	—	·47	·12	—	—	~~tr.~~	·06	—	—	·12	·16		10
11	·56	—	·16	·78	—	—	—	·02	—	—	·11	·69		11
12	·12	—	·04	—	—	·06	—	·09	—	~~tr.~~	—	·30		12
13	·57	—	·02	·47	—	·01	·27	—	—	·02	·49	·23		13
14	·45	—	·57	—	—	—	·02	—	—	·06	—	·21		14
15	·30	—	·05	·02	·12	—	~~tr.~~	—	—	·18	·03	·13		15
16	·14	—	·32	—	·05	—	—	—	·41	·06	—	·76		16
17	·23	~~tr.~~	·58	·29	·09	—	·02	—	·01	·18	—	·35		17
18	·10	—	·53	·58	·09	·04	·01	—	·06	·02	—	·60		18
19	·01	—	·20	—	·01	·01	·01	·03	·16	·01	—	·07		19
20	—	—	·01	·17	tr.	—	·10	—	·14	·03	—	·10		20
21	—	—	·27	·03	·02	·14	—	·07	·08	·28	·02	·02		21
22	·05	—	—	·04	—	·01	—	·05	·13	~~tr.~~	·02	·10		22
23	·01	—	·03	·13	—	·42	·03	—	·37	·03	—	·34		23
24	—	·12	·03	·08	—	·45	·20	—	·01	·29	—	·32		24
25	·18	·01	—	·26	·02	—	·01	—	·01	·25	—	·65		25
26	·12	—	·04	·01	—	·31	—	—	·24	·03	—	·19		26
27	—	·08	—	—	—	·09	—	·16	·23	·10	·04	·12		27
28	—	·18	—	—	—	—	·02	·54	·13	·02	·01	·77		28
29	—	×	—	—	—	—	—	·08	·13	·03	—	·02		29
30	·02	×	—	—	·22	—	·01	·01	·17	·28	·01	·20		30
31	·01	×	—	×	·09	×	·01	·17	×	·55	×	—		31
99 TOTAL	4·09	·39	4·74	3·35	2·01	1·57	·71	3·77	3·13	3·54	2·47	11·19	Year's Total. 40·96	
* Days with .01 in. or more.	23	4	21	16	13	12	12	17	20	24	16	30	208 ✓	
* Days with .04 in. or more.	19	3	17	13	9	6	3	12	15	15	9	28	149	

40-9999

† Spare column, no entries required.

(Signed) Constance L. Rashleigh

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1922.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at TRECOLLS, TRURO

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·06	·76	—	—	·13	·01	—	·33	·08	—	·29		1
2	·01	·02	·08	·13	—	·05	·01	—	—	·19	·18	·17		2
3	·01	tr.	·04	·01	·06	·13	—	—	·03	·01	·28	·51		3
4	—	·22	·06	·11	—	·24	—	—	·20	·14	·16	·32		4
5	·14	·34	·03	·01	—	·01	—	—	·17	·50	·18	·27		5
6	·07	—	—	·38	—	·76	—	—	—	·14	·06	·03		6
7	tr.	—	—	·44	—	—	—	—	—	·51	·15	·03		7
8	tr.	—	—	·38	—	—	—	—	—	·09	·25	·01		8
9	·03	—	—	·25	tr.	—	·01	—	—	·89	·36	—		9
10	·02	—	·02	—	—	·08	·01	—	—	·06	·13	·01		10
11	·41	·01	·015	·02	—	·29	—	·02	·33	·02	·82	—		11
12	·15	·30	—	·12	—	·19	—	·17	·04	—	·32	—		12
13	·02	·12	—	·14	—	—	—	—	—	·05	·16	—		13
14	—	·09	—	·03	—	·47	—	—	·54	·03	·93	·35		14
15	—	·01	·02	·95	·07	·10	—	—	·09	·01	·11	·13		15
16	—	·06	·27	·20	·06	—	·06	—	·40	·06	·21	·18		16
17	—	—	—	·12	·42	·43	·02	·07	·01	—	·16	—		17
18	—	·04	·01	·38	·15	—	·05	—	·22	·08	·05	·25		18
19	—	·07	—	·18	·57	·02	·09	—	·11	·14	·56	·02		19
20	—	·42	—	·42	·13	—	—	—	·02	·14	·02	—		20
21	—	·65	·01	·07	—	—	·09	—	·12	·05	—	—		21
22	·01	·02	·02	·31	—	—	—	·23	·03	·41	—	—		22
23	—	·25	·03	·03	·01	—	—	1·86	·05	·28	—	·58		23
24	·06	·40	·06	—	·15	—	—	·17	·12	·01	—	·22		24
25	·13	·38	—	·11	·24	·12	—	—	—	·05	—	·18		25
26	·38	·57	—	·02	tr.	·02	—	·32	·09	·02	·05	·42		26
27	—	·10	tr.	—	—	—	·04	·08	·15	·03	·14	·11		27
28	·06	·17	—	—	—	—	·06	·05	·26	·04	·09	·07		28
29	·02	×	—	—	·43	—	—	·03	·27	·01	·18	·74		29
30	·05	×	—	—	·03	·02	—	·84	·18	·13	·93	·61		30
31	tr.	×	—	×	—	×	—	·14	×	·46	×	·48		31
99 TOTAL	1·60	4·30	1·42	4·81	2·32 ~~2·42~~	3·06	·45	3·98	3·76	4·83 5·23	6·48	5·98	Year's Total. ~~43·49~~	42·49
* Days with .01 in. or more.	17	21	14	23	12	16	11	12	22	29	24	23	224	
* Days with .04 in. or more.	9	17	6	7	10	12	6	10	18	21	23	18	157	

40-9999

† Spare column, no entries required.

(*Signed*) Constance L. Rashleigh [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Tregolls, Truro
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	·12	—	·15	—	·44	·43	·04	—	—	·06	—		1
2	·13	·11	—	·07	—	·29	·06	·01	·12	—	·03	·02		2
3	·02	—	·06	·83	—	·01	—	·01	·15	—	·11	·02		3
4	·01	·06	·18	—	—	·02	—	—	·21	—	·07	·22		4
5	·29	·40	·07	—	·18	—	·81	·28	—	—	·14	·15		5
6	·04	—	·09	—	·01	·05	·30	—	·27	—	·85	—		6
7	·36	—	·15	—	—	·01	·01	—	·05	—	·61	·06		7
8	·24	—	·74	—	—	—	·37	—	·08	·10	·59	·10		8
9	·24		·05	—	—	—	·82	—	·44	—	·14	—		9
10	·03	·93	—	—	—	—	·22	—	—	—	·37	·06		10
11	·64	2·17	—	—	—	·05	·25	·02	·85	—	·70	·15		11
12	·20	·02	—	·07	—	—	·22	—	—	·01	·27	·01		12
13	·04	·01	—	·02	—	—	—	—	·02	·09	·13	1·36		13
14	—	·03	—	·03	—	·05	·48	—	·19	·03	—	·61		14
15	—	·05	—	·02	·27	—	·02	·02	—	—	·68	·51		15
16	—	·27	—	·24	—	·05	·18	—	·21	—	·18	·19		16
17	·18	·89	—	·01	·28	—	·49	—	—	·03	·06	·62		17
18	·53	·14	·35	—	—	·80	·30	·08	—	—	—	·10		18
19	·75	·02	·22	·33	—	·14	·09	·03	·03	—	—	·01		19
20	·18	·53	—	·14	—	·18	—	—	·08	·02	—	·01		20
21	·15	·30	·14	·25	—	—	·41	—	·02	·11	—	—		21
22	·20	·41	—	—	·01	·02	·31	—	—	·01	—	·02		22
23	·01	·34	·25	·18	·13	—	·02	—	·01	·04	—	—		23
24	·42	·05	·10	·01	·26	—	·17	—	·13	·41	—	·04		24
25	·24	—	·44	·27	—	—	·26	—	·03	·42	—	·02		25
26	·55	·18	·56	·01	—	—	·02	—	—	—	—	—		26
27	·53	·12	·23	—	—	—	·92	—	·01	·04	·11	—		27
28	·65	·08	·98	—	—	—	·48	—	—	·01	—	·29		28
29	·03	·27	·01	—	—	·16	·01	—	—	·08	·11	·22		29
30	·07	✗	—	—	·03	·09	—	—	—	·08	—	—		30
31	·12	✗	·63	✗	—	✗	·36	—	✗	·02	✗	·42		31
99 TOTAL	7·09	~~8·09~~ 7·50	5·25	2·63	1·17	2·36	8·01	·49	2·90	1·50	5·21	5·21	Year's Total ~~[illegible]~~	49.82
* Days with .01 in. or more.	28	24	18	16	8	15	26	8	18	16	18	23	218	
* Days with .04 in. or more.	23	20	17	10	5	11	21	3	12	9	17	16	164	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Constance L. Rashleigh [P.T.O.

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~37

Kept at Tregollo, Truro

in the County of Cornwall

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. — in.

Height of ground above sea level 65 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·03	·07	·76	—	—	—	—	·13	·04	—	·40		1
2	·04	1·06	—	·31	—	—	—	—	·02	—	—	·13		2
3	·02	·08	·01	·02	—	—	·08	—	—	—	—	·05		3
4	·27	·45	—	·19	·20	—	—	—	—	—	·02	·60		4
5	·26	—	—	·32	·02	—	·53	—	—	—	—	·12		5
6	·09	·73	·40	·33	·02	·17	·01	—	·01	—	—	·11		6
7	—	·27	·11	·02	·02	·20	—	—	·03	—	·08	—		7
8	·04	·12	—	—	·49	·12	·13	—	—	—	—	—		8
9	·15	·14	·28	·15	·01	—	—	·05	·52	—	—	—		9
10	·16	·01	·78	·50	·01	·30	·02	—	—	—	—	·49		10
11	·16	—	·32	·27	·64	·30	·32	—	—	—	—	·12		11
12	·84	·41	·36	—	·11	·39	·02	·03	·28	—	—	·49		12
13	—	·12	1·12	·24	—	—	—	·41	·63	—	—	·17		13
14	—	·02	·42	—	—	—	—	—	·06	—	—	·44		14
15	·68	·21	·43	·32	—	—	—	—	·40	—	—	·17		15
16	·56	·12	·33	—	—	—	·04	·06	·18	—	·91	—		16
17	·77	·13	·23	—	—	—	—	—	·25	—	·12	—		17
18	·08	·38	·23	—	—	·28	—	·02	·65	—	·32	·11		18
19	·19	·06	·12	·24	·11	—	—	—	·30	—	·28	—		19
20	·93	·01	·63	·07	·06	—	·02	—	·03	—	—	1·23		20
21	·40	·81	·02	—	·24	—	·04	—	·31	·07	·14	·03		21
22	·09	—	·12	—	·18	—	·07	—	·02	·62	·14	·11		22
23	·25	·49	·01	—	·27	—	—	—	—	·25	—	·01		23
24	·45	·46	·12	—	·01	—	·04	—	·02	·83	—	·04		24
25	·11	·59	·50	—	·05	—	—	—	—	0·2	—	—		25
26	·15	·17	—	—	—	—	—	—	—	—	—	·01		26
27	·18	·18	—	—	—	—	—	—	·01	3·9	·03	—		27
28	·05	·11	—	—	—	·03	—	—	—	—	·01	—		28
29	·06	X	—	—	—	—	—	—	—	1·00	·13	—		29
30	·55	X	—	—	—	·05	—	—	·08	·02	·30	—		30
31	·15	X	—	X	—	X	—	—	X	·44	X	—		31
99 TOTAL	7·84	7·16	6·61	3·74	2·44	1·84	1·32	0·57	3·93	3·68	2·48	4·83	Year's total 46·44	
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Tregolls Truro

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground 1ft. Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·03	·07 sl.	·76	–	–	–	–	·13	·04	–	·40		1
2	·04	1·06	–	·31	–	–	–	–	·02	–	–	·13		2
3	·02	·08	·01	·02	tr	–	·08	–	–	–	–	·05		3
4	·27	·45	–	·19	·20	–	–	–	–	–	·02	·60		4
5	·26	–	–	·32	·02	–	·53	–	–	–	–	·12		5
6	·09	·73	·40	·33	·02	·17	·01	–	·01	–	–	·11		6
7	–	·27	·11 sl	·02	·02	·20	–	–	·03	–	·08	–		7
8	·04	·12	–	–	·49	·12	·13	–	tr	tr	–	–		8
9	·15	·14	·28 s	·15	·01	–	–	·05	·52	–	–	–		9
10	·16	·01	·78	·50	·01	·30	·02	–	–	–	–	·49		10
11	·16	–	·32	·27	·64	·30	·32	–	–	–	–	·12		11
12	·84	·41	·36	–	·11	·39	·02	·03	·28	–	–	·49		12
13	–	·12	1·12	·24	–	–	–	·41	·63	–	–	·17		13
14	–	·02	·42	–	–	–	–	tr	·06	–	–	·44		14
15	·68	·21	·43	·32	–	–	–	–	·40	–	–	·17		15
16	·56	·12	·33	–	–	–	·04	·06	·18	–	·91	tr		16
17	·77	·13	·23	tr	–	–	–	–	·25	tr	·12	–		17
18	·08	·38	·23	tr	–	·28	–	·02	·65 th.	–	·32	·11		18
19	·19	·06	·12	·24	·11	–	–	–	·30	–	·28	–		19
20	·93	·01	·63	·07	·06	–	·02	–	·03	–	–	1·23		20
21	·40	·81	·02	–	·24	–	·04	–	·31	·07	·14	·03		21
22	·09	–	·12	–	·18	–	·07	–	·02	·62	·14	·11		22
23	·25	·49	·01	–	·27	–	–	–	–	·25	–	·01		23
24	·45	·46	·12	–	·01	–	·04	–	·02	·83	–	·04		24
25	·11	·59	·50	–	·05	–	–	–	–	·02	–	tr		25
26	·15	·17	–	–	–	–	–	–	–	–	–	·01		26
27	·18	·18	–	–	–	–	–	–	·01	·39	·03	–		27
28	·05 s	·11 s.t.	–	–	–	·03	–	–	–	–	·01	–		28
29	·06	×	–	–	–	–	–	–	–	1·00	·13	–		29
30	·55 h	×	–	–	–	·05	–	tr	·08	·02	·30	–		30
31	·15	×	–	×	–	×	–	–	×	·44	×	–		31
99 TOTAL	7·84	7·16	6·61	3·74	2·44	1·84	1·32	·57	3·93	3·68	2·48	4·83	Year's Total 46·44	✓ ✓
* Days with .01 in. or more.	28	25	21	14	16	9	12	5	19	10	12	19	190	✓ ✓
* Days with .04 in. or more.	27	21	18	12	10	8	8	3	12	8	9	16	152	✓ ✓

† Spare column, no entries required.

(*Signed*) Constance L. Rashleigh [P.T.O.

* See Instruction 3 (f) on other side.

Station No. 1922.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Tregolls, Truro

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.20	—	—	—	.69	.20	.71	.01	.52	.02	.06		1
2	—	.01	—	—	—	—	—	—	—	.05	.02	.09		2
3	—	—	—	—	.13	~~tr~~	.03	—	—	.45	.20	.05		3
4	—	—	—	—	—	.03	.35	.63	—	.26	~~tr~~	.21		4
5	.06	—	—	—	—	.06	.02	.06	.09	.53	.01	.05		5
6	.21	—	—	—	—	.21	1.42	.02	.06	.13	.01	.12		6
7	.23	—	—	—	—	—	.14	—	.06	.06	.05	.21		7
8	.77	.09	—	—	—	—	.17	.05	—	.22	—	.10		8
9	.41	.19	—	—	—	.04	—	—	—	.03	.12	.80		9
10	.12	—	—	—	—	.01	.02	.25	—	.03	.06	.32		10
11	.33	—	~~tr~~	—	.10	.13	.14	—	.01	~~tr~~	.39	1.01		11
12	.42	.01	—	—	.32	—	—	—	—	.09	.50	.03		12
13	.13	—	—	—	.45	—	.01	—	—	.08	.07	.52		13
14	.99	—	—	—	.15	—	.17	—	—	—	.06	.04		14
15	.28	—	—	—	.05	—	—	.05	—	.19	.57	.57		15
16	.26	.01	~~tr~~	—	.03	—	—	—	—	—	~~tr~~	.34		16
17	—	.09	.01	—	.27	.08	—	—	.04	.17	.05	.20		17
18	.24	—	—	—	.17	.01	~~tr~~	.13	.14	.02	.33	—		18
19	.02	—	—	—	—	—	.02	.05	.57	—	.70	—		19
20	.01	—	.01	—	—	—	—	.06	—	—	.48	—		20
21	.07	—	—	—	—	—	—	.11	.03	.11	.15	.01		21
22	.01	—	—	—	—	.08	—	.80	.14	.02	.30	—		22
23	tr.	—	—	.01	—	—	—	.01	.19	—	.04	—		23
24	.03	.29	.20	—	.05	—	.29	—	.05	—	.39	—		24
25	.20	.74	.05	—	.02	—	.07	—	—	.18	1.42	.02		25
26	.35	.16	~~tr~~	—	.40	.04	.03	—	—	.07	.13	.23		26
27	.29	.02	—	—	.23	.02	.25	.81	—	.10	.34	—		27
28	.14	.25	—	—	.30	.07	.01	—	.05	.04	.09	.05		28
29	.31	×	—	—	.31	—	~~tr~~	—	.04	.44	.27	.04		29
30	.06	×	.01	—	.01	.25	.01	—	.05	.04	.21	.03		30
31	.40	×	.01	×	.34	×	—	~~tr.~~	×	.30	×	.36		31
99 TOTAL	6.34	2.06	.29	.01	3.33	1.72	3.35	3.74	1.53	4.13	6.98	5.46	Year's Total 38.94	✓
* Days with .01 in. or more.	25	12	6	1	17	14	18	14	15	24	27	24	197	✓
* Days with .04 in. or more.	21	8	2	–	14	10	10	12	12	20	23	20	152	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Constance L. Rashleigh [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tregolls, Truro,

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	—	·02	·08	·01	—	·02	·01	—	—	·35	·08		1
2	·02	—	—	·52	—	—	—	·22	·37	—	·01	·06		2
3	·32	—	·17	·37	—	—	—	·01	·03	—	·24	·41		3
4	·10	—	·57	·44	·36	—	1·26	—	—	·26	·30	·27		4
5	·11	—	·02	·46	·44	—	·21	—	—	·16	1·53	·23		5
6	·65	—	·18	·73	·07	—	·61	·10	—	·15	·03	—		6
7	·02	·24	—	—	—	·02	·06	·05	—	—	·30	·61		7
8	·05	·35	—	—	·20	·14	·09	·04	—	1·54	·44	·08		8
9	·01	·01	—	—	—	—	—	·23	—	·02	·05	·15		9
10	·23	·01	—	—	—	·01	—	·04	·14	·06	·05	·31		10
11	·07	·02	·08	—	—	—	—	—	—	·52	—	·09		11
12	·03	·06	—	·12	—	—	—	—	·17	·01	·02	—		12
13	·02	·04	—	·13	—	·04	·77	—	·10	·49	·09	·58		13
14	1·21	—	—	·01	·19	·06	·11	—	—	·05	·14	·10		14
15	·42	·04	—	·03	—	·46	·54	—	—	—	·35	·01		15
16	·15	·01	·03	·18	·01	·02	·25	—	—	—	·28	—		16
17	·59	·08	—	—	—	·05	·32	—	—	—	·09	—		17
18	·05	·04	·06	—	·02	—	·03	—	—	—	·50	·03		18
19	·43	—	—	—	—	—	·09	—	—	—	·03	·04		19
20	·67	—	—	—	·03	·02	—	—	—	—	—	—		20
21	·13	·28	·08	·01	·02	·74	·06	·03	—	—	—	—		21
22	·53	·32	·18	·01	—	·41	·04	·78	—	—	·37	—		22
23	·03	·07	·08	·13	—	—	·08	—	—	·04	1·06	—		23
24	1·00	·02	·37	·22	—	—	—	—	—	—	—	—		24
25	·45	·10	·02	·02	—	—	·05	·48	—	·05	·31	—		25
26	·07	·09	—	·05	—	—	·02	·16	—	·03	·33	—		26
27	—	·30	·03	·09	—	·08	—	—	—	—	·15	·08		27
28	—	·09	—	·02	—	·05	·14	—	—	—	·18	—		28
29	—	×	—	·02	—	·17	·18	—	—	·33	·05	·02		29
30	—	×	·30	·17	—	·12	·03	—	—	·38	·02	—		30
31	—	×	—	×	—	×	·02	·27	×	·10	×	—		31
99 TOTAL	7·64	2·17	2·19	3·81	1·35	2·39	4·98	2·42	·81	4·19	7·27	3·15	Year's Total 42·37	
* Days with .01 in. or more.	26	19	15	21	10	15	22	13	5	16	26	17	205	
* Days with .04 in. or more.	20	14	10	14	5	11	17	10	4	13	21	14	153	

† Spare column, no entries required.

(*Signed*) Constance L. Rashleigh

* See Instruction 3 (f) on other side.

B.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1922 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Tregolls, Truro,

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.13	—	—	—	—	—	—	—	—	.25	—		1
2	—	.23	—	.15	—	—	.02	—	—	—	.64	.08		2
3	.05	.90	—	—	—	—	—	—	—	.05	.77	.19		3
4	—	.08	—	—	—	—	.08	—	—	.11	.08	.06		4
5	.57	.03	—	.01	—	—	.05	—	—	.03	.75	.34		5
6	—	.99	—	—	—	—	.01	—	—	.22	.14	.43		6
7	.05	.01	—	—	—	—	.02	—	.09	—	.03	.07		7
8	—	.01	—	—	—	—	—	—	.21	.71	.58	.42		8
9	—	—	—	—	—	—	.21	.02	.02	.18	.33	.20		9
10	—	—	—	—	—	.07	—	—	.02	.05	.14	.15		10
11	—	.01	.01	.04	—	—	.15	—	—	—	1.08	.08		11
12	—	—	.12	.04	—	.08	.42	—	.60	—	.16	.02		12
13	—	—	.39	—	—	—	.19	—	—	.43	.93	1.20		13
14	—	.22	.04	.03	—	—	—	.05	.25	.35	.02	.43		14
15	.05	.06	—	.04	—	—	—	—	.15	.02	.54	—		15
16	—	1.43	.97	.04	—	—	.43	—	.09	—	.02	.21		16
17	—	.20	.29	.28	—	—	.32	—	—	—	.46	—		17
18	.44	.67	.22	1.13	—	—	.33	.04	.03	—	.38	.14		18
19	—	.15	.21	.20	—	—	.03	.02	.33	.02	.29	—		19
20	—	—	— (k)	.18	—	—	—	.01	—	.20	.06	—		20
21	—	—	.03	.14	.02	.21	.02	.02	.03	—	.72	—		21
22	.05	—	.08	.11	.04	1.13	.05	—	.11	.03	.02	—		22
23	.05	.04	.24	—	.25	—	.27	—	.13	.14	.05	—		23
24	.10	—	.02	.03	.04	—	—	—	.02	—	.01	—		24
25	.53	—	.34	.01	.30	.07	.09	—	—	—	—	—		25
26	.38	.57	—	.04	.19	.07	—	—	—	—	.01	—		26
27	.30	.10	—	.15	.02	—	—	—	—	—	—	—		27
28	.48	.04	.05	.29	.11	—	—	.02	—	—	—	.02		28
29	.05	.36	—	.04	—	.03	—	—	—	.24	—	.19		29
30	.02	✕	—	—	.02	—	—	—	—	.59	—	.32		30
31	.15	✕	—	✕	—	✕	—	—	✕	.65	✕	1.00		31
99 TOTAL	3.27	6.23	3.01	2.95	.99	1.66	2.69	.18	2.09	4.02	8.46	5.55	Year's Total 41.10	✓
* Days with .01 in. or more.	15	20	13	19	9	7	17	7	14	17	25	19	182	✓
* Days with .04 in. or more.	14	16	11	15	6	6	12	2	9	13	19	17	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

The Late Miss C. L. Rashleigh

(Signed) Arthur S. Rashleigh
for Miss C. L. Rashleigh (deceased)

P.T.O.

1923

1923 — 379134

TRURO W.W

1931 - 1940

780311

Section A for the e
AIR MI

FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

RE 3l.

Kept at Truro W

in the County of C

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

THE MORNING DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·05"

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	1·26	—	—	·10	—	·90	—	—	—	1
2	·35	·10	—	—	—	—	—	—	·06	—	·20	·30	2
3	·04	—	1·04	—	·08	—	·10	·02	·34	·03	2·50	·12	3
4	—	·07	·12	—	·02	·02	·43	·15	·80	—	—	—	4
5	—	·55	·52	·14	—	·18	·04	·40	—	—	·15	·17	5
6	—	·11	·06	—	·30	·50	·37	·02	—	·47	—	·10	6
7	—	·18	—	—	·40	·11	·12	·30	—	·06	·48	·15	7
8	—	·12	—	·20	—	·44	·05	·50	—	—	·15	—	8
9	·03	·20	—	—	—	·04	·03	·03	—	·05	·34	—	9
10	·02	·19	·08	—	·26	—	·06	·18	—	—	·55	·04	10
11	·16	·32	—	—	·03	·28	1·50	—	·25	—	·35	—	11
12	·15	·19	—	—	—	—	·08	—	·25	·33	·03	—	12
13	—	·03	·05	—	·42	—	·44	·30	—	—	·50	—	13
14	·05	·09	—	—	·22	·19	·40	·10	—	—	·48	—	14
15	—	·11	—	—	·11	·14	—	·45	—	—	—	—	15
16	·04	·35	—	—	—	·70	—	·04	—	—	—	—	16
17	·03	·44	—	·08	—	—	—	—	·25	—	—	—	17
18	·04	—	·05	—	—	·14	·13	1·11	—	—	·41	—	18
19	·06	·20	·80	—	·04	—	·13	·03	—	—	·36	—	19
20	·08	·14	·25	—	—	—	—	·50	—	—	·02	·05	20
21	·30	·03	·02	·05	·16	—	—	—	—	—	—	—	21
22	·65	·05	—	·05	·25	—	—	—	—	—	·12	—	22
23	·18	—	—	·25	·36	—	·08	·34	—	—	1·01	—	23
24	·09	—	—	·55	—	—	1·10	·25	—	—	—	·03	24
25	·06	—	—	—	—	—	·22	—	—	—	·08	·05	25
26	·06	·15	—	—	—	—	·21	—	—	—	·90	·04	26
27	·23	·20	—	—	·10	—	·05	—	—	·05	·30	—	27
28	·11	·14	·10	·08	·06	—	—	·05	—	·05	·08	·06	28
29	·07	×	·12	—	·18	—	·10	·17	—	·07	·16	·10	29
30	·24	×	·20	—	·12	—	·05	—	·15	—	—	·16	30
31	·87	×	1·04	×	·55	×	·06	—	×	—	×	·16	31
TOTAL	3·91	3·98	4·45	2·66	3·66	2·74	5·85	4·94	3·00	1·11	9·17	1·53	YEAR'S TOTAL 47·07
*Days with ·01 in. or more.	23	23	14	9	18	11	23	19	8	8	21	14	191
*Days with ·04 in. or more.	20	20	13	9	16	10	22	15	8	7	19	12	171

40-9999

(*Signed*) W. J. Lean

[P.T.O.

*See Instruction 2 (*f*) on other side

1923

Section **A** for the e

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Truro Water Works

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 71 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·05"

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	1·26	—	—	·10	—	·90	—	—	—	1
2	·35	·10	—	—	—	—	—	—	·06	—	·20	·30	2
3	·04	—	1·04	—	·08	—	·10	·02	·34	·03	2·50	·12	3
4	—	·07	·12	—	·02	·02	·43	·15	·80	—	—	—	4
5	—	·55	·52	·14	—	·18	·04	·40	—	—	·15	·17	5
6	—	·11	·06	—	·30	·50	·37	·02	—	·47	—	·10	6
7	—	·18	—	—	·40	·11	·12	·30	—	·06	·48	·15	7
8	—	·12	—	·20	—	·44	·05	·50	—	—	·15	—	8
9	·03	·20	—	—	—	·04	·03	·03	—	·05	·34	—	9
10	·02	·19	·08	—	·26	—	·06	·18	—	—	·55	·04	10
11	·16	·32	—	—	·03	·28	1·50	—	·25	—	·35	—	11
12	·15	·19	—	—	—	—	·08	—	·25	·33	·03	—	12
13	—	·03	·05	—	·42	—	·44	·30	—	—	·50	—	13
14	·05	·09	—	—	·22	·19	·40	·10	—	—	·48	—	14
15	—	·11	—	—	·11	·14	—	·45	—	—	—	—	15
16	·04	·35	—	—	—	·70	—	·04	—	—	—	—	16
17	·03	·44	—	·08	—	—	—	—	·25	—	—	—	17
18	·04	—	·05	—	—	·14	·13	1·11	—	—	·41	—	18
19	·06	·20	·80	—	·04	—	·13	·03	—	—	·36	—	19
20	·08	·14	·25	—	—	—	—	·50	—	—	·02	·05	20
21	·30	·03	·02	·05	·16	—	—	—	—	—	—	—	21
22	·65	·05	—	·05	·25	—	—	—	—	—	·12	—	22
23	·18	—	—	·25	·36	—	·08	·34	—	—	1·01	—	23
24	·09	—	—	·55	—	—	1·10	·25	—	—	—	·03	24
25	·06	—	—	—	—	—	·22	—	—	—	·08	·05	25
26	·06	·15	—	—	—	—	·21	—	—	—	·90	·04	26
27	·23	·20	—	—	·10	—	·05	—	—	·05	·30	—	27
28	·11	·14	·10	·08	·06	—	—	·05	—	·05	·08	·06	28
29	·07	×	·12	—	·18	—	·10	·17	—	·07	·16	·10	29
30	·24	×	·20	—	·12	—	·05	—	·15	—	—	·16	30
31	·87	×	1·04	×	·55	×	·06	—	×	—	×	·16	31
TOTAL	3·91	3·98	4·45	2·66	3·66	2·74	5·8~~9~~5	4·94	5·00	1·11	9·17	1·53	YEAR'S TOTAL 47·00
*Days with ·01 in. or more.	23	23	14	9	18	11	23	19	8	8	21	14	191
*Days with ·04 in. or more.	20	20	13	9	16	10	22	15	8	7	19	12	171

40-9999

(*Signed*) W. J. Lean

[P.T.O.

*See Instruction 2 (*f*) on other side

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Truro Water Works
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 71 ft.

Jan 4th [illegible]

Dec 15th referred to obst.
Obst agrees to amendment
f 37959/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·16	—	—	—	·07		—	—	·05	1
2	·03	—	·05	·24	—	—	·07	·15	·28	—	—	·47	2
3	—	—	—	—	—	·40	·06	·02	·55	—	·03	·04	3
4	·03	—	—	—	—	·20	—	·06	—	—	·44	—	4
5	·49	—	·03	—	—	—	·10	—	·16	—	—	—	5
6	·90	—	·02	·10	·05	—	·32	·02	·40	·08	—	—	6
7	·13	—	·02	—	—	—	—	—	·55	1·38	—	—	7
8	·02	—	1·10	·06	·21	—	—	—	—	·44	—	—	8
9	·96	—	—	·25	·07	—	—	—	·75	·03	—	—	9
10	·41	—	—	·32	·12	—	—	—	·02	—	—	—	10
11	·02		·13	·03	·12	—	·03	—	—	—	—	·07	11
12	1·25	—	—	—	·82	—	·07	—	·03	·30	—	—	12
13	·14	—	—	·15	·02	—	·04	·37	—	1·02	—	·12	13
14	·25	—	—	·10	·22	—	—	·03	—	—	—	—	14
15	—	—	—	·06	·06	—	—	—	—	·08	·40	·85	15
16	·25	—	—	·06	—	—	·37	—	—	·03	—	—	16
17	—	—	—	—	·52	—	·05	—	—	·05	—	·04	17
18	—	—	—	—	·25	—	—	—	·42	—	·15	—	18
19	—	—	—	·11	·75	—	—	·12	·19	·36	—	·07	19
20	—	—	—	·09	·25	—	—	·42	·09	·95	·17	·13	20
21	·05	—	·09	·02	—	—	—	·06	—	·66	·75	·31	21
22	—	—	·03	·08	·08	—	·02	—	·32	·33	·40	·20	22
23	—	·05	—	—	—	—	·28	—	—	·55	—	·40	23
24	—	—	—	—	·03	—	·64	—	·12	—	·08	—	24
25	—	—	·20	—	·05	—	·12	—	·20	·90	·10	—	25
26	—	—	·30	·38	—	—	—	—	—	·12	·14	—	26
27	—	—	·28	·28	·26	—	·12	—	—	·45	·15	·35	27
28	—	—	·17	·03	·03	—	·28	—	—	·12	·02	·03	28
29	—	—	·48	·21	·13	·52	—	·23	·63	·60	·22	·94	29
30	—	×	·05	·40	·30	1·68	·74	·02	·42	·26	·66	—	30
31	—	×	·08	×	·56	×	·20	—	×	·05	×	·96	31 ~~45·50~~ 44·90
TOTAL	4·98	·05	3·03	2·83	4·90	2·80	3·51	1·57	5·13	8·76	~~3·71~~ 3·11	~~4·83~~ 4·23	YEAR'S TOTAL ~~38·07~~
*Days with ·01 in. or more.	15	1	15	20	21	4	17	12	16	21	14	16	172
*Days with .04 in. or more.	11	1	11	17	18	4	15	8	14	19	12	15	145

40-9999
*See Instruction 2 (*f*) on other side,

(*Signed*) W. J. Lean

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Truro Water Works

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·68	·30	.	-	23		-	.	-	-	1·06		1
2	·92	·11	·98	.	·25	46	-	.	.	-	16	·08		2
3	·10	·10	·24	.	·32	- ~~·22~~	.	-	.	-	-	-		3
4	·24	-	-	.	·53	- ~~·46~~	.	-	.	-	.	-		4
5	·07	-	·38	.	·25	.	-	-	.	-	·05	-		5
6	·06	·75	-	.	·15	.	·09	-	.	·20	-	-		6
7	-	·05	-	.	·11	-	·04	·03	.	·05	-	-		7
8	·09	-	·05	.	·04	.	·41	-	·02	-	-	-		8
9	-	·07	-	.	·07	-	·66	-	-	·45	·07	-		9
10	·08	·06	-	-	-	-	·04	·04	-	1·42	·12	-		10
11	-	.	-	·12	·07	·03	.	·28	-	·33	·04	-		11
12	-	-	-	·07	·06	·22	·21	-	·02	-	·12	-		12
13	·04	-	-	.	·08	·50	·08	-	.	·25	·12	-		13
14	·13	.	.	-	-	.	·23	·11	-	-	·27	·20		14
15	·20	-	·35	-	-	·15	·72	-	-	·11	·09	-		15
16	·04	-	·83	-	-	·12	-	·02	·03	·03	~~·09~~	-		16
17	·04	·17	·15	-	-	·12	·03	·05	·12	-	-	-		17
18	·04	·08	·20	-	-	·18	-	.	-	·62	·06	-		18
19	·30	.	·08	-	-	·06	-	·05	·25	1·30	·05	-		19
20	-	·05	.	.	·18	·~~0~~16	-	·11	·25	-	·03	-		20
21	-	·03	-	.	-	-	-	·09	-	·03	-	-		21
22	-	·07	-	·45	-	·05	-	·38	·54	.	-	-		22
23	-	·50	-	·08	-	·30	.	.	·08	·11	-	-		23
24	-	-	-	·16	-	.	.	·02	·06	·27	-	-		24
25	-	·26	-	·06	·20	·10	-	-	·25	-	-	·22		25
26	-	-	-	·26	·33	.	-	-	-	·12	-	-		26
27	-	·20	-	·10	·02	-	-	.	-	·30	-	1·05		27
28	-	·32	-	·18	-	.	·31	·22	-	·38	-	·07		28
29	·11	×	-	·58	-	.	·02	-	·04	1·08	-	·06		29
30	·11	×	·05	·14	·04	.	·07	-	·75	·03	-	·04		30
31	·34	×	·10	×	·12	×	-	-	×	·06	×			31
TOTAL	3·31	3·50	3·71	2·20	2·82	2·68	2·91	1·40	2·41	7·14	1·18	2·78	Year 36·04	·70
*Days with ·01 in. or more.	18	16	12	11	17	14	13	12	12	19	12	8	164	
*Days with ·04 in. or more.	18	15	12	11	16	13	11	9	9	16	11	8	149	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ernest D. Lean.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Truro Water Works

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	– –	–	·04	–	–	–	–	·66	·02	–	·15	1·15		1
2	11 –	–	·10	–	–	–	–	–	·72	·02	–	·12		2
3	25 14	–	–	–	–	–	–	·53	·03	·25	·26	·50		3
4	12 25	–	·25	·16	·40	–	–	–	–	·28	–	·44		4
5	– ·12	–	·10	–	·43	–	–	1·25	–	·22	–	·40		5
6	11 –	–	·38	·17	·28	·02	–	–	·10	·20	–	·35		6
7	15 ·11	–	–	–	–	–	–	–	·02	·30	·15	·72		7
8	– 15	–	–	–	·04	–	–	–	·03	–	·33	·91		8
9	06 –	–	·51	–	–	–	–	–	–	–	·73	·15		9
10	55 06	–	·46	·13	–	–	–	·06	–	–	·15	·14		10
11	55 ·55	–	·12	·80	–	–	–	·06	–	–	·08	·66		11
12	12 55	–	–	–	–	·05	–	·15	–	–	–	·26		12
13	58 12	–	·02	·42	–	·02	·17	–	–	·02	·44	·30		13
14	33 58	–	·58	–	–	–	–	–	–	·04	–	·21		14
15	23 33	–	·05	·03	·08	–	·03	–	–	·22	·03	·16		15
16	10 ·23	–	·30	–	·05	–	–	–	·35	·16	–	·75		16
17	14 10	–	·45	·32	·13	–	·02	–	–	·03	–	·35		17
18	08 14	–	·55	·58	·06	·04	–	–	·05	·02	–	·55		18
19	– ·08	–	·18	–	·02	–	–	·05	·10	–	–	·09		19
20	– –	–	·02	·16	·02	–	·08	–	·09	–	–	·11		20
21	– –	–	·25	·04	·03	·17	–	·17	·05	·27	–	·05		21
22	05 –	–	–	·05	–	·02	–	·04	·23	·02	–	·08		22
23	– ·05	–	·04	·13	–	·41	–	–	·36	·03	–	·28		23
24	02 –	·14	·04	·10	–	·33	·22	–	–	·30	–	·34		24
25	17 02	·03	–	·23	–	–	–	–	·02	·30	–	·66		25
26	09 17	–	·03	·02	–	·30	–	–	·23	·03	–	·20		26
27	– 09	·07	–	–	–	·03	–	·07	·20	·08	·04	·08		27
28	– –	·09	–	–	–	–	·03	·53	·09	·05	–	·80		28
29	04 –	X	–	–	–	–	–	·11	·17	·06	–	·03		29
30	– ·04	X	–	–	·02	–	·02	–	·17	·22	·02	·23		30
31	– –	X	–	X	·13	X		·18	X	·61	X	·02		31
TOTAL	3·85	·33	4·47	3·34	1·69	1·39	·57	3·86	3·03	3·73	2·38	11·09	Year's Total 39·73	
*Days with ·01 in. or more.	20	4	20	15	10	10	7	13	19	23	11	31	183	
*Days with ·04 in. or more.	19	3	17	13	6	6	3	13	14	16	9	29	148	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E D Lean.

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Truro Water Co

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 7' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·04	·98	–	–	·15	·02	–	·32	71	·02	·23		1
2	–	·02	·06	·11	–	·04	–	–	–	·16	·21	·15		2
3	–	–	·04	·02	·05	·20	–	–	·65	·05	·25	·45		3
4	–	·06	·06	·07	–	·25	–	–	·22	·12	·11	·30		4
5	·12	·40	·02	·02	–	–	–	–	·10	·40	·20	·26		5
6	·10	–	–	·36	–	·80	–	–	–	·11	·05	·05		6
7	–	–	–	·45	–	–	–	–	–	·56	·14	·02		7
8	–	–	–	·34	–	–	–	–	–	·18	·25	–		8
9	·02	–	–	·28	–	–	·02	–	–	1·02	·50	–		9
10	·04	–	·02	–	–	·10	·05	–	–	·05	·10	–		10
11	·40	–	–	–	–	·36	–	–	·35	·04	·84	–		11
12	·15	·26	–	·15	–	·20	–	·19	·05	–	·38	–		12
13	·02	·13	–	·08	–	–	–	–	–	·05	·20			13
14	–	·09	–	·04	–	·40	–	–	·60	·03	1·05	·40		14
15	–	–	·03	·80	·07	·15	–	–	·10	·02	·11	·20		15
16	–	·05	·27	·25	·03	–	·02	–	·40	·07	·30	·20		16
17	–	–	–	·02	·38	·47	·05	·08	·02	–	·10	–		17
18	–	·05	–	·41	·15	–	·04	·06	·20	·09	·05	·25		18
19	–	·02	–	·15	·50	·03	·10	–	·12	·25	·40	·05		19
20	–	·48	–	·27	·14	–	·04	–	–	·56	·04	–		20
21	–	·65	–	·12	–	–	·09	–	·12	·05	–	–		21
22	–	·02	–	·55	–	–	–	·25	·04	·45	–	–		22
23	–	·25	·04	·05	–	–	–	1·45	·02	·30	–	·50		23
24	·06	·40	·08	–	·12	–	–	·15	·15	–	–	·30		24
25	·08	·35	–	·10	·33	·12	–	–	–	·05	–	·15		25
26	·38	·56	–	·03	–	·05	–	·32	·09	–	·04	·35		26
27	–	·06	·	–	–	–	·03	·05	·14	·03	·14	·13		27
28	·05	·12	–	–	–	–	–	·10	·24	·03	·10	·06		28
29	–	×	–	–	·37	–	–	–	·28	–	·10	·80		29
30	·05	×	–	–	·08	·02	–	·90	·10	·15	1·02	·64		30
31	–	×	–	×	–	×	–	·20	×	·46	×	·42		31
TOTAL	1·50	4·01	1·60	4·67	2·22	3·34	·46	3·75	3·81	9 5·29	6·70	5·91	Year's Total 9 43·86	
* Days with .01 in. or more.	13	20	10	22	11	15	10	11	21	26	25	21	205	
* Days with .04 in. or more.	10	16	7	18	10	13	6	10	19	22	24	20	174	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E D Lean

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Truro Water Co

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·11	–	17	–	·40	·58	·03	–	–	·08			1
2	·11	·03	–	·05	–	·18	·10	–	·12	–	05	·03		2
3	·03	–	·08	·73	–	·02	·02	–	·16	–	15	·04		3
4	·02	·04	·15	–	–	·03	–	–	·25	–	·06	·20		4
5	·35	·35	·08	–	·19	–	·70	·09	–	–	13	·08		5
6	·02	–	·15	–	·04	·08	·40	·27	·27	–	1·02	–		6
7	·28	–	·12	–	–	·02	·02	–	·05	–	·64	·05		7
8	·36	–	·70	–	–	–	·40	–	·06	·13	·66	·09		8
9	·30	·85	·10	–	–	–	·73	–	55	–	12	–		9
10	–	2·05	–	–	–	–	·30	–	–	–	·40	·10		10
11	·60	·60	–	–	–	·07	·24	·02	·75	–	·90	·20		11
12	·20	–	–	–	–	–	·18	–	·10	–	36			12
13	·04	–	–	·07	–	–	–	–	–	05	15	1·60		13
14	–	·03	–	06	–	·06	·46	–	·10	·05	–	·60		14
15	–	·02	–	·02	·28	–	04	·02	–	–	·66	·37		15
16	–	·34	–	·10	–	·02	·17	–	·18	–	·20	·18		16
17	·16	·85	–	–	·28	–	·32	–	–	·06	·06	·75		17
18	·58	·18	·20	–	–	·85	·64	·10	–	–	–	08		18
19	·75	·04	·32	·25	–	·12	·02	·05	–	–	–	–		19
20	·22	·44	–	·12	–	·11	–	·02	·10	–	–	–		20
21	·25	·23	·15	·35	–	–	·43	–	03	·26	–	·02		21
22	·15	·50	–	–	·06	·02	·25	–	–	–	–	–		22
23	–	·30	·25	·16	·12	–	·07	–	·02	·04	–	–		23
24	·38	·08	·11	·02	·20	–	14	–	·15	·32	–	·09		24
25	·30	–	·35	·20	–	–	·13	–	·64	·36	–	·02		25
26	·54	·16	·60	·03	–	–	–	–	–	–	–	–		26
27	·60	·06	·14	–	–	–	60	–	–	·04	·14	–		27
28	·64	·08	1·02	–	–	–	·20	–	–	–	–	·31		28
29	·04	·25	–	–	–	·07	–	–	–	·10	·12	29		29
30	·05		·03	–	–	·16	–	–	–	·10	–	·03		30
31	·15		·63		·05		·37					·50		31
TOTAL	7·35	7·59	5·18	2·33	1·22	2·21	7·51	·60	2·93	1·51	5·90	5·83	Year's Total 50·16	
* Days with .01 in. or more.	26	22	18	14	8	15	25	8	16	11	18	21	202	
* Days with .04 in. or more.	23	19	17	11	8	10	23	4	14	11	18	17	175	

* See Instruction 3 (f) on other side.

36

† Spare column, no entries required.

(*Signed*) E D Lean

[P.T.O.

Section A **for the entry of Daily Observations** **Station No.** 1923

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~37

Kept at Truro W.W.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	02	11	82	—	—	—	—	05	03	—	37		1
2	05	95	—	32	—	—	—	—	03	—	—	11		2
3	03	16	02	03	—	—	13	—	—	—	—	06		3
4	16	48	—	19	10	—	—	—	—	—	02	64		4
5	27	—	—	35	—	—	57	—	—	—	—	13		5
6	10	75	40	38	05	14	01	—	02	—	—	20		6
7	—	36	10	03	02	09	—	—	03	—	10	—		7
8	05	05	—	—	57	28	12	—	—	—	—	—		8
9	10	20	24	15	—	—	—	04	62	—	—	—		9
10	16	—	75	57	02	26	03	03	—	—	—	52		10
11	16	—	31	22	64	27	35	—	—	—	—	06		11
12	96	46	38	—	06	44	04	03	30	—	—	53		12
13	—	11	125	24	—	—	—	33	46	—	—	28		13
14	—	02	35	—	—	—	—	—	08	—	—	49		14
15	75	16	44	37	—	—	—	—	35	—	—	16		15
16	55	19	35	—	—	—	05	06	26	—	82	—		16
17	80	12	22	—	—	—	—	—	13	—	11	—		17
18	10	44	27	—	—	21	—	02	99	—	37	11		18
19	15	09	25	28	11	—	—	—	34	—	29	04		19
20	102	02	15	08	03	—	—	—	02	—	—	125		20
21	45	95	—	—	20	—	07	—	27	07	20	03		21
22	08	—	21	—	20	—	11	—	02	64	16	13		22
23	22	53	02	—	27	—	—	—	—	24	—	02		23
24	47	45	10	—	—	—	02	—	03	82	—	04		24
25	06	62	50	—	04	—	01	—	—	03	—	—		25
26	15	17	—	—	02	—	—	—	—	—	—	—		26
27	14	20	—	—	—	—	—	—	02	42	04	—		27
28	04	05	—	—	—	—	—	—	—	—	—	—		28
29	05	X	—	—	—	—	—	—	—	115	18	—		29
30	53	X	—	—	—	03	—	—	08	04	35	—		30
31	15	X	—	X	—	X	—	—	X	31	X	—		31
TOTAL	7·90	7·55	6·42	403	233	1·72	1·51	51	410	375	2~~7~~64	517	Year's Total 47~~7~~63	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1923.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at TRURO WATER WORKS
in the County of CORNWALL
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·95	—	·32	—	—	—	—	·05	·03	—	·37		1
2	·03	·16	·02	·03	—	—	—	—	·03	—	—	·11		2
3	·16	·48	—	·19	·10	—	·13	—	—	—	—	·06		3
4	·27	—	—	·35	—	—	—	—	—	—	·02	·64		4
5	·10	·75	·40	·38	·05	·14	·57	—	—	—	—	·13		5
6	—	·36	·10	·03	·02	·09	·01	—	·02	—	—	·20		6
7	·05	·05	—	—	·57	·28	—	—	·03	—	·10	—		7
8	·10	·20	·24	·15	—	—	·12	—	—	—	—	—		8
9	·16	—	·75	·57	·02	·26	—	·04	·62	—	—	—		9
10	·16	—	·31	·22	·64	·27	·03	·03	—	—	—	·52		10
11	·96	·46	·38	—	·06	·44	·35	—	—	—	—	·06		11
12	—	·11	1·25	·24	—	—	·04	·03	·30	—	—	·53		12
13	—	·02	·35	—	—	—	—	·33	·46	—	—	·28		13
14	·75	·16	·44	·37	—	—	—	—	·08	—	—	·49		14
15	·55	·19	·35	—	—	—	—	—	·35	—	—	·16		15
16	·80	·12	·22	—	—	—	·05	·06	·26	—	·82	—		16
17	·10	·44	·27	—	—	·21	—	—	·13	—	·11	—		17
18	·15	·09	·25	·28	·11	—	—	·02	·99	—	·37	·11		18
19	1·02	·02	·15	·08	·03	—	—	—	·34	—	·29	·04		19
20	·45	·95	—	—	·20	—	—	—	·02	—	—	1·25		20
21	·08	—	·21	—	·20	—	·07	—	·27	·07	·20	·03		21
22	·22	·53	·02	—	·27	—	·11	—	·02	·64	·16	·13		22
23	·47	·45	·10	—	—	—	—	—	—	·24	—	·02		23
24	·06	·62	·50	—	·04	—	·02	—	·03	·82	—	·04		24
25	·15	·17	—	—	·02	—	·01	—	—	·03	—	—		25
26	·14	·20	—	—	—	—	—	—	—	—	—	—		26
27	·04	·05	—	—	—	—	—	—	·02	·42	·04	—		27
28	·05	·11	—	—	—	—	—	—	—	—	—	—		28
29	·53	×	—	—	—	—	—	—	—	1·15	·18	—		29
30	·15	×	—	—	—	·03	—	—	·08	·04	·35	—		30
31	·02	×	·82	×	—	×	—	—	×	·31	×	—		31
TOTAL	7·77	7·64	7·13	3·21	2·33	1·72	1·51	·51	4·10	3·75	2·64	5·17	Year's Total 47·58	✓
* Days with .01 in. or more.	28	24	20	13	14	6	12	6	19	10	11	19	184	✓
* Days with .04 in. or more.	26	21	18	11	10	7	8	3	12	7	10	17	150	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E D Lean.
Manager

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 1923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at TRURO WATERWORKS

in the County of CORNWALL.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following //

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·22	—	—	—	·74"	·24	·69	·02	·52	·05	·16		1
2	—	—	—	·03	—	—	—	—	—	·13	—	·08		2
3	—	—	—	—	·12	·01	·07	·98	—	·46	·17	·07		3
4	—	—	—	—	—	·03	1·27	·06	—	·33	·01	·17		4
5	·05	—	—	—	—	·06	·07	·40	·08	·39	·01	·04		5
6	·20	—	—	—	—	·21	1·49	—	·12	·12	·02	·15		6
7	·20	—	—	—	—	—	·16	—	·13	·04	·06	·26		7
8	·83	·11	—	—	—	—	·24	·31	—	·24	—	·19		8
9	·34	·17	—	—	—	·06	—	—	—	·02	·10	·85		9
10	·22	—	—	—	—	—	·03	·56	—	·04	·06	·37		10
11	·35	—	—	—	·09	·14	·14	—	·01	·01	·42	1·04		11
12	·47	—	—	—	·35	—	—	·03	—	·10	·60	·06		12
13	·10	—	—	—	·45	—	·02	—	—	·09	·01	·57		13
14	1·13	—	—	—	·16	—	·12	—	—	—	·04	·05		14
15	·32	—	—	—	·06	—	—	·06	—	·19	·63	·57		15
16	·31	—	—	—	·02	—	—	—	—	—	—	·16		16
17	—	·08	—	—	·06	·08	—	—	·05	·17	·06	·07		17
18	·23	—	—	—	·14	·03	·02	·11	·10	·04	·37	—		18
19	—	—	—	—	—	—	·04	·05	·59	—	·77	—		19
20	·03	—	—	—	—	—	—	·15	—	—	·55	—		20
21	·08	—	—	—	—	—	—	·13	·04	·10	·16	—		21
22	·02	—	—	—	—	·11	—	·93	·11	·02	·31	—		22
23	—	—	—	—	—	·01	—	·03	·18	—	·08	—		23
24	·05	·30	·21	—	·06	—	·29	—	·05	—	·42	—		24
25	·19	·75	·06	—	·03	—	·10	—	—	·17	1·54	—		25
26	·39	·23	·01	—	·39	·06	·02	—	—	·10	·09	·28		26
27	·35	·05	—	—	·15	·04	·27	·98	—	·22	·34	—		27
28	·16	·25	—	—	·24	·07	·03	—	·07	·08	·07	·05		28
29	·41	×	—	—	·33	—	·01	—	·04	·44	·29	·03		29
30	·07	×	·02	—	·01	·03	·03	—	·10	·03	·20	·07		30
31	·36	×	·02	×	·29	×	—	—	×	·30	×	·39		31
TOTAL	6·86"	2·16"	·32"	·03"	2·95"	1·68"	~~3~~ 4 ·66"	5·47"	1·69"	4·35"	7·43"	5·68"	Year's Total 4~~2~~3·28"	✓
* Days with .01 in. or more.	24	9	5	1	17	15	20	15	15	25	27	22	195	✓
* Days with .04 in. or more.	22	9	2	—	14	10	13	13	13	21	23	21	~~152~~	✓ 161

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1923.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at TRURO WATERWORKS
in the County of CORNWALL
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following / /

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	—	·03	·10	·02	—	·05	·01	—	—	·34	·08		1
2	·02	—	—	·53	—	—	—	·26	·35	—	—	·10		2
3	·30	—	·16	·40	—	—	·01	·02	·02	—	·32	·57		3
4	·13	—	·56	·58	·35	—	1·34	—	—	·26	·39	·28		4
5	·10	—	·03	·36	—	—	·20	—	—	·32	1·03	·25		5
6	·66	·01	·19	·81	·06	—	·73	·12	—	·17	·03	—		6
7	·02	·26	—	—	—	·02	·06	·06	—	—	·32	·68		7
8	·06	·43	—	—	·21	·16	·12	·06	—	1·20	·45	·10		8
9	·02	·02	·02	—	—	—	—	·21	—	·03	·06	·15		9
10	·23	—	—	—	—	·01	—	·05	·15	·05	·03	·42		10
11	·08	·05	·10	—	—	—	—	—	—	·55	·01	·09		11
12	—	·03	—	·14	—	—	—	—	·17	·10	·03	·01		12
13	·07	·04	—	·12	·01	·03	·85	—	·09	·44	·07	·65		13
14	1·30	·01	—	·02	·21	·07	·19	—	—	·05	·14	·08		14
15	·44	·06	—	·04	—	·50	1·20	—	—	—	·32	—		15
16	·17	·04	·08	·19	·02	·03	·50	—	—	—	·37	—		16
17	·67	·08	—	—	—	·05	·33	—	—	—	·10	·02		17
18	·06	·05	·06	—	·03	·02	·05	—	—	—	·40	·04		18
19	·43	—	—	—	—	—	·09	—	—	—	·09	·07		19
20	·76	—	—	—	·04	·03	—	—	—	—	—	—		20
21	·16	·28	·11	—	·03	·80	·05	—	—	—	—	—		21
22	·73	·35	·10	·04	—	·50	·03	·80	—	—	·45	—		22
23	—	·03	·06	—	—	·01	·07	—	—	·06	1·27	—		23
24	1·17	·02	·31	·29	—	—	—	—	—	·03	—	—		24
25	·50	·08	—	·03	—	—	·05	·70	—	·05	·35	—		25
26	·07	·13	·05	·05	—	—	·02	·16	—	·04	·47	·02		26
27	—	·36	·06	·08	—	·08	·01	—	—	—	·16	—		27
28	·03	·06	—	—	—	·05	·14	—	—	·02	·21	—		28
29	·01	×	—	·03	—	·15	·22	—	—	·42	·09	—		29
30	—	×	·29	·16	—	·09	·04	—	—	·45	·03	—		30
31	—	×	—	×	—	×	·02	·21	×	·10	×	—		31
TOTAL	8·42	2·39	2·21	3·97	·98	2·60	6·37	2·66	·78	4·34	7·53	3·61	Year's Total 45·86	✓
* Days with .01 in. or more.	26	20	16	18	10	17	24	12	5	18	26	17	209	✓
* Days with .04 in. or more.	21	14	13	15	5	10	19	9	4	15	21	14	160	✓

† Spare column, no entries required.

(*Signed*) E D Lean

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at TRURO WATERWORKS,

in the County of CORNWALL

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·12	—	·02	·02	—	—	—	—	—	·24	—		1
2	—	·35	—	·13	—	—	·03	—	—	—	·80	·12		2
3	·04	·97	—	—	—	—	—	—	—	·07	·85	·21		3
4	—	·14	—	—	—	—	·11	—	—	·10	·07	·05		4
5	·03	·05	—	—	—	—	·10	—	—	·06	·79	·14		5
6	·58	1·20	—	—	—	—	·03	—	—	·24	·17	·41		6
7	·07	·02	—	·01	—	—	·05	—	·04	—	—	·07		7
8	·01	·03	—	—	—	—	·01	—	·31	·73	·73	·47		8
9	—	—	—	—	—	—	·21	·05	·02	·10	·29	·31		9
10	—	—	—	—	—	·07	—	—	·05	·14	·09	·21		10
11	—	·02	—	·07	—	—	·11	—	—	—	1·37	·02		11
12	—	—	·04	·04	—	·06	·55	—	·68	·01	·08	·05		12
13	—	—	·42	—	—	—	·30	·03	—	·37	1·04	1·46		13
14	—	·10	·02	·05	—	—	—	—	·23	·49	·06	·40		14
15	·07	·10	—	·04	—	—	·01	—	·15	·02	·59	—		15
16	—	1·65	1·26	·03	—	—	·47	—	·10	—	—	·02		16
17	—	·23	·32	·40	—	—	·19	—	—	—	·41	·22		17
18	·45	·73	·23	1·25	—	—	·38	·05	·05	—	·57	·15		18
19	—	·15	·18	·11	—	—	·28	—	·34	·10	·33	—		19
20	—	—	·02	·17	—	—	·02	·03	—	·11	·06	—		20
21	—	—	·05	·15	·03	·36	—	—	·05	—	·81	—		21
22	—	—	·11	·09	·02	·86	—	—	·15	·01	·03	—		22
23	·10	·06	·27	·01	·17	—	·07	—	·15	·20	·03	—		23
24	·11	—	·01	·03	·10	—	·27	—	—	—	·02	—		24
25	·54	—	·33	·05	·27	·11	—	—	—	—	—	—		25
26	·43	·62	—	·03	·17	·03	·07	—	·03	—	·03	—		26
27	·45	·10	·02	·09	·07	—	—	—	—	—	—	—		27
28	·70	·05	·03	·30	·13	·03	—	·02	—	—	—	—		28
29	·08	·35	·12	·06	·02	—	—	—	—	·20	—	·23		29
30	·02		—	—	·03	—	—	—	—	·61	—	·36		30
31	·15		—		·02		—	—		·71		1·02		31
TOTAL	3·83	7·04	3·43	3·13	1·05	1·52	3·26	·18	2·35	4·27	9·46	5·92	Yearly Total 45·44	
* Days with .01 in. or more.	16.	20.	16	21.	12.	7.	19.	5.	14.	18.	23.	19.	190.	
* Days with .04 in. or more.	13.	17.	11.	15.	6.	5.	14.	2.	12.	15.	19.	17	146.	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E D Lean

P.T.O.

1924

1924
MEVAGISSEY, NYASA
1931 — 40

780311

FOR OFFICIAL USE.
AINFALL ORGANIZATION.
1931.

NYASA,
MEVAGISSE
CORNWA

Total Ra
1931 — 47·7
Compared with

1930	—	52·65
1929	—	51·45
1928	—	47·56
1927	—	48·88
1926	—	33·77

Metcalfe

HE PREVIOUS DAY.
on January 1st of the following

ctions Overleaf.

Jan. 1, following

								ugust	Sept.	Oct.	Nov.	Dec.	*Date*
								in.	in.	in.	in.	in.	
									·38	·01			1
									·33		·11	·26	2
									·19	·02	1·78	·12	3
								·15	·53	·02		·03	4
								·08	·38		·15	·23	5
										·41	·08	·19	6
								·21		·05	·31	·15	7
								·24			·23	·21	8
								·04			·20	·02	9
								·22	·45		·99	·02	10
									·08		·43		11
12	·14	·27					·33		·26	·27			12
13		·14	·03		·41		·45	·21			·45		13
14	·06	·15		·01	·06	·15	·64	·02			·33		14
15	·03	·16			·07	·04	·02	·23	·01				15
16	·08	·33		·03	·11	1·10	·01	·06	·03				16
17		·08				·02	·08	·08	·08				17
18	·07					·15	·09	1·66			·34		18
19	·08	·20	·75			·04	·18	·04	·27		·65		19
20	·04	·18	·41					·43			·02	·01	20
21	·39		·05	·03	·24						·02		21
22	·72	·06		·14	·16						·12		22
23	·16	·02		·49	·33		·04	·13			·91		23
24	·10	·01		·66		·10	1·09	·47				·01	24
25	·18	·01		·25			·21				·13	·02	25
26	·05	·15		·02			·20				·72	·02	26
27	·29	·37			·07		·02			·03	·31		27
28	·09	·10	·12	·02	·06		·01	·07		·03	·05	·12	28
29	·08	×	·12		·01		·07	·26	·02	·02	·24	·15	29
30	·15	×	·09		·03			·01	·28	·09		·15	30
31	1·28	×	·81	×	·25	×	·03		×		×	·18	31
TOTAL	4·72	3·85	4·39	2·92	3·01	3·47	5·99	4·61	3·29	·95	8·64	1·89	YEAR'S TOTAL 47·73
*Days with ·01 in. or more.	24	24	13	12	17	16	25	19	14	10	22	17	213
*Days with ·04 in. or more.	21	20	11	7	15	14	19	17	11	4	20	10	169

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) Metcalfe [P.T.O.

1. 1. 32

NYASA,
MEVAGISSEY,
CORNWALL.

Total Rainfall in
1931 —— 47·73
Compared with
1930 —— 52·65
1929 —— 51·45
1928 —— 47·56.
1927 —— 48·88
1926 —— 33·77

1924

FOR OFFICIAL USE.

-BRITISH RAINFALL ORGANIZATION.

LL IN 1931.

IE PREVIOUS DAY.

on January 1st of the following

tions Overleaf.

Jan. 1, following

								gust	Sept.	Oct.	Nov.	Dec.	Date
								in.	in.	in.	in.	in.	
									·38	·01			1
									·33		·11	·26	2
									·19	·02	1·78	·12	3
								·15	·53	·02		·03	4
								·08	·38		·15	·23	5
										·41	·08	·19	6
								·21		·05	·31	·15	7
								[illegible]			·23	·21	8
								[illegible]			·20	·02	9
								[illegible]	·45		·99	·02	10
									·08		·43		11
12	[illegible]	[illegible]					[illegible]		·26	·27			12
13		·14	·03		·41		·45	·21			·45		13
14	·06	·15		·01	·06	·15	·64	·02			·33		14
15	·03	·76			·07	·04	·02	·23	·01				15
16	·08	·33		·03	·11	1·10	·01	·06	·03				16
17		·08				·02	·08	·08	·08				17
18	·07					·15	·09	1·66			·39		18
19	·08	·20	·75			·04	·18	·04	·27		·65		19
20	·04	·18	·41					·43			·02	·01	20
21	·39		·05	·03	·24						·02		21
22	·72	·06		·14	·16						·12		22
23	·16	·02		·49	·33		·04	·13			·91		23
24	·10	·01		·06		·10	1·09	·47				·01	24
25	·18	·01		·25			·21				·13	·02	25
26	·05	·15		·02			·20				·72	·02	26
27	·29	·37			·07		·02			·03	·31		27
28	·09	·10	·12	·02	·06		·01	·07		·03	·05	·12	28
29	·08	×	·12		·01		·07	·26	·02	·02	·24	·15	29
30	·15	×	·09		·03			·01	·28	·09		·15	30
31	1·28	×	·81	×	·25	×	·03		×		×	·18	31
TOTAL	4·72	3·85	4·39	2·92	3·01	3·47	5·99	4·61	3·29	·95	8·64	1·89	YEAR'S TOTAL 47·73
*Days with ·01 in. or more.	24	24	13	12	17	16	25	19	14	10	22	17	213
*Days with ·04 in. or more.	21	20	11	7	15	14	19	17	11	4	20	10	169

40-9999

M

*See Instruction 2 (*f*) on other side

(*Signed*) .... [P.T.O.

855550/28 1924

Section A **for the entry of Daily Observations.** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Meragissey

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 100 about ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·96			·11		·38	·01			1
2	·37	·06				·03	'		·33		·11	·26	2
3	·09		1·30				·06		·19	·02	1·78	·12	3
4	·02	·04	·11		·22	·04	·98	·15	·53	·02		·03	4
5		·40	·53	·09		·16		·08	·38		·15	·23	5
6		·02	·05		·15	·41	·10			·41	·08	·19	6
7		·13			·47	·27	·17	·21		·05	·31	·15	7
8	·09	·22		·22		·47	·09	·24			·23	·21	8
9		·26				·05	·08	·04			·20	·02	9
10	·01	·09	·02		·31	·05	·02	·22	·45		·99	·02	10
11	·15	·40			·06	·39	·89		·08		·43		11
12	·14	·27					·35		·26	·27			12
13		·14	·03		·41		·45	·21			·45		13
14	·06	·15		·01	·06	·15	·64	·02			·33		14
15	·03	·16			·07	·04	·02	·23	·01				15
16	·08	·33		·03	·11	1·10	·01	·06	·03				16
17		·08				·02	·08	·08	·08				17
18	·07					·15	·09	1·66			·39		18
19	·08	·20	·75			·04	·18	·04	·27		·65		19
20	·04	·18	·41					·43			·02	·01	20
21	·39		·05	·03	·24						·02		21
22	·72	·06		·14	·16						·12		22
23	·16	·02		·49	·33		·04	·13			·91		23
24	·10	·01		·06		·10	1·09	·47				·01	24
25	·18	·01		·25			·21				·13	·02	25
26	·05	·15		·02			·20				·72	·02	26
27	·29	·37			·07		·02			·03	·31		27
28	·09	·10	·12	·02	·06		·01	·07		·03	·05	·12	28
29	·08	×	·12		·01		·07	·26	·02	·02	·24	·15	29
30	·15	×	·09		·03			·01	·28	·09		·15	30
31	1·28	×	·81	×	·25	×	·03		×		×	·18	31
TOTAL	4·72	3·85	4·39	2·92	3·01	3·47	5·99	4·61	3·29	·95	8·64	1·89	YEAR'S TOTAL 47·73
*Days with ·01 in. or more.	24	24	13	12	17	16	25	19	14	10	22	17	213
*Days with ·04 in. or more.	21	20	11	7	15	14	19	17	11	4	20	10	169

40-9999

M

*See Instruction 2 (*f*) on other side

(*Signed*) [illegible] [P.T.O.

1924

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Menagissey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·19			·06	·09	·03		·01	·09	1
2	·01			·25			·03	·09	·09			·42	2
3	·02					·48	[illegible]		·74	·02	·03		3
4	·01					·20	·08	·04			·47		4
5	·53		·02						·28				5
6	·63		·03	·17			·35	·02	·36	·09			6
7	·14		·01		·20		·04		·81	1·05		·03	7
8	·03		·63	·09	·24				·13	·24			8
9	·89			·25	·11					·01			9
10	·76		·02	·26	·20				·02	·01			10
11	·03		·05	·11	·16			·02	·04			·15	11
12	1·18				·89				·04	·34		·09	12
13	·13			·24	·06			·32	·02	·89		·15	13
14	·14			·16	·19			·04		·03		·04	14
15	·01			·03						·05	·01	·03	15
16	·13			·31			·05			·02		·01	16
17	·03			·01	·44		·12		·07	·07			17
18	·02				·47				·13		·22		18
19				·09	·46				·18	·44	·01	·06	19
20				·19	·40		·02	·07	·04	1·12	·15	·07	20
21	·07		·15	·11				·02	·08	·56	·17	·21	21
22			·02	·03	·05				·50	·58	·54	·09	22
23		·04		[illegible]			·17			·68	·03	·33	23
24				[illegible]			·75		·15		·04	·01	24
25			·10	[illegible]	·23		·11		·14	·80	·09		25
26			·26	·50			·07		·03	·16	·17		26
27			·28	·28	·46		·25			·54	·06	·24	27
28			·22	·03	·04	·03	·12	·02		·08	·01	·03	28
29			48	·14	·10	·47		·29	·38	44	·23	·67	29
30	·01	×	·01	16	·28	1·57	·98		·89	·[illegible]8	·62		30
31		×	·02	×	·36	×	·13		×	·08	×	·51	31
TOTAL	4·85	·04	2·30	3·30	5·34	2·75	3·33	1·02	5·15	8·38	2·86	3·23	YEAR'S TOTAL 42·5~~7~~5
*Days with ·01 in. or more.	20	1	15	21	19 8	5	16	11	22	24	17	19	190
*Days with ·04 in. or more.	11	1	8	16	19	4	14	7	18	19	11	13	141

40-9999

M

*See Instruction 2 ( ) on other side.

(Signed)

P.T.O.

1924

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Meragissey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·74	·26			·35					·02	1·30	1
2	·57	·10	·87		·37	·72					·03	·09	2
3	·10	·14	·26		·21	·04							3
4	·11	·03			·37								4
5	·05		·33		·41						·01		5
6	·06	·54	·04		·33		·11			·19			6
7	·01	·04			·10		·01			·08			7
8	·09	·01	·01		·02		·26	·02					8
9		·07			·08		·28			·42	·05		9
10	·04	·07								·94	·35		10
11				·09	·02	·02	·07	·76			·03		11
12	·05			·14	·06	·40	·30	·08	·11	·01	·03	·10	12
13	·02				·03	·08	·17			·24	·18		13
14	·17						·16	·13			·33		14
15	·13		·41			·05	·26	·04		·10	·24		15
16		·01	1·03			·04		·01	·05	·03			16
17	·04	·14	·13			·08	·08	·05	·11				17
18	·10	·01	·16			·15				·52	·04		18
19	·30		·06			·22		·05	·13	·91	·25	·01	19
20		·13	·02		·21	·23		·07	·65	·01			20
21		·07						·06		·11			21
22				·50				·44	1·06	·01			22
23		·41		·14		·31			·09	·25			23
24		·06		·21		·02			·22	·12			24
25		·28		·08	·08	·16			·21			·20	25
26		·02		·46	·24					·13		·01	26
27		·28		·06	·03					·41		1·03	27
28		·23		·35			·33	·26		·27		·06	28
29	·12	✗		·37					·02	·54		·05	29
30	·07	✗	·05	·03			·10		·56	·01	·01	·04	30
31	·34	✗	·30	✗	·14	✗			✗	·19	✗		31
TOTAL	2·56	3·40	3·93	2·43	2·70	2·67	2·13	1·97	3·21	5·67	1·57	2·89	YEAR'S TOTAL 35·13
*Days with ·01 in. or more.	19	20	14	11	16	15	12	12	11	22	13	10	175
*Days with ·04 in. or more.	17	15	12	10	12	12	11	10	10	17	7	8	141

40-9999

*See Instruction 2 (*f*) on other side

DM

(*Signed*) C. Metcalfe

[P.T.O.

File No. 825550/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mevagissey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 100 ft.

Est Sept Days ✓ all

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·06			·02		·50		·05	·13	1·60	1
2	·10		·10						·65			·20	2
3	·09							·27		·27	·17	·41	3
4	·12		·26	·07	·39			·16		·21		·39	4
5	[illegible]		·09		·31			1·55		·12		·51	5
6	·11		·48	·20	·38	·07			·07	·33	·09↓	·26	6
7	·23							·06		·47	·43↓	·68	7
8					·05				✓		·39↓	·84	8
9	·21		·31					·01			·09↓	·09	9
10	·42		·41	·28				·04				·25	10
11	1·12		·03	·77				·01			·25	·54	11
12	·12					·09	·09	·31				·26	12
13	·36		·03	·38		·03	·04			·02	·57	·16	13
14	·48		·43							·05		·28	14
15	·16		·06	·02	·13		·04			·25	·04	·25	15
16	·18		·32		·03				x	·02		·67	16
17	·25		·52	·10	·08		·06			·19		·54	17
18	·06		·33	·35		·05			x ✓	·02		·64	18
19			·20		·01	·08		·04	x			·08	19
20				·23			·06		x	·02		·16	20
21			·37		·02	·22		·10	x	·41		·05	21
22	·09			·02		·02	·09	·05	x		·02	·11	22
23	·13		·04	·19		·36	·01		x	·02		·16	23
24		·07	·02	·06		·35	·10		-	·25		·64	24
25	·22	·07		·34		·10			✓	·29		·62	25
26	·06		·03	·03		·36			x	·02		·15	26
27						·09		·05	x	·10	·04	·19	27
28							·02	·45	x	·10		·72	28
29		·03						·09	2·04	·02	·01	·02	29
30		×					·02	·04	22	·40	·01	·39	30
31		×		×		×	·03	·16	×	·29	×	·01	31
TOTAL	4·58	0·17	4·09	3·04	1·40	1·84	0·56	3·89	2·98	3·92	2·24	11·87	YEAR'S TOTAL 40·58 ✓
*Days with ·01 in. or more.	20	3	19	14	9	13	11	17	R16	23	13	31	189R ✓
*Days with ·04 in. or more.	20	2	15	11	6	10	7	15	R14	15	10	29	155R

From 8th to 29th inclusive

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) C. Metcalfe

P.T.O.

File No. 82550/28
x

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Mevagissey
in the County of Cornwall

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·07	·88	·02		·14	·01		·25	·02		·17		1
2	·01	·04	·07	·03		·09	·02		·01	·29	·11	·13		2
3	·03		·06	·03	·08	·21	·01		·04	·07	·56	·29		3
4		·21	·04	·11		·31			·04	·05	·29	·34		4
5	·06	·45	·01	·10		·08			·30	·21	·21	·28		5
6	·02			·37		·70				·08	·06	·13		6
7				·53		·01				·64	·14	·07		7
8				·42					·14	·06	·37			8
9	·07			·29			·03			·25	·30			9
10	·08			·01		·11	·10			·03	·12			10
11	·34	·01		·03		·57			·27	·05	·72			11
12	·26	·30				·27		·16	·10		·30			12
13	·03	·12		·53		·01			·01	·02	·13			13
14		·16		·08		·17			·36	·09	1·25	·45		14
15		·02	·01	1·03	·09	·15			·10	·05	·20	·16		15
16		·08	·11	·21		·02	·01		·31	·06	·33	·15		16
17			·04	·10	·43	·50	·03	·06	·01		·02			17
18		·15	·01	·47	·02		·03	·06	·25	·10	·03	·19		18
19		·09		·18	·36	·12	·20		·15	·12	·35	·02		19
20		·36		·20	·03	·03			·01	·14	·01			20
21		·63		·14		·01	·13		·04	·09				21
22		·02	·09	·37				·03	·05	·41				22
23		·27	·04	·02				3·04	·09	·39		·41		23
24	·09	·46	·02		·17			·16	·34	·03		·20		24
25	·12	·20			·47	·09						·05		25
26	·25	·62				·07		·28	·23	·05	·08	·59		26
27		·07					·03	·06	·32	·03	·16	·25		27
28	·09	·25					·04	·11	·26	·06	·07	·04		28
29		×			·04				·30		·13	·56		29
30	·09	×				·02		1·16	·07	·16	1·11	·76		30
31	·01	×		×		×		·12	×	·67	×	·39		31
TOTAL	1·62	4·58	1·38	5·27	1·69	3·71	0·64	5·24	4·05	4·72	7·05	5·63	Year's Total. 45	·58
* Days with .01 in. or more.	16	21	12	22	9	21	12	11	25	27	24	26	221	
* Days with .04 in. or more.	11	18	8	16	7	15	4	10	21	22	21	20	173	-174

40-9999
* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) C. Metcalfe

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

For 2090.

REGISTER OF RAINFALL IN 1936.

Kept at Mevagissey

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·17	·02	·20	—	·29	·36	·02	-	-	·15	·01		1
2	·08	—	—	·06	—	·19	·08	—	·15	-	·07	·03		2
3	·02	—	·09	·98	—	·03	—	—	·35	-	·08	·04		3
4	·01	—	·18	—	—	·09	·02	—	·33	-	·11	·19		4
5	·17	·39	·09	—	·08	—	1·19	·09	·01	-	—	·10		5
6	·04	—	·10	—	·16	·07	·55	·24	·26	-	·72	-		6
7	·33	—	·09	—	—	—	·01	—	·05	-	·60	·09		7
8	·23	—	·24	—	—	—	·30	—	·10	·10	·56	·13		8
9	·29	·74	·13	—	—	—	·18	—	·40	-	·12	-		9
10	·12	1·69	—	—	—	—	·11	—	-	-	·45	·09		10
11	·64	·44	—	~~·02~~	—	·12	·28	·01	·50	-	·85	·25		11
12	·20	·02	—	·02	—	—	·29	·01	·15	-	·26	·02		12
13	·14	—	—	·02	—	—	—	·02	·	·10	·13	1·11		13
14	—	·03	—	·01	—	·06	·68	—	·01	·08	—	·36		14
15	—	·08	—	·03	·13	—	·03	·02	·	-	·60	·43		15
16	—	·13	—	·27	·04	·01	·20	—	·06	·01	·25	·14		16
17	·17	·83	—	·02	·26	—	·39	·02	·	·05	·04	·69		17
18	·52	·15	·25	~~·28~~ —	—	·67	·57	·07	·	—	—	·08		18
19	·81	—	·11	·38	—	—	·24	·08	·04	-	—	-		19
20	·17	·35	·01	·11	—	·12	—	—	·27	·02	—	-		20
21	·15	·31	·20	·47	-	—	·23	—	·	·13	—	-		21
22	·31	·13	—	—	·12	—	·28	—	·	—	—	·06		22
23	·01	·34	·09	·17	·12	—	·09	—	·	·18	—	-		23
24	·38	·05	·19	·02	·27	—	—	—	·16	·36	—	·04		24
25	·45	—	·45	·26	·03	—	·08	—	·01	·43	—	-		25
26	·37	·16	·88	·01	—	—	·22	—	·	·01	—	·		26
27	·61	·07	·04	—	—	—	·59	—	·04	·18	·07	-		27
28	·68	·03	·90	—	—	—	·18	—	·	·02	—	·22		28
29	·03	·12	·03	—	·02	·11	—	—	·	·08	·10	·20		29
30	·07	✕	·01	—	·03	·21	·01	—	·	—	—	-		30
31	·10	✕	·84	✕	·05	✕	·26	—	✕	·02	✕	44	Year's Total	31
TOTAL	7·46	6·23	4·94	3·03	1·31	1·97	7·42	·58	2·89	1·77	5·16	4·72	47·48	
* Days with .01 in. or more.	28	20	21	16	12	12	26	10	17	15	17	21	215	
* Days with .04 in. or more.	~~25~~ 24	17	17	~~10~~ 9	9	10	22	4	14	11	17	18	172	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Mevagissey

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	–	·05	·53	–	–	·03	–	·11	–	–	·56		1
2	·08	1·24	–	·24	–	–	–	–	·07	–	–	·04		2
3	·01	·13	–	·01	–	–	·10	–	·02	–	–	·02		3
4	·15	·69	–	·18	·19	–	–	–	–	–	–	·63		4
5	·34	–	–	·33	·01	–	·69	–	–	–	·01	·18		5
6	·09	·84	·66	·34	·04	·07	·05	–	–	–	–	·39		6
7		·52	·03	·04	·03	·26	–	–	·02	–	·13			7
8	–	·08	–	–	·91	·16	·18	–	–	–	–			8
9	·07	·20	·09	·19	·02	–	·02	·04	·61	–	–			9
10	·15	–	·59	·50	–	·26	·03	·19	–	–	–	·47		10
11	·13	–	·23	·29	·55	·25	·29	–	–	–	–	·10		11
12	·70	·52	·33	–	–	·39	·08	·11	·20	–	–	·51		12
13	–	·11	1·03	·14	–	–	–	·21	·28	–	–	·18		13
14	–	·03	·45	–	–	–	–	·04	·10	–	–	·91		14
15	·46	·24	·32	·56	–	–	–	–	·13	–	–	·40		15
16	·30	·24	·29	–	–	–	·05	·07	·08	–	·62			16
17	·63	·14	·16	–	·17	–	–	–	·09	·02	·03			17
18	·22	·36	·19	–	4	·16	·02	·01	·53	–	·19	·14		18
19	·20	·05	·28	·33	–	–	–	–	·42	–	·27			19
20	·71	–	·03	·11	–	–	–	–	–	·01	·01	·67		20
21	·28	·83	–	–	·22	–	·05	–	·30	·16	·18	·06		21
22	–	–	·20	–	·13	–	·10	–	·02	·63	·41	·13		22
23	·24	·70	–	–	·25	–	–	–	–	·30	–	·02		23
24	·26	·41	·13	–	·01	–	·08	–	·02	1·15	–	·05		24
25	–	1·44	·78	–	–	–	–	–	–	·02	–			25
26	·06	·38	–	–	·02	–	–	–	–	–	–			26
27	·11	·20	–	–	–	–	–	–	–	·32	–			27
28	·05	·17	–	–	–	·03	–	–	–	–	–			28
29	·11	–	–	–	–	–	–	–	–	·95	·37			29
30	·33	✕	–	–	–	–	–	–	·03	·02	·34			30
31	·28	✕	–	✕	–	✕	–	–	✕	·13	✕			31
Total	6·16	9·52	5·84	3·79	2·55	1·58	1·77	·67	3·03	~~3·69~~ ·71	2·56	5·40	Year's Total 46·58	
* Days with .01 in. or more.	25	22	18	14	13	8	14	7	17	11	11	18	178	
* Days with .04 in. or more.	24	21	16	13	~~9~~ 8	7	10	6	12	7	8	16 15	147	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. M 1924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Mevagissey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 100 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20		·05	·53			·03		·11			·50		1
2	·08	1·24		·24					·07			·04		2
3	·01	·13		·01			·10		·02			·02		3
4	·15	·69		·18	·19							·63		4
5	·34			·33	·01		·69				·01	·18		5
6	·09	·84	·66	·34	·04	·07	·05					·39		6
7		·52	·03	·04	·03	·26	·18		·02		·13			7
8		·08			·91	·16	·02							8
9	·07	·20	·09	·19	·02		·03	·04	·61					9
10	·15		·59	·50		·26	·29	·19				·47		10
11	·13		·23	·29	·55	·25	·08					·10		11
12	·70	·52	·33			·39		·11	·20			·57		12
13		·11	1·03	·14				·21	·28			·18		13
14		·03	·45					·04	·10			·91		14
15	·46	·24	·32	·56	·17				·13			·40		15
16	·30	·24	·29				·05	·07	·08		·62			16
17	·63	·14	·16						·09	·02	·03			17
18	·22	·36	·19			·16	·02	·01	·53		·19	·14		18
19	·20	·05	·28	·33					·42		·27			19
20	·71		·03	·11						·01	·01	·67		20
21	·28	·83			·22		·05		·30	·16	·18	·06		21
22			·20		·13		·10		·02	·63	·41	·13		22
23	·24	·70			·25					·30		·02		23
24	·26	·41	·13		·01		·08		·02	1·15		·05		24
25		1·44	·78							·02				25
26	·06	·38			·02									26
27	·11	·20								·32				27
28	·05	·17				·03								28
29	·11	X								·95	·37			29
30	·33	X							·03	·02	·34			30
31	·28	X		X		X			X	·13	X			31
TOTAL	6·16	9·52	5·84	3·79	2·55	1·58	1·77	0·67	3·03	3·69	2·56	5·40	Year's Total 46·50	
* Days with .01 in. or more.	25	22	18	14	„	8	14	7	17	11	11	18		
* Days with .04 in. or more.	24	21	16	13	„	7	10	6	12	7	8	16		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

M

(*Signed*) Metcalfe [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Copy by B.R.O.

Kept at Mevagissey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·19				·70	·36	·61	·06	·65	·04	·18		1
2		·01		·04			—	—	—	·27	—	·09		2
3					·11		·01	·40	—	·48	·39	·02		3
4							·22	·07	—	·14	·01	·24		4
5	·07					·01	·11	1·08	·06	·40	·02	·06		5
6	·20					·25	1·39	—	·09	·13	·02	·10		6
7	·13						·28	—	·10	·09	·09	·23		7
8	·74	·11					·19	—	—	·26	—	·10		8
9	·31	·19				·12	—	·10	—	·02	·10	·93		9
10	·21					·07	·03	·07	—	—	—	·34		10
11	·32					·05	·11	—	—	—	·26	·74		11
12	·40				·44		—	—	—	·18	·55	·04		12
13	·22				·41		·05	—	—	·07	·04	·30		13
14	·85				·14		·21	·01	—	—	·02	4		14
15	·26				·01		—	·04	—	·27	·83	·53		15
16	·28		·05		·04		—	·02	—	—	·06	4		16
17		·05	·03		·16		—	—	·08	·13	·09	·08		17
18	·30				·11	·03	—	·09	·21	·04	·32	—		18
19	·02						·02	·12	1·24	—	·88	—		19
20							—	·09	·02	—	·43	—		20
21	·06						—	·03	·12	·19	·14	—		21
22	·01					·08	—	·89	·11	·12	·38	—		22
23				·02			—	·01	·11	—	·10	—		23
24		·15	25			·01	·05	·01	·05	—	·67	—		24
25	·22	·68	·09		·11		·27	—	—	·18	1·45	—		25
26	·37	·15			·69	·04	—	—	·02	·06	·12	·13		26
27	·37	·04			·14	·08	·25	·95	—	·04	·40	—		27
28	·23	·22			·19	·17	—	—	·11	·03	·03	·04		28
29	·36		·01		·41	·01	—	—	·10	·56	·39	·05		29
30	·07	✕	·01			·17	·08	—	·08	—	·16	·09		30
31	·30	✕	·02	✕	·33	✕	·01	—	✕	·26	✕	·42		31
TOTAL	6·30	1·79	·46	·06	3·29	1·79	3·64	4·59	2·56	4·57	8·05	4·71	Year's Total 41·81	
* Days with .01 in. or more.	23	10	7	2	14	14	17	17	16	22	27	22	191	
* Days with .04 in. or more.	21	9	3	1	13	10	13	12	14	20	22	21	159	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. Metcalfe

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Mevagissey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 100 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	-	·01	·04	·01	-	·02	-	-	-	·21	·13		1
2	·05	-	-	·23	-	-	·03	·29	·58	-	·01	·09		2
3	·40	-	·14	·60	-	-	-	-	·04	-	·05	·42		3
4	·12	-	·47	·08	·43	-	1·94	-	-	·18	·68	·33		4
5	·08	-	·03	·24	·36	-	·14	-	-	·18	·99	·23		5
6	·72	-	·13	·39	·23	-	·84	·13	-	·22	·16	-		6
7	·01	·22	-	-	-	-	·07	·11	-	-	·29	·90		7
8	·08	·24	-	-	·10	·15	·17	·11	-	1·81	·50	·06		8
9	·04	·02	-	-	-	-	-	·33	-	·08	·08	·14		9
10	·11	-	-	-	-	·01	-	·13	·09	·21	·03	·35		10
11	·05	·02	·13		-	-	-	·02	-	·29	-	·18		11
12	·02	-	-	·05	-	-	-	-	·13	·09	·05	-		12
13	-	·06	-	·18	-	-	·61	-	·14	·59	·09	·31		13
14	·97	-	-	-	·21	·09	·06	-	-	·04	·13	-		14
15	·71	·02	-	·04	·01	·75	·57	-	-	-	·26	·05		15
16	·14	·03	·02	·21	·02	-	·45	-	-	-	·26	-		16
17	·47	·10	-	-	-	·03	·40	-	-	-	·02	-		17
18	·04	·04	·02	-	-	-	·26	-	-	-	·33	·03		18
19	·51	-	-	-	-	-	20	-	-	-	·02	·05		19
20	·88	-	-	-	·11	·08	-	·01	-	-	-	-		20
21	·09	·38	·11	-	-	·86	·09	·04	-	-	-	-		21
22	·73	·31	·19	·03	-	·46	·09	-	-	-	·58	-		22
23	·04	·04	·01	·17	-	·09	·04	-	-	·02	1·14	-		23
24	1·38	-	·19	·09	-	·09	-	·10	-	·07	-	-		24
25	·36	·08	-	·10	-	-	·08	·66	-	·06	·42	-		25
26	·01	·15	-	·07	-	-	·05	-	-	·03	·34	-		26
27	-	·57	·02	·02	-	·06	·04	·02	-	-	·23	-		27
28	-	·09	-	·02	-	·06	·16	-	-	-	·26	·04		28
29	-		-	·04	-	·23	·17	-	-	·25	·07	-		29
30	-	×	·17	·14	-	·28	-	-	-	·42	·05	-		30
31	-	×	-	×	-	×	·01	·52	×	·18	×	-		31
TOTAL	8·34	2·37	1·64	2·74	1·48	3·24	6·54	2·47	·98	4·72	7·25	3·31	Year's Total 45.08	✓
* Days with .01 in. or more.	25	16	14	19	9	14	23	13	5	17	26	15	196	✓
* Days with .04 in. or more.	22	12	8	16	6	12	20	10	5	15	22	14	162	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1924 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Mevagissey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 100 ft.

Jan 25th est. from nearby stns

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·09	-	-	·03	-	-	-	-	-	·32	-		1
2	-	·34	-	·20	-	-	-	-	-	-	·63	·04		2
3	·02	·68	-	-	-	-	·01	-	-	-	·75	·23		3
4	-	·11	-	·05	-	-	·10	-	-	·26	·07	·04		4
5	-	·05	-	-	-	-	-	-	-	·03	·65	·21		5
6	·44	·89	-	-	-	-	·15	-	-	·25	·38	·50		6
7	·07	-	-	·03	-	-	-	-	·02	-	-	·11		7
8	-	-	-	-	-	-	·02	·02	·17	·53	1·22	·35		8
9	-	-	-	-	-	-	·31	·02	·02	·19	·31	·47		9
10	-	-	-	-	-	·13	·07	-	·04	·04	·19	·29		10
11	-	-	·17	-	-	-	·06	-	-	-	1·36	·07		11
12	-	-	·13	·07	-	·01	·32	-	·57	-	·11	·01		12
13	-	-	·31	-	-	-	·08	-	-	·23	·81	·79		13
14	-	·18	-	·04	-	-	-	·03	·25	·16	·03	·39		14
15	·03	·01	-	·06	-	-	-	-	·16	-	·46	-		15
16	-	·84	1·22	·02	-	-	·31	-	·12	-	·01	-		16
17	-	·23	·65	·23	-	-	·31	-	-	-	·17	-		17
18	·49	·67	·24	·75	-	-	-	·02	·10	-	·25	·35		18
19	-	·14	·25	·08	-	-	·20	-	·82	-	·31	-		19
20	-	·01	·02	·11	-	-	-	-	-	·26	·07	-		20
21	-	-	·04	·04	·06	-	-	·02	·05	-	·41	-		21
22	-	-	·09	·16	-	·59	·02	-	·09	-	-	-		22
23	-	·15	·17	·05	·19	-	·05	-	-	·25	·07	-		23
24	·07	-	-	-	-	-	·30	-	-	-	-	-		24
25	(·05) ~~·50~~	-	·33	·09	·59	·12	-	-	-	-	·01	-		25
2·55 26	·28	·48	-	·01	·21	·08	·05	-	-	-	-	-		26
27	·51	·07	-	·24	·13	-	·03	-	-	-	-	-		27
28	·93	·03	·05	·36	·11	-	-	·03	-	-	} ·04	-		28
29	·18	-	·23	·25	·01	·04	-	-	-	·16	} x	·38		29
30	·03	✕	-	-	·03		-	-	-	·76	-	·34		30
31	·12	✕	·01	✕	-	✕	-	-	✕	·59	✕	·97		31
TOTAL	3·22 ~~3·67~~	4·97	3·91	2·84	1·36	·97	2·39	·14	2·41	3·64	8·63	5·54	Year's Total ~~40·47~~	40·02
* Days with .01 in. or more.	13	17	15	19	9	6	17	6	12	13	23	17	167	
* Days with .04 in. or more.	10 ✓	14 ✓	13 ✓	16 ✓	6 ✓	5 ✓	13 ✓	— ✓	10 ✓	12 ✓	20 ✓	16	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. Metcalfe

[P.T.O.

St EWE (COUNCIL SC

1924/2
ST EWE COUNCIL SCH.
1936 - 40
7F0311

Section **A** for the entry of
AIR MINISTRY

Station No. 1924/2

ALL ORGANIZATION.

FORM 1090.

REGIS

1936.

Kept at St Ewe Cou

in the County of Corn

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·15	Tr.	·20	Tr	·26	·38	·04	Tr		·15	Tr		**1**
2	·11	Tr.		·07		·30	·06	Tr	·19		·06	·03		**2**
3	·01		·07	1·05		Tr	·02		·15		·07	·02		**3**
4	·06	·06	·16			·04	Tr		·37		·10	·19		**4**
5	·12	·42	·09		·18	Tr	·98	·31	·02		·11	·09		**5**
6	·06		·15		·03	·06	·45	Tr	·28		·62	Tr		**6**
7	·32		·14			Tr	Tr	·01	·03		·49	·07		**7**
8	·27		·19			Tr	·35	Tr	·39	·08	·48	·14		**8**
9	·27	·58	·09			Tr	·36	Tr	·26		·09	-		**9**
10	·08	·89				Tr	·05				·47	·09		**10**
11	·74	·57		Tr	Tr	·13	·26	·01	·42		·83	·25		**11**
12	·21	·02		·02	Tr		·24	Tr	·16	Tr	·28	·03		**12**
13	·10	Tr.	Tr	Tr			-	Tr	·04	·10	·16	·90		**13**
14		·06		·01		·04	·57		·02	·06		·30		**14**
15		·03		·03	·20		·01	·02	Tr	Tr	·57	·46		**15**
16		·13		·09	Tr	·01	·20	Tr	Tr		·20	·16		**16**
17	·22	·77		Tr.	·27	Tr	·53	Tr		·08	·06	·62		**17**
18	·49	·10	·30			·72	·23	·05				·09		**18**
19	·82	Tr	·12	·33		Tr	·10	·05	·04			Tr		**19**
20	·15	·41	Tr	·15		·11	Tr	·01	·16	·02		·02		**20**
21	·10	·33	·14	·40		Tr	·19		·01	·12				**21**
22	·23	·11			·07	Tr	·39		Tr	Tr		·01		**22**
23	-	·39	·10	·17	·12		·01		Tr	·08		Tr		**23**
24	·34	·06	·16	·02	·20		Tr		·10	·28		·07		**24**
25	·40		·48	·22	·02		·08		Tr	·38	Tr	Tr		**25**
26	·37	·13	·10		Tr		·10			·01	Tr			**26**
27	·58	·07	·67			Tr	·55		·04	·15	·09			**27**
28	·72	·04	·85	Tr.		Tr	·17			·01	Tr	·26		**28**
29	·03	·13	Tr		Tr	·10	-	Tr		·08	·11	·17		**29**
30	·08	×	Tr		·11	·20	Tr			·04	Tr.	Tr		**30**
31	·10	×	·70	×	·02	×	·28		×	Tr	×	·43		**31**
TOTAL	7·29	5·45	4·51	2·76	1·22	1·97	6·56	·50	2·68	1·49	4·94	4·40	Year's Total. 43·77	
* Days with .01 in. or more.	27	21	17	13	10	11	24	8	17	14	18	21	201	
* Days with .04 in. or more.	25	19	17	9	7	10	21	4	13	11	18	16	170	

40-9999 X THE HEADMASTER X N

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Richard Barbary

[P.T.O.

St EWE (COUNCIL SCH

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1924/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St Ewe Council School
in the County of Cornwall /2
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in	in.	in.	in	in.	in.	in.	in.		
1	.31	.15	Tr.	.20	Tr	.26	.38	.04	Tr		.15	Tr		1
2	.11	Tr.		.07		.30	.06	Tr	.19		.06	.03		2
3	.01		.07	1.05		Tr	.02		.15		.07	.02		3
4	.06	.06	.16			.04	Tr		.37		.10	.19		4
5	.12	.42	.09		.18	Tr	.98	.31	.02		.11	.09		5
6	.06		.15		.03	.06	.45	Tr	.28		.62	Tr		6
7	.32		.14			Tr	Tr	.01	.03		.49	.07		7
8	.27		.19			Tr	.35	Tr	.39	.08	.48	.14		8
9	.27	.58	.09			Tr	.36	Tr	.26		.09	-		9
10	.08	.89				Tr	.05				.47	.09		10
11	.74	.57		Tr	Tr	.13	.26	.01	.42		.83	.25		11
12	.21	.02		.02	Tr		.24	Tr	.16	Tr	.28	.03		12
13	.10	Tr.	Tr	Tr			-	Tr	.04	.10	.16	.90		13
14		.06		.01		.04	.57		.02	.06		.30		14
15		.03		.03	.20		.01	.02	Tr	Tr	.57	.46		15
16		.13		.09	Tr	.01	.20	Tr	Tr		.20	.16		16
17	.22	.77		Tr.	.27	Tr	.53	Tr		.08	.06	.62		17
18	.49	.10	.30			.72	.23	.05				.09		18
19	.82	Tr	.12	.33		Tr	.10	.05	.04			Tr		19
20	.15	.41	Tr	.15		.11	Tr	.01	.16	.02		.02		20
21	.10	.33	.14	.40		Tr	.19		.01	.12				21
22	.23	.11			.07	Tr	.39		Tr	Tr		.01		22
23	-	.39	.10	.17	.12		.01		Tr	.08		Tr		23
24	.34	.06	.16	.02	.20		Tr		.10	.28		.07		24
25	.40		.48	.22	.02		.08		Tr	.38	Tr	Tr		25
26	.37	.13	.10		Tr		.10			.01	Tr			26
27	.58	.07	.67			Tr	.55		.04	.15	.09			27
28	.72	.04	.85	Tr.		Tr	.17			.01	Tr	.26		28
29	.03	.13	Tr		Tr	.10	-	Tr		.08	.11	.17		29
30	.08	×	Tr		.11	.20	Tr			.04	Tr.	Tr		30
31	.10	×	.70	×	.02	×	.28		×	Tr	×	.43		31
TOTAL	7.29	5.45	4.51	2.76	1.22	1.97	6.56	.50	2.68	1.49	4.94	4.40	Year's Total. 43.77	
* Days with .01 in. or more.	27	21	17	13	10	11	24	8	17	14	18	21	201	
* Days with .04 in. or more.	25	19	17	9	7	10	21	4	13	11	18	16	170	

40-9999 X THE HEADMASTER X N

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Richard Barbary

[P.T.O.

File No 461905/35

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1924/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at St. Ewe Council School

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

Clee : Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·02	Trace	·47			Tr	Tr	·09	·01	Tr	·54		1
2	·07	1·14	Trace	·32	Tr		Tr	Tr	·06			·03		2
3	·03	·16		·03	Tr		·12		·01			·02		3
4	·16	·70	Trace	·28	·15	Tr					·03	·60		4
5	·33	Trace	Trace	·37	Tr	Tr	·88					·16		5
6	·04	·82	·47	·45	·05	·24	Tr		Tr			·40		6
7	Trace	·46	·06	·04	Tr	·08			·02		·11			7
8	Trace	·05	Trace	Tr	·92	·11	·17		·01	Tr				8
9	·11	·18	·07	·44	Tr	-	Tr	·45 x	·58					9
10	·18	Trace	·57	·62	Tr	·27	·03	x	-			·48		10
11	·12	Trace	·27	·25	·65	·23	·36					·04		11
12	·73	·51	·28	Tr	·01	·34	·13	x	·19			·48		12
13	·01	·11	·95	·14		·01	Tr	x	·31			·22		13
14		·02	·53					x	·10			·79		14
15	·41	·19	·30	·56					·09			·34		15
16	·28	·18	·23				·06	x	·21		·70			16
17	·64	·13	·16	Tr			·02	Tr	·08	Tr	·03			17
18	·14	·31	·15	Tr		·15	·01	·02	·53	Tr	·17	·10		18
19	·20	·05	·27	·33	·11			Tr	·26		·20			19
20	·58	Trace	·08	·10	Tr.				Tr	Tr		·85		20
21	·31	·75	Trace	Tr	·29		·07		·30	·13	·13	·08		21
22	·12		·06		·14		·12		·03	·57	·18	·15		22
23	·09	·68	·01		·22		Tr	Tr		·25	Tr	·04		23
24	·23	·49	·12		Tr		·08	Tr	·03	·83	Tr	·05		24
25	·01	1·02	·68	Tr	·04				Tr	·02		Tr		25
26	·06	·25	Trace		Tr				Tr	Tr		Tr		26
27	·09	·18		Tr		Tr			Tr	·30	Tr			27
28	·03	·13				·04				Tr				28
29	·13									·82	·33			29
30	·42	✕		Tr		·07		Tr	·05	·01	·29			30
31	·30	✕		✕		✕			✕	·10	✕			31
TOTAL	6·02	8·53	5·26	4·4	2·58	1·54	2·05	·47	2·95	3·04	2·17	5·39	Year's Total 44·38	✓
* Days with .01 in. or more.	28	23	18	14	10	10	12	7	18	10	10	18	178	✓
* Days with .04 in. or more.	24	21	17	13	9	9	9	6	13	7	8	14	150	✓

† Spare column, no entries required.

(*Signed*) Richard Barbary [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1924/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ST EWE COUNCIL SCHOOL

in the County of CORNWALL

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·18	Trace	Trace		·65	·13	·64	·04	·96	·06	·17		1
2		Trace		·04	Trace	Trace				·12	Trace	·10		2
3			Trace		·12	Trace	·08	·29		·48	·43	·02		3
4			Trace	·01	Trace	·01	·22	·04		·19	Trace	·24		4
5	·07	·03	Trace	Trace		·02	·08	·83	·10	·35	·01	·05		5
6	·13	Trace		Trace		·22	1·90		·10	·19	·02	·11		6
7	·12					Trace	·19	Trace	·10	·08	·06	·31		7
8	·74	·12					·21	·01		·27		·10		8
9	·34	·21				·15				·01	·07	·70		9
10	·14					·02	·03	·15		·06	·05	28		10
11	·34		Trace	Trace	·15	·08	·14		Trace	Trace	·18	·73		11
12	·34	Trace		Trace	·33		Trace	Trace	Trace	·13	·65	·01		12
13	·21				·43		·01		Trace	·07	·01	·38		13
14	·91	Trace	Trace		·07		·04		Trace	Trace	·05	·02		14
15	·30				·08			·05		·18	·71	·64		15
16	·24	Trace	·05		·03			·01		Trace	·08	·06		16
17		·05	·03		·09	·04	Trace	Trace	13	·19	·06	·07		17
18	·30				·16	Trace	·01	·12	·25	·03	·32			18
19	Trace				Trace		·01	·03	1·12	Trace	·73			19
20	Trace		Trace					·08	·01		·37			20
21	·05							·11	·05	·21	·16	Trace		21
22	·02				Trace	·09		·88	·14	·10	·14	Trace		22
23	Trace		Trace	·01		Trace		·02	·14		·08			23
24	·04	·22	·24		·05	Trace	·30	Trace	·05		·57			24
25	·17	·72	·07		·05		·18	Trace	·02	·17	1·40	·04		25
26	·39	·18			·72	·08	Trace	Trace		·10	·09	·12		26
27	·37	·05			·12	·01	22	1·04	·01	·10	·37	Trace		27
28	·21	·24	Trace		·21	·11	·02	Trace	·09	·08	·03	·05		28
29	·38	✕	·01		·38	·01	Trace		·14	·54	·41	·04		29
30	·09	✕	Trace	Trace		·09	·03		·09	Trace	·14	·06		30
31	·36	✕	·07	✕	·39	✕	Trace	Trace	✕	·27	✕	·40		31
													Year's Total	
TOTAL	6·28	2·00	·42	·06	3·38	1·58	3·90	4·30	2·58	4·82	9·25	4·70	41·27	✓
* Days with .01 in. or more.	23	10	6	3	16	14	18	15	17	23	27	23	195	✓
* Days with .04 in. or more.	22	10	3	1	15	9	12	11	14	21	23	20	161	✓

† Spare column, no entries required.

(*Signed*) Richard Barbary

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1924/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at St Ewe Council School

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

ages ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	—	Trace	·03	·01	—	—	—	Trace	—	·23	·12		1
2	·07	—	—	·29	—	—	·01	×	·35	—	·01	·08		2
3	·32	—	·17	·59	—	—	·03	—	·06	Trace	·15	·40		3
4	·17	Trace	·62	·13	·43	—	1·96	— 1·18	Trace	·22	·48	·31		4
5	·11	Trace	·02	·45	·53	—	·30	×	—	·24	·97	·21		5
6	·66	·03	·14	·42	·13	—	·79	×	Trace	·14	·16	—		6
7	·01	·37	—	—	Trace	—	·04	×	Trace	—	·13	·84		7
8	·07	·24	—	—	·11	·13	·15	×	—	2·33	·33	·18		8
9	·03	·01	Trace	—	Trace	—	—	×	—	·01	·23	·12		9
10	·12	Trace	—	—	—	·02	—	×	·71	·06	·01	·38		10
11	·04	·02	·13	Trace	—	—	—	Trace	—	·36	Trace	·10		11
12	·02	·02	—	·14	—	Trace	—	—	·17	·04	·04	—		12
13	1·05	·06	—	·15	Trace	·01	·73	—	·10	·52	·10	·37		13
14	·64	Trace	—	·13	Trace	·13	·19	—	—	·03	·09	·06		14
15	·13	·03	—	·04	·22	·72	1·07	—	—	Trace	·27	—		15
16	·82	·03	Trace	·19	Trace	·02	·30	—	—	—	·31	—		16
17	·05	·09	—	—	·01	·03	·85	—	—	—	·08	Trace		17
18	·52	·04	·02	Trace	—	·02	·10	—	—	—	·36	·03		18
19	·02	Trace	—	—	Trace	Trace	·23	—	—	—	Trace	·05		19
20	1·01	—	—	—	·08	·07	—	·01	—	—	—	Trace		20
21	·19	·60	·12	·01	·01	1·42	·15	·04	—	—	—	—		21
22	·66	·29	·14	·04	—	·58	·05	·02	—	—	·55	—		22
23	·08	·03	—	·17	—	—	·01	—	—	·01	1·0	—		23
24	1·27	·02	·20	·14	—	·06	Trace	·11	—	·14	—	—		24
25	·27	·08	—	·05	—	—	·03	·59	—	·03	·45	—		25
26	Trace	·16	—	·14	—	—	·05	·06	—	·01	·41	Trace		26
27	Trace	·59	·03	·02	—	·07	·02	·02	—	—	·12	·01		27
28	—	·07	Trace	·27	—	·10	·14	—	—	—	·55	Trace		28
29	Trace	×	—	·03	—	·59	·15	Trace	—	·26	·23	—		29
30	—	✕	·18	·15	—	·11	·02	·01	—	·39	·01	—		30
31	—	✕	·03	✕	—	✕	·01	·50	✕	·15	✕	—		31
TOTAL	8·62	2·78	1·80	3·58	1·53	4·08	7·38	2·55	·79	4·99	7·33	3·26	Year's Total ~~47·19~~	48 69
* Days with .01 in. or more.	25	19	12	21	9	16	24	~~9 21~~ 16	5	17	25	15	~~197~~	204
* Days with .04 in. or more.	21	11	8	17	6	11	17	~~4 21~~ 12	5	11	22	13	~~146~~	154

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Richard E. Barbary

P.T.O.

St. EWE (School House)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1924/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at St EWE . SCHOO HOUSE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

observer wishes station name exactly to be as shown here in red ink

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·08	—	·01	·03	—	—	—	—	—	·17	—		1
2	—	·31	—	·15	—	·02	—	—	—	—	·83	·10		2
3	·02	·63	—	Tr	—	Tr	·02	—	—	·04	·72	·18		3
4	Tr	·09	—	·04	—	—	·13	Trace	—	·20	·07	·05		4
5	·03	·12	—	—	—	—	·02	—	—	·04	·60	·22		5
6	·58	1·04	—	—	—	—	·10	—	—	·21	·28	·49		6
7	·06	·01	—	—	—		·06	·01	·13	·04	—	·09		7
8	Tr	Tr	—	·02	—	—	·14	·02	·09	·56	1·07	·38		8
9	—	—	—	—	—	—	·20	·03	·02	·18	·27	·27		9
10	—	—	Tr	—	—	·01	·23	—	·03	·05	·35	·22		10
11	—	Tr	~~·04~~	—	—	·12	·19	—	—	—	2·25	·06		11
12	—	—	·13	·05	—	·02	·25	—	·56	—	·09	·20		12
13	—	—	·29	·01	—	—	·09	—	Tr	·29	·88	·60		13
14	—	·18	—	Tr	—	—	—	·04	·30	·22	·04	·55		14
15	—	·01	—	·13	—	—	—	—	·18	·02	·47	Tr		15
16	—	·84	1·18	·02	—	—	·31	Tr	·14	·04	·06	·05		16
17	SNOW ·01	·23	·54	·10	—	—	·25	—	Tr	·03	·13	·10		17
18	·35	·67	·24	·90	—	—	·10	·03	·21	·02	·38	·20		18
19	—	·14	·25	·22	—	—	·11	—	·57	·17	·34	Tr		19
20	—	·01	·03	·09	—	—	·09	·02	—	~~·17~~	·07	—		20
21	—	—	·03	·08	·04	·48	—	Tr	·05	—	·50	—		21
22	HAIL Tr	Tr	·20	·15	·05	·37	·02	Tr	·14	·02	Tr	—		22
23	·02	·15	·11	·02	·15	—	·11	—	—	·28	·05	—		23
24	·09	—	·02	Tr	·08	—	·16	—	—	—	·02	—		24
25	·54	—	·31	·05	·62	·15	·04	—	—	—	—	—		25
26	·33	·51	Tr	Tr	·17	·04	·12	—	·04	—	·03	—		26
27	·42	·05	·05	·47	·11	—	—	—	—	—	Tr	—		27
28	·58	·19	·02	·34	·14	·02	—	·04	—	—	Tr	·05		28
29	·14	Tr	·19	·10	·02	Tr	—	—	—	·20	Tr	·27		29
30	·01	✕	Tr	—	—	—	—	—	—	·75	—	·34		30
31	·16	✕	Tr	✕	·02	✕	—	—	✕	·48	✕	1·03		31
TOTAL	3·29	5·26	3·63	2·95	1·43	1·23	2·74	·19	2·46	3·84	9·67	5·45	Year's Total ~~41·24~~	42·14
* Days with .01 in. or more.	15	18	16	19	11	9	21	7	13	20	23	20	192	
* Days with .04 in. or more.	10	15	12	14	8	5	18	2	11	16	21	20	152	

R. Barbary, Esq.

† Spare column, no entries required.

(*Signed*) Richard Barbary

* See Instruction 3 (f) on other side.

P.T.O.

1924/5

TRESILLIAN

1932 — 40

780311

XTRE

Cornwall 2

9. height above M.S.L. 5" 10" 50'

2/2/33

NEG BRA,

38, HOLBORN VIADUCT, E.C. 1; FACTORY: HALF MOON WORKS, BARNSBURY, N. 1; & 122, REGENT STREET, W. 1.

Kept by Charles Nicholson **YEAR** *At* Tresillian

Time of Observation 9.20 am GMT 19~~2~~32 *County* Cornwall

Height above Sea level 50 ft.

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	—	—	—	—	—	—	·02	·05	·01	Nil	Nil	·11
2	—	—	—	—	—	—	·06	·14	·23	Nil	Nil	·40
3	—	—	—	—	—	—	·11	·02	·58	·03	·30	·04
4	—	—	—	—	—	—	·01	·06	Nil	Nil	·16	Nil
5	—	—	—	—	—	—	·01	Nil	·25	Nil	Nil	Nil
6	—	—	—	—	—	—	·27	·02	·25	1·33	Nil	Nil
7	—	—	—	—	—	—	·04	Nil	·53	·50	Nil	Nil
8	—	—	—	—	—	—	Nil.	Nil	Nil	·02	Nil	Nil
9	—	—	—	—	—	—	Nil.	Nil	·52	Nil	Nil	Nil
10	—	—	—	—	—	—	Nil.	Nil	·03	Nil	Nil	Nil
11	—	—	—	—	—	—	·01	Nil	Nil	Nil	Nil	·08
12	—	—	—	—	—	—	·06	Nil	·04	·25	Nil	·03
13	—	—	—	—	—	—	Nil	·35	Nil	·96	Nil	·10
14	—	—	—	—	—	—	Nil	·03	Nil	·32	Nil	·02
15	—	—	—	—	—	—	Nil	Nil	Nil	·07	·45	·03
16	—	—	—	—	—	—	·25	Nil	Nil	·03	Nil	Nil
17	—	—	—	—	—	—	Nil	Nil	·04	·05	Nil	·03
18	—	—	—	—	—	—	Nil	Nil	·33	Nil	·16	Nil
19	—	—	—	—	—	—	Nil	Nil	·18	·41	Nil	Nil
20	—	—	—	—	—	—	Nil	·08	·07	·90	·16	·19
21	—	—	—	—	—	—	Nil	·09	·03	·50	·19	·25
22	—	—	—	—	—	—	Nil	·01	·35	·34	·34	·32
23	—	—	—	—	—	—	·30	·02	Nil	·53	·19	·28
24	—	—	—	—	—	—	·60	Nil	·11	Nil	·04	·01
25	—	—	—	—	—	—	·08	Nil	·23	·94	·13	Nil
26	—	—	—	—	—	—	Nil	Nil	·19	·14	·11	·05
27	—	—	—	—	—	—	·19	Nil	Nil	·50	·02	·29
28	—	—	—	—	—	—	·10	·01	Nil	·20	Nil	·03
29	—	—	—	—	—	—	Nil	·17	·56	·52	·47	·87
30	—	—	—	—	—	—	·82	·01	·40	·22	·40	Nil
31	—	—	—	—	—	—	·30	·01	—	·04	—	·80
Totals	—	—	—	—	—	—	3·23	1·07	4·93	8·80	3·12	3·93
Rain Days							17	15	20	22	14	19
Average							·19	·07	·25	·40	·22	·21
for Month							·10	·03	·16	·27	·10	·13



MONTHLY TOTALS

N

C. NICHOLSON

14

[illegible] 2/2/33 ~~[illegible]~~

XTRESILLIAN.X

1927/5

Cornwall/2

RAINFALL CHART.

9. Height above MSL. 5" 10" 50'

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS,

38, HOLBORN VIADUCT, E.C. 1; FACTORY: HALF MOON WORKS, BARNSBURY, N. 1; & 122, REGENT STREET, W. 1.

Kept by Charles Nicholson YEAR At Tresillian

Time of Observation 9.20 am GMT 19~~2~~32 County Cornwall

Height above Sea level 50 ft.

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	—	—	—	—	—	—	·02	·05	·01	Nil	Nil	·11
2	—	—	—	—	—	—	·06	·14	·23	Nil	Nil	·40
3	—	—	—	—	—	—	·11	·02	·58	·03	·30	·04
4	—	—	—	—	—	—	·01	·06	Nil	Nil	·16	Nil
5	—	—	—	—	—	—	·01	Nil	·25	Nil	Nil	Nil
6	—	—	—	—	—	—	·27	·02	·25	1·33	Nil	Nil
7	—	—	—	—	—	—	·04	Nil	·53	·50	Nil	Nil
8	—	—	—	—	—	—	Nil.	Nil	Nil	·02	Nil	Nil
9	—	—	—	—	—	—	Nil.	Nil	·52	Nil	Nil	Nil
10	—	—	—	—	—	—	Nil.	Nil	·03	Nil	Nil	Nil
11	—	—	—	—	—	—	·01	Nil	Nil	Nil	Nil	·08
12	—	—	—	—	—	—	·06	Nil	·04	·25	Nil	·03
13	—	—	—	—	—	—	Nil	·35	Nil	·96	Nil	·10
14	—	—	—	—	—	—	Nil	·03	Nil	·32	Nil	·02
15	—	—	—	—	—	—	Nil	Nil	Nil	·07	·45	·03
16	—	—	—	—	—	—	·25	Nil	Nil	·03	Nil	Nil
17	—	—	—	—	—	—	Nil	Nil	·04	·05	Nil	·03
18	—	—	—	—	—	—	Nil	Nil	·33	Nil	·16	Nil
19	—	—	—	—	—	—	Nil	Nil	·18	·41	Nil	Nil
20	—	—	—	—	—	—	Nil	·08	·07	·90	·16	·19
21	—	—	—	—	—	—	Nil	·09	·03	·50	·19	·25
22	—	—	—	—	—	—	Nil	·01	·35	·34	·34	·32
23	—	—	—	—	—	—	·30	·02	Nil	·53	·19	·28
24	—	—	—	—	—	—	·60	Nil	·11	Nil	·04	·01
25	—	—	—	—	—	—	·08	Nil	·23	·94	·13	Nil
26	—	—	—	—	—	—	Nil	Nil	·19	·14	·11	·05
27	—	—	—	—	—	—	·19	Nil	Nil	·50	·02	·29
28	—	—	—	—	—	—	·10	·01	Nil	·20	Nil	·03
29	—	—	—	—	—	—	Nil	·17	·56	·52	·47	·87
30	—	—	—	—	—	—	·82	·01	·40	·22	·40	Nil
31	—	—	—	—	—	—	·30	·01	—	·04	—	·80
Totals	—	—	—	—	—	—	3·23	1·07	4·93	8·80	3·12	3·93
Rain Days							17	15	20	22	14	19
Average							·19	·07	·25	·40	·22	·21
for Month							·18	·03	·16	·27	·10	·13



MONTHLY TOTALS

N

C. NICHOLSON

f230406/33 1924/5

Section A for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Cornwall /2

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft 10 in.

,, Ground ,, Sea Level 50 ft.

C. with 1932.

cf 1922-3.

Good agreement.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·68	·38		·10	·25					·02	1·00	1
2	·86	·11	·80		·14	·43					·14	·08	2
3	·07	·10	·25		·48								3
4	·20	·02			·34								4
5	·08		·42		·34								5
6					·04		·12		·01	·23	·02		6
7		·07			·11		·10			·03			7
8			·03		·03		·31	·02					8
9		·08			·03		·72			·47	·09		9
10	·18						·13	·15		1·15			10
11				·15	·07	·02		·18		·37	·03		11
12	·04			·05	·05	·26	·23		·02		·10	·20	12
13					·08	·44	·06			·23	·10		13
14	·18						·50	·12		·02	·28		14
15	·03		·38			·14	·44	·05		·09	·17	·02	15
16	·04	·05	·80			·05	·16	·01	·03	·14			16
17		·19	·19			·21		·04	·12				17
18	·10		·18			·15		·06		·65	·08		18
19	·30		·16					·01	·22	1·32	·05		19
20		·05			·20	·13		·14	·32		·02		20
21		·06						·06		·02			21
22		·04		·46		·05		·41	·62				22
23		·48		·10		·28			·16	·07			23
24		·03		·18					·08	·30			24
25		·21		·06	·17				·25			·22	25
26				·29	·33					·14			26
27		·24		·09						·36		1·12	27
28		·34		·14			·29	·18		·55			28
29	·18			·43			·02		·05	1·18		·11	29
30	·05	×	·03	·04			·05		·87	·09		·04	30
31	·34	×	·13	×	·12	×			×	·02	×	·02	31
TOTAL	2·99	2·75	3·75	1·99	2·63	2·41	3·13	1·43	2·75	7·43	1·10	2·81	YEAR'S TOTAL 35·17
*Days with ·01 in. or more.	15	16	12	11	16	12	13	13	12	20	12	9	161
*Days with ·04 in. or more.	14	14	10	11	14	11	12	10	9	16	8	7	136

OK Print

40-9999

*See Instruction 2 (*f*) on other side.

D

M O

(*Signed*) C. Nicholson

Chas. Nicholson Esq

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~—~~ ft. 10 in.

,, Ground ,, Sea Level 50 ft.

Dept

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	.04	—	—	—	—	—	—	—	.14	1.10		1
2	.07	—	.10	—	—	—	—	.64	.60	.02	.01	.12		2
3	.07	—	—	—	—	—	—	1.17	.03	.18	.15	.45		3
4	.15	—	.22	.15	.39	—	—	.27	—	.37	—	.36		4
5	—	—	.44	.02	.38	—	—	1.06	—	.24	—	.40		5
6	.11	—	.09	.14	.38	.01	—	—	.13	.20	—	.23		6
7	.17	—	—	—	—	.01	—	—	—	.30	.20	.67		7
8	—	—	—	—	.04	—	—	.01	.05	—	.35	.81		8
9	.04	—	.48	—	—	—	—	—	—	—	.72	.13		9
10	.47	—	.45	.16	—	—	Tr	.08	—	—	.06	.22		10
11	.52	—	.14	.86	—	—	—	.02	—	—	.06	.65		11
12	.15	—	.03	—	—	.04	Tr	.20	—	Tr	Tr	.34		12
13	.50	—	.01	.38	—	.01	.17	—	—	.04	.50	.35		13
14	.45	—	.53	—	—	Tr	.02	—	—	.06	—	.18		14
15	.58	—	.07	.02	.10	—	Tr	Tr	.02	.22	.02	.12		15
16	.12	—	.30	—	.05	—	—	—	.40	.01	—	.72		16
17	.21	—	.57	.42	.09	—	Tr	—	—	.20	—	.32		17
18	.05	—	.52	.61	.07	.04	Tr	—	.03	.03	—	.65		18
19	—	—	.15	—	.02	.02	—	.03	Tr	.02	—	.02		19
20	—	—	.03	.16	—	—	.10	—	.10	.01	—	.12		20
21	—	—	.24	.04	.02	.17	—	.08	.14	.33	.01	.04		21
22	.05	—	.02	.06	—	.01	—	.04	.13	.01	.03	.07		22
23	—	—	.02	.13	—	.45	.02	—	.35	.01	Tr	.35		23
24	—	.11	.05	.06	—	.43	.20	—	—	.29	—	.35		24
25	.21	.07	—	.23	.02	—	Tr	—	.02	.19	—	.66		25
26	.11	Tr	.05	.02	—	.30	—	—	.22	.03	—	.30		26
27	—	.05	—	—	—	.05	—	.31	.12	.10	.03	.19		27
28	—	.10	—	—	—	—	.02	.33	.15	.06	—	.69		28
29	—	—	—	—	—	—	—	.16	.10	.06	—	.03		29
30	—	×	—	—	.08	—	Tr	.04	.08	.46	.02	.16		30
31	—	×	—	×	.10	×	—	.12	×	.40	×	.01		31
TOTAL	3.81	.33	4.55	3.46	1.74	1.54	.53	4.56	2.69	3.84	2.30	10.61	Year's Total 39.94	
* Days with .01 in. or more.	19	4	22 ~~5~~	16 ~~3~~	13 ~~3~~	12 ~~5~~	6 ~~3~~	16 ~~13~~	17 4	25 8	14 ~~8~~	31 ~~[illegible]~~	~~[illegible]~~	195
* Days with .04 in. or more.	19	4	17	13	10	7	3	13	13	17	8	28	152	

40-9999

M

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C Nicholson

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	–	04								·14	1·10		1
2	·07		·10					·64	·60	·02	·01	·12		2
3	·07							1·17	·03	·18	·15	·45		3
4	·15		22	·15	·39			·27		·37		·36		4
5			·44	·02	·38			1·06		·24		·40		5
6	·11		·09	·14	·38	·01			·13	·20		·23		6
7	·17					·01				·30	·20	·67		7
8					·04			·01	·05		·35	·81		8
9	·04		48								·72	·13		9
10	47		·45	16				·08			06	·22		10
11	52		14	·86				·02			06	·65		11
12	15		·03			·04		20				·34		12
13	·50		·01	·38		·01	17			·04	·50	·35		13
14	·45		·53				·02			·06		·18		14
15	·28		·07	·02	·10				·02	·22	·02	·12		15
16	·12		·30		·05				·40	·01		·72		16
17	·21		·57	·42	·09					·20		·32		17
18	·05		·52	·61	·07	·04			·03	·03		·65		18
19			·15		·02	·02		·03		·02		·02		19
20			·03	·16			·10		·10	·01		·12		20
21			·24	·04	·02	·17		·08	·14	·33	·01	·04		21
22	·05		·02	·06		·01		·04	·13	·01	·03	·07		22
23			·02	·13		·45	·02		·35	·01		·25		23
24		·11	·05	·06		·43	·20			·29		·35		24
25	·21	·07		·23	·02				·02	·19		·66		25
26	·11		·05	·02		·30			·22	·03		·20		26
27		·05				·05		·31	·12	·10	·03	·19		27
28		·10					·02	·33	·15	·06		·69		28
29								·16	·10	·06		·03		29
30		×			·08			·04	·08	·46	·02	·16		30
31		×		×	·10	×		·12	×	·40	×	·01		31
TOTAL	3·81	·33	4·55	3·46	1·74	1·54	·53	4·56	2·67	3·84	2·30	10·61	Year's Total 39·94	
*Days with ·01 in. or more.	19	4	22	16	13	12	6	16	17	25	14	31	195	
*Days with ·04 in. or more.	19	4	17	13	10	7	3	13	13	17	8	28	152	

† Spare column, no entries required.

(*Signed*) C. Nicholson

M

40-9999

*See Instruction 2 (*f*) on other side.

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1934/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground — ft. Ten in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.06	.97	—	Tr	.15	.01	—	.20	.06	Tr	.20		1
2	.01	.03	.10	.10	—	.04	.02	—	—	.20	.23	.18		2
3	.02	—	.05	.03	.06	.16	—	—	—	.06	.05	.44		3
4	—	—	.02	.08	—	.20	Tr	—	.26	.13	.10	.33		4
5	.11	.46	.02	.02	—	.05	Tr	—	.17	.36	.20	.26		5
6	.10	—	—	.37	—	.65	—	—	—	.09	.07	—		6
7	—	—	—	.46	—	Tr	—	—	—	.50	.13	.03		7
8	—	—	—	.25	—	—	—	—	Tr	.12	.26	.01		8
9	.03	—	—	.35	—	—	.02	—	—	.82	.44	—		9
10	.03	—	.02	—	—	.07	.03	—	—	.06	Tr	—		10
11	.47	—	—	.01	—	.33	—	—	.40	.03	.99	Tr		11
12	.17	.14	—	.14	Tr	.21	—	.16	.03	Tr	.25	—		12
13	.03	.25	—	.09	—	.01	—	—	Tr	.06	.15	—		13
14	—	.10	—	—	—	.53	—	—	.44	.03	.93	.38		14
15	—	Tr	.02	1.00	.07	.12	—	Tr	Tr	.01	.17	.17		15
16	—	.05	.30	.19	.03	—	.02	—	.36	.07	.18	.17		16
17	—	—	.01	.06	.37	.45	.03	.08	.02	Tr	.10	—		17
18	—	.05	—	.37	.15	—	.05	—	.16	.08	—	.27		18
19	—	.30	—	.17	.50	.03	.10	—	.03	.06	.30	—		19
20	—	.20	—	.24	.10	—	—	Tr	.07	.52	—	—		20
21	—	.60	.02	.32	—	—	.14	—	.11	.06	Tr	—		21
22	Tr	.02	.02	.34	—	—	—	.45	.06	.40	Tr	—		22
23	—	.32	Tr	.14	.01	—	—	1.00	.08	.34	—	.53		23
24	.06	.37	.10	—	.13	—	—	.15	.16	.01	—	.21		24
25	.09	.35	—	.17	.35	.13	—	—	—	.04	—	.13		25
26	.45	.37	—	Tr	—	.04	—	.30	.05	.02	.05	.41		26
27	—	.08	—	—	—	—	.04	.04	.09	.02	.16	.13		27
28	.04	.05	—	—	—	—	.07	.11	.23	.03	.04	.07		28
29	—	—	—	—	.40	—	—	.05	.25	Tr	.16	.70		29
30	.07	✕	—	—	.02	.03	—	.77	.11	.12	.96	.07		30
31	.04	✕	—	✕	—	✕	—	.11	✕	.45	✕	.43		31
													Year's Total	
TOTAL	1.77	3.94	1.65	4.89	2.19	3.20	.53	3.24	3.31	4.75	5.92	5.12	40.51	
* Days with .01 in. or more.	16	18	12	21	12	17	11	11	20	28	21	20	207	
* Days with .04 in. or more.	11	16	5	19	9	14	5	11	17	21	22	18	166	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

M

(*Signed*) C. Nicholas

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	·06	·97			·15	·01		·20	·06		·20		1
2	·01	·03	·10	·10		·04	·02			·20	·23	·18		2
3	·02		·05	·03	·06	·16				·06	·05	·44		3
4			·02	·08		·20			·26	·13	·10	·33		4
5	·11	·46	·02	·02		·05			·17	·36	·20	·26		5
6	·10			·37		·65				·09	·07			6
7				·46						·50	·13	·03		7
8				·25						·12	·26	·01		8
9	·03			·35			·02			·82	·44			9
10	·03		·02			·07	·03			·06				10
11	·47			·01		·33			·40	·03	·99			11
12	·17	·14		·14		·21		·16	·03		·25			12
13	·03	·25		·08		·01				·06	·15			13
14		·10				·53			·44	·03	·93	·38		14
15			·02	1·00	·07	·12				·01	·17	·17		15
16		·05	·30	·19	·03		·02		·36	·07	·18	·17		16
17			·01	·06	·37	·45	·03	·08	·02		·10			17
18		·05		·37	·15		·05		·16	·08		·27		18
19		·30		·17	·50	·03	·10		·03	·06	·30			19
20		·20		·24	·10				·07	·52				20
21		·60	·02	·32			·14		·11	·06				21
22		·02	·02	·34				·45	·06	·40				22
23		·32		·14	·01			1·00	·08	·34		·53		23
24	·06	·37	·10		·13			·15	·16	·01		·21		24
25	·09	·35		·17	·35	·13				·04		·13		25
26	·45	·51				·04		·30	·08	·02	·05	·41		26
27		·08					·04	·04	·09	·02	·16	·13		27
28	·04	·05					·07	·11	·23	·03	·04	·07		28
29					·40			·05	·25		·16	·70		29
30	·07	✕			·02	·03		·79	·11	·12	·96	·07		30
31	·04	✕		✕		✕		·11	✕	·45	✕	·43		31
TOTAL	1·77	3·94	1·65	4·89	2·19	3·20	·53	3·24	3·31	4·75	5·92	5·12	Year's Total 40·51	
*Days with ·01 in. or more.	16	18	12	21	12	17	11	11	20	28	21	20	207	
*Days with .04 in. or more.	11	16	5	18	9	14	5	11	17	21	21	18	166	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) C. Nicholson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·24	·09		·16		·43	·50	·02	TR	–	·07	–		1
2	·12	·02		·07		·20	·05		·13	–	·16	·04		2
3	03		·06	74		·04	·01		·05	–	·03	–		3
4	·12	·04	·15						·23	–	·06	·23		4
5	·20	·35	·06		·16		82	} ·29	–	–	·16	·10		5
6	03		10		·13	·13	·33		·24	–	·70	·13		6
7	·50		09			·02	·02		·01	–	·58	·06		7
8	04		·76				·35		·07	·16	·55	·10		8
9	·21	·90	·03				·75		–	–	·15	–		9
10	·30	2·10					·21		–	–	·46	·14		10
11	37	·60				·08	24		·75	–	·76	·18		11
12	·19	·02		·02			·13		TR	·01	·26	·03		12
13	·04			·09					·02	·06	·13	1·50		13
14		02		·06		·04	·49		·06	·04	–	·37		14
15		·02		·03	·29		·02		–	–	·63	·43		15
16		·23		·13		·03	·17		·17	–	·15	·30		16
17	·24	·78			·27		·28	·03	–	·03	·06	·42		17
18	·50	·15	·43			·71	·20	·08	–	–	–	·10		18
19	·76	·04	·08	29			·05	·02	–	–	–	·03		19
20	·23	·45	·03	·17		·22			·10	·04	–	–		20
21	·21	15	·14	·26			·39		–	·27	–	TR		21
22	·29	50			·14	·02	·21		·02	–	–	TR		22
23		·45	22	17	·12		·02		TR	·05	–	–		23
24	45	·08	·11	·02	·19		·14		·16	·35	–	·08		24
25	20		45	·20			19		·04	·35	–	·02		25
26	·49	18	·47				·04		–	·01	–	–		26
27	48	·08	09				·40		–	·05	·18	–		27
28	·63	·08	·85				·08		–	·04	–	·29		28
29	04	·20			01	·04			–	·10	·13	·27		29
30	·06	×			·06	·35			–	–	–	·01		30
31	11	×	·64	×	·04	×	·33		×	TR	×	·25		31
TOTAL	7·08	7·53	4·76	2·41	1·41	2·31	6·42	·44	2·05	1·56	5·21	5·08	Year's Total. 46·26	
* Days with .01 in. or more.	27	23	18	14	10	13	26	~~5~~ 6	14	14	18	22	205	
* Days with .04 in. or more.	25	19	16	11	9	10	22	~~2~~ 3	11	11	17	18	172	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. Nicholson

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Copy by B.R.O.

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·03	·16	·72	–	–	–	–	–	·01	–	·26		1
2	·05	1·00	–	·45	–	–	–	–	·03	–	–	·08		2
3	·02	·01	·02	·02	–	–	·11	–	–	–	–	·03		3
4	·19	·49	–	·26	·12	–	–	–	–	–	–	·59		4
5	·28	–	–	·32	·02	–	·59	–	–	–	–	·15		5
6	·05	·68	·34	·33	·04	·22	–	–	–	–	–	·17		6
7	–	·33	·10	·03	–	·17	–	–	·02	–	·13			7
8	·03	·07	–	–	·59	·06	·11	–	·02	–	–			8
9	·15	·20	·16	·18	–	–	–	·04	·55	–	–			9
10	·18	–	·72	·56	–	·27	·03	–	–	–	–	·49		10
11	·14	–	·31	·25	·62	·26	–	–	–	–	–	·05		11
12	·72	·42	·38	–	·11	·46	·31	·04	·27	–	–	·48		12
13	–	·54	1·17	–	–	–	–	·30	·52	–	–	·27		13
14	–	·02	·30	–	–	–	–	–	·04	–	–	·46		14
15	·55	·19	·37	·33	–	–	–	–	·40	–	–	·26		15
16	·53	·13	·28	–	–	–	·03	·03	·33	–	·46			16
17	·70	·14	·17	–	–	–	–	–	·13	–	·12			17
18	·08	·42	·27	–	–	·22	–	·01	1·10	–	·49	·10		18
19	·15	·03	·23	·25	·08	–	–	–	–	–	·29			19
20	·72	–	·17	·08	·04	–	–	–	–	–	–	1·14		20
21	·40	·80	·04	–	·20	–	·05	–	·26	–	·15	·04		21
22	·05	–	·21	–	·14	–	·07	–	·02	·24	·16	·11		22
23	·23	·54	·02	–	·26	–	–	–	–	·51	–	·01		23
24	·25	·50	·12	–	–	–	·03	–	·02	·92	–	·04		24
25	·05	·56	·47	–	·06	–	–	–	–	·04	–			25
26	·14	·19	–	–	–	–	–	–	–	·02	–			26
27	·18	·16	–	–	–	–	–	–	–	·40	·03			27
28	·03	·07	–	–	–	·03	–	–	–	–	–			28
29	·08	–	–	–	–	–	–	–	–	1·00	·15			29
30	·57	✕	–	–	–	·02	–	–	·10	·02	·45			30
31	·17	✕	–	✕	–	✕	–	–	✕	·28	✕			31
TOTAL	7·02	7·52	6·01	3·78	2·28	1·71	1·33	·42	3·81	3·44	2·43	4·73	Year's Total 44·48	✓ ✓
* Days with .01 in. or more.	28	23	21	13	12	9	9?	5	15	10	10	18	173	✓ ✓
* Days with .04 in. or more.	25	19	19	11	11	7	6	3	10	7	9	16	143	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1[illegible]0

REGISTER OF RAINFALL IN 1938

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level ~~50~~ 75 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		tr.				·76	·06	·65	Tr	·52	·05	·12		1
2				·03			—	—	—	·13	TR	·07		2
3					·10		·10	1·17	—	·38	·15	·03		3
4							·29	—	—	·32	—	·17		4
5	·01	·02				·05	·06	·37	·08	·36	·01	·04		5
6	·23					·16	1·28	—	·11	·10	-	·08		6
7	·20						·10	—	·14	·03	·06	·23		7
8	·80	·13					·08	·42	—	·16	—	·20		8
9	·32					04	—	—	—	·23	·08	·65		9
10	·30						·03	·12	—	·02	·14	·36		10
11	·36				·10	·15	·15	·02	Tr	·02	·34	·93		11
12	·39				·26		tr	tr	—	·05	·50	·16		12
13	·10				·35		·01	—	—	·05	—	·53		13
14	·85				·13		·20	—	TR	—	·05	·06		14
15	·32				·08		—	·05	—	·15	·44	·47		15
16	·13		·02		·02		—	—	—	TR	—	·09		16
17		·07	·01		·04	·06	tr	—	·05	·01	·04	·06		17
18	·32				·35	·01	·02	·06	·12	·03	·33	—		18
19	·02						tr	·06	·54	—	·61	—		19
20	·01						—	·14	TR	—	·46	—		20
21	·07						—	·13	·21	·09	·15	—		21
22	·01					·09	—	·69	·13	—	·30	—		22
23							—	·02	·14	—	·26	—		23
24	·10	·29	·20		·08		·10	tr	·05	—	·20	—		24
25	·13	·64	·05		·02		·42	tr	—	·19	1·38	—		25
26	·13	·17			·46	·03	tr	—	—	·08	·09	·26		26
27	·29	·03			·22	·02	·21	·92	—	·29	·31	—		27
28	·11	·23			·28	·04	·02	—	·05	·06	·11	·04		28
29	·35				·28		tr	—	—	·46	·25	·03		29
30	·39	✕	·01			·30	·02	—	·18	·04	·21	·09		30
31	·49	✕	·02	✕	·32	✕	tr	tr.	✕	·26	✕	·33		31
TOTAL	6·43	1·58	·31	·03	3·09	1·71	3·15	4·82	1·83	4·03	6·52	5·00	Year's Total 38·50	
* Days with .01 in. or more.	25	8	6	1	16	12	17	14	12	24	24	22	181	
* Days with .04 in. or more.	~~22~~ 21	6	2	0	14	8 9	12	12	12	19	23	20	150	

† Spare column, no entries required.

(*Signed*) Chas. Nicholson Esq.

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 50 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·24	-	·02	·06	·02	-	·03	tr	-	-	·31	·06		1
2	·04	-	-	·50	-	-	-	·21	·36	-	tr	·06		2
3	·30	TR	1·07	·34	-	-	tr	·02	-	tr	·27	·12		3
4	·15	-	·49	·42	·29	-	1·40	tr	-	·30	·36	·45		4
5	·12	-	·02	·34	·40	-	·31	-	-	·28	·82	·28		5
6	·54	-	·18	·74	·13	-	·44	-	-	·24	·07	·23		6
7	-	·25	-	-	-	-	·03	·15	-	-	·20	-		7
8	·10	·32	-	-	·20	·17	·08	·04	-	-	·33	·50		8
9	·02	·01	tr	-	-	-	-	·22	-	·02	·04	·10		9
10	·20	-	-	-	-	-	-	·06	·12	·06	tr	·10		10
11	·05	·02	·10	-	-	-	-	-	-	·56	-	·35		11
12	·04	·01	-	-	-	-	-	-	·17	·07	·01	·09		12
13	·01	·07	-	·20	-	·03	·69	-	·13	·44	·04	tr		13
14	1·02	TR	-	-	·19	-	·28	-	tr	·03	·10	·50		14
15	·36	·06	-	·07	-	·43	1·02	-	-	-	·28	·07		15
16	·25	·04	tr	·16	·02	-	·33	-	-	-	·22	·01		16
17	·44	·07	-	-	tr	·05	·34	-	-	-	·09	tr		17
18	·06	·05	-	-	·05	·01	·04	-	-	-	·29	·20		18
19	·60	-	·10	-	-	-	·10	tr	-	-	·10	tr		19
20	·58	-	-	-	·03	·01	tr	-	-	-	-	·05		20
21	·14	·27	·12	-	·02	·08	·06	-	-	-	-	-		21
22	·51	·27	·12	TR	-	·44	·03	1·62	-	-	·38	-		22
23	-	·08	·04	·19	-	·80	·07	-	-	·05	·97	-		23
24	1·03	-	·25	·30	-	-	-	-	-	·02	-	-		24
25	·47	·10	-	·07	-	-	·04	-	-	·04	·28	-		25
26	TR	·08	-	·09	-	-	·02	-	-	·01	·31	-		26
27	-	31	·05	·02	-	·06	tr	·85	-	-	·15	-		27
28	TR	·07	-	·02	-	-	·11	-	-	-	·18	tr		28
29	-		-	·15	-	·12	·18	-	-	·52	·06	tr		29
30	-	✕	·27	-	-	·14	·03	tr	-	·32	·02	·20		30
31	-	✕	-	✕		✕	·03	·25	✕	·09	✕	-		31
TOTAL	7·27	2·08	2·83	3·67	1·35	2·34	5·66	3·42	·78	3·05	5·88	3·37	Year's Total 41·70	
* Days with .01 in. or more.	23	14	13	16	10	12	22	9	4	16	24	17	183	
* Days with .04 in. or more.	21	14	11	14	6	9	16	8	4	12	22	16	153	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1924/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Tresillian

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 10 in.

,, Ground ,, Sea Level 75 ft.

Mr Nicholson is too ill to take the records – note on form 1096 for January

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-													1
2	-													2
3	.04													3
4	tr													4
5	.													5
6	.52													6
7	.04													7
8	tr													8
9	-													9
10	-													10
11	-													11
12	-													12
13	-													13
14	-													14
15	.04													15
16	-													16
17	.04													17
18	.40													18
19	-													19
20	-													20
21	-													21
22	-													22
23	.13													23
24	.02													24
25	.40													25
1·71 26	.37													26
27	.34													27
28	.57													28
29	.03													29
30	tr	×												30
31	tr	×		×		×			×		×			31
TOTAL	2·94												Year's Total	up
* Days with .01 in. or more.	13													imp.
* Days with .04 in. or more.	11 ✓													

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Chas. Nicholson

[P.T.O.

1925

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

FOR OFFICIAL USE.

ALL ORGANIZATION.

31.

1925

POLPERRO

1931—37

780311

Kept at Polperro

in the County of Cornwa

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

Coste (Mrs)

vell

B.A

1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·01	·82	–	·01	·07	·01	·43	·02	–	–	1
2	·29	·01	·99	·07	–	–	–	–	·24	·01	·15	·30	2
3	·17	–	·10	·01	–	·02	·10	–	·15	·03	1·00	·07	3
4	·01	·01	·30	–	·03	·01	·51	·02	·10	·04	·01	·02	4
5	–	·42	·01	·09	·02	·28	·01	·70	·01	·01	·16	·14	5
6	–	·01	·03	·03	·10	·28	·01	·01	–	·33	·20	·30	6
7	–	·09	–	·01	·40	·20	·26	·03	–	·03	·19	·34	7
8	·03	·36	–	·23	–	·50	·10	·00	–	·01	·13	·04	8
9	·31	·20	–	·01	·01	·05	·04	·02	–	·01	·75	·02	9
10	·11	·02	·01	–	·36	·05	·05	·13	–	–	·20	·01	10
11	·15	·45	–	–	·03	·65	·46	·01	·05	–	·01	·01	11
12	·02	·16	–	–	·01	·01	·22	–	·11	·45	·40	–	12
13	·01	·12	·02	·01	·27	·08	·24	·23	·01	·08	–	–	13
14	·05	·08	–	–	·09	·30	·92	·16	·02	·01	·16	–	14
15	·04	·09	–	–	·05	·05	·04	·30	·02	–	·01	·02	15
16	·02	·18	–	·02	·12	·77	·03	·03	·05	–	–	–	16
17	·03	·05	–	·03	·01	·02	·17	·02	·06	–	–	–	17
18	·01	–	·03	·01	–	·08	·10	1·80	·01	–	·47	–	18
19	·04	·20	·35	·01	–	·04	·06	·02	–	–	·46	–	19
20	·01	·10	·60	–	–	–	·02	·30	–	–	·02	–	20
21	·42	·02	·02	·03	·10	–	·01	·01	–	–	·10	–	21
22	·65	·01	·01	·15	·04	–	·01	–	–	·01	·05	–	22
23	·15	·01	–	·40	·42	–	·03	·10	–	–	·74	·01	23
24	·05	·03	–	·42	·02	·13	·93	·20	–	–	·61	–	24
25	·08	·02	–	·09	–	–	·30	–	–	–	·27	–	25
26	·06	·15	–	·05	·01	–	·24	–	–	–	·57	–	26
27	·25	·30	–	·02	·64	–	·06	–	–	·05	·20	–	27
28	·05	·14	·16	·05	·02	–	·01	–	–	·04	·06	·24	28
29	·05	×	·19	·01	·01	–	·10	·34	·05	·01	·17	·15	29
30	·19	×	·08	–	·03	–	·01	·01	·07	·10	·01	–	30
31	1·18	×	·47	×	·50	×	·02	·45	×	·01	×	·17	31
TOTAL	4·12	9·26	3·31	2·57	3·29	3·66	5·72	4·55	1·38	1·25	6·46	1·84	YEAR'S TOTAL 40·81
*Days with ·01 in. or more.	28	26	17	22	23	19	30	22	15	18	26	15	261
*Days with ·04 in. or more.	17	16	9	10	10	13	19	11	10	7	20	9	158

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Maud Perry Coste

[P.T.O.

1925

Section **A** **for the entry of**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Polperro

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11·5 in.

,, Ground ,, Sea Level nearly 100 ft.

Maud Perry Coste (Mrs)
Polperro
Cornwall

B A
in 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	·01	·82	—	·01	·07	·07	·43	·02	—	—	1
2	·29	·01	·99	·07	—	—	—	—	·24	·01	·15	·30	2
3	·17	—	·10	·01	—	·02	·10	—	·15	·03	1·00	·07	3
4	·01	·01	·30	—	·03	·01	·51	·32	·10	·04	·01	·02	4
5	—	·42	·01	·09	·02	·28	·01	·70	·01	·01	·16	·14	5
6	—	·01	·03	·03	·10	·28	·01	·01	—	·33	·20	·30	6
7	—	·09	—	·01	·40	·20	·26	·63	—	·03	·19	·34	7
8	·03	·36	—	·23	—	·59	·10	·00	—	·01	·13	·04	8
9	·21	·20	—	·01	·01	·05	·04	·02	—	·01	·75	·02	9
10	·11	·02	·01	—	·36	·05	·05	·13	—	—	·20	·01	10
11	·15	·45	—	—	·03	·65	·46	·21	·05	—	·01	·01	11
12	·02	·16	—	—	·01	·01	·22	—	·11	·45	·40	—	12
13	·01	·12	·02	·01	·27	·08	·24	·23	·01	·08	—	—	13
14	·05	·08	—	—	·09	·30	·92	·16	·02	·01	·18	—	14
15	·04	·09	—	—	·05	·05	·04	·30	·02	—	·01	·02	15
16	·02	·18	—	·02	·12	·77	·02	·03	·05	—	—	—	16
17	·03	·05	—	·03	·01	·02	·17	·02	·06	—	—	—	17
18	·01	—	·03	·01	—	·08	·10	1·80	·01	—	·47	—	18
19	·04	·20	·35	·01	—	·04	·06	·02	—	—	·46	—	19
20	·01	·10	·68	—	—	—	·02	·30	—	—	·02	—	20
21	·42	·02	·02	·03	·10	—	·01	·01	—		·10	—	21
22	·63	·01	·01	·15	·04	—	·01	—	—	·01	·05	—	22
23	·15	·01	—	·40	·42	—	·03	·10	—	—	·74	·01	23
24	·05	·03	—	·42	·02	·13	·93	·20	—	—	·01	—	24
25	·08	·02	—	·09	—	—	·30	—	—	—	·27	—	25
26	·06	·15	—	·05	·01	—	·24	—	—	—	·59	—	26
27	·25	·30	—	·02	·64	—	·06	—	—	·05	·22	—	27
28	·05	·14	·16	·05	·02	—	·01	—	—	·04	·06	·24	28
29	·05	✕	·12	·01	·01	—	·10	·34	·05	·01	·17	·15	29
30	·19	✕	·08	—	·03	—	·01	·01	·07	·10	·01	—	30
31	1·18	✕	·47	✕	·50	✕	·02	·45	✕	·01	✕	·17	31 YEAR'S TOTAL
TOTAL	4·12	3·26	3·31	2·57	3·29	8·66	5·72	4·55	1·38	1·25	6·46	1·84	40·81
*Days with ·01 in. or more.	28	26	17	22	23	19	30	22	15	18	25	15	261
*Days with ·04 in. or more.	17	16	9	10	10	13	19	11	10	7	20	9	158

40-9999

(*Signed*) Maud Perry Coste

[P.T.O.

*See Instruction 2 (*f*) on other side.

1925

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Polperro

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11·5 in.

,, Ground ,, Sea Level 100 ft.

Mrs Perry Coste
Polperro
Cornwall

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	—	02	15	04	01	25	72	04	01	01	13	1
2	03	—	—	28	01	—	05	05	19	—	—	34	2
3	05	—	—	—	—	30	03	01	81	05	02	03	3
4	01	—	—	02	—	15	02	03	01	01	28	01	4
5	38	—	06	—	01	—	25	01	16	—	02	—	5
6	58	—	01	17	—	—	24	—	31	46	—	—	6
7	01	—	—	05	23	—	02	—	65	67	—	—	7
8	04	—	58	07	30	—	01	—	—	—	01	—	8
9	56	—	~~01~~	24	05	—	—	—	02	—	—	—	9
10	45	—	01	23	23	—	—	—	02	—	—	—	10
11	03	—	01	11	14	—	08	02	02	03	—	11	11
12	93	—	—	02	68	—	01	—	01	61	—	08	12
13	16	—	—	15	01	—	27	23	02	12	—	31	13
14	36	—	—	12	21	—	—	14	01	07	—	05	14
15	01	—	—	07	01	—	—	01	—	03	05	02	15
16	11	—	—	02	—	—	15	—	—	01	—	01	16
17	03	—	—	04	02	—	02	—	17	06	01	02	17
18	03	—	—	01	48	—	01	—	08	01	16	—	18
19	01	—	—	09	16	—	—	—	20	34	03	04	19
20	—	—	—	07	31	—	03	05	05	1·10	15	01	20
21	13	—	06	24	40	—	09	11	02	61	09	19	21
22	01	—	01	05	15	—	15	03	45	35	46	12	22
23	01	06	—	01	02	—	28	01	01	68	05	25	23
24	—	04	—	—	01	—	95	—	15	02	03	—	24
25	—	01	04	02	03	—	07	—	16	70	07	—	25
26	—	—	11	68	01	—	12	—	02	07	05	—	26
27	—	—	21	25	25	—	32	—	—	47	10	13	27
28	—	—	21	02	20	—	18	—	—	03	02	03	28
29	—	—	47	23	12	48	22	01	40	29	22	40	29
30	—	×	02	07	07	95	45	49	45	06	65	—	30
31	—	×	24	×	36	×	22	—	×	12	×	29	31
TOTAL	3·18	·11	2·06	3·48	4·48	2·09	4·42	1·32	4·51	6·98	2·42	2·57	YEAR'S TOTAL 37·62
*Days with ·01 in. or more.	22	3	15	27	27	5	26	15	25	26	20	20	231
*Days with ·04 in. or more.	11	2	9	20	18	4	17	7	16	13	12	13	142

40-9999

(Signed) Maud Perry Coste

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Polperro

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

„ Ground „ Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·11	·35	·01	·05	·75	—	—	—	—	·01	1·43	1
2	·43	·10	·48	·01	·25	·66	—	—	—	—	·01	·25	2
3	·06	·11	·21	—	·07	·01	—	—	—	·01	—	—	3
4	·15	·05	·02	—	·14	—	—	—	—	—	—	—	4
5	·03	·01	·30	—	·12	—	—	—	·01	—	—	—	5
6	·01	·49	·04	—	·15	—	·01	—	—	·12	—	—	6
7	·01	·08	·01	—	·03	—	·01	—	—	·03	—	—	7
8	·03	·03	—	·01	·04	—	·03	·02	—	·02	—	—	8
9	·01	·04	—	—	·03	—	·20	·01	—	·25	·10	—	9
10	·05	·08	—	—	—	—	·17	·01	—	·46	·11	—	10
11	·05	—	—	·10	—	·01	·02	1·35	·01	·11	·02	·01	11 Snow
12	·01	—	—	·14	·02	·33	·16	·03	·30	·01	·03	·02	12 fog & drizzle
13	·04	—	—	—	·01	·04	·03	·60	·01	·15	·11	—	13
14	·28	—	—	—	·01	—	·13	·10	—	·01	·24	—	14
15	·23	—	·31	—	—	·07	·06	·01	—	·12	·35	—	15
16	—	·03	·03	—	—	·05	·02	·02	·03	·04	—	—	16
17	·01	·14	·25	—	—	·01	·13	·05	·05	·01	—	—	17
18	·10	·02	·13	—	—	·04	·01	·02	—	·25	·04	—	18
19	·18	·01	·28	—	—	·01	—	·08	·04	·40	·36	—	19
20	—	·05	·02	—	·10	·08	—	·10	·50	·01	·02	—	20
21	·01	·11	·01	·01	·01	·01	—	·10	—	·17	·01	—	21
22	—	·01	—	·17	—	·01	—	·52	·92	·02	—	—	22
23	—	·43	—	·08	—	·15	—	·02	·01	·25	—	—	23
24	—	·06	—	·12	—	·01	—	·01	·03	·33	—	—	24
25	—	·20	—	·05	·05	·03	—	·01	·01	·01	—	·17	25
26	—	·05	—	·29	·20	·01	—	—	—	·18	—	—	26
27	—	·42	—	·14	—	·01	—	—	—	·65	—	·93	27
28	—	·20	—	·35	—	—	·46	·08	—	·49	—	·01	28
29	·05	×	·01	·30	·01	—	·09	·01	·02	·20	—	—	29
30	·05	×	·08	·25	—	—	·03	—	·29	·02	—	·07	30
31	·20	×	·20	×	·06	×	·01	—	×	·08	×	·03	31
TOTAL	2·16	3·49	3·63	2·03	1·36	1·69	1·50	3·15	2·23	4·40	1·41	2·92	YEAR'S TOTAL 29·97
*Days with ·01 in. or more.	22	23	17	15	18	19	17	20	14	27	13	9	214
*Days with ·04 in. or more.	14	17	12	11	11	9	7	9	6	17	7	5	125

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) Maud Percy Coste

P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

1925

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at Polperro Cornwall
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10½ in.
" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	—	·02	—	·01	·09	·01	·30	·05	·05	·02	1·23	1
2	·05	—	·13	—	—	—	—	·01	·58	·01	·01	·11	2
3	·08	—	·02	·01	—	—	—	—	·03	·25	·03	·31	3
4	·11	—	·19	·07	·38	—	—	·08	·01	·12	·01	·29	4
5	·02	—	·23	·01	·11	·20	—	2·00	·01	·04	·03	·49	5
6	·03	—	·30	·18	·28	·21	—	—	—	·34	·04	·27	6
7	·15	—	·01	·02	·02	·03	—	·04	—	·32	·08	·63	7
8	·01	—	—	·01	·12	—	—	·03	—	·01	·22	·55	8
9	·03	—	·39	—	·01	—	—	·02	—	·01	·46	·11	9
10	·24	·02	·23	·24	—	—	—	·10	—	—	·08	·27	10
11	·40	—	·03	·73	·01	—	—	·02	—	—	·04	·35	11
12	·10	—	—	·02	—	·07	·01	·48	—	—	—	·22	12
13	·35	—	·02	·61	—	·03	·02	—	—	·01	·29	·21	13
14	·60	—	·32	·01	—	·01	·02	—	·26	·02	·02	·28	14
15	·25	—	·23	·04	·12	—	·02	·01	—	·11	·02	·35	15
16	·16	—	·25	—	·02	—	·01	—	·39	·03	·01	·44	16
17	·30	—	·33	·01	·10	—	·05	—	·08	·10	—	·30	17
18	·06	—	·31	·05	·01	·01	—	—	·04	·03	—	·58	18
19	·02	—	·15	·05	·01	·05	—	·01	·16	·01	—	·07	19
20	·01	—	·01	·21	·03	·01	·03	—	·11	·01	·01	·21	20
21	—	—	·25	—	·02	·42	—	·08	·03	·17	·01	·31	21
22	·13	—	·02	·02	·01	·05	—	·05	·49	—	·01	·17	22
23	·10	—	·02	·22	—	·38	·04	·01	·42	·01	—	·07	23
24	·01	·10	·07	·05	—	·23	·04	—	·02	·11	—	·06	24
25	·23	·01	·01	·25	—	·03	·01	—	·01	·10	—	·17	25
26	·10	·01	·09	·07	—	·21	—	—	·10	·01	—	·11	26
27	—	—	·01	·01	—	·08	—	·03	·07	·03	·01	·16	27
28	—	·01	—	·03	—	·03	·01	·48	·15	·01	—	·29	28
29	—	×	·01	—	—	—	·01	·10	·20	·02	—	·09	29
30	—	×	—	—	—	—	·05	·04	·14	·32	·01	·19	30
31	—	×	—	×	—	×	·19	·02	×	·23	×	·05	31
TOTAL	3·71	·15	3·65	2·92	1·26	2·14	·52	3·91	3·35	2·50	1·41	4 8·98	YEAR'S TOTAL 34·58
Days with ·01 in. or more.	25	5	26	23	15	18	15	20	21	27	20	31	244
Days with ·04 in. or more.	18	1	15	13	5	12	5	11	15	13	6	31	165

40-12-1-27
144w)

(Signed) Maud Perry Coste

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 1925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Polperro

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Dec. ~~partly estimated~~

Hm.

Est pt Dec

comp

check with Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	07	66	—	—	·10	—	—	13	·01	·01	10		1
2	—	05	19	03	—	·03	03	—	·06	·25	·10	·11		2
3	01	01	29	05	29	·23	01	—	·04	·42	·11	·28		3
4	—	10	·04	·10	01	·03	—	—	·34	·36	·03	·47		4
5	03	38	03	·11	—	·40	—	—	1.03	·60	·00	·41		5
6	01	02	01	25	—	·01	—	—	·01	·39	·13	03		6
7	01	01	—	55	—	—	—	—	—	—	·26	05		7
8	—	—	—	48	01	·01	·01	—	—	·10	·23	01		8
9	·05	—	—	19	01	·02	·01	—	—	·78	·40	—		9
10	·11	01	03	08	—	·14	·01	—	—	62	·10	—		10
11	·30	02	01	04	—	1 02	02	—	24	·04	·55	—		11
12	·25	22	—	20	—	—	—	·15	09	—	·30	—		12
13	·11	20	—	05	01	—	—	—	01	·02	·10	—		13
14	·01	19	—	04	01	03	—	—	·36	·07	·33	28		14
15	—	02	·14	78	33	·05	—	—	13	·01	·50	13		15
16	01	08	·20	28	·02	—	03	—	14	·06	·25	15		16
17	—	02	·01	65	68	·39	01	·19	—	·01	·04	—		17
18	—	04	—	32	—	—	01	—	·04	·11	·33	·15		18
19	—	06	01	10	43	·15	·15	—	·17	·01	04	—		19
20	—	22	—	·65	11	·04	11	—	02	04	01	—		20
21	—	70	·01	03	—	·02	40	—	04	40	—	—		21
22	—	05	·08	15	—	—	01	·04	06	·30	—	—		22
23	—	15	·04	14	·01	—	—	1·03	01	·31	—	×	217	23
24	07	37	·01	12	·12	—	—	·15	·25	·02	—	×		24
25	·21	14	—	01	55	·07	—	·01	·01	01	—			25
26	·04	38	·01	—	—	·01	01	31	·24	03	·03	×		26
27	—	06	—	—	—	—	03	·11	21	02	·13	(3·00) ×		27
28	02	24	—	01	—	—	—	·11	33	04	18	×		28
29	—	×	—	01	—	—	—	05	23	01	16	×		29
30	—	×	—	—	·09	·01	—	·05	06	21	91	×		30
31	—	×	—	×	10	×	—	·08	×	70	×	×		31
TOTAL	130	3·82	1·55	4·25 ~~4·40~~	2·58	2·76 ~~1·96~~	·46	2·28	4·25	5·35	6·32	(5·17)	Year's Total 40·30	
*Days with ·01 in. or more.	16	9	17	27	16	19	15	12	25	29	25	20·	247	
*Days with ·04 in. or more.	10	10	8	23	9	9	3	11	19	18	21	18·	168	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mrs. F. H. Perry-Coste [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Totals

Kept at POLPERRO.

in the County of CORNWALL.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	away from home	·25	—	·10	—	·23	·56	·13	—	—	·20	—	1
2		·05	—	·05	·01	·03	·21	·02	·12	—	·15	·03	2
3		01	—	·81	·01	—	·09	01	·20	—	·10	·04	3
4		—	Bo	02	—	·03	01	01	·39	—	·9	·10	4
5	·45	28	06	—	·01	—	·98	·38	·01	—	18	·25	5
6	·04	—	08	—	—	·09	·58	02	·12	—	·32	·12	6
7	·70	—	03	·01	01	—	·01	—	—	—	·35	05	7
8	·03	—	18	—	—	—	·35	01	24	·01	·40	·20	8
9	·25	·75	10	—	—	—	·33	—	·21	—	·11	—	9
10	·11	1·15	01	—	—	—	09	—	—	—	·33	—	10
11	·77	·16	—	—	—	·20	·38	03	·28	—	~~·23~~	·10	11
12	13	·03	—	·06	04	—	·31	—	·03	—	25	·55	12
13	11	·02	—	—	—	—	·03	01	·05	15	—	—	13
14	01	—	—	—	—	·04	·60	—	·04	—	—	35	14
15	—	·10	—	·01	·15	—	·02	01	—	—	[illegible]	24	15
16	·01	·8	—	·10	·03	—	·16	—	—	·11	04	·10	16
17	30	·61	—	—	·15	—	·34	·02	—	10	·01	34	17
18	30	·07	35	—	—	—	25	·05	—	·03	[illegible]	[illegible]	18
19	49	—	·01	28	—	·01	13	·06	01	·01	—	[illegible]	19 03
20	18	·20	·01	23	—	·20	05	·01	·12	01	—	—	20
21	19	·40	·20	23	—	·01	21	—	—	—	—	—	21
22	25	·07	·10	—	·05	—	14	—	—	—	—	·04	22
23	01	·18	·20	16	—	—	20	—	·01	17	—	—	23
24	25	·4	08	·08	·30	—	·15	—	·17	·28	—	·01	24
25	19	—	54	19	—	—	·05	—	·01	·27	—	—	25
26	23	·12	59	02	—	—	·02	—	·7	03	—	—	26
27	43	10	05	—	—	—	·10	—	·05	·01	—	—	27
28	71	·01	65	03	—	—	·13	—	01	·11	—	·01	28
29	04	·07	03	—	—	—	·01	—	—	·01	06	·03	29
30	12	×	25	—	—	36	·01	—	—	·01	—	·01	30
31	10	×	66	×	·05	×	·26	—	×	—	×	·32	31
TOTAL	5·50	4·75	4·51	2·38	·78	1·00	6·66	·77	2·07	1·31	3·09	2·78	YEAR'S TOTAL 35·60 ~~35·47~~
*Days with ·01 in. or more.	27	22	21	16	11	9	31	16	18	15	15	20	221 ~~221~~
*Days with ·04 in. or more.	22	18	16	10	5	5	24	4	12	7	14	14	151 ~~151~~

print with [illegible]

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at POLPERRO.

in the County of CORNWALL.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 150 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·18	03	·06	54	—	—	·01	—	·05	—	·01	·69		1
2	·07	62	—	·23	—	—	—	—	02	—	—	·10		2
3	·01	09	02	·03	02	—	02	—	08	—	—	-		3
4	·13	53	03	·15	03	—	—	—	—	·13	—	·45		4
5	·36	01	—	·10	06	—	·72	—	—	—	—	—		5
6	·11	70	73	·14	—	—	—	—	—	—	—	·04		6
7	·01	41	10	—	—	—	—	—	—	—	14	·07		7
8	·01	11	—	·35	69	—	·17	—	—	—	—	—		8
9	·06	01	11	·30	—	10	—	01	·76	—	—	—		9
10	·09	—	12	·40	02	·09	—	·	—	—	—	·10		10
11	·11	—	10	·21	74	·21	·47	22	—	—	—	·60		11
12	·53	50	·03	—	67	·07	08	25	·26	—	—	·35		12
13	·01	·10	·80	·19	—	·36	—	—	·20	[illegible]	—	·10		13
14	35	14	35	—	—	—	01	45	·10	—	—	·35		14
15	·38	12	34	65	—	—	—	01	·07	—	—	·23		15
16	46	16	·04	—	—	—	05	—	·15	—	·22	-		16
17	05	16	·25	·01	—	—	—	—	·03	—	·05	—		17
18	18	37	·20	—	05	·25	01	02	·59	—	·15	·03		18
19	26	05	11	02	—	—	—	01	—	—	12	—		19
20	35	01	13	05	33	—	—	—	01	—	02	·40		20
21	18	80	03	02	32	—	07	—	·20	·18	35	·03		21
22	63	04	13	—	10	02	18	—	·03	—	49	·05		22
23	10	50	—	01	05	—	05	—	—	19	—	·01		23
24	—	93	·04	·04	01	—	03	—	·02	43	—	·07		24
25	·01	82	64	—	01	—	—	—	—	05	—	—		25
26	05	22	·09	01	—	—	—	15	—	—	—	·02		26
27	07	24	—	—	—	—	—	—	—	·45	·01	—		27
28	09	69	—	—	—	—	—	—	—	·10	—	—		28
29	04	X	—	—	—	02	—	—	—	·35	·40	—		29
30	17	X	—	—	—	40	—	02	—	03	·35	—		30
31	22	X	·03	X	—	X	—	·	X	16	X	—		31
TOTAL	4.59	8.13	4.48	3.45	2.50	1.22	1.82	1.13	2.56	2.07	2.19	3.01	Year's Total 37.15	✓ ✓
*Days with ·01 in. or more.	30	26	23	19	14	9	13	[illegible]	15	10	2	4	174	✓ ✓
*Days with .04 in. or more.	24	23	18	14	9	7	7	4	9	9	9	18	151	✓ ✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

1926

298

Section A for the entry of D

AIR MINISTRY.

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

1926

FOWEY
1931 — 40

780311

Kept at Fowey

in the County of Corn

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·78					·51				1
2													2
3			·75								·82		3
4													4
5													5
6												·21	6
7													7
8													8
9													9
10													10
11		·25											11
12										·52			12
13													13
14							1·00						14
15													15
16						·50							16
17													17
18								1·45					18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27		·25											27
28													28
29		×											29
30		×											30
31	·90	×		×	·64	×			×		×	·21	31
TOTAL	3·32	2·74	2·99	1·97	3·38	2·69	5·36	4·08	1·78	0·99	5·95	1·65	YEAR'S TOTAL 36·90
*Days with ·01 in. or more.	22	20	10	9	16	14	24	16	13	9	21	13	187
*Days with ·04 in. or more.	16	17	8	8	15	13	21	15	10	4	21	11	159
40-9999	84·3	69·6	75·9	50·0	85·9	68·3	136·1	103·6	45·2	25·1	151·1	41·9	937·0

(Signed)

*See Instruction 2 (*f*) on other side.

[P.T.O.

1926

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kep at Fowey

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·78					·51				1
2													2
3			·75								·82		3
4													4
5													5
6												·21	6
7													7
8													8
9													9
10													10
11		·25											11
12										·52			12
13													13
14							1·00						14
15													15
16						·50							16
17													17
18								1·45					18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27		·25											27
28													28
29		✕											29
30		✕											30
31	·90	✕		✕	·64	✕			✕		✕	·21	31
TOTAL	3·32	2·74	2·99	1·97	3·38	2·69	5·36	4·08	1·78	0·99	5·95	1·65	YEAR'S TOTAL 36·90
*Days with ·01 in. or more.	22	20	10	9	16	14	24	16	13	9	21	13	184
*Days with ·04 in. or more.	16	17	8	8	15	13	21	15	10	4	21	11	159
40-9999	84·3	69·6	75·9	50·0	85·9	68·3	136·1	103·6	45·2	25·1	151·1	419	934·0

*See Instruction 2 (*f*) on other side.

(Signed) ....

[P.T.O.

1926

Section | **A** | **for the entry of Daily Observations.**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

298

Kept at Fowey

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·76				3
4													4
5													5
6													6
7													7
8			·68										8
9													9
10													10
11													11
12	·78				·70								12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										·95			20
21													21
22													22
23		·09											23
24							·80						24
25													25
26				·65									26
27													27
28													28
29								·40				·58	29
30		×				·94					·55		30
31		×		×		×			×		×		31
TOTAL	3·18	0·09	2·16	3·15	4·49	1·93	3·69	1·08	4·26	7·73	2·65	2·78	YEAR'S TOTAL 37·19
*Days with ·01 in. or more.	18	1	10	21	21	4	18	11	19	22	17	17	179
*Days with ·04 in. or more.	13	1	8	21	18	4	15	6	17	18	15	14	150
40-9999	80·8	2·3	54·9	80·0	114·0	49·0	93·7	27·4	108·2	196·3	67·3	70·6	

*See Instruction 2 (*f*) on other side.

(Signed) ....

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. 1926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1933.

298

Kept at Fowey

in the County of Cornwall

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·68										1·20	1
2					·45								2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11								1·90					11
12													12
13													13
14													14
15											·28		15
16			·80										16
17													17
18													18
19	0·26									·61			19
20													20
21													21
22									·80				22
23													23
24													24
25													25
26													26
27													27
28				·38			·35						28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·04	3·30	3·15	2·20	2·46	2·61	2·15	3·66	2·32	4·47	1·38	2·43	YEAR'S TOTAL 32·17
*Days with ·01 in. or more.	16	17	14	11	15	14	14	15	11	21	13	7	168
*Days with ·04 in. or more.	14	16	13	11	14	14	11	10	9	17	9	7	145

40-9999 51·8 D 58·9

(Signed)............ [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

1926

Kept at Fowey
in the County of Cornwall

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·02	1
2									62				2
3													3
4					·36								4
5			·32			·35		1·35					5
6													6
7													7
8													8
9			·32								·48		9
10													10
11	·90			·65									11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24		·13											24
25													25
26													26
27													27
28													28
29													29
30		×								·46			30
31		×		×		×	·08		×		×		31
TOTAL	3·85 ✓	0·21 ✓	3·31 ✓	2·79 ✓	1·26 ✓	2·27 ✓	0·30 ✓	3·38 ✓	2·86 ✓	2·65 ✓	1·69 ✓	8·84 ✓	YEAR'S TOTAL 33·41
*Days with ·01 in. or more.	20	3	20	16	10	15	8	16	18	18	11	31	186 186
*Days with .04 in. or more.	20	2	17	12	6	12	4	12	14	13	8	30	150

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~298~~ 1926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fowey

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·68											1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9										·68				9
10							·10							10
11	0.30													11
12														12
13														13
14											1·25			14
15				·74										15
16														16
17					·50	·50								17
18														18
19							·10							19
20														20
21		·53												21
22														22
23								1·55						23
24														24
25														25
26												·56		26
27									·31					27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·27	3·53	1·14	4·56	1·96	2·57	0·37	3·47	3·15	4·61	6·16	4·83	Year's Total 37·62	
*Days with ·01 in. or more.	13	21	11	23	10	18	7	11	22	27	24	20	207	
*Days with ·04 in. or more.	12	19	6	20	8	14	4	9	21	22	23	20	178	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. 1926 Station No. 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Fowey

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3				·70										3
4														4
5							·75	·27						5
6														6
7														7
8														8
9														9
10		·90												10
11	·14								·37		·70			11
12														12
13												·45		13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24					·23									24
25										·41				25
26			·65											26
27														27
28														28
29														29
30		×				·35								30
31		×		×		×			×		×			31
													Year's Total.	
TOTAL	6·23	4·80	4·01	2·09	1·00	1·52	6·81	0·68	2·23	1·58	4·32	3·25	38·52	✓
* Days with .01 in. or more.	28	20	19	12	9	12	29	8	18	13	19	22	209	✓
* Days with .04 in. or more.	27	19	17	10	8	9	26	7	14	12	18	17	184	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 1926 298

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Fowey
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 51 ft.

Jvc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5							·70							5
6														6
7														7
8					·85									8
9									·68					9
10				·57										10
11														11
12	·48					·47								12
13			·87					·32						13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21		·84												21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	4·84	2·65	4·60	3·34	2·83	1·74	1·94	1·18	3·20	+	not		Year's Total	GB
* Days with .01 in. or more.	25	25	18	18	14	11	12	7	17	available				
* Days with .04 in. or more.	24	23	18	14	10	9	11	6	13					

wt imp

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

~~298~~

Section **A** for the entry of Daily Observations

Station No. 1926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form

REGISTER OF RAINFALL IN 1938

Kept at Fowey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 51 ft.

1937

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·65				·52				1
2				·05										2
3								2·28						3
4														4
5														5
6							1·18							6
7														7
8	·78													8
9														9
10														10
11												·65		11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19									·80					19
20														20
21														21
22														22
23														23
24			·28											24
25		·54									1·20			25
26					·70									26
27														27
28														28
29														29
30														30
31														31
Total	5·14	1·78	·42	·08	3·22	1·59	3·69	6·06	2·39	3·56	6·91	3·83	Year's Total 38·67	
* Days with .01 in. or more.	24	13	5	2	17	15	21	17	14	22	27	22	199	
* Days with .04 in. or more.	20	9	3	1	15	8	16	14	12	19	27	20	164	

29/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) THE TOWN CLERK

[P.T.O.

COPY FOR OFFICIAL USE ~~210~~

Section **A** for the entry of Daily Observations
Station No. 1926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Fowey
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·47					2
3														3
4			·35				1·10							4
5					·37									5
6				·47										6
7		·36										·46		7
8										1·50				8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21						·93								21
22														22
23											·71			23
24	1·25													24
25								·38						25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	6·76	2·05	1·80	2·66	1·02	3·36	4·84	1·95	·78	3·79	5·35	2·25	Year's Total 36·61	
* Days with .01 in. or more.	25	20	17	19	9	17	21	16	6	15	23	16	204	
* Days with .04 in. or more.	22	14	11	17	4	12	18	13	4	12	20	15	162	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

298

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]0

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Fowey

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 51 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3		·76												3
4														4
5														5
6														6
7														7
8														8
9							·40							9
10														10
11											·97			11
12									·64					12
13														13
14								·04						14
15														15
16		·76	1·04											16
17			~~1·04~~											17
18				·70										18
19														19
20														20
21														21
22						·60								22
23														23
24	·40													24
25					·54									25
26														26
27														27
28														28
29														29
30		✕								·40				30
31		✕		✕		✕			✕		✕	·89		31
													Year's Total	
TOTAL	3·01	4·08	2·~~4~~65	2·54	·83	·88	2·08	·09	2·16	2·31	6·54	4·85	32·05	
* Days with .01 in. or more.	14	17	13 4	20	6	6	16	5	11	13	23	17	162	
* Days with .04 in. or more.	13	14	~~9~~ 10	13	3	5	10	1	10	13	21	16	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1927

Section **A** for the entry of

AIR MINISTRY.

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

1927

ST AUSTELL, CHARLESTOWN

1931 — 34

78031

Kept at Charlestown

in the County of Cornwall

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	·01	·60	–	–	·09	–	·89	trace	–	–	1
2	·35	·02	–	·01	–	·03	trace	trace	·13	–	·12	·32	2
3	·07	–	1·17	–	trace	–	·07	trace	·30	·04	2·01	·14	3
4	·03	·04	·17	–	·05	·03	·74	–	·66	·02	·01	·03	4
5	–	49	·34	·18	–	·18	·14	·24	·07	–	·15	·20	5
6	–	·03	–	–	·16	·37	·19	–	·01	·44	·01	·17	6
7	–	·16	–	–	40	·17	·15	·21	–	·03	·25	·25	7
8	·06	·38	–	·20	–	·50	·16	·30	–	trace	·30	·04	8
9	–	·24	–	–	–	·05	·25	·03	–	·01	·09	·01	9
10	–	·03	·01	–	·26	·07		·31	–	–	·72	·02	10
11	·27	1·43	–	–	·02	·24	1·22	–	·18	–	·43	–	11
12	·05		–	–	–	–	·16	–	·22	·36	·01	–	12
13	–		·02	–	·36	–	·72	·22	–	–	·40	–	13
14	·06		–	–	·09	·18	·65	·11	–	–	·27	–	14
15	·02		–	–	·04	·18	·02	·41	–	–	–	–	15
16	·13		–	–	·16	·90	·01	·04	·04	–	–	–	16
17	·01		–	·04	–	·01	·18	trace	·15	–	–	–	17
18	·25	trace	·03	–	–	·09	·15	·12	–	–	·35	–	18
19		·21	·75	–	–	trace	·04	·05	·12	–	·71	–	19
20	·15	·16	·47	–	–	–	·03	·44	–	–	·01	·01	20
21	·35	·02	–	·02	·31	–	–	–	–	–	·01	–	21
22	·73	trace	–	·11	·16		–	–	–	–	·09	–	22
23	·19	–	–	·66	·32	–	·05	·27	–	–	·96	–	23
24	·10	·04	–	·64	–	·12	·40	·18	–	–	–	–	24
25	·10	·04	–	·88	–	–	·30	–	–	–	·20	·02	25
26	·38	·17	–	·01	–	–	·28	–	–	–	·75	–	26
27		·40	–	–	·41	–	·05	–	–	·03	·32	trace	27
28	·08	·13	·09	–	·06	–	·01	·08	–	·05	·05	·20	28
29	–		·05	–	·03	–	·13	·37	·07	·01	·24	·17	29
30	·36	×	·04	–	·06	–	–	–	·22	·09	–	·21	30
31	1·47	×	·60	×	·49	×	·01		×	–	×	·21	31
TOTAL	5·31	4·30	3·75	2·55	3·36	3·12	7·20	4·38	3·06	1·08	8·46	2·00	YEAR'S TOTAL 48·57
*Days with ·01 in. or more.	2~~1~~ 3	24	13	11	17	15	2~~6~~7	16	13	10	24	15	208
*Days with ·04 in. or more.	18	18	9	9	15	12	22	15	12	5	19	10	164

40-9999

(Signed) C. A. Battiscombe. [P.T.O.

*See Instruction 2 (*f*) on other side.

1927

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Charlestown (Station No 1927) File No 700166/26

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft 6 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·05	·01	·60	–	–	·09	–	·89	trace	–	–	1
2	·35	·02	–	·01	–	·03	trace	trace	·13	–	·12	·32	2
3	·07	–	1.17	–	trace	–	·07	trace	·30	·04	2.01	·14	3
4	·03	·04	·17	–	·05	·03	·74	–	·66	·02	·01	·03	4
5	–	49	·34	·18	–	·18	·14	·24	·07	–	·15	·20	5
6	–	·03	–	–	·16	·37	·19	–	·01	·44	·01	·17	6
7	–	·16	–	–	40	·17	·15	·21	–	·03	·25	·25	7
8	06	·38	–	·20	–	·50	·16	·30	–	trace	·30	·04	8
9	–	·24	–	–	–	·05		.03	–	·01	·09	·01	9
10	–	·03	·01	–	·26	·07	·25	·31	–	–	·72	·02	10
11	·27		–	–	·02	·24	1.22	–	·18	–	·43	–	11
12	·05		–	–	–	–	·16	–	·22	·36	·01	–	12
13	–		·02	–	·36	–	·72	·22	–	–	·40	–	13
14	·06	1.43	–	–	·09	·18	·65	·11	–	–	·27	–	14
15	·02		–	–	·04	·18	·02	·41	–	–	–	–	15
16	·13		–	–	·16	·90	·01	·04	·04	–	–	–	16
17	·01		–	·04	–	·01	·18	trace	·15	–	–	–	17
18		trace	·03	–	–	09	·15	·12	–	–	·35	–	18
19	·25	·21	·75	–	–	trace	·04	·05	·12	–	·71	–	19
20	·15	·16	·47	–	–	–	·03	·44	–	–	·01	·01	20
21	·35	·02	–	·02	·31	–	–	–	–	–	·01	–	21
22	·73	trace	–	·11	·14		–	–	–	–	·09	–	22
23	·19	–	–	·66	·32	–	·05	·27	–	–	·96	–	23
24	·10	·04	–	·64	–	·12	·40	·18	–	–	–	–	24
25	·10	·04	–	·88	–	–	·30	–	–	–	·20	·02	25
26	·38	·17	–	·01	–	–	·28	–	–	–	·75	–	26
27		·40	–	–	·41	–	·05	–	–	·03	·32	trace	27
28	·08	·13	·09	–	·06	–	·01	·08	–	·05	·05	·20	28
29	–		·05	–	·03	–	·13	·37	·07	·01	·24	·17	29
30	·36	×	·04	–	·06	–	–	–	·22	·09	–	·21	30
31	1·47	×	·60	×	·49	×	·01		×	–	×	·21	31
TOTAL	5·31	4·30	3·75	2.55	3.36	3·12	7.20	4·38	3.06	1·08	8·46	2.00	YEAR'S TOTAL 48·57
*Days with ·01 in. or more.	2~~1~~ 3	24	13	11	17	15	2~~6~~ 7	16	13	10	24	15	208
*Days with ·04 in. or more.	18	18	9	9	15	12	22	15	12	5	19	10	164

40-9999

(Signed) C. A. Batliscombe [P.T.O.

*See Instruction 2 (*f*) on other side.

1927

1926
1928

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Charlestown ~~Station No 1927~~

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

,, Ground ,, Sea Level 204 ft.

File No 700166/26.

St Austell
Fowey

Allocate Aug / Sep days
by St Austell Diagram.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	–	–	·30	–	–	·11	·09	No observations	–	·01	·07	1
2	·03	–	trace	·18	·02	–	·05	·10		–	trace	·55	2
3	·03	–	–	–	–	·47	·07	·01		·01	·03	·01	3
4	·03	–	–	–	–	·10	·07	–		–	·48	–	4
5	·52	–	·05	–	–	–	–	–	1·78	–	–	–	5
6	·78	–	–	·38	–	–	·19	trace	·30	·01	–	–	6
7	·06	–	trace	·03	·07	–	·05	–	·72	1.31	–	–	7
8	·06	–	·82	·08	·18	–	–	–	–	·83	–	–	8
9	·70	–	–	·31	·06	–	trace	–	–	·04	–	–	9
10	·75	–	·03	·23	·25	–	–	–	·01	·02	–	–	10
11	·07	–	·01	·04	·19	–	–	–	trace	·01	–	·12	11
12	1.10	–	–	·01	1·00	–	–	–	·09	·38	–	·06	12
13	·16	–	–	·14	–	–	·10	·25	·02	·91	–	·16	13
14	·22	–	–	·28	·18	–	–	·05	–	·10	–	·03	14
15	Trace	–	–	·03	·01	–	–		–	·12	·04	·05	15
16	·26	–	–	·07	–	–	·11			·04	–	·01	16
17	·01	–	–	–	·64	–	·20		·03	·06	–	–	17
18	·01	–	–	–	·32	–	–		·11	–	·20	–	18
19	–	–	–	·15	·63	–	trace		·10	·51	–	·05	19
20	–	–	trace	·11	·39	–	trace	✗ No observations	·09	1.15	·15	·10	20
21	·05	–	·13	·04	–	–	–	✗	·07	·63	·19	·37	21
22	–	–	·01	·11	·10	–	–		·61	·33	·64	·13	22
23	–	·05	–	–	trace	–	·24	✓	–	·84	·06	·22	23
24	–	–	–	·01	–	–	·77		·11	·02	·04	–	24
25	–	–	·08	·01	·03	–	·09		·23	1·01	·12	–	25
26	–	–	·25	·77	–	trace	·20		–	·08	·16	–	26
27	–	–	·29	·27	·46	–	·30		–	·75	·08	·13	27
28	–	–	·31	·06	trace	–	·16	✓	trace	·12	trace	·03	28
29	–	–	·51	·08	·14	·42	–	✗	·34	·60	·32	·69	29
30	–	✗	–	·10	·21	1·76	1·43	✓	·98	·13	·69	trace	30
31	–	✗	·02	✗	·37	✗	·30	(·50)	✗	·16	✗	·56	31
TOTAL	4·95	·05	2·51	3·79	5·25	2·75	4·44	(1·60) ~~6·09~~	(5·09)	10·17	3·21	3·36	YEAR'S TOTAL 42·57
*Days with ·01 in. or more.	18	1	12	24	19	4	17	11	19	26	15	18	184
*Days with ·04 in. or more.	13	1	8	19	16	4	17	7	16	21	13	14	149

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C A Battiscombe

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1927.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Charlestown St Austell

in the County of Cornwall

File No 700166/26

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft – in.

,, Ground ,, Sea Level 204 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·29	·74	·21	–	·02	·54	–	–	–	–	·04	1·89		1
2	·78	·09	·90	–	·65	·62	–	–	–	–	·05	·07		2
3	·11	·16	·33	–	·23	·03	–	–	–	–	–	–		3
4	·12	·04	·07	–	·37	–	–	–	–	–	–			4
5	·02	trace	·50	–	·56	–	–	–	–	–	·01			5
6	trace	·71	·02	trace	·20	–	·07	–	–	·20	trace	See note on back		6
7	–	·08	trace	–	·05	–	·08	trace	trace	·12	–			7
8	·17	·02	trace	–	·03	–	·13	·01	–	trace	–			8
9	–	·04	–	–	·10	–	·81	–	–	·44	·14			9
10	·04	·04	–	–	–	–	·14	·24	–	1·07	·39	·02		10
11	·06	–	–	·13	·01	–	·08	·31	–	·20	·06	–		11
12	trace	–	–	·09	·07	·49	·38	·03	·11	trace	·06	–		12
13	·07	–	–	–	·06	·02	·11	·05	–	·25	·14	–		13
14	·17	–	–	–	–	–	·51	·11	–	–	·45	–		14
15	·43	–	·43	–	–	·05	·23	·03	–	·14	·45	trace		15
16	trace	·02	1·30	–	–	·09	–	·01	·05	·06		–		16
17	·02	·23	·14	–	–	·07	·09	·05	·18	–	–	–		17
18	·09	–	·18	–	–	·18	·01	–	·02	·70	·32	–		18
19	·28	–	·13	–	–	·17	–	·07	·16	·92	·18	·02		19
20	–	·18	–	–	·18	·19	–	·11	·42	–	–	–		20
21	–	·09	–	–	–	–	–	·14	–	·14	–	–		21
22	–	–	–	·48	–	·01	–	·53	1·03	–	–	–		22
23	–	·66	–	·30	–	·29	–	·03	·24	·24	–	–		23
24	–	·05	–		–	–	–	–	·25	·21	–	~~·27~~		24
25	–	·44	–	·12	·21	·19	–	–	·03	–	–	·27		25
26	–	·02	–	·41	·32	–	–	–	–	·21	–	–		26
27	–	·17	–	·32	–	–	–	–	–	·39	–	1·07		27
28	–	·31	–	·29	–	–	·42	·17	trace	·34	–	·02		28
29	·09	–	trace	·52	–	–	trace	–	·01	·78	–	·06		29
30	·06	X	·07	trace	trace	–	·07	–	·40	·04	–	·05		30
31	·27	X	·19	X	·15	X	–	–	X	·16	X	trace		31
TOTAL	3·07	4·09	4·47	2·66	3·21	2·94	3·13	1·89	2·90	6·61	2·27	3·47	Year's Total 40·~~69~~ ·71	
*Days with ·01 in. or more.	17	19	13	10	16	14	14	15	12	19	12	10	171	
*Days with .04 in. or more.	15	16	12	10	13	11	13	11	9	19	11	6	146	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C A Battiscombe.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Charlestown St Austell

in the County of Cornwall

File No 700166/26

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 6 in.

,, Ground ,, Sea Level 201 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	·05	–	–	–	–	·70	·04	·01	·21	1.48		1
2	·07	–	·14	–	–	–	–	–	1.00	·01	trace	·18		2
3	·08	–	–	–	–	–	–	·30	–	·21	·22	·51		3
4	·15	–	·29	·08	·46	–	–	·16	trace	·14	–	·44		4
5	trace	–	·28	trace	·32	·01	–	2.02	–	·19	trace	·59		5
6	·19	–	·27	·14	·38	·16	–	trace	·10	·36	–	·25		6
7	·14	–	–	–	–	trace	–	·03	–	·47	·16	·83		7
8	–	–	–	–	·09	–	–	·02	·12	–	·45	·81		8
9	·16	–	·37	–	–	–	–	·01	–	trace	·50	·05		9
10	·46	–	·53	·28	–	–	–	·20	–	trace	·08	·18		10
11	·58	trace	·05	·90	–	–	–	·05	–	trace	·11	·46		11
12	·10	–	–	trace	–	·11	1.03	·36	trace	–	·–	·15		12
13	·35	–	·05	·42	–	–	·06	–	–	·04	·25	·11		13
14	·68	–	·44	trace	–	–	trace	–	trace	·04	–	·30		14
15	·16	–	·05	·01	·17	–	trace	·02	trace	·28	·03	·45		15
16	·11	–	·32	–	·05	–	–	trace	·42	·01	–	·45		16
17	·36	–	·34	·06	·22	–	·04	–	·03	·27	–	·46		17
18	·07	–	·34	·43	–	·04	–	·01	·05	·02	–	·95		18
19	–	–	·15	–	·01	·06	–	·04	·15	trace	–	·05		19
20	–	–	–	–	–	trace	·03	–	·17	·02	–	·17		20
21	–	–	·25	·29	·07	·33	–	·08	·06	·38	trace	·02		21
22	·09	–	·03	·04	–	·03	–	·04	·50	trace	·02 }	·14		22
23	·08	·15	·04	·25	–	·29	·01	·02	·53	·02		·13		23
24	–	·16	·04	·22	–	·34	·09	–	·01	·33	trace	·49		24
25	·24	–	–	·33	–	·13	–	–	trace	·31	–	·70		25
26	·20	·01	·06	·05	–	·34	–	–	·33	·01	–	·18		26
27	trace	·03	–	–	–	·05	–	·14	·22	·04	·02	·14		27
28	–	×	–	–	–	trace	·02	·51	·58	·02	[illegible]	·87		28
29	–		–	–	–	–	–	·06		{ ·02	–	·02		29
30	trace	×	–	–	–	–	·01	·04	·16	{ 1.21	·01	·32		30
31	–	×	–	×	–	×	·03	·10	×	·17	×	·03		31
TOTAL	4·36	·35	4·09	3.50	1·77	1.89	1·22	4.91	4.07	4.58	2·06	11·91	Year's Total. 44.81	
* Days with .01 in. or more.	20	4	20	14	9	12	9	21	17	24	12	31	193	
* Days with .04 in. or more.	20	2	19	13	8	10	4	15	14	15	8	28	156	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) C A Battiscombe.

[P.T.O.

18°

Sect

1928.

ST AUSTELL, TREVANNA

1931 – 40.

780311

1928

FOR OFFICIAL USE.

ICE.—BRITISH RAINFALL ORGANIZATION.

FORM

FALL IN 1931.

K

in

00 150 400

D

H

TO THE PREVIOUS DAY.

An observer who does … *g made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03	·02	1·13	—	—	·11	—	·98	·01	—	—	1
2	·34	·03	·01	·02	—	·03	—	—	·15	·02	·15	·28	2
3	07	—	1·35	—	—	—	·07	—	·26	04	1·75	12	3
4	·03	06	·38	—	·04	·04	·64	·04	·72	·04	06	·03	4
5	—	·48	43	·18	—	·21	·29	·17	·08	—	·20	·15	5
6	—	06	·03	·01	18	43	·18	—	·02	43	01	15	6
7	—	·18	—	·01	·40	18	·14	23	—	·03	38	·25	7
8	·07	34	—	22	—	·58	19	·34	—	·01	22	·06	8
9	—	·19	—	—	—	·06	·03	·06	—	03	17	·03	9
10	—	·04	·02	—	·30	·11	·20	·33	—	—	·65	·03	10
11	30	·27	—	—	·03	27	1·31	—	·20	—	·45	—	11
12	06	·26	—	—	—	—	·18	—	·23	·34	·02	—	12
13	—	·18	·02	—	·38	—	73	·27	—	—	·64	—	13
14	·07	17	—	—	·12	·17	66	·06	—	—	·34	—	14
15	·03	·16	—	—	·09	19	·04	56	·03	—	—	—	15
16	11	·38	—	·03	·02	·87	·01	·05	·05	—	—	—	16
17	·03	·12	—	02	—	02	·18	—	·13	—	—	—	17
18	·06	—	04	·01	—	·10	·14	1·23	—	—	·38	—	18
19	·12	24	·89	—	—	·02	·09	·04	·08	—	·54	—	19
20	·18	·18	48	—	—	—	·03	44	—	—	·02	·02	20
21	·40	—	·02	·03	·39	—	01	—	—	—	·02	—	21
22	·72	·02	·02	·11	·24	—	—	—	—	—	11	—	22
23	·21	—	—	67	·39	—	·07	·27	—	—	98	—	23
24	·08	04	—	77	—	·09	1·38	·23	—	—		·01	24
25	·11	·04	—	·08	—	—	·28	—	—	—	·25	·02	25
26	·05	16	—	·01	—	—	·26	—	—	—	·71	·04	26
27	·38	·40	02	—	·17	—	·09	—	—	·04	·34	—	27
28	·11	14	13	—	·08	—	·01	·10	—	·05	·09	·19	28
29	·09	✕	·11	—	·09	—	·13	·39	·07	·03	·24	·21	29
30	·22	✕	·09	—	·04	—	—	—	·23	·08		29	30
31	1·42	✕	1·00	✕	48	✕	02	—	✕	—	✕	·22	31
99 TOTAL	5·28	4·17	5·06	3·30	3·44	3·37	7·47	4·81	3 3·23	1·15	8·72	2·10	YEAR'S TOTAL 52·10
~~*Days with~~ ·01 in. or more.	25	24	18	15	17	16	28	17	14	13	24	17	228
*Days with ·04 in. or more.	21	21	10	7	15	13	22	17	12	7	20	11	176

40-9999

*See Instruction 2 (*f*) on other side.

N1

(*Signed*) W. M Goode

[P.T.O.

180

Sect

1928

FOR OFFICIAL USE.

ICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at St. Austell, Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

100 150 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03	.02	1.13	—	—	.11	—	.98	.01	—	—	1
2	.34	.03	.01	.02	—	.03	—	—	.15	.02	.15	.28	2
3	.07	—	1.35	—	—	—	.07	—	.26	.04	1.75	.12	3
4	.03	.06	.38	—	.04	.04	.64	.04	.72	.04	.06	.03	4
5	—	.48	.43	.18	—	.21	.29	.17	.08	—	.20	.15	5
6	—	.06	.03	.01	.18	.43	.18	—	.02	.43	.01	.15	6
7	—	.18	—	.01	.40	.18	.14	.23	—	.03	.38	.25	7
8	.07	.34	—	.22	—	.58	.19	.34	—	.01	.22	.06	8
9	—	.19	—	—	—	.06	.03	.06	—	.03	.17	.03	9
10	—	.04	.02	—	.30	.11	.20	.33	—	—	.65	.03	10
11	.30	.27	—	—	.03	.27	1.31	—	.20	—	.45	—	11
12	.06	.26	—	—	—	—	.18	—	.23	.34	.02	—	12
13	—	.18	.02	—	.38	—	.73	.27	—	—	.64	—	13
14	.07	.17	—	—	.12	.17	.66	.06	—	—	.34	—	14
15	.03	.16	—	—	.09	.19	.04	.56	.03	—	—	—	15
16	.11	.38	—	.03	.02	.87	.01	.05	.05	—	—	—	16
17	.03	.12	—	.02	—	.02	.18	—	.13	—	—	—	17
18	.06	—	.04	.01	—	.10	.14	1.23	—	—	.38	—	18
19	.12	.24	.89	—	—	.02	.09	.04	.08	—	.54	—	19
20	.18	.18	.48	—	—	—	.03	.44	—	—	.02	.02	20
21	.40	—	.02	.03	.39	—	.01	—	—	—	.02	—	21
22	.72	.02	.02	.11	.24	—	—	—	—	—	.11	—	22
23	.21	—	—	.67	.39	—	.07	.27	—	—	.98	—	23
24	.08	.04	—	.77	—	.09	1.38	.23	—	—		.01	24
25	.11	.04	—	.08	—	—	.28	—	—	—	.25	.02	25
26	.05	.16	—	.01	—	—	.26	—	—	—	.71	.04	26
27	.38	.40	.02	—	.17	—	.09	—	—	.04	.34	—	27
28	.11	.14	.13	—	.28	—	.01	.10	—	.05	.09	.19	28
29	.09	×	.11	—	.09	—	.13	.39	.07	.03	.24	.21	29
30	.22	×	.09	—	.04	—	—	—	.23	.08		.29	30
31	1.42	×	1.00	×	.48	×	.02	—	×	—	×	.22	31
99 TOTAL	5.28	4.17	5.06	3.30	3.44	3.37	7.47	4.81	3 3.23	1.15	8.72	2.10	YEAR'S TOTAL 52.10
*Days with ·01 in. or more.	25	24	18	15	17	16	28	17	14	13	24	17	228
*Days with ·04 in. or more.	21	21	10	7	15	13	22	17	12	7	20	11	176

40-9999

*See Instruction 2 (*f*) on other side.

NM

(*Signed*) W. M. Coode

[P.T.O.

JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					

gauge ..

If gauge has been moved during the year state—

Date of move.............. Distance.............. Direction..............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3		Sent monthly											3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL													YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

M.O. 7
2 JAN 1932

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Wm G Cook [P.T.O.

1928

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at St Austell, Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

100
150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	91												
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	—	—	.25	—	—	.09	.17	.07	—	.02	.08	1
2	.03	—	—	.24	.01	—	.07	.13	.50	—	—	.52	2
3	.03	—	—	—	—	.57	.09	.02	.45	.03	.04	.02	3
4	.01	—	—	—	—	.10	.08	.06	—	—	.47	—	4
5	.44	—	—	—	—	—	—	—	.34	—	—	—	5
6	.70	—	.05	.32	—	—	.25	—	.31	—	—	—	6
7	.07	—	—	.05	.05	—	.14	—	.69	1.37	—	—	7
8	.08	—	.71	.08	.20	—	—	—	—	.68	—	—	8
9	.73	—	—	.31	.09	—	—	—	—	.04	—	—	9
10	.75	—	.02	.26	.24	—	—	—	.02	.03	—	—	10
11	.07	—	.02	.08	.19	—	.01	—	—	.02	—	.14	11
12	1.13	—	—	.01	.89	—	—	—	.09	.31	—	.07	12
13	.18	—	—	.16	.01	—	.14	.29	.03	.94	—	.19	13
14	.19	—	—	.04	.16	—	—	.06	—	.08	—	.03	14
15	.01	—	—	.09	.02	—	—	—	—	.12	.05	.10	15
16	.25	—	—	.01	—	—	.10	—	—	.04	—	.01	16
17	.02	—	—	—	.68	—	.15	—	.04	.08	—	.01	17
18	.01	—	—	—	.34	—	—	—	.08	—	.23	—	18
19	—	—	—	.17	.65	—	—	—	.11	.49	.02	.07	19
20	—	—	—	.11	.36	—	—	.11	.10	1.18	.12	.10	20
21	.08	—	.14	.04	—	—	.01	.05	.11	.61	.21	.45	21
22	—	—	.03	.11	.11	—	—	—	.69	.34	.60	.16	22
23	—	.09	—	—	—	—	.27	.01	—	.76	.07	.23	23
24	—	—	—	—	—	—	.76	—	.14	.02	.04	.01	24
25	—	—	.10	.04	.04	—	.11	—	.15	1.08	.12	[	25
26	—	—	.34	.83	—	—	.20	—	.12	.10	.17	—	26
27	—	—	.30	.41	.47	—	.36	—	—	.71	.08	.13	27
28	—	—	.31	.12	.03	—	.19	.01	.01	.11	.01	.06	28
29	—	×	.58	.11	.13	.43	.01	.31	.40	.56	.25	.72	29
30	—	×	.01	.15	.26	1.77	1.35	.02	1.01	.15	.62	—	30
31	—	×	.47	×	.48	×	.30	—	×	.18	×	.63	31
99 TOTAL	4.89	.09	3.08	3.99	5.41	2.87	4.68	1.24	5.46	10.03	3.12	3.73	YEAR'S TOTAL 48.59
~~*Days with~~ ·01 in. or more.	19	1	13	23	21	4	20	12	20	25	17	20	196
*Days with ·04 in. or more.	13	1	9	21	17	4	17	8	18	21	14	15	158

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. M. Coode

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at St. Austell, Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

100
150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	39	74	26	–	03	59	–	–	–	–	04	2·19	1
2	59	12	98	–	38	65	–	–	–	–	09	09	2
3	09	18	27	–	39	04	–	–	–	–	–	–	3
4	18	04	14	–	45	–	–	–	–	–	–	–	4
5	04	01	47	–	54	–	–	–	–	–	–	–	5
6	04	77	02	–	20	–	08	–	–	38	01	–	6
7	–	08	–	–	05	–	07	–	–	11	–	–	7
8	10	02	01	–	03	–	13	02	–	–	–	–	8
9	–	05	–	–	10	–	85	–	–	31	11	–	9
10	06	07	–	–	–	–	14	26	–	1·05	48	–	10
11	07	–	–	14	02	05	02	39	–	22	07	–	11
12	–	–	–	09	09	41	37	03	09	–	08	13	12
13	06	–	–	–	06	06	12	06	–	27	15	–	13
14	17	–	–	–	–	–	62	10	–	–	41	–	14
15	42	–	43	–	–	05	22	01	–	16	43	01	15
16	01	02	1·08	–	–	10	–	–	05	06	–	–	16
17	06	22	15	–	–	11	11	06	16	–	–	–	17
18	10	–	16	–	–	20	01	01	01	82	05	–	18
19	42	–	10	–	–	15	–	04	17	1·09	20	–	19
20	–	17	–	–	16	19	–	12	31	–	04	–	20
21	–	12	–	–	–	–	–	15	–	16	–	–	21
22	–	–	–	51	–	02	–	49	1·08	–	–	–	22
23	–	57	–	13	–	29	–	04	25	22	–	–	23
24	–	04	–	16	–	–	–	02	11	20	–	–	24
25	–	43	–	14	23	16	–	–	08	–	–	27	25
26	–	02	–	40	36	–	–	–	–	22	–	–	26
27	–	28	–	18	20	–	–	–	–	39	–	1·08	27
28	–	36	–	29	–	–	47	17	–	38	–	03	28
29	11	×	–	63	–	–	–	–	–	82	–	08	29
30	08	×	07	02	01	–	07	–	41	01	01	05	30
31	23	×	19	×	21	×	–	–	×	18	×	–	31
99 TOTAL	3·22	4·31	4·33	2·69	3·51	3·07	3·28	1·97	2·67	7·05	2·17	3·93	YEAR'S TOTAL 42·20
*Days with ·01 in. or more.	19	20	14	11	18	15	14	16	11	19	14	9	180
*Days with ·04 in. or more.	18	16	12	10	14	14	12	11	9	18	12	7	153

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) W. M. Goode

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St. Austell Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

100
150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	—	·06	—	—	—	—	·87	·02	—	·20	1·48		1
2	·09	—	·14	—	—	—	—	·01	91	·01	—	·16		2
3	·08	—	·24	—	—	—	—	·35	·01	·24	·21	·52		3
4	·16	—	—	·07	·45	—	—	·15	·01	·18	—	·48		4
5	—	—	·20	—	·35	—	—	1·97	—	·18	—	·68		5
6	·14	—	·32	·14	·36	·14	—	·02	·12	·40	—	·28		6
7	·12	—	—	—	—	—	—	·03	—	·48	·18	·84		7
8	—	—	—	—	·08	—	—	·02	·09	—	·38	1·03		8
9	·15	—	·40	—	—	—	—	·02	—	—	·48	·09		9
10	·59	—	·63	·30	—	—	—	·19	—	—	·12	·22		10
11	·48	—	·08	·90	—	—	—	·05	—	—	·15	·71		11
12	·11	—	—	—	—	·08	·24	·34	—	—	—	·16		12
13	·46	—	·06	·47	—	·01	·08	—	—	·04	·26	·13		13
14	·58	—	·53	·01	—	—	—	—	—	·05	—	·34		14
15	·16	—	·06	·02	·17	—	—	·02	—	·39	·04	·40		15
16	·10	—	·29	—	·07	—	—	—	·40	·04	—	·42		16
17	·38	—	·41	·07	·17	—	·05	—	·05	·29	—	·44		17
18	·07	—	·46	·45	—	·04	—	·01	·06	·03	—	·82		18
19	·01	—	·16	—	·01	·06	—	·05	·18	—	—	·05		19
20	—	—	—	·29	·02	—	·05	—	·17	·03	—	·15		20
21	—	—	·24	·03	·06	·32	—	·08	·06	·37	—	·04		21
22	·11	—	·04	·03	—	·03	—	·06	·55	—	·02	·10		22
23	·10	—	·06	·28	—	·33	·02	·04	·51	·03	—	·21		23
24	—	·14	·05	·17	—	·36	·12	—	·01	·34	—	·67		24
25	·28	·12	—	·34	—	·12	—	—	·01	·21	—	·97		25
26	·27	—	·06	·06	—	·35	·01	—	·25	·01	—	·20		26
27	—	·04	—	—	—	·05	—	·16	·28	·05	·03	·16		27
28	—	·02	—	—	—	—	·02	·62	·18	·02	—	·96		28
29	—	×	—	—	—	—	—	·07	·19	·03	—	·03		29
30	·01	×	—	—	—	—	—	·04	·17	1·18	·01	·25		30
31	—	×	—	×	—	×	·04	·10	×	·16	×	·04		31
99 TOTAL	4·56	·32	4·49	3·63	1·74	1·89	·63	5·27	4·23	4·76	2·08	13·03	Year's Total 46·63	
*Days with ·01 in. or more.	22	4	20	16	10	12	9	23	21	23	12	31	203	
*Days with .04 in. or more.	20	3	20	12	8	10	6	16	16	16	9	30	166	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. M. Goode

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St Austell, Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

100
150
400
TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07	.10	.97	.01	—	.16	.01	—	.35	.03	—	.10		1
2	—	.11	.09	.09	—	.04	—	—	.06	.36	.18	.13		2
3	.03	—	.05	.01	.11	.21	.02	—	.15	.09	45	.33		3
4	—	33	07	.10	—	.41	—	—	.26	.36	.78	.36		4
5	.09	.46	02	.10	—	02	—	—	.25	.21	18	.31		5
6	.02	—	—	.48	—	66	—	—	—	.01	.06	.12		6
7	—	—	—	56	—	—	—	—	—	56	.19	.08		7
8	—	—	—	.41	—	—	.01	—	.07	.10	.40	.03		8
9	—	—	—	27	—	—	.02	—	—	.85	.23	—		9
10	.03	—	—	.10	—	.09	.04	—	—	.03	.07	—		10
11	.30	.03	—	01	—	40	—	—	.29	.16	72	—		11
12	.28	.36	—	—	—	.18	—	.25	.05	—	45	—		12
13	.06	.13	—	46	—	.05	—	—	—	.06	.23	—		13
14	—	19	—	.05	—	45	—	—	44	.05	1.09	.34		14
15	—	.03	.04	1.18	.14	.12	—	.03	11	.03	10	.23		15
16	—	.06	14	.30	.09	—	.04	.01	.37	.10	35	.17		16
17	—	—	.04	.12	71	.63	—	.03	.08	—	.08	—		17
18	—	.08	.02	.53	05	—	—	.08	.25	.16	.07	.24		18
19	—	.07	—	.24	.59	.08	14	—	.21	.40	.59	.02		19
20	—	.45	—	.39	—	.01	.01	—	.04	.18	.02	—		20
21	—	.80	.02	.13	—	.02	.15	—	.05	.13	—	—		21
22	—	.01	.02	.54	—	—	—	.08	.04	.55	—	—		22
23	—	.26	.03	.31	—	—	—	2.43	.15	.37	—	.79		23
24	.04	.38	.06	—	.14	—	—	.10	.12	.02	—	.31		24
25	.24	.25	—	—	.36	.18	—	—	—	—	—	.10		25
26	.32	.69	—	—	—	.05	—	.34	.26	.07	.09	.46		26
27	—	.13	—	—	—	—	.07	.15	.17	.04	.18	.21		27
28	.10	.35	—	—	—	—	.08	.09	.22	.07	.08	.05		28
29	.04	×	—	—	—	—	—	.05	.27	.01	.29	.62		29
30	.09	×	—	—	—	.03	—	.98	.15	.21	1.08	.58		30
31	—	×	—	×	—	×	—	.14	×	.58	×	.39		31
99 TOTAL	1.71	5.27	1.57	6.39	2.19	3.79	.59	4.76	4.41	5.79	7.96	5.97	Year's Total 50.40	
*Days with .01 in. or more.	14	21	13	22	8	19	11	14	24	28	24	22	220	
*Days with .04 in. or more.	11	18	8	19	8	15	6	11	24	22	23	20	185	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. M. Coode

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St Austell, Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Copy by B.R.O. 100

150 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·26	·02	·20	—	·27	·83	·11	—	—	·26	·01		1
2	·08	·06	—	·06	—	·21	·11	·01	·21	—	·08	·01		2
3	·03	—	·20	·85	—	·01	·04	—	·20	—	·13	·07		3
4	·02	·10	·21	—	—	·09	·01	—	·28	—	·10	·22		4
5	·20	·39	·18	—	·13	—	1·05	·30	·02	—	·17	·16		5
6	·12	—	·11	—	·06	·05	·40	·03	·30	—	·67	—		6
7	·64	—	·14	—	—	—	—	—	·06	—	·51	·12		7
8	·32	—	·30	—	—	—	·31	—	·26	—	·57	·16		8
9	·23	·07	·05	—	—	—	·24	—	~~·30~~	—	·32	—		9
10	·03	1·74	—	—	—	—	·15	—	·01	—	·40	·13		10
11	·63	·54	—	—	—	·14	·27	·02	·50	—	1·02	·24		11
12	·22	·02	—	·07	—	—	·45	—	·21	—	·35	·05		12
13	·19	·01	—	·07	—	—	—	—	·05	·12	·22	·81		13
14	—	·02	—	·01	—	·07	·61	·02	·06	·11	·02	·41		14
15	—	·07	—	·01	·23	—	·04	—	—	—	·68	·43		15
16	—	·14	—	·38	·01	—	·20	—	—	—	·22	·16		16
17	·45	1·22	—	·03	·26	—	·48	·04	—	·09	·05	·54		17
18	·44	·11	·38	—	—	·39	·38	·04	—	—	—	·16		18
19	·93	·02	·09	·34	—	—	—	·09	·02	·07	—	—		19
20	·29	·48	·02	·16	—	·12	·12	·02	·09	·02	—	—		20
21	·11	·32	·31	·48	—	—	·18	—	—	·14	—	—		21
22	·40	·15	—	—	·13	—	·37	—	·01	·02	—	·01		22
23		·41	·11	·17	·15	—	·05	—	—	·09	—	—		23
24	·45	·14	·20	·05	·20	—	·14	—	~~·17~~	·37	—	·08		24
25	·40	—	·41	·18	—	—	·22	—	·01	·48	—	—		25
26	·48	·17	·83	—	—	—	·01	—	—	·04	—	—		26
27	·55	·09	·15	—	—	—	·56	—	·07	·15	·08	—		27
28	·77	·03	1·09	—	—	—	·46	—	—	·05	—	·39		28
29	·04	·23	·01	—	—	·21	—	—	—	·16	·16	·21		29
30	·18	×	·02	—	·02	1·01	·01	—	—	·07	—	—		30
31	·21	×	·95	×	·06	×	·53	—	×	—	×	·58		31
99 TOTAL	8·50	6·79 ~~7·69~~	5·78	3·06	1·25	2·57	8·22	·68	2·83	1·98	6·01	4·95	Year's Total. ~~5352~~	✓ 5262
* Days with .01 in. or more.	27	24	21	15	10	11	27	10	19	15	19	21	219 ✓	✓
* Days with .04 in. or more.	24	19	17	12	8	10	24	5	14	13	18	18	182 ✓	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. M. Goode

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at St. Austell, Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

T.L. 100

Copy by B.R.O.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·03	·02	·62	–		–	–	·03	–	–	·40		1
2	·12	·95	–	·24	–		·01	–	·08	–	–	·07		2
3	·02	·25	–	·04	–		·20	–	–	–	–	·04		3
4	·26	·55	·02	·26	·19		–	–	–	–	·04	·58		4
5	·48	–	·87	·37	–		·69	–	–	–	–	·20		5
6	·13	1·00	·06	·44	·07	·21	·02	–	·02	–	–	·16		6
7	–	·48	–	·06	·02	·10	–	–	·04	–	·17	–		7
8	·02	·12	–	·02	1·05	·11	·16	–		–	–	–		8
9	·11	·25	·28	·29	·01		–	–	·82	–	–	–		9
10	·24	·01	·63	·63	–	·26	·04	·05	–	–	–	·64		10
11	·16	–	·34	·29	·59	·26	·50	–	–	–	–	·20		11
12	·73	·58	·21	·02	·25	·45	·07	·10	·49	–	–	·57		12
13	–	·12	·88	·14	–		–	·17	·26	–	–	·33		13
14	–	·08	·38	·59	–		–	·05	·15	–	–	1·64		14
15	·60	·21	·39	–	–		–	–	·14	–	–	·47		15
16	·32	·17	·32	–	–		·06	·15	·26	–	1·31	–		16
17	·91	·15	·20	–	–		·01	–	·20	–	·04	–		17
18	·20	·38	·25	–	–	·21	–	·02	·45	–	·24	·12		18
19	·27	·09	·28	·38	·12		–	–	·48	–	·26	–		19
20	·74	·01	·04	·17	·06		–	–	·09	–	–	·90		20
21	·41	·96	–	–	·37		·10	–	·32	·15	·14	·04		21
22	·11	·01	·24	–	·18		·15	–	·05	·57	·48	·13		22
23	·26	·72	·02	–	·29		–	–	–	·40	–	·03		23
24	·28	·60	·08	–	–		·14	–	·05	·84	–	·06		24
25	·02	·76	·72	·01	·02		–	–	·01	·03	–	·01		25
26	·08	·28	–	–	–		–	–	–	–	–	–		26
27	·04	·23	–	–	–		–	–	–	·34	·01	–		27
28	·04	·26	–	–	–	·10	–	–	–	–	·30	–		28
29	·10	✕	–	–	–		–	–	–	·67	·35	–		29
30	·52	✕	–	–	–	·07	–	·01	·05	·02	–	–		30
31	·28	✕	–	✕	–	✕	–	–	✕	·13	✕	–		31
99 TOTAL	7·72	9·25	6·43	4·57	3·22	1·77	2·15	·55	3·99	3·15	3·34	6·59	Year's Total 52·73	
* Days with .01 in. or more.	28	26	20	17	13	9	13	7	19	9	11	19	191	
* Days with .04 in. or more.	25	22	17	14	10	9	10	5	16	7	10	17	162	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at St Austell Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 300 ft.

100

150

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·17	—	—	—	·99	·06	·62	·03	·61	·07	·26		1
2	—	·02	—	·10	—	—	—	—	—	·14	—	·09		2
3	—	—	—	—	·09	·01	·09	·80	—	·46	·23	·06		3
4	—	—	—	—	—	·01	·34	·09	—	·36	·01	·29		4
5	·05	·02	—	—	—	·03	·02	·67	·17	·52	·03	·06		5
6	·22	·10	—	—	—	·19	1·89	·01	·05	·15	·03	·21		6
7	·21	—	—	—	—	—	·18	·68	·03	·13	·07	·31		7
8	·84	·13	—	—	—	—	·26	—	—	·27	—	·15		8
9	·34	·27	—	—	—	·04	—	—	—	·02	·08	·88		9
10	·23	—	—	—	—	—	·04	·05	—	·02	·04	·36		10
11	·35	—	—	—	·14	·08	·14	—	·01	—	·24	·83		11
12	·30	—	—	—	·34	—	—	—	—	·13	·64	·04		12
13	·16	—	—	—	·53	—	·02	—	—	·09	·06	·40		13
14	·98	—	—	—	·13	—	·16	—	·01	—	·05	·02		14
15	·27	—	—	—	·08	—	—	·09	—	·20	1·13	·71		15
16	·25	—	·04	—	·07	—	—	·02	—	—	·07	·28		16
17	—	·04	·01	—	·06	·03	—	—	·11	·28	·08	·34		17
18	·29	—	—	—	·24	·05	·02	·10	·22	·07	·40	—		18
19	·02	—	—	—	—	—	·01	·04	·81	—	·61	—		19
20	·01	—	—	—	—	—	—	·02	·04	—	·38	—		20
21	·10	—	—	—	—	—	—	·12	·08	·17	·11	—		21
22	·03	—	—	—	—	·15	—	·96	·17	·18	·36	—		22
23	·01	—	—	—	—	·01	—	·04	·16	—	·20	—		23
24	·04	·28	·31	—	·06	—	·15	·01	·08	—	·72	—		24
25	·18	·76	·06	—	·07	—	·18	—	—	·25	1·70	·02		25
26	·46	·19	·01	—	·72	·07	·02	—	—	·06	·12	·15		26
27	·48	·08	—	—	·53	·02	·28	1·04	—	·04	·37	—		27
28	·20	·25	·01	—	·14	·15	·02	—	·06	·05	·07	·03		28
29	·38	✕	·01	—	·40	·01	—	—	·21	·52	·35	·08		29
30	·10	✕	·02	—	·03	·16	·05	—	·08	—	·14	·04		30
31	·40	✕	—	✕	·38	✕	—	—	✕	·32	✕	·53		31
99 TOTAL	6·90	2·31	·47	·10	4·01	2·00	3·93	5·36	2·32	5·07	8·39	6·14	Year's Total 47·00	
* Days with .01 in. or more.	26	12	8	1	17	16	19	17	17	23	28	23	207	
* Days with .04 in. or more.	22	10	3	0	16	9	13	13	13	21	25	20	165	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) W. M. Coode

[P.T.O.

2·88

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at St Austell, Trevarna

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

100
150
400

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	–	·02	·01	·02	–	·01	–	–	–	·31	·08		1
2	·05	–	–	·37	–	–	–	·24	·38	–	·02	·10		2
3	·29	–	·26	·61	–	–	·04	·02	·02✓	–	·16	·45		3
4	·07	–	·69	·27	·56	–	1·85	✓ –	–	·23	·83	·38		4
5	·08	–	·04	·34	·66	–	·27	–	–	·20	1·21	·32		5
6	·78	·03	·10	·50	·44	–	✓·59	·10	–	·16	·02	–		6
7	·02	·28	–	–	–	–	·07	·14	–	–	·36	·75		7
8	·08	·28	–	–	·18	·18	·22	·13	–	2·00	·34	·10		8
9	·02	·03	·02	–	–	–	–	·29	–	·01	·17	·14		9
10	·20	–✓	–	–	–	·01	–	·05	·14	·03	·01	·55		10
11	·04	·05	·17	–	–	–	–	·03	–	·26	·01	·13		11
12	·05	·03	–	·10	–	·02	✓ –	–	17	·02	·06	–		12
13	–	·07	–	·15	–	·02	·70	–	10	·51	·12	·39		13
14	1·11		–	·05	·18	·08	·17	–	–	·02	·12	·08		14
15	·46	·04	·03	·06	–	✓·58	1·93	–	–	·01	·37	–		15
16	·21	·06	–	·26	·04	·03	·35	–	–	–	·39	–		16
17	·85	·13	·04	–	–	·05	·58	–	–	–	·10	–		17
18	·07	·08	–	–	–	–	·17	–	–	–	·48	·09		18
19	·51	–	–	–	–	–	·34	–	–	–	·04	·09		19
20	·84	–	–	–	–	·14	–	✓ –	–	–	–	–		20
21	·15	·53	·13	·01	·03	·77	·08	·02	–	–	–	–		21
22	·60	·37	·30	·02	–	·53	·13	·03	–	–	·61	–		22
23	·01	·04	·08	·16	–	–	·11	–	–	·02	1·15	–		23
24	1·08	·03	·28	·23	–	·13	·01	·06	–	·15	–	–		24
25	·38	·06	–	·10	–	–	·08	·76	–	·05	·50✓	–		25
26	·03	·10	–	·16	–	–	·07	·20	–	·06	·41	·03		26
27	–	·53	·04	·01	–	·07	·01	·04	–	–	·24	–		27
28	–	·07	–	·18	–	·07	·10	–	–	–	·28	·04		28
29	–	✕	–	·06	–	·12	·11	·04	–	·27	·09	–		29
30	–	✕	·19	·19	–	22	·05	·01	–	·42	·04	–		30
31	–	✕	·01	✕	–	✕	·11	·37	✕	·52	✕	–		31
99 TOTAL	8·41	2·81	2·40	3·84	2·11	3·02	8·15	2·53	·81	4·94	8·44	3·72	Year's Total 51.18	✓
* Days with .01 in. or more.	25	19	16	21	8	16	25	17	5	18	27	16	213	✓
* Days with .04 in. or more.	21	15	12	17	6	12	22	12	4	12	23	15	171	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

ction **A** for the entry of Daily Observations

Station No. 1928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Trevarna St Austell

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 300 ft.

100 15 400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·08	–	·01	·07	–	–	–	–	–	·13	–		1
2	–	·28	–	·23	–	–	·07	–	–	–	·76	·11		2
3	·06	1·04	–	–	–	–	–	–	–	·04	·73	·24		3
4	–	·06	–	·05	–	–	·14	–	–	·18	·11	·09		4
5	·01	·22	–	·01	–	–	·11	–	–	·06	·71	·23		5
6	·65	1·22	–	–	–	–	·03	–	–	·26	·35	·47		6
7	·09	·02	–	·03	–	–	·05	–	·11	·06	–	·15		7
8	·01	·01	–	–	–	–	·01	·02	·18	·75	·85	·48		8
9	–	–	–	–	–	–	·38	·05	·03	·14	·35	·36		9
10	–	–	–	–	–	·02	·11	–	·02	·20	·17	·32		10
11	–	·06	·03	·08	–	–	·38	–	–	–	1·18	·05		11
12	–	–	·10	·04	–	·13	·44	–	·78	–	·07	·02		12
13	–	–	·44	–	–	–	·21	·06	–	·39	·89	1·25		13
14	–	·18	·01	·09	–	–	–	·05	·42	·32	·03	·57		14
15	·07	·02	–	·05	–	–	–	–	·22	·02	·49	–		15
16	–	1·21	1·57	·02	–	–	·29	–	·10	–	·03	·15		16
17	–	·24	·42	·29	–	–	·31	–	–	–	·35	–		17
18	·43	·83	·22	·93	–	–	·30	·04	·16	–	·25	·27		18
19	–	·16	·17	·77	–	–	·27	–	·33	·02	·27	–		19
20	–	–	·01	·12	–	–	·06	–	–	·14	·11	–		20
21	–	–	·02	·03	·10	·44	–	–	·10	–	·41	–		21
22	–	–	·12	·21	·08	·20	·01	–	·32	·02	·01	–		22
23	·02	·13	·19	·01	·11	–	·06	–	·02	·15	·04	–		23
24	·08	–	·02	·12	·07	–	·25	–	–	–	–	–		24
25	·55	–	·27	–	·51	·17	–	–	–	–	–	–		25
26	·44	·68	–	·02	·19	–	·18	–	·03	–	·03	–		26
27	·53	·07	·09	·11	·17	–	–	–	–	–	·01	–		27
28	·66	·15	·03	·38	·23	·02	–	·03	–	–	–	·03		28
29	·30	·06	·19	·39	·02	·02	–	–	–	·24	–	·35		29
30	·06	✕	–	–	·03	–	–	–	–	·73	–	·51		30
31	·09	✕	·01	✕	–	✕	–	–	✕	·52	✕	1·03		31
99 TOTAL	4·05	6·72	3·91	3·39	1·58	1·00	3·66	·25	2·82	4·24	8·33	6·68	Year's Total 46·63	✓ ✓
* Days with .01 in. or more.	16	20	18	22	11	7	20	6	14	18	24	19	195	✓ ✓
* Days with .04 in. or more.	13	17	11	15	9	4	17	4	10	15	19	17	151	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

ST AUSTELL (POLTAIR

1928/2
ST AUSTELL POLTAIR PUB. GDNS.
1939 — 40

780311

Section **A** for the entry
AIR MINIST
NFALL ORGANIZATION

Station No. 1928/2

FORM 1090

REGI 1939

Kept at St Austell

in the County of Cornw

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

,, Ground ,, Se

71022/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.44	—	.02	.02	.02	—	.02	-	-	—	.31	.06		1
2	.04	—	—	.36	-	—	-	23	.37 ✓	—	.03	.09		2
3	.28	—	.25	.61	-	—	.04	.01	.02	—	.14	.59		3
4	.06	—	.60	.26	.53	—	1.92	✓ -	-	.21	.85	.28		4
5	.07	—	.03	.35	.65	—	.25	✓ -	-	.20	1.25	.31		5
6	.79	.03	.09	.45	.45	—	✓ .66	.10	-	.16	.02	-		6
7	.06	.27	—	—	-	—	.06	.13	-	—	.34	.75		7
8	.06	.28	—	—	.19	.18	.23	.13	-	1.94	.34	.09		8
9	.02	.02	.02	—	-	—	-	.29	-	.01	.16	.14		9
10	.19		—	—	-	.01	-	.05	.15	.03	.01	.55		10
11	.03	.05	.18	—	-	—	-	.03	-	.25		.14		11
12	.05	.03	—	.12	-	.03	✓ -	-	.16	.03	.06	-		12
13	—	.08	—	.13	-	.03	.70	-	.09	.47	.10	.37		13
14	1.12	-	—	.06	.18	.07	.15	-	-	.03	.12	.08		14
15	.44	.04	—	.06	-	✓ .64	1.90	-	-	—	.38	-		15
16	.19	.06	.03	.26	.04	.04	.34	-	-	—	.52	-		16
17	.86	.13	—	—	-	.06	.59	-	-	—	.10	—		17
18	.07	.10	.04	—	-	—	.15	-	-	—	.52	.09		18
19	.49	—	—	—	-	—	.32	-	-	—	.03	.09		19
20	.84	—	—	—	-	.13	-	✓ -	-	—		—		20
21	.14	.54	.14	—	.03	.74	.08	.01	-	-	.76	-		21
22	.62	.36	.29	.03	-	.52	.14	.03	-	—	1.11	-		22
23	.02	.05	.09	.16	-	—	.12	-	-	.02		-		23
24	1.04	.03	.29	.23	-	.13	-	.06	-	.15	.46	-		24
25	.37	.06	—	.10	-	—	.08	.77	-	.04	.46	-		25
26	—	.10	—	.15	-	—	.07	.18	-	.06	.18	.03		26
27	—	.53	.05	.01	-	.07	.01	.04	-	—	.29	-		27
28	—	.09	—	.18	-	✓ .08	.11	-	-	—	.09	.05		28
29	—		—	.07	-	.12	.12	.04	-	.26	.04	-		29
30	—	✕	.19	.18	-	.21	.05	-	-	.43		-		30
31	—	✕	—	✕	-	✕	11	.31	✕	.50	✕	-		31
TOTAL	8.29	2.85	2.31	3.79	2.09	3.06	8.22	2.41	.79	4.79	8.67	3.71	Year's Total 50.98	✓ Print
* Days with .01 in. or more.	24	19	15	20	8	16	24	16	5	17	26	16	206	✓ WH
* Days with .04 in. or more.	21	15	11	17	6	13	22	12	4	12	22	15	170	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) THE ENGINEER + SURVEYOR [P.T.O.

ST AUSTELL (POLTAIR COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1928/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at St Austell, Poltair Rec Ground.

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 312 ft.

771022/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes** and **Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·44	—	·02	·02	·02	—	·02	–	–	—	·31	·06		1
2	·04	—	—	·36	–	—	–	·23	·37 ✓	—	·03	·09		2
3	·28	—	·25	·61	–	—	·04	·01	·02	—	·14	·59		3
4	·06	—	·60	·26	·53	—	1·92	✓ –	–	·21	·85	·28		4
5	·07	—	·03	·35	·65	—	·25	✓ –	–	·20	1·25	·31		5
6	·79	·03	·09	·45	·45	—	✓ ·66	·10	–	·16	·02	–		6
7	·06	·27	—	—	–	—	·06	·13	–	—	·34	·75		7
8	·06	·28	—	—	·19	·18	·23	·13	–	1·94	·34	·09		8
9	·02	·02	·02	—	–	—	–	·29	–	·01	·16	·14		9
10	·19		—	—	–	·01	–	·05	·15	·03	·01	·55		10
11	·03	·05	·18	–	–	—	–	·03	–	·25		·14		11
12	·05	·03	—	·12	–	·03	✓ –	–	·16	·03	·06	–		12
13	—	·08	—	·13	–	·03	·70	–	·09	·47	·10	·37		13
14	1·12	–	—	·06	·18	·07	·15	–	–	·03	·12	·08		14
15	·44	·04	—	·06	–	✓ ·64	1·90	–	–	—	·38	–		15
16	·19	·06	·03	·26	·04	·04	·34	–	–	—	·52	–		16
17	·86	·13	—	—	–	·06	·59	–	–	—	·10	–		17
18	·07	·10	·04	—	–	—	·15	–	–	—	·52	·09		18
19	·49	–	—	—	–	—	·32	–	–	—	·03	·09		19
20	·84	–	—	—	–	·13	–	✓ –	–	—		–		20
21	·14	·54	·14	—	·03	·74	·08	·01	–	–	·76	–		21
22	·62	·36	·29	·03	–	·52	·14	·03	–	—	1·11	–		22
23	·02	·05	·09	·16	–	—	·12	–	–	·02		–		23
24	1·04	·03	·29	·23	–	·13	–	·06	–	·15	·46	–		24
25	·37	·06	—	·10	–	—	·08	·77	–	·04	·46	–		25
26	—	·10	—	·15	–	—	·07	·18	–	·06	·18	·03		26
27	—	·53	·05	·01	–	·07	·01	·04	–	—	·29	–		27
28	—	·09	—	·18	–	✓ ·08	·11	–	–	—	·09	·05		28
29	—		—	·07	–	·12	·12	·04	–	·26	·04	–		29
30	—	✕	·19	·18	–	·21	·05	–	–	·43		–		30
31	—	✕	—	✕	–	✕	11	·31	✕	·50	✕	–		31
TOTAL	8·29	2·85	2·31	3·79	2·09	3·06	8·22	2·41	·79	4·79	8·67	3·71	Year's Total 50·98	✓
* Days with .01 in. or more.	24	19	15	20	8	16	24	16	5	17	26	16	206	✓ WH
* Days with .04 in. or more.	21	15	11	17	6	13	22	12	4	12	22	15	170	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) THE ENGINEER + SURVEYOR [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1928/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at St Austell Poltair Rec. Ground

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 312 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·07	-	-	·07	-	-	-	-	-	·14	-		1
2	-	·28	-	·21	-	-	·08	-	-	-	·72	·11		2
3	·05	1·01	-	-	-	-	-	-	-	·05	·72	·24		3
4	-	·06	-	·05	-	-	·13	-	-	·18	·10	·09		4
5	·02	·33	-	·01	-	-	·10	-	-	·07	·70	·23		5
6	·66	1·22	-	-	-	-	·04	-	-	·26	·35	·37		6
7	·09	·02	-	·03	-	-	·05	-	·11	·05	-	·08		7
8	-	-	-	-	-	-	·01	·02	·18	·75	·83	·52		8
9	-	-	-	-	-	-	·39	·05	·03	·13	·36	·38		9
10	-	-	-	-	-	·01	·12	-	·03	·21	·15	·30		10
11	-	·07	·03	·09	-		·38	-	-	-	1·20	·04		11
12	-	-	·11	·03	-	·12	·45	-	·78	-	·06	-		12
13	-	-	·43	-	-		·21	·05	-	·37	·88	·93		13
14	-	·13	-	·09	-		-	·05	·43	·31	·02	·51		14
15	·06	·04	-	·05	-		-	-	·23	·02	·46	·01		15
16	-	1·15	1·53	-	-		·28	-	·08	-	·03	·14		16
17	-	·24	·41	·29	-		·30	-	-	-	·34	-		17
18	·45	·86	·35	·88	-		·35	·05	·17	-	·24	·24		18
19	-	·16	·19	·15	-		·26	-	·33	·02	·27	-		19
20	-	-	·01	·13	-		·06	-	-	·14	·08	-		20
21	-	-	·02	·05	·10	·43	-	-	·09	-	·42	-		21
22	·01	-	·12	·20	·08	·22	·01	-	·32	·02	·01	-		22
23	·01	·12	·29	-	·11		·05	-	·02	·14	·03	-		23
24	·07	-	·02	·10	·04		·24	-	-	-	-	-		24
25	·48	-	·26	·11	·49	·16	-	-	·01	-	-	-		25
26	·42	·61	-	·03	·18		·19	-	·02	-	·02	-		26
27	·55	·05	·09	·11	·17		-	-	·01	-	·02	-		27
28	·64	·14	·02	·37	·23	·02	-	·03	-	-	-	·02		28
29	·30	·05	·19	·38	·01	·02	-	-	-	·18	-	·31		29
30	·04	✕	-	-	·03		-	-	-	·69	-	·46		30
31	·09	✕	-	✕	-	✕	-	-	✕	·48	✕	·89		31
TOTAL	3·94	6·61	4·07	3·36	1·54	·98	3·70	·25	2·84	4·07	8·15	5·87	Year's Total 45·38	
* Days with .01 in. or more.	16	19	16	20	11	7	20	6	16	18	24	19	192	
* Days with .04 in. or more.	13 ✓	18 ✓	11 ✓	16 ✓	9 ✓	4 ✓	18 ✓	4 ✓	10	15 ✓	18 ✓	17	153	

2.5.2

25

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) S. W. Groves

P.T.O.

1928/7
PAR, TREGECHAN HSE.
1934

780311

252/34

Section **A** for the entry of Dai
AIR MINISTRY.—

Station No. 1928/7

ORGANIZATION.

v/Cornwall | 2

c1934

FORM 1090.

REGIST

…34.

Kept at Tregechan Hou

in the County of Corn

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3												2"·47½		3
4														4
5												·58		5
6												·22		6
7												·83		7
8												·73		8
9												·05		9
10												·22		10
11												·38		11
12												·15		12
13												·13½		13
14												·25		14
15												·45½		15
16												·40		16
17												·47		17
18												·88		18
19												·02		19
20												·16		20
21												·03		21
22												·19		22
23												·16		23
24												·47		24
25												·67		25
26												·15		26
27												·13		27
28												·79		28
29												·01½		29
30		×										·25½		30
31		×		×		×			×		×	·00½		31
TOTAL												11·26½	Year's Total.	√
* Days with .01 in. or more.												-	-	
* Days with .04 in. or more.												-	-	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) R. G. Barnes

[P.T.O.

252/34

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1928/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

V/Cornwall/2

C1934

Kept at Tregrehan House Par
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft [illegible] in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												2"·47½		1
2														2
3														3
4														4
5												·58		5
6												·22		6
7												·83		7
8												·73		8
9												·05		9
10												·22		10
11												·38		11
12												·15		12
13												·13½		13
14												·25		14
15												·45½		15
16												·40		16
17												·47		17
18												·88		18
19												·02		19
20												·16		20
21												·03		21
22												·19		22
23												·16		23
24												·47		24
25												·67		25
26												·15		26
27												·13		27
28												·79		28
29												·01½		29
30		×										·25½		30
31		×		×		×			×		×	·00½		31
Total												11·26½	Year's Total. [illegible]	
* Days with .01 in. or more.												-	-	
* Days with .04 in. or more.												-	-	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) R. G. Barnes

[P.T.O.

WEST LOOE

new side 1928/9

1928/9
WEST LOOE
1937

7803/1

Section **A** for the entry of Da
AIR MINISTRY.

Station No. ~~[illegible]~~
LL ORGANIZATION

FORM 1090

REGIST

Kept at ......LOOE......
in the County of ......Corn
Diameter of Funnel of Gauge......5
Height of top of Gauge above Groun
,, Ground ,, Sea Level ......[illegible]......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·08	—	·47		1
2										—	—	·15		2
3										—	—	—		3
4										—	—	·52		4
5										—	—	—		5
6										—	—	·06		6
7										—	·18	—		7
8										—	—	—		8
9										—	—	—		9
10										—	—	·53		10
11										—	—	·34		11
12										—	—	·38		12
13										—	—	·06		13
14										—	—	·38		14
15										—	—	·28		15
16										—	·95	—		16
17										—	·30	—		17
18										—	·25	·20		18
19										—	·09	—		19
20										—	—	·50		20
21										·11	·60	·08		21
22										·62	·35	·08		22
23										·15	·10	·04		23
24										·62	—	·07		24
25										·05	—	—		25
26										·40	—	—		26
27										—	—	—		27
28										·05	—	—		28
29										·45	·46	—		29
30		☒								-	·69	—		30
31		☒		☒		☒			☒	·06	☒	—		31
TOTAL										2·69	3·97	4·14	Year's Total	
* Days with .01 in. or more.										10	10	16		
* Days with .04 in. or more.										10	10	16		

† Spare column, no entries required.

* See ~~Instruction 3 (f) on other side.~~

N

(Signed) ......W. [illegible]......

P.T.O.

WEST LOOE

new site 1928/9

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at LOOE

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·08	—	·47		1
2										—	—	·15		2
3										—	—	—		3
4										—	—	·52		4
5										—	—	—		5
6										—	—	·06		6
7										—	·18	—		7
8										—	—	—		8
9										—	—	—		9
10										—	—	·53		10
11										—	—	·34		11
12										—	—	·38		12
13										—	—	·06		13
14										—	—	·38		14
15										—	—	·28		15
16										—	·95	—		16
17										—	·30	—		17
18										—	·25	·20		18
19										—	·09	—		19
20										—	—	·50		20
21										·11	·60	·08		21
22										·62	·30	·08		22
23										·15	·10	·04		23
24										·62	—	·07		24
25										·05	—	—		25
26										·40	—	—		26
27										—	—	—		27
28										·05	—	—		28
29										·45	·46	—		29
30		☒								-	·69	—		30
31		☒		☒		☒			☒	·06	☒	—		31
TOTAL										2·69	3·97	4·14	Year's Total unf	
* Days with .01 in. or more.										10	10	16		
* Days with .04 in. or more.										10	10	16		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(Signed) W. Douglas [illegible]

P.T.O.

9001[illegible]

1929

Section **A** for the entry of Dail

AIR MINISTRY.—M

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTE

1929

EAST LOOE

1931 —— 40

780311

Kept at LOOE. (EA

in the County of CORN

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	--	--	·66	--	--	·09	·02	·43	·01	--	--	1
2	·26	--	--	·11	--	--	--	--	·38	·02	·20	·24	2
3	·15	--	·89	--	--	--	·08	--	·13	·07	1·44	--	3
4	·02	·01	·08	--	·17	--	·56	--	·19	·02	·01	--	4
5	--	·40	·20	·13 + 7	--	·25	--	·12	--	--	·04	·20	5
6	--	--	--	--	·08	·34	--	--	--	·38	·11	·34	6
7	--	·12	--	--	·44	·24	·24	·17	--	·05	·32	·31	7
8	·02	·44	--	·26	--	·46	·14	·16	--	--	·03	·10	8
9	--	·24	--	--	--	·07	·08	--	--	--	·20	--	9
10	--	·03	--	--	·59	·09	·07	·20	·04	--	1·03	·01	10
11	·21	·52	--	--	·04	·74	·32	--	·02	--	·43	--	11
12	--	·10	--	--	·20	--	·28	--	·08	·43	--	--	12
13	--	·18	·03	--	·25	·02	·07	·25	--	·05	·09	--	13
14	·01	·08	--	--	·06	·21	·45	·24	--	--	·69	--	14
15	·03	·09	--	--	·08	--	·05	·16	·04	--	--	--	15
16	·01	·27	--	--	·08	·95	·03	·01	·01	--	--	·02	16
17	·01	·02	--	·09	--	·01	·15	--	·03	--	--	--	17
18	·02	--	--	--	--	·06	·07	1·90	--	--	--	--	18
19	·12	·23	·38	--	--	·17	·08	·05	--	--	·85	--	19
20	--	·11	·60	--	--	--	--	·38	--	--	·05	--	20
21	·53	·01	--	--	·15	--	--	--	--	--	·12	--	21
22	·72	·03	--	·08	·17	--	--	--	--	--	·30	--	22
23	·28	--	--	·17	·43	--	·06	·02	--	·01	·58	--	23
24	·08	·03	--	·79	--	·02	·93	·24	--	--	--	--	24
25	·07	·03	--	·08	--	--	·16	--	--	--	·14	--	25
26	·03	·11	--	·04	--	--	·20	--	--	--	·65	--	26
27	·44	·41	--	--	·74	--	·06	--	--	·04	·28	--	27
28	·09	·13	·17	·03	--	--	--	·01	--	·02	·04	·14	28
29	·12	×	·11	--	·04	--	·16	·25	--	--	·17	·16	29
30	·17	×	·02	--	·06	--	·03	--	·22	·07	--	--	30
31	1·22	×	·36	×	·26	×	·03	--	×	--	×	·23	31
TOTAL	4·64	3·59	2·84	2·44	3·76	3·63	4·69	4·18	1·57	1·14	7·77	1·75	YEAR'S TOTAL 42·03
*Days with ·01 in. or more.	23	22	10	11	17	14	24	16	11	12	22	10	192
*Days with ·04 in. or more.	14	15	8	10	16	11	21	12	8	7	20	8	150

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. Douglas Clague

P.T.O.

9001 1929

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at LOOE (EAST)

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	--	--	·66	--	--	·09	·02	·43	·01	--	--	1
2	·26	--	--	·11	--	--	--	--	·38	·02	·20	·24	2
3	·15	--	·89	--	--	--	·08	--	·13	·07	1·44	--	3
4	·02	·01	·08	--	·17	--	·56	--	·19	·02	·01	--	4
5	--	·40	·20	·13	--	·25	--	·12	--	--	·04	·20	5
6	--	--	--	--	·08	·34	--	--	--	·38	·11	·34	6
7	--	·12	--	--	·44	·24	·24	·17	--	·05	·32	·31	7
8	·02	·44	--	·26	--	·46	·14	·16	--	--	·03	·10	8
9	--	·24	--	--	--	·07	·08	--	--	--	·20	--	9
10	--	·03	--	--	·59	·09	·07	·20	·04	--	1·03	·01	10
11	·21	·52	--	--	·04	·74	·32	--	·02	--	·43	--	11
12	--	·10	--	--	·20	--	·28	--	·08	·43	--	--	12
13	--	·18	·03	--	·25	·02	·07	·25	--	·05	·09	--	13
14	·01	·08	--	--	·06	·21	·75	·24	--	--	·69	--	14
15	·03	·09	--	--	·08	--	·05	·16	·04	--	--	--	15
16	·01	·27	--	--	·08	·95	·03	·01	·01	--	--	·02	16
17	·01	·02	--	·09	--	·01	·15	--	·03	--	--	--	17
18	·02	--	--	--	--	·06	·07	1·90	--	--	--	--	18
19	·12	·23	·38	--	--	·17	·08	·05	--	--	·85	--	19
20	--	·11	·60	--	--	--	--	·38	--	--	·05	--	20
21	·53	·01	--	--	·15	--	--	--	--	--	·12	--	21
22	·72	·03	--	·08	·17	--	--	--	--	--	·30	--	22
23	·28	--	--	·17	·43	--	·06	·02	--	·01	·58	--	23
24	·08	·03	--	·79	--	·02	·93	·24	--	--	--	--	24
25	·07	·03	--	·08	--	--	·16	--	--	--	·14	--	25
26	·03	·11	--	·04	--	--	·20	--	--	--	·65	--	26
27	·44	·41	--	--	·74	--	·06	--	--	·04	·28	--	27
28	·09	·13	·17	·03	--	--	--	·01	--	·02	·04	·14	28
29	·12	×	·11	--	·04	--	·16	·25	--	--	·17	·16	29
30	·17	×	·02	--	·06	--	·03	--	·22	·07	--	--	30
31	1·22	×	·36	×	·26	×	·03	--	×	--	×	·23	31
TOTAL	4·64	3·59	2·84	2·44	3·76	3·63	4·69	4·18	1·57	1·14	7·77	1·75	YEAR'S TOTAL 42·03
*Days with ·01 in. or more.	23	22	10	11	17	14	24	16	11	12	22	10	192
*Days with ·04 in. or more.	14	15	8	10	16	11	21	12	8	7	20	8	150

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Douglas Clague P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at LOOE (EAST)

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft — in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·17	—	—	·30	·06	·07	—	·03	·02	1
2	·06	—	·02	·28	—	—	·03	·08	·15	—	·01	·57	2
3	·03	—	—	—	—	·58	—	—	·90	·02	·02	·01	3
4	—	—	—	—	—	·12	·07	·03	—	—	·23	—	4
5	·46	—	·10	—	—	—	—	—	·43	—	—	—	5
6	·69	—	—	·11	—	—	·27	—	·35	·01	—	—	6
7	·02	—	—	·10	·17	—	·02	—	·96	·98	—	—	7
8	—	—	·44	·10	·17	—	—	—	·04	·31	—	—	8
9	·69	—	—	·31	·04	—	—	—	—	—	—	—	9
10	·40	—	—	·21	·17	—	—	—	·04	—	—	—	10
11	·02	—	—	·11	·14	—	·10	—	·02	·23	—	·11	11
12	1·09	—	—	—	·86	—	—	—	·03	·23	—	·06	12
13	·10	—	—	·14	·11	—	·18	·42	—	·86	—	·22	13
14	·30	—	—	·05	·24	—	—	·02	—	·26	—	·02	14
15	—	—	—	·03	·02	—	—	—	—	·07	·07	·05	15
16	·13	—	—	·02	—	—	—	—	—	—	—	·01	16
17	·03	—	—	·05	·14	—	·08	—	·07	·06	—	—	17
18	·04	—	—	—	·57	—	—	—	—	—	·15	—	18
19	—	—	—	·07	·21	—	—	—	·21	·62	—	—	19
20	—	—	—	·07	·59	—	—	·03	—	1·29	·15	·07	20
21	·10	—	·02	·20	—	—	—	·65	·12	·61	·10	·30	21
22	—	—	—	·04	·08	—	·04	—	·45	·70	·47	·20	22
23	—	·04	—	—	—	—	·25	—	—	·85	·06	·26	23
24	—	·01	—	—	—	—	·82	—	·18	·04	·06	·	24
25	—	—	·07	—	—	—	·15	—	·28	·84	·13	—	25
26	—	—	·15	·50	—	—	·10	—	·02	·06	·10	—	26
27	—	—	·21	·45	·25	—	·40	—	—	·62	·03	·21	27
28	—	—	·40	·01	·09	·06	·20	—	·	—	—	·07	28
29	—	—	·43	·12	·06	·65	—	·56	·45	·33	·20	·56	29
30	—	×	·01	·09	·09	1·23	·48	—	·50	·10	·78	—	30
31	—	×	·27	×	·26	×	·21	—	×	·11	×	·61	31
TOTAL	4·21	·05	2·12	3·28	4·26	2·64	3·70	1·85	5·27	9·00	2·59	3·35	YEAR'S TOTAL 42·32
*Days with ·01 in. or more.	10	2	11	22	19	5	17	8	19	22	16	17	174
*Days with .04 in. or more.	12	1	8	19	18	5	15	5	16	20	12	13	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. D. Clague

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Looe (East)

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·96	·20	—	·03	·09	—	—	—	—	—	1.38		1
2	·42	·07	·70	—	·31	·75	—	—	—	—	·10	·22		2
3	·08	·13	·30	—	·07	·01	—	—	—	—	—	—		3
4	·20	·01	·02	—	·26	—	—	—	—	—	—	—		4
5	·02	·01	·40	—	·22	—	—	—	—	—	—	—		5
6	·01	·49	·02	—	·28	—	—	—	—	·09	—	—		6
7	—	·09	—	—	·08	—	·05	—	—	—	—	—		7
8	·02	·03	—	—	·05	—	·10	—	—	·03	—	—		8
9	—	·07	—	—	·03	—	·42	—	—	·22	·06	—		9
10	·01	·01	—	—	—	—	·56	—	—	·72	·06	—		10
11	·05	—	—	·10	—	—	·05	2·09	—	·09	·01	—		11
12	—	—	—	·22	·06	·33	·38	·03	·47	—	·03	—		12
13	·01	—	—	—	·03	·25	·15	·21	—	·24	·07	—		13
14	·15	—	—	—	—	—	·06	·20	—	—	·25	—		14
15	·37	—	·36	—	—	·10	·37	·02	—	·10	·44	—		15
16	·02	—	1·10	—	—	·03	—	·02	·06	·02	—	—		16
17	—	·09	·26	—	—	·04	·03	·08	·16	—	—	—		17
18	·14	—	·16	—	—	·07	—	—	—	·27	·02	—		18
19	·25	—	·31	—	—	·01	—	·07	·03	·38	·41	—		19
20	—	·08	—	—	·18	·29	—	·06	·20	—	·05	—		20
21	—	·08	—	—	—	—	—	·14	—	·17	—	—		21
22	—	—	—	·42	—	—	—	·50	·72	—	—	—		22
23	—	·43	—	·23	—	·27	—	·01	·04	·20	—	—		23
24	—	·20	—	·31	—	—	—	—	—	·20	—	—		24
25	—	·20	—	·07	·09	·16	—	—	·07	·02	—	·21		25
26	—	·11	—	·53	·25	—	—	—	—	·10	—	—		26
27	—	·28	—	·24	—	—	—	—	—	·43	—	·72		27
28	—	·31	—	·36	—	—	·53	·09	—	·50	—	·02		28
29	·07	×	—	·61	—	—	·01	·01	·01	—	—	·03		29
30	·12	×	·10	·17	—	—	·02	—	·22	—	—	·05		30
31	·20	×	·27	×	·13	×	—	—	×	·03	×	·01		31
TOTAL	2·29	3·65	4·20	3·26	2·07	2·40	2·73	3·53	1·98	3·81	1·50	2·64	Year's Total 34·06	
*Days with ·01 in. or more.	18	19	13	11	15	13	13	14	10	18	11	8	163	
*Days with ·04 in. or more.	12	15	11	11	12	10	10	9	8	14	8	5	125	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) W. D. Clague

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LOOE

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	·02	—	—	—	—	·49	·03	·03	·05	1·68		1
2	·10	—	·08	—	—	—	—	—	·66	—	·03	·19		2
3	—	—	—	—	—	—	—	—	—	·10	—	·36		3
4	·19	—	·25	·05	·50	—	—	·09	·04	·27	—	·45		4
5	—	—	·08	—	·20	—	—	—	—	·08	—	·60		5
6	—	—	·44	·13	·33	·24	—	·46	·02	·50	·03	·35		6
7	·10	—	—	—	—	—	—	·01	—	·47	·07	·73		7
8	—	—	—	—	·08	—	—	·04	—	—	·40	·69		8
9	·05	—	·36	—	—	—	—	·02	—	—	·45	·13		9
10	·24	—	·21	·22	—	—	—	·05	—	—	·08	·10		10
11	·62	—	·03	·80	—	—	—	·04	—	—	—	·58		11
12	·07	—	—	—	—	—	—	·22	—	—	—	·28		12
13	·30	—	·34	·34	—	·08	·04	—	—	—	·32	·37		13
14	·49	—	·09	—	—	—	—	—	·61	·01	—	·33		14
15	·21	—	—	·06	·03	—	—	—	—	·12	·03	·34		15
16	—	—	·28	—	·06	—	—	—	·38	·02	—	·42		16
17	·43	—	·25	·10	·12	—	·04	—	—	·08	—	·42		17
18	—	—	·25	·42	—	·01	—	—	·08	·05	—	·80		18
19	·03	—	·22	—	—	·05	—	—	·14	—	—	·08		19
20	—	—	—	·28	·03	—	·04	—	·07	·04	·02	·20		20
21	—	—	·29	—	—	·44	—	·08	·02	—	·05	·07		21
22	·15	—	·02	—	—	·03	·09	·04	·62	—	·01	·34		22
23	·13	—	·01	·23	—	·40	—	—	·59	·01	—	·20		23
24	—	·10	·14	·08	—	·40	·02	—	·01	·19	—	·19		24
25	·33	·01	—	·31	—	—	—	—	·01	·15	—	·69		25
26	·13	—	·04	·05	—	·25	—	—	·13	·01	—	·17		26
27	—	—	—	—	—	·07	—	·01	·10	·02	—	·10		27
28	—	—	—	—	—	·03	—	·48	·12	—	—	·85		28
29	—	—	—	—	—	—	—	·18	·10	·01	—	·02		29
30	—	×	—	—	—	—	·04	·53	·15	·23	—	·40		30
31	—	×	—	×	·03	×	·04	·01	×	·20	×	·01		31
TOTAL	3·84	·11	3·40 ~~3·44~~	3·07	1·38	2·00	·31	2·45	3·88	2·59	1·54	12·06	Year's Total 36·93	
*Days with ·01 in. or more.	19	2	19	13	9	11	7	16	19	20	12	31	178	
*Days with ·04 in. or more.	18	1	15	13	6	8	6	12	14	13	7	29	142	

† Spare column, no entries required.

(Signed) J. Douglas Clague

P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at LOOE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·04	·67	—	—	·14	—	—	·19	·01	—	·28		1
2	—	·04	·17	—	—	·07	—	—	·04	·27	·14	·25		2
3	—	—	·03	·02	·19	·08	·05	—	·03	·74	—	·19		3
4	—	·11	·04	·09	—	·05	—	—	·20	·16	·06	·29		4
5	—	·34	·03	·08	—	·25	—	—	·22	·64	·10	·47		5
6	—	—	—	·33	—	·75	—	—	—	·02	·08	·13		6
7	—	—	—	·53	—	·02	—	—	—	·51	·17	·04		7
8	—	—	—	·60	—	—	—	—	—	·07	·30	—		8
9	—	—	—	·27	—	—	·08	—	—	·86	·46	—		9
10	[illegible]	—	—	·10	—	·04	—	—	—	·04	·11	—		10
11	·22	·02	·01	·01	—	·40	—	—	·28	·05	·88	—		11
12	·18	·22	—	·01	—	·18	—	·12	·08	·05	·15	—		12
13	·06	·17	—	·25	—	—	—	—	—	—	·20	—		13
14	—	·20	—	—	—	·26	—	—	·39	·09	1·70	·39		14
15	—	·08	·08	·83	·30	·09	—	—	·08	·03	·22	·16		15
16	—	·08	·08	·14	—	—	—	—	·22	·04	·55	·14		16
17	—	·01	—	·08	·57	·74	—	·09	·03	—	·01	—		17
18	—	·04	—	·63	·02	—	—	—	·28	·16	·03	·16		18
19	—	·04	—	·10	·41	·14	·19	—	·25	·18	·37	·01		19
20	—	·31	—	·40	·12	·05	·01	—	—	·21	·03	—		20
21	—	·66	—	·11	—	·03	·13	—	·02	·02	—	—		21
22	—	·02	·05	·18	—	—	—	—	—	·20	—	—	2·51	22
23	—	·13	·03	·10	—	—	—	·94	·18	·34	—	·42		23
24	·03	·31	—	·01	·17	—	—	·08	·32	·01	—	·32		24
25	·25	·12	—	—	·22	·08	—	—	—	—	·03	—		25
26	—	·56	—	—	—	·02	—	·39	·34	·02	—	·59		26
27	—	·08	—	—	—	—	—	·03	·24	·02	·20	·45	3·49	27
28	·02	·23	—	—	—	—	·01	·04	·34	·04	·06	·05		28
29	—	—	—	—	·03	—	—	—	·29	—	·08	·58		29
30	·02	X	—	—	—	—	—	1·20	·13	·32	1·18	·67		30
31	·02	X	—	X	—	X	—	·06	X	·82	X	·39		31
TOTAL	1·01	3·81	1·19	4·87	2·03	3·39	·47	2·95	4·15	5·92	7·11	5·98	Year's Total. 42·88	
* Days with .01 in. or more.	10	22	10	21	9	18	6	9	21	27	23	20	196	
* Days with .04 in. or more.	6	19	6	17	7	15	4	8	18	20	19	19	158	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Douglas Clague

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1936

Kept at LOOE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·15	–	·20	–	·28	·36	·02	–	–	·25	·01		1
2	·05	·07	–	·04	–	·12	·23	·06	·30	–	·05	–		2
3	·01	–	·13	·78	–	·01	·05	–	·30	–	·08	·04		3
4	–	–	·20	–	–	–	·05	–	·34	–	·11	·14		4
5	·23	·31	·04	–	·02	–	·57	·15	–	–	·11	·16		5
6	·03	–	·08	–	–	·08	1·15	·13	·20	–	·77	–		6
7	·62	–	·12	–	–	–	–	–	·02	–	·42	·05		7
8	·23	–	·23	–	–	–	·63	–	·09	·01	·38	·07		8
9	·23	·91	·09	–	–	–	·28	–	·33	–	·20	–		9
10	·15	1·30	–	–	–	–	·08	–	–	–	·20	·01		10
11	·60	·07	–	–	–	·17	·39	–	·08	–	·67	·18		11
12	·16	–	·07	–	–	–	·87	·02	·24	–	·08	–		12
13	·11	·03	–	–	–	–	·02	–	–	·05	·31	·76		13
14	–	–	–	–	–	·07	·68	–	·09	·09	·03	·37		14
15	–	·11	·03	–	·02	–	–	–	·05	–	·50	·33		15
16	–	·06	–	–	·08	–	·16	–	–	–	·17	·15		16
17	·23	·80	–	–	·08	–	·28	·01	–	·16	·08	·60		17
18	·33	·08	·33	–	–	–	·50	–	–	–	–	·29		18
19	·68	·01	·14	·25	–	·03	·13	·12	–	·03	–	–		19
20	·25	·40	–	·11	–	·16	·08	–	·10	–	–	·02		20
21	·08	·21	·13	·48	–	–	·19	–	–	·08	–	–		21
22	·28	·18	–	–	–	–	·48	–	–	–	–	–		22
23	–	·12	·06	·20	·08	–	·10	–	–	·18	–	–		23
24	·28	·05	·22	·03	·20	–	·01	–	·14	·37	–	·03		24
25	·26	–	·40	·28	–	–	·19	–	–	·40	–	–		25
26	·27	·17	·45	–	–	–	·01	–	–	·06	–	–		26
27	·49	·09	·04	–	–	–	·09	–	·05	·05	–	–		27
28	·81	·02	·66	·02	–	–	·39	–	–	·12	–	·28		28
29	·11	·03	·03	–	–	–	·01	–	–	·16	–	–		29
30	·15	✕	·02	–	–	·20	–	–	–	·01	·05	–		30
31	·16	✕	·84	✕	·10	✕	·36	–	✕	–	✕	·44 ·42		31
Total	7·07	5·17	4·21	2·39	·58	1·12	8·34	·51	2·33	1·77	4·46	3·91	Year's Total 41·86	
* Days with .01 in. or more.	26	21	19	10	7	9	28	7	14	14	18	18	191	
* Days with .04 in. or more.	24	17	17	8	5	7	24	4	13	11	17	14	161	

† Spare column, no entries ~~required~~.

* See Instruction 3 (f) on other side.

(*Signed*) W. D. Clague

[P.T.O.

old site

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals

Kept at LOOE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 50 ft.

Estimate Days.

Days for Oct. Nov & Dec estimated from surrounding stations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1 following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	—	·18	·57	—	—	—	—	·07					1
2	·10	·84	—	·26	—	—	—	—	·08					2
3	·12	·20	—	·02	—	—	·03	—	—					3
4	—	·64	—	·05	·05	—	—	—	—					4
5	·35	—	—	·26	—	—	·96	—	—	Daily readings at new station on separate sheet-				5
6	·07	·75	·57	·32	·02	—	·27	—	·01					6
7	—	·62	·07	·04	—	·08	—	—	·01					7
8	—	·09	—	—	·90	—	·23	—	—					8
9	·07	·14	·23	·16	—	—	·06	—	·82					9
10	·20	—	·98	·68	—	·20	·02	—	—					10
11	·10	—	·17	·27	·75	·03	·42	—	—					11
12	·71	·68	·21	·05	·22	·25	·07	·25	·24					12
13	·02	·07	·80	·23	—	—	·01	·25	·36					13
14	·36	·06	·07	—	—	—	—	·03	·18					14
15	—	·19	·31	·84	—	—	—	—	·09					15
16	·17	·17	·12	—	—	—	·05	·07	·39					16
17	·75	·11	·33	·02	—	—	—	—	·03					17
18	·13	·25	·15	—	—	·17	—	·02	·42					18
19	·25	·13	·15	·40	·12	—	—	—	·06					19
20	·50	·02	·28	·18	·53	—	—	—	—					20
21	·23	·82	—	·01	·27	—	·08	—	·25					21
22	·01	·02	·10	—	·41	·01	·21	—	·01					22
23	·17	·50	—	—	·23	—	—	—	—					23
24	·28	·51	·06	—	—	—	—	—	·02					24
25	—	1·17	·63	—	·02	—	—	—	—					25
26	·03	·30	·06	—	—	—	—	—	—					26
27	·04	·27	—	—	—	—	—	—	—					27
28	·05	·32	—	—	—	—	—	—	—					28
29	·02	×	—	—	—	—	—	—	—					29
30	·28		—	—	—	·03	—	—	—					30
31	·27		·02		—		—	—						31
TOTAL	5·51	8·87	5·49	4·36	3·52	·77	2·41	·72	3·04	2·67	4·02	4·18	Year's Total 45·56	✓
* Days with .01 in. or more.	26	24	20	17	11	7	12	5	16	~~10~~ (10)	(10)	(18)	(176)	✓
* Days with .04 in. or more.	22	22	19	14	9	4	9	4	11	(9)	(9)	(15)	(147)	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) W. Douglas Clague [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at LOOE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 50 ft.

June 6th estd from nearby stations
Query sent 20/3/39
observer agrees to adoption of ·20 ins.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	22	—	—	—	·54	—	·64	—	·75	·02	·10		1
2	—	—	—	·03	—	—	—	—	—	·09	—	·09		2
3	—	·07	—	—	·06	—	·01	·42	—	·46	—	·02		3
4	—	—	—	—	—	·03	·24	·28	—	·18	·33	·26		4
5	—	—	—	—	—	·02	·05	·87	·10	·40	·09	·02		5
6	·23	—	—	—	—	(20)	1·51	·06	·05	·04	·05	·05		6
7	·15	—	—	—	—	—	·13	·05	·04	·07	·04	·25		7
8	1·17	·07	—	—	—	—	·06	—	—	·24	—	·01		8
9	·33	—	—	—	—	·03	·01	—	—	·02	·06	·67		9
10	·22	·23	—	—	—	—	·04	·08	—	—	·02	·22		10
11	·34	—	—	—	—	·03	·12	—	—	·01	·35	·61		11
12	·44	·01	—	—	·37	·04	—	—	—	·20	·51	—		12
13	·22	—	—	—	·25	—	·03	—	—	·15	·08	·33		13
14	·57	—	·01	—	·13	—	·28	—	—	—	·03	—		14
15	·23	—	—	—	·02	—	—	·07	—	·49	·40	·31		15
16	·24	—	—	—	·01	—	—	—	—	—	·06	—		16
17	—	·03	·07	—	·16	—	—	—	·13	·22	·13	·40		17
18	·41	—	—	—	·06	—	—	·13	·22	—	·29	—		18
19	—	—	—	—	—	—	—	·05	·98	—	·87	—		19
20	·03	—	—	—	·17	—	—	—	·02	—	·35	—		20
21	·09	—	—	—	—	—	—	·04	·36	·37	·17	—		21
22	·03	—	—	·04	—	·17	—	1·12	·01	·05	·37	—		22
23	—	—	—	—	—	—	—	—	·03	—	·11	—		23
24	·01	·12	·33	—	·03	·02	—	·03	·05	—	·78	—		24
25	·17	·59	—	—	—	—	·22	—	—	·11	1·88	—		25
26	·45	·09	·03	—	·94	·05	—	—	—	·12	·02	·12		26
27	·54	·12	—	·01	·05	·14	~~[illegible]~~	1·12	—	·08	·47	—		27
28	·45	·28	—	—	·05	·11	·18	·09	·11	·05	—	—		28
29	·41	—	—	—	·36	—	—	—	·04	—	·41	·07		29
30	·12	✕	·02	—	·01	·06	·07	—	—	·47	·19	·03		30
31	·41	✕	—	✕	·29	✕	·01	—	✕	·34	✕	·36		31
TOTAL	7·26	1·81	·46	·08	2·77	~~1·24~~ 1·44	2·96	5·05	2·14	4·97	8·08	3·92	Year's Total ~~40·74~~	✓ 40·94
* Days with .01 in. or more.	23	11	5	3	15	13 ~~12~~	15	15	13	22	26	18	~~178~~	✓ 179
* Days with .04 in. or more.	20	9	2	1	11	8 ~~7~~	11	14	10	20	23	14	~~142~~	✓ 143

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. D. Clague

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at LOOE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	–	–	–	·03	–	–	·23	–	–	·39	·08		1
2	·06	–	–	·38	–	–	·04	·21	·38	–	·02	·03		2
3	·32	–	·18	·34	–	–	–	–	–	–	·18	·49		3
4	·02	–	·42	·05	·39	–	·76	–	–	·27	·77	·13		4
5	–	–	·06	·14	·30	–	·24	–	–	·34	·87	·07		5
6	·71	–	·12	·20	·17	–	·80	·13	–	·01	·07	–		6
7	·03	·45	–	·02	–	–	·10	·19	–	–	·20	·28		7
8	·09	·23	·01	–	·13	·05	·17	·11	–	1·64	·31	·07		8
9	·05	·03	–	–	–	–	–	·04	–	·05	·11	·10		9
10	·13	–	–	–	–	–	–	·15	·02	·15	·02	·27		10
11	–	·08	·14	–	–	–	–	–	–	·10	·06	·02		11
12	·02	·03	–	·05	–	–	–	–	·21	·03	·04	–		12
13	–	–	–	·22	–	·05	·58	–	·08	·67	·02	·15		13
14	·83	–	–	·02	·07	·13	·73	–	–	·04	0·11	·05		14
15	–	–	–	·02	–	·83	·20	–	–	·02	·35	·02		15
16	·25	·04	·02	·25	·01	–	·50	–	–	–	·18	–		16
17	·88	·06	–	–	–	·13	·38	–	–	–	–	–		17
18	·15	·05	·01	–	–	·01	·21	–	–	–	·65	·01		18
19	·47	–	–	–	–	–	·25	·73	–	–	·02	·07		19
20	·83	–	–	–	·01	·23	–	·20	–	–	–	·02		20
21	·09	·30	·07	–	·02	·87	·80	·02	–	–	–	–		21
22	·77	·25	·04	·03	–	·55	·17	–	–	–	·79	–		22
23	·12	·02	·22	·15	–	·16	·03	–	–	·03	1·42	–		23
24	1·39	–	·18	·10	–	–	–	·06	–	·22	–	–		24
25	–	·12	·01	·03	–	·02	·12	·51	–	·19	·75	–		25
26	·15	·05	–	–	–	–	·08	–	–	·02	·41	–		26
27	–	·20	–	·02	–	·05	·02	·03	–	–	·21	–		27
28	~~·04~~	·07	–	–	–	·02	·08	–	–	–	·26	·02		28
29	–	×	–	·04	–	·16	·12	–	–	·13	·22	–		29
30	–	✕	–	·15	–	·05	·01	·02	–	·38	·12	–		30
31	–	✕	–	✕	–	✕	·12	·35	✕	1·06	✕	–		31
TOTAL	7·67	1·98	1·48	2·21	1·13	3·31	6·51	3·34	·69	5·35	8·55	1·88	Year's Total 44·10	✓
* Days with .01 in. or more.	21	15	13	18	9	15	23	15	4	18	26	17	194	✓
* Days with .04 in. or more.	18	12	9	12	5	12	20	12	3	13	22	11	149	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. D. Clague

[P.T.O.

COPY FOR OFFICIAL USE

~~1928/9~~
Station No. 1929

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at LOOE
in the County of CORNWALL
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 50 ft.

Note change of address

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·11	—	—	·11	—	·05	—	—	—	·24	—		1
2	—	·27	—	·17	—	—	—	—	—	—	·82	·02		2
3	·02	·78	—	—	—	—	—	—	—	—	·99	·30		3
4	—	·01	—	·04	—	—	·11	—	—	·29	·04	·05		4
5	—	—	—	—	—	—	·01	—	—	·06	·47	·28		5
6	·48	·74	—	—	—	—	—	—	—	·34	·13	·31		6
7	·15	·01	—	·02	—	—	·02	—	·03	·02	—	·02		7
8	—	—	—	—	—	—	—	—	·01	·30	·83	·41		8
9	—	—	—	—	—	—	·57	·05	·01	·19	·37	·46		9
10	—	—	—	—	—	—	·06	—	·03	·06	·10	·26		10
11	—	·04	·04	·01	—	—	·14	—	—	—	1·51	·03		11
12	—	[illegible]	·11	—	—	·01	·29	—	·69	—	·08	—		12
13	—	—	·45	—	—	—	·07	—	·04	·21	1·32	·43		13
14	—	·12	·01	·02	—	—	—	·02	·19	·15	·04	·36		14
15	—	·03	—	·02	—	—	—	—	·26	—	·58	—		15
16	—	1·32	1·43	—	—	—	·21	—	·08	—	·20	·08		16
17	—	·32	·60	·01	—	—	·32	—	—	—	·10	—		17
18	·48	·77	·21	·46	—	—	·01	—	—	—	·38	·24		18
19	—	·09	·16	·27	—	—	·18	—	·87	·03	·25	—		19
20	—	—		·03	—	—	·02	—	—	·13	·09	—		20
21	—	—	—	—	·06	—	—	·02	—	—	·31	—		21
22	·01	—	·10	·28	—	·51	—	—	—	·10	·02	—		22
23	·01	·04	·13	·03	—	—	·02	—	—	·27	·09	—		23
24	·01	—	·13	·02	—	—	·24	—	—	—	—	—		24
25	·35	—	·21	·08	·55	·09	—	—	—	—	—	—		25
26	·40	·50	—	·05	·28	·05	·01	—	—	—	·03	—		26
27	·36	·02	—	·17	·55	—	—	—	—	—	—	—		27
28	·65	·04	·03	·36	·13	—	—	—	—	—	—	—		28
29	·17	·07	·20	·80	—	—	—	—	—	·08	—	·54		29
30	·03	X	—	·01	·03	—	—	—	—	·50	—	·43		30
31	·07	X	—	X	—	X	—	—	X	·50	X	·84		31
TOTAL	3·19	5·28	3·81	2·85	1·71	·66	2·36	·09	2·21	3·23	8·99	5·09	Year's Total 39·47	
* Days with .01 in. or more.	14	18	14	19	7	4	17	3	10	16	23	17	162	
* Days with .04 in. or more.	9	14	12	10	6	3	11	1	6	14	21	14	121	

† Spare column, no entries required.

(*Signed*) W. Douglas Clague [P.T.O.

* See Instruction 3 (f) on other side.

1930

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090. **REGIS** 931.

Kept at The Watch

in the County of Cornw

Diameter of Funnel of Gauge 5

Height of top of Gauge above Grou

,, Ground ,, Sea

1930

DOWNDERRY/ THE WATCHHOUSE

1931 — 40

780311

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·01	·05	·45	·00	·01	·04	·01	·40	·03	·00	·00	1
2	·23	·02	·00	·24	·00	·03	·02	·00	·36	·02	·14	·18	2
3	·17	·00	·63	·00	·00	·00	·09	·00	·15	·04	·73	·20	3
4	·03	·00	·11	·00	·09	·00	·56	·00	·24	·05	·00	·04	4
5	·00	·25	·10	·13	·00	·29	·00	·12	·03	·00	·11	·19	5
6	·00	·03	·00	·02	·11	·36	·04	·00	·01	·28	·03	·34	6
7	·02	·12	·00	·00	·33	·23	·46	·14	·00	·10	·27	·25	7
8	·00	·38	·00	·25	·00	·42	·12	·14	·00	·00	·03	·12	8
9	·01	·20	·00	·00	·00	·06	·08	·03	·00	·01	·14	·01	9
10	·21	·02	·00	·00	·39	·08	·00	·04	·07	·00	1·03	·00	10
11	·02	·56	·00	·03	·06	·69	·38	·00	·03	·00	·34	·00	11
12	·00	·11	·00	·00	·04	·00	·24	·00	·07	·43	·02	·00	12
13	·04	·19	·04	·00	·14	·08	·10	·10	·00	·05	·03	·00	13
14	·03	·09	·00	·00	·07	·14	·80	·26	·01	·00	·49	·00	14
15	·03	·08	·00	·04	·08	·00	·03	·16	·02	·00	·00	·00	15
16	·02	·30	·00	·07	·08	·64	·02	·01	·03	·00	·00	·01	16
17	·03	·06	·00	·03	·00	·08	·14	·01	·05	·00	·00	·00	17
18	·10	·00	·01	·00	·00	·06	·16	1·38	·00	·00	·25	·00	18
19	·01	·13	·33	·00	·00	·13	·08	·07	·00	·00	·52	·00	19
20	·42	·16	·54	·02	·00	·00	·00	·44	·00	·00	·07	·00	20
21	·57	·03	·04	·01	·14	·00	·00	·00	·00	·00	·14	·00	21
22	·23	·03	·01	·01	·24	·00	·00	·02	·00	·00	·09	·00	22
23	·06	·04	·00	·34	·43	·00	·04	·25	·00	·01	·49	·00	23
24	·08	·02	·00	·64	·00	·04	·46	·00	·00	·00	·00	·00	24
25	·03	·03	·00	·13	·03	·00	·15	·00	·00	·00	·13	·02	25
26	·33	·13	·00	·04	·00	·00	·25	·00	·00	·00	·43	·03	26
27	·13	·34	·13	·00	·64	·00	·04	·03	·00	·04	·33	·29	27
28	·12	·12	·08	·04	·03	·00	·00	·22	·00	·03	·02	·10	28
29	·10		·03	·00	·04	·00	·14	·01	·00	·00	·14	·00	29
30	1·04	×	·02	·06	·03	·00	·05	·00	·16	·02	·00	·00	30
31	·00	×	·12	×	·47	×	·04	·00	×	·00	×	·24	31
TOTAL	4·09	3·~~24~~ 45	2·24	2·~~94~~ 57	3·47	3·30	4·92	3·44	1·63	1·11	~~5·99~~ 6·00	2·02	YEAR'S TOTAL 38·~~40~~ 27
*Days with ·01 in. or more.	26	24	15	16	19	16	26	19	14	13	23	14	215
*Days with ·04 in. or more.	14	17	11	11	16	12	23	12	8	7	18	10	169

·00

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. J. Pengelly [P.T.O.

1930

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Watchhouse

in the County of Cornwall

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground One ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·01	·05	·45	·00	·01	·04	·01	·40	·03	·00	·00	1
2	23	·02	·00	·24	·00	·03	·02	·00	·36	·02	·14	·18	2
3	·17	·00	·63	·00	·00	·00	·09	·00	·15	·04	·73	·20	3
4	·03	·00	·11	·00	09	·00	·56	·00	·24	·05	·00	·04	4
5	·00	·25	·10	·13	·00	·29	·00	·12	·03	·00	·11	·19	5
6	·00	·03	·00	·02	·11	·36	·04	·08	·01	·28	·03	·34	6
7	·02	12	·00	·00	·33	·23	·46	·14	·00	·10	·27	·25	7
8	·00	·38	·00	·25	·00	·42	·12	·14	·00	·00	·03	·12	8
9	·01	·20	·00	·00	·00	·06	·08	·03	·00	·01	·14	·01	9
10	·21	·02	·00	·00	39	·08	·08	·04	·04	·00	1·03	·00	10
11	·02	·56	·00	·03	·06	·69	·38	·00	·03	·00	·34	·00	11
12	·00	·11	·00	·00	·04	·00	·24	·00	·04	·43	·02	·00	12
13	·04	19	·04	·00	·14	·08	·10	·10	·00	·05	·03	·00	13
14	·03	·09	·00	·00	·04	·14	·80	·26	·01	·00	·49	·00	14
15	·03	·08	·00	·04	·08	·00	·03	·16	·02	·00	·00	·00	15
16	·02	·30	·00	·04	·08	·64	·02	·01	·03	·00	·00	·07	16
17	·03	·06	·00	03	·00	·08	·14	·01	·05	·00	·00	[illegible]	·00 17
18	·10	·00	·01	·00	·00	·06	16	1·38	·00	·00	·25	·00	18
19	·01	·13	·33	·00	·00	13	·08	·07	·00	·00	·52	·00	19
20	·42	·16	·54	·02	·00	·00	·00	·44	·00	·00	·07	·00	20
21	·57	·03	·04	00	·14	·00	·00	·00	·00	·00	·14	·00	21
22	·23	·03	·01	01	·24	·00	·00	·02	·00	·00	·09	·00	22
23	·06	·04	·00	·34	·43	·00	·04	·25	·00	·01	·49	·00	23
24	·08	·02	·00	·64	·00	·04	·46	·00	·00	·00	·00	·00	24
25	·03	·03	·00	·13	·03	·00	·15	·00	·00	·00	·13	·02	25
26	·33	·13	·00	·04	·00	·00	·25	·00	·00	·00	·43	·03	26
27	·13	·34	·13	·00	·64	·00	·04	·03	·00	·04	·33	·29	27
28	·12	·12	·08	·04	·03	·00	·00	·22	·00	·03	·02	·10	28
29	·10		·03	·00	·04	·00	·14	·01	·00	·00	14	·00	29
30	1·04	×	·02	·00 6	·03	·00	·05	·00	·16	·02	·00	·00	30
31	·00	×	·12	×	·47	×	·04	·00	×	·00	×	·24	31 27
TOTAL	4·09	45 3·24	2·24	57 2·~~74~~	3·47	3·30	4·92	3·47	1·63	1·71	6·00 ~~5·49~~	2·02	YEAR'S TOTAL 38·~~40~~
*Days with ·01 in. or more.	26	24	15	16	19	16	26	19	14	13	23	14	215
*Days with ·04 in. or more.	14	17	11	11	16	12	23	12	8	7	18	10	169

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. J. Pengelly

[P.T.O.

W W ✓ CR
✓ ✓ KG

1930

Section **A** for the entry of Daily Observations.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at The Watch House Downderry
in the County of Cornwall
Diameter of Funnel of Gauge 5 inches in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 100 ft.

BRA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·00	·00	·11	·00	·00	·31	·07	·09	·00	·11	·00	1
2	·06	·00	·06	·34	·02	·00	·00	·00	·17	·00	·03	·44	2
3	·03	·00	·00	·00	·00	·60	·04	·00	·85	·04	·03	·04	3
4	·02	·00	·00	·00	·00	·08	·04	·06	·00	·00	·20	·00	4
5	·44	·00	·13	·00	·00	·00	·00	·00	·51	·00	·00	·00	5
6	·57	·00	·02	·16	·00	·00	·31	·02	·34	·02	·00	·00	6
7	·08	·00	·00	·13	·15	·00	·00	·00	·69	·61	·00	·00	7
8	·01	·00	·42	·07	·18	·00	·00	·00	·04	·20	·00	·00	8
9	·52	·00	·00	·32	·05	·00	·00	·00	·00	·02	·00	·00	9
10	·27	·00	·00	·18	·13	·00	·00	·00	·01	·03	·00	·00	10
11	·04	·00	·00	·13	·15	·00	·06	·02	·06	·34	·00	·10	11
12	·67	·00	·00	·03	·62	·00	·00	·00	·06	·07	·00	·10	12
13	·09	·00	·00	·12	·12	·00	·02	·24	·03	·81	·00	·23	13
14	·21	·00	·00	·08	·13	·00	·00	·05	·00	·04	·00	·14	14
15	·01	·00	·00	·03	·02	·00	·00	·00	·00	·08	·03	·04	15
16	·09	·00	·00	·04	·00	·00	·00	·00	·09	·00	·00	·01	16
17	·04	·00	·00	·05	·09	·00	·01	·00	·05	·00	·00	·00	17
18	·04	·00	·00	·00	·48	·00	·00	·00	·12	·07	·12	·01	18
19	·01	·00	·00	·03	·29	·00	·00	·00	·00	·56	·01	·05	19
20	·00	·00	·00	·11	·61	·00	·00	·08	·07	1·15	·18	·04	20
21	·09	·00	·04	·24	·00	·00	·01	·30	·08	·54	·09	·28	21
22	·00	·00	·00	·06	·07	·00	·04	·00	·46	·41	·45	·07	22
23	·01	·04	·00	·00	·00	·00	·19	·00	·00	·83	·06	·26	23
24	·00	·01	·00	·00	·00	·00	·83	·00	·21	·08	·07	·03	24
25	·00	·00	·08	·00	·05	·00	·10	·00	·21	·84	·11	·00	25
26	·00	·00	·12	·42	·00	·00	·16	·00	·04	·05	·12	·30	26
27	·00	·00	·24	·44	·20	·00	·29	·00	·00	·56	·09	·06	27
28	·00	·00	·14	·03	·15	·08	·23	·00	·01	·06	·01	·38	28
29	·00	·00	·65	·15	·07	·44	·02	·62	·42	·37	·10	·06	29
30	·00	×	·04	·13	·11	·59	·47	·00	·48	·12	·73	·00	30
31	·00	×	·22	×	·21	×	·13	·00	×	·05	×	·40	31
TOTAL	3·35 ~~3·43~~	·05	2·16	3·40 ~~3·50~~	3·90	1·79	3·26	1·46	5·09	7·89	2·54	3·04	YEAR'S TOTAL 37·93 ins ~~38·40~~
Days with ·01 in. or more.	21	2	12	23	21	5	18	9	23	25	18	20	19~~5~~7
Days with ·04 in. or more.	15	1	11	19	19	5	14	7	20	21	13	14	162

40-12-1-27
144w)

(Signed).. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Watch House. Downderry

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 100 ft.

June misplotted as 43rd instead of 23 J.W.O. 24/1/34 Correct value is in good accord with neighbouring stations

BA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·94	·18	—	—	·09	—	—	—	—	·72	1·26	1
2	·24	·02	·63	—	·23	·66	—	—	—	—	·05	·24	2
3	·11	·15	·17	—	·08	—	—	—	—	—	·10	—	3
4	·17	·10	·02	—	·22	—	—	—	—	—	—	—	4
5	·03	·03	·27	—	·22	—	—	—	·04	—	—	—	5
6	·05	·44	·03	—	·29	—	—	—	—	·09	—	—	6
7	·01	·10	·02	—	·11	—	·08	—	—	·01	—	—	7
8	·04	·04	—	—	·09	—	·14	·02	—	·02	—	—	8
9	—	·06	—	—	·04	—	·38	·02	—	·12	·08	—	9
10	·08	·04	—	—	—	—	·73	·03	—	·42	·04	—	10
11	—	—	—	·04	—	—	·08	1·62	—	·08	—	—	11
12	·06	—	—	·29	·09	·30	·29	·03	·19	—	·06	—	12
13	—	—	—	—	·06	·11	·10	·08	—	·24	·10	—	13
14	·11	—	—	—	—	—	·41	·21	—	—	·13	—	14
15	·35	—	·31	—	—	·03	·17	·04	—	·11	·35	—	15
16	·04	—	·86	—	—	·04	—	·07	—	·05	[illegible]	—	16
17	·15	·09	·24	—	—	·06	·05	·08	·05	—	—	—	17
18	—	—	·18	—	—	·06	·02	—	·05	·14	·02	—	18
19	·20	—	·27	—	—	·03	—	·11	—	·26	·33	—	19
20	—	·11	—	—	·15	·37	—	·12	·08	—	·05	·02	20
21	—	·08	—	—	—	·06	—	·19	·10	·15	—	—	21
22	—	·43	—	·26	—	—	—	·48	·55	—	—	—	22
23	—	·26	—	·25	—	·27	—	·02	·21	—	—	—	23
24	—	·37	—	·20	—	—	—	·01	·04	·23	—	—	24
25	—	—	—	·06	·10	·22	—	—	·03	·19	—	·17	25
26	—	·13	—	·38	·20	—	—	—	—	—	—	—	26
27	—	·24	—	·23	—	—	—	—	—	·11	—	·54	27
28	—	·38	—	·35	—	—	·49	·06	—	·37	—	·04	28
29	·06		—	·32	—	—	·02	—	·02	·44	—	·05	29
30	·14	×	·05	·32	—	—	·04	—	·22	·07	—	·04	30
31	·18	×	·32	×	·13	×	—	—	×	·10	×	—	31
TOTAL	~~2·30~~ 2·20	4·01	~~3·56~~ 3·55	2·70	~~1·86~~ 1·96	2·30	~~3·40~~ 3·00	3·19	1·58	3·20	1·46	2·39	YEAR'S TOTAL ~~31·60~~ 31.54
*Days with ·01 in. or more.	18	19	14	11	14	13	14	17	12	19	12	8	172
*Days with ·04 in. or more.	15	17	11	11	14	11	12	11	10	17	11	7	147

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) W. J. Pengelly

P.T.O.

1930

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~930~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at The Watch House Seaton Downderry

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

B.A.

Found correct

ALJ

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08		·63	—	—	—	—	·55	·02	·04	·14	·94		1
2	·12	—	·09	—	—	—	—	—	·60	·03	—	·21		2
3	·08	—	—	—	—	—	—	—	·01	·11	—	·28		3
4	·30	—	·23	·04	·33	—	—	—	·03	·25	—	·38		4
5	—	—	·08	—	·13	—	—	~~1·04~~	—	·08	—	·55		5
6	·04	—	—	·24	·24	·24	—	1·04	—	·39	—	·31		6
7	·07	—	·42	—	—	—	—	—	—	·41	·03	·38		7
8	—	—	—	—	·13	—	—	—	—	—	·41	·46		8
9	·05	—	·35	—	—	—	—	·11	—	—	·40	·13		9
10	·17	—	·29	·25	—	—	—	·04	·03	—	·13	·21		10
11	·27	—	·03	·79	—	—	—	·10	—	—	·03	·54		11
12	·10	—	—	—	—	—	·02	·03	—	—	—	·19		12
13	·02	—	—	·33	—	·06	—	·21	—	—	·20	·39		13
14	·47	—	·24	·02	—	—	—	—	—	·05	·05	·25		14
15	·24	—	·09	·07	·12	—	—	—	—	·13	—	·28		15
16	·18	—	·23	·11	·06	—	—	—	·13	—	—	·45		16
17	·48	—	·26	·30	·11	—	—	·04	—	—	—	·34		17
18	·07	—	·20	—	·07	·01	—	—	·29	·15	—	·65		18
19	—	·02	·23	—	—	—	—	—	·04	—	—	·28		19
20	—	—	—	·28	—	·04	·08	—	·18	—	·04	·16		20
21	—	—	·24	—	—	·45	—	·07	·06	—	—	·10		21
22	·11	—	·04	—	—	·04	·27	·08	·59	·15	—	·21		22
23	·13	—	·02	·23	—	·32	—	·05	·49	—	—	·22		23
24	—	—	·15	·09	—	·24	—	·36	—	·13	—	·06		24
25	·29	·10	·01	·29	·05	—	·03	—	—	·05	—	·50		25
26	·13	—	—	·07	—	·20	—	—	·10	·04	—	·08		26
27	—	—	·07	—	—	·11	—	—	·04	—	·06	·12		27
28	—	—	—	—	—	·04	—	·44	·12	—	—	·76		28
29	—	—	—	—	—	—	—	·07	·09	—	—	·02		29
30	—	×	—	—	—	—	·04	·22	·09	·29	—	·30		30
31	—	×	—	×	·11	×	—	·01	×	·20	×	·03		31
TOTAL	3·40	·12	3·30	3·11	1·35	1·75	·44	3·42	2·91	2·50	1·49	9·78	Year's Total. 33·57	✓
* Days with .01 in. or more.	20	2	20	14	10	11	5	16	17	16	10	31	172	✓
* Days with .04 in. or more.	19	1	16	13	10	10	3	14	13	15	8	29	151	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. J. Pengelly

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Watch House . Downderry

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	—	·60	—	—	·11	—	—	·13	·06	—	·50		1
2	—	—	—	—	—	—	—	—	·04	·13	·08	·20		2
3	·03	—	·15	—	·21	·13	—	—	·04	·23	·04	·21		3
4	—	—	·10	·03	—	·04	—	—	·21	·49	·08	·45		4
5	—	·14	·04	·16	—	·15	—	—	·17	·94	·08	·34		5
6	—	·29	—	·37	—	·28	—	—	—	·06	·06	·12		6
7	—	—	—	·47	—	·02	—	—	—	·24	·17	·05		7
8	—	—	—	·50	—	—	—	—	—	·07	·14	—		8
9	—	—	—	·25	—	·04	—	—	—	·64	·26	—		9
10	·11	—	—	—	—	·15	—	—	—	·12	·05	—		10
11	·30	—	—	·10	—	·14	—	—	·25	·08	·45	—		11
12	·16	·16	—	—	—	—	—	·14	·04	—	·15	—		12
13	·04	·22	—	—	—	—	—	—	—	·04	·15	—		13
14	—	·08	—	·24	·15	·25	—	—	·22	·04	1·47	·28		14
15	—	·17	—	·44	—	·11	—	—	·14	·02	·18	·14		15
16	—	·09	·08	·19	—	·08	—	—	·06	·04	·67	·15		16
17	—	—	·04	·08	·71	·51	—	·09	·08	—	·03	—		17
18	—	—	—	·64	·11	·03	—	—	·17	·11	·02	·10		18
19	—	·03	—	·12	·34	·05	·38	—	·19	·26	·25	—		19
20	·01	·12	—	·54	·14	·06	—	—	—	·15	·08	—		20
21	—	·11	—	·04	—	·03	—	—	·04	·10	—	—		21
22	—	—	·08	·23	—	—	·16	—	—	·19	—	—		22
23	·03	·03	·05	·22	·08	—	—	1·02	·05	·24	—	·28		23
24	·04	·39	—	·09	·19	—	—	·19	·18	—	—	·23		24
25	·39	—	—	—	·21	—	—	—	—	—	—	—		25
26	—	·46	—	—	—	—	—	·30	·24	·02	·03	·61		26
27	—	·09	—	—	—	—	·03	·07	·13	·06	·12	·48		27
28	·02	·08	—	—	—	—	—	·02	·39	·09	·08	·04		28
29	—		—	—	—	—	—	—	·10	—	·08	·26		29
30	·04	×	—	—	—	—	—	·82	·11	·26	1·14	·39		30
31	—	×	—	×	—	×	—	·09	×	·55	×	·25		31
TOTAL	1·29	~~2·44~~ 2·46	1·14	5·02	2·14	2·24	·57	2·74	2·98	~~5·12~~ 5·23	5·89	5·11	Year's Total. 36·~~68~~	81
* Days with .01 in. or more.	12	15	8	18	9	17	3	9	21	26	24	19	[illegible]	181
* Days with .04 in. or more.	8	13	8	14	9	14	2	8	21	24	21	19	164	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. S. Sneyd

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations
Station No. 1930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Get file

Kept at The Watch House Downderry
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 100 ft.

BA

Not B.A.
30/1/37
WR.

817320/28

Query sent 26/5/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·21	—	·12	—	·32	·60	·02	—	·10	—	—		1
2	·06	·06	—	—	—	·15	·35	·03	·21	·20	—	—		2
3	·04	·01	—	·61	—	—	·08	·08	·39	·06	—	—		3
4	·03	·20	·20	—	—	—	·06	·02	·31	—	·8	·24		4
5	·11	—	·06	—	—	—	·32	·12	·04	—	·16	—		5
6	·04	—	·01	—	—	·09	·88	·01	·11	—	·62	·05		6
7	·54	—	·10	—	—	—	·03	—	·06	—	·40	·05		7
8	·09	—	·25	—	—	—	·44	·01	·08	—	·42	—		8
9	·10	·64	·11	—	—	—	·34	·01	·30	—	·16	·04		9
10	·14	·91	—	—	—	—	·08	—	·01	—	·12	·10		10
11	·70	·05	—	—	—	·21	·10	—	·28	—	·49	·26		11
12	·09	—	—	·14	—	—	·94	·01	·20	—	·8	·6		12
13	·07	—	—	—	—	—	·02	—	·01	·28	·20	·30		13
14	—	—	—	—	—	·06	·57	·02	·09	—	·10	·28		14
15	—	·11	—	—	·05	—	·02	·01	—	·08	·46	·16		15
16	—	·06	—	·04	·05	—	·15	—	—	—	·12	·18		16
17	·23	·40	—	—	—	—	·09	·02	—	·25	·09	·16		17
18	·45	·10	·35	—	—	—	·18	·04	—	—	—	·23		18
19	·61	·07	·05	·18	—	—	·11	·01	—	—	—	·28		19
20	·23	·20	—	·13	—	—	·08	—	20	—	—	—		20
21	·07	·40	·08	·28	—	·18	·22	—	—	—	—	—		21
22	·23	·06	—	—	—	—	·16	—	—	—	—	—		22
23	—	·25	·03	·15	—	—	—	—	—	·23	—	·06		23
24	·26	—	·22	·04	·21	—	·04	—	—	·30	—	—		24
25	·16	—	·49	·21	—	—	·10	—	—	·39	—	—		25
26	·14	·14	·34	—	—	—	—	—	—	—	—	—		26
27	·45	·13	·06	—	—	—	·12	—	—	·27	—	·21		27
28	·66	·03	·35	—	—	—	·47	—	—	—	—	—		28
29	·05	·03	·03	—	—	—	—	—	—	—	—	—		29
30	·13	✕	—	—	—	49	·02	—	—	08	—	—		30
31	·14	✕	·60	✕	—	✕	·40	—	✕	—	✕	·38		31
TOTAL	~~6·15~~ 6·05	4·06	3·33	1·93	·31	1·50	6·94	·41	2·29	2·24	3·50	3·04	Year's Total ~~35·73~~	35·63
* Days with .01 in. or more.	24	20	14	10	3	4	28	14	14	11	14	14	182	
* Days with .04 in. or more.	26	17	14	10	3	7	24	3	12	11	14	17	158	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Wm. J. Pengelly

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Watch House, [illegible]

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

written 3/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·06	—	—	—	—	—	·09	—	—	·52		1
2	·29	·43	—	—	—	—	·07	—	·10	—	—	05		2
3	—	·14	—	—	—	—	—	—	—	—	—	—		3
4	·09	·46	—	·40	—	—	—	—	—	—	—	57		4
5	·37	—	—	·25	—	—	·66	—	—	—	—	—		5
6	·07	·57	·58	·20	—	—	—	—	·04	—	18	20		6
7	—	·45	·08	·02	—	·23	—	—	[illegible]	—	—	—		7
8	—	·07	—	·20	·72	09	·29	—	—	—	—	—		8
9	·06	·11	·28	·30	·03	—	·30	—	·57	—	—	—		9
10	·10	—	·90	·35	—	17	—	—	[illegible]	—	—	·48		10
11	·05	—	·08	·25	·94	·04	·15	·03	—	—	—	·33		11
12	·34	50	·14	·28	·39	·22	—	·20	·20	—	—	·24		12
13	—	·07	·79	—	—	—	—	·31	·27	—	—	·14		13
14	·23	·07	·50	—	—	—	—	—	·13	—	—	·28		14
15	·14	·07	·20	·68	—	—	—	—	·07	—	—	33		15
16	·38	·19	·09	—	—	—	—	·20	·38	—	·55	—		16
17	·15	·14	·32	—	—	—	—	—	·04	—	·30	—		17
18	·28	·31	·12	29	—	·20	—	—	·40	—	·25	18		18
19	·13	·10	·08	—	·09	—	—	—	·04	—	—	—		19
20	—	·03	·39	—	·43	—	—	—	—	—	·04	29		20
21	—	·80	14	—	·22	—	·08	—	·15	·10	·25	—		21
22	·11	·06	·10	—	·30	—	—	—	·02	·51	·28	—		22
23	·13	·34	—	—	·27	—	—	—	—	·18	·05	—		23
24	·15	·38	·08	—	—	—	—	—	—	·46	~~·05~~	—		24
25	—	·93	·52	—	—	—	—	—	—	·08	—	—		25
26	—	·34	—	—	—	—	—	—	—	—	—	—		26
27	—	·23	—	—	—	—	—	—	—	·27	—	—		27
28	—	·55	—	—	—	—	—	—	—	·05	—	—		28
29	·14	×	—	—	—	—	—	—	—	—	·42	—		29
30	·27	✕	—	—	—	·08	—	—	04	—	·41	—		30
31	27	✕	—	✕	—	✕	—	—	✕	—	✕			31
TOTAL	3·75	7·34	5·44	3·22	3·39	1·03	1·55	·74	2·54	1·65	2·73	3·61	Year's Total 36·99	
* Days with .01 in. or more.	20	24	19	11	9	7	6	4	15	7	10	12	144	
* Days with .04 in. or more.	20	23	19	10	8	7	6	3	14	7	10	12	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. J. Pengelly [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Watch House Boundary

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

np 1937 + 36

letter written GB 20/3/39

f 8173 20/28

Entries on Jan 15, 16, 29, Feb 28, May 31st Sept 18, Oct 8, 17 and Nov 16 + 30 estimated from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	14	–	–	–	63	05	52	–	·40	–	16		1
2	–	05	–	–	–	–	–	–	–	·34	–	10		2
3	–	–	–	–	13	01	–	53	–	·30	21	–		3
4	–	–	–	–	01	06	35	40	–	20	–	12		4
5	09	–	–	–	–	02	–	34	06	48	04	–		5
6	20	–	–	–	–	11	1·24	–	04	04	–	14		6
7	24	24	–	–	–	–	30	–	04	08	–	29		7
8	73	–	–	–	–	–	–	–	–	(·25)	–	–		8
9	28	–	–	–	–	06	–	–	–	04	–	34		9
10	48	–	–	–	–	03	–	18	–	–	12	15		10
11	28	–	–	–	–	03	20	–	–	–	30	60		11
12	25	–	09	–	23	~~15~~	07	–	–	–	30	06		12
13	22	–	–	–	28	–	02	–	–	34	–	33		13
14	35	–	–	–	11	–	33	–	–	~~27~~	–	30		14
15	(·30)	–	–	–	03	–	–	02	–	~~47~~	–	–		15
16	(·20)	–	05	–	03	–	–	–	–	[illegible]	(·50)	–		16
17	30	–	–	–	15	–	–	–	15	(·23)	27	32		17
18	–	–	–	–	–	–	04	10	(·70)	–	21	–		18
19	02	–	–	–	–	–	–	–	80	–	72	–		19
20	02	–	–	–	–	–	–	–	03	–	23	–		20
21	07	–	–	–	–	–	–	02	42	28	–	–		21
22	–	–	–	–	–	17	–	95	02	~~28~~	40	–		22
23	–	–	–	–	–	–	–	–	–	–	20	–		23
24	–	22	20	–	05	01	[illegible]	04	06	–	85	–		24
25	14	40	–	–	73	03	20	–	–	12	1·30	–		25
26	47	10	–	–	60	03	[illegible]	–	–	21	06	–		26
27	40	10	–	–	13	14	17	1·05	–	[illegible]	·33	03		27
28	37	(·28)	–	–	15	08	–	24	10	–	·24	02		28
29	(·35)	–	08	–	28	07	~~08~~	05	02	40	–	05		29
30	14	✕	–	–	02	–	08	10	–	–	(·20)	–		30
31	30	✕	–	✕	(·28)	✕	–	15	✕	31	✕	40		31
TOTAL	(6·20) ~~6·35~~	1·53 ~~1·25~~	·42	~~000~~	2·61 ~~2·33~~	1·48	3·05	4·69	1·84 ~~1·74~~	(4·52) ~~4·04~~	(6·48) ~~5·78~~	3·41	(36·23) (Year's Total) ~~33·11~~	MT low GB
* Days with .01 in. or more.	20	7	4	0	15	15	12	15	11	15	16	16	144	
* Days with .04 in. or more.	18	7	4	0	11	8	11	13	8	15	15	14	123	20/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Pengelly

[P.T.O.

DOWNDERRY (THE WATCH HOUSE) COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Watch House

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 100 ft.

Jan & Aug corr'd for arith.
Jan 14th and Nov 18-19th est'd from nearby stns.
[illegible] 1938
Feb.

817320/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	31	—	—	—	—	—	·02	12	—	—	·45	·04		1
2	11	—	—	~~38~~	—	—	·03	21	35	—	·02	1·46		2
3	21	—	17	31	—	—	24	·03	—	—	·24			3
4	—	—	~~32~~	·6	~~50~~	—	—	·03	—	28	1·27	·16		4
5	—	—	06	18	20	—	—	—	—	21		·12		5
6	53	—	15	19	·07	—	·59	11	—	·06	·07	—		6
7	—	40	—	—	—	—	·10	10	—	—	1·41	·72		7
8	—	10	—	—	13	·03	·18	13	—	1·80		·07		8
9	20	·04	—	—	—	—	—	33	tr	06	·16	·08		9
10	—	—	—	—	—	·02	—	19	·06	39	·02	·36		10
11	—	·07	16	—	—	—	—	—	—	11	·01	·01		11
12	—	·03	—	—	—	—	—	—	30	22	·04	—		12
13	—	—	—	22	—	10	10	—	·02	·85	·03	·24		13
14	(·85)	—	—	—	·08	·09	1·07	—	—		·12	·03		14
15	20	—	—	—	—	72	24	—	—	·01	38	—		15
16	·03	10	—	24	—	—	33	—	—	—	·18	—		16
17	58	·07	—	—	·02	12	47	—	—	·01	·04	·03		17
18	—	·06	—	—	—	·02	22	—	—	—	·70	·09		18
19	51	·04	—	—	—	—	27	32	—	—		·19		19
20	57	—	—	—	—	33	·02	·09	—	—	—			20
21	18	29	13	—	·03	84	40	·01	—	—	—	—		21
22	50	25	26	·05	—	43	19	·07	—	—	·60	—		22
* 09 23	~~09~~	·01	10	16	—	—	·04	63	—	·05	1·40	—		23
24	91	~~20~~	12	12	—	26	·02	·09	—	·29	—	—		24
25	48	20	—	—	—	·03	·15	—	—	·24	·52	—		25
26	—	20	—	02	—	—	·06	—	—	—	·39	—		26
27	—	~~14~~	—	—	—	·04	·04	—	—	—	·23	—		27
28	—	14	—	—	—	·05	·07	—	—	—	·26	·04		28
29	—	×	—	—	—	15	15	—	—	47	·07	—		29
30	—	×	—	20	—	·09	·03	·03	—	·20	·09	—		30 "d"
31	—	×	—	×	—	×	12	25	×	·63	×	—	41·64	31
TOTAL	(6·26) ~~501~~	214	147	213	103	332	564	~~264~~ 274	73	588	~~706~~ 7·76	264	Year's Total ~~39·59~~	
* Days with .01 in. or more.	~~1~~ 156	~~2~~ 16	9	~~1~~ 12	27	~~4~~ 16	~~5~~ 25	~~4~~ 17	14	28	~~B~~ 25 7	17 ~~3~~	~~28~~	~~176~~ 184
* Days with .04 in. or more.	~~14~~ 5	14	9	11	5	12	20	13	3	1~~5~~6	20 2	~~12~~ 3	~~148~~	153

G. S. SNEYD, ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. S. Sneyd

[P.T.O.

Section **A** for the entry of Daily Observations.

1930

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~2~~40

Kept at The Watch House Nr Downderry

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" Ground " Sea Level .... ft.

Unchanged

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.12	—	—	.10	—	—	—	—	—	.22	—	1
2	—	.22	—	.17	—	—	.05	—	—	—	x 1.44	—	2
3	.06	.79	—	~~—~~	—	—	—	—	—	—	x	.27	3
4	—	~~[illegible]~~	—	.08	—	—	.12	—	—	.22	.08	.05	4
5	.02	.03	—	—	—	—	—	—	—	.04	x .53	.28	5
6	.43	.69	—	.01	—	—	.01	—	—	.26	x	.31	6
7	.15	.02	—	—	—	—	.01	—	—	—	—	.04	7
8	.02	~~.04~~	—	—	—	—	—	—	.04	.23	.61	x 1.10	8 1.10
9	—	—	—	—	—	—	.61	.04	.02	.23	x .47	x	9
10	—	—	.01	—	—	—	—	—	—	.12	x	.44	10
11	—	.04	.05	—	—	—	x .55	—	—	—	1.26	—	11
12	—	—	.12	.01	—	.03	x	—	.73	—	.20	—	12
13	—	—	.43	—	—	—	.07	—	—	.23	1.39	x .61	13
14	—	.08	—	.05	—	—	—	—	.22	.08	.10	x	14
15	—	.03	—	—	—	—	—	—	.17	.08	.37	—	15
16	.26	.99	1.30	.02	.03	—	.21	—	.06	~~0~~	.16	—	16
17	—	.39	.62	.02	—	—	.31	—	—	.01	.15	—	17
18	.23	.77	x .35	.42	—	—	.04	—	.02	.09	x .42	.21	18
19	—	.11	x	.13	—	—	.27	—	.93	—	x	—	19
20	—	—	.01	.05	—	—	—	—	—	.12	x	—	20
21	—	—	.01	—	.10	—	—	.09	—	—	.21	—	21
22	—	.02	.12	.26	—	.52	—	—	—	.10	x .39	—	22
23	—	.06	x .14	.04	—	—	.04	—	—	.42	x	—	23
24	.01	—	x	.02	—	.03	.34	—	—	—	—	—	24
25	.27	—	.26	x .22	.66	.03	—	—	—	—	—	—	25
26	.43	.44	—	x	.25	—	—	—	—	—	.04	—	26
27	.34	—	.06	.04	.59	—	—	—	—	—	—	—	27
28	.51	.08	—	.40	x .30	—	—	—	—	—	—	.34	28
29	.14	.02	.20	.85	x	.05	—	—	—	.04	—	.59	29
30	.05	X	—	.01	.05	—	—	—	—	.40	—	—	30
31	.08	X	—	X	—	X	—	—	X	.29	X	.89	31
TOTAL	3.00	4.90	3.68	2.80	2.08	.66	2.63	.13	2.19	2.96	8.00	5.13	YEAR'S TOTAL 38.16
Days with .01 in. or more.	15	18	16	18	9	5	14	2	8	17	23	14	~~148~~ 159
Days with .04 in. or more.	12	13	13	12	8	2	12	2	6	16	22	14	~~[illegible]~~ 132

40-12-1-27
144w)

(Signed) E. S. Sneyd

[P.T.O.

DOWNDERRY (YAR

1930/2

1930/2
DOWNDERRY, YARDLEY HOUSE
1936—39

7803 11

FORM 1090.

B Mo
Su

on.

. The following register of mon
&c., is NOT required if dail
values are given on the othe

ction and also the space for
this register should be sent :—
ey House,
, Cornwall.

RAINFALL IN 19

At Downderry. ....a.m. ...in Summer 8.30 a.m.

In the County of Cornwall.

Nearest Railway Station St. Germans Distance 4 ½ mls. Direction from gauge N. E.

Nearest Parish Church at Downderry Distance 500 yds. Direction from gauge East

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 ft. 3 in.
Height of Ground above Sea Level 50 ft.

Nature of objects nearest to gauge	Low Hedges	Three Shrubs	
Height of objects	3'-6"	7'	
Distances ...	20' & 20'	40'	
Directions from gauge ...	East. West	South	

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·00	·80	29	25	25
FEB.	5·21	1·27	11	21	20
MAR.	3·50	·69	29	20	15
APRIL	3·13	·88	1	14	9
MAY	0·41	·08	18	4	4
JUNE	1·16	0·45	2	12	6
JULY	8·18	1·27	12	24	23
AUG.	0·46	·13	6	8	4
SEPT.	2·09	·41	12	15	10
OCT.	1·29	·32	25	13	9
NOV.	3·74	·72	6	14	13
DEC.	2·54	·77	14	19	11
TOTAL	38·71			189	149

all records taken at 5 p.m. each day & booked to same day as read.

Signature B.W. Sutherns.

B.W. SUTHERNS ESQ. C.E.

Rainfall ✓

✓

* See Instruction 3 (*f*) below.

If gauge has been moved during the year state—

Date of move........................ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 APR 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

DOWNDERRY (YAR

1930/2

FORM 1090.

B Monthly Summary.

_ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Downderry.

In the County of Cornwall. |2

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 ft. 3 in.
Height of Ground above Sea Level 50 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·00	·80	29	25	25
FEB.	5·21	1·27	11	21	20
MAR.	3·50	·69	29	20	15
APRIL	3·13	·88	1	14	9
MAY	0·41	·08	18	4	4
JUNE	1·16	0·45	2	12	6
JULY	8·18	1·27	12	24	23
AUG.	0·46	·13	6	8	4
SEPT.	2·09	·41	12	15	10
OCT.	1·29	·32	25	13	9
NOV.	3·74	·72	6	14	13
DEC.	2·54	·77	14	19	11
TOTAL	38·71			189	149

all records taken at 5 p.m. each day & booked to same day as read.

Signature B. W. Sutherns.

B.W. SUTHERNS ESQ. C.E.

Printed ✓

✓

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
B. W. Sutherns, Yardley House,
Downderry, Torpoint, Cornwall.

Hour of observation by the clock—in Winter 8·30 a.m. in Summer 8·30 a.m.

Nearest Railway Station St. Germans Distance 4½ miles Direction from gauge N. E.

Nearest Parish Church at Downderry Distance 500 yds Direction from gauge East

Nature of objects nearest to gauge	Low Hedges	Three Shrubs		
Height of objects	3'-6"	7'		
Distances ...	20' & 20'	40'		
Directions from gauge ...	East. West	South		

If gauge has been moved during the year state—

Date of move —— Distance —— Direction ——

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

——

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

MO 7
3 APR 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving-can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations **Station No.** 1930/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Downderry

in the County of Cornwall

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

Examine

no omission

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·53	·23	·43	·52	—		·01	—	·04	·08	—	·49		1
2	·12	·25	·09	·29	—		—	—	·09		—	·03		2
3	·01	·42	—	·02	—		·03	—	·02		—	·01		3
4	·06	·16	·02	·04	·02		—	—	—		—	·60		4
5	·05	·63	—	·25	—		·79	—	—		—	—		5
6	·34	—	·28	·29	·01	Trace	·13	—	·01		—	·19 ~~·02~~		6
7	·06	1·07	·31	·03	Trace	·25	—	—	·02		0025	·02 ✓		7
8	—	·20	·05	Trace	·87	·07	·28	—	—		Trace	—		8
9	—	·07	—	·16	—	·01	—	Tr.	·78		—	—		9
10	·07	·05	·13	·71	·01	·16	·03	0·02	—		—	·63		10
11	·09	·02	·94	·21	·87	·02	·27	Tr.	—		—	·26		11
12	·30	·52	·29	·03	·52	·25	·07	·24	·21		Tr.	·37		12
13	·30	·10	·14	·20	—	—	Tr.	·23	·26		—	·07		13
14	—	·05	·92	—	—	—	—	·12	·12		—	·29		14
15	—	·02	·13	·78	—	—	—	Tr.	·11		—	·27		15
16	·22	·31	·55	—	—	—	·04	·04	·33		·90	—		16
17	·16	·03	·13	·02 ~~·03~~	—	—	Tr.	—	·02		·22	—		17
18	·42	·16	·10	Tr.	—	·16	—	·01	·38		·26	·20		18
19	·36	·30	·15	·32	·07	—	Tr.	—	·02		·03	—		19
20	·19	·01	·44	·15	·30	—	—	—	·01		—	·64		20
21	·01	·09	·26	Tr.	·28	—	·05	—	·18	·09	·13	·08		21
22	·16	·64	—	—	·39	—	·16	—	·01	·52	·21	·07		22
23	·07	·02	·08	—	·18	—	—	—	—	·15	·12	·05		23
24	·33	·73	·01	—	Tr.	—	·01	—	·02	·75	—	·08		24
25	·12	·67	·40	Tr.	—	—		—	·01	·21	—	·01		25
26	·01	·86	·15	—	·01	—		—	—	—	—	Tr.		26
27	·03	·18	·05	—	—	—		—	—	·26	Tr.	—		27
28	·06	·37	—	—	—	Trace		—	—	·01	—	—		28
29	·02	✕	—	—	—	Trace		—	—	·47	·35	—		29
30	·20	✕	—	—	—	·03		—	·08	—	·79	—		30
31	·11	✕	—	✕	—	✕		—	✕	·36	✕	—		31
TOTAL	4·40	8·16	6·05	4·02	3·53	0·95	1·87	0·66	2·72	2·90	3,26	4·36	Year's Total 42·88	✓
* Days with .01 in. or more.	27	27	23	16	12	8	12	6	20	10	10	19	190	✓
* Days with .04 in. or more.	22	22	21	12	8	5	8	4	11	9	9	15	146	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B W Sutherns [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1930/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Downderry

in the County of Cornwall

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·16	—	—	—	0·58	—	0·80	0·03	0·51	0·03	0·13		1
2	—	0·02	—	0·03	—	Tr.	0·01	—	—	0·22	—	0·11		2
3	—	—	—		0·07	Tr.	0·03	0·35	—	0·32	0·28	0·02		3
4	—	—	—		Tr.	0·03	0·30	0·55	—	0·22	0·01	0·23		4
5	·02	Tr.	—		—	0·03	0·06	0·52	0·07	0·38	0·06	0·01		5
6	·18	—	0·01		—	0·12	1·32	0·01	0·02	0·09	0·04	0·11		6
7	·26	—	—		—	0·01	0·25	—	0·08	0·02	—	0·33		7
8	·82	0·09	—		—	—	0·06	—	—	0·24	0·05	0·01		8
9	·29	0·15	—		—	0·04	—	—	—	0·02	0·07	0·38		9
10	·45	—	—		—	0·05	0·03	0·10	—	—	0·06	0·23		10
11	·31	—	—		—	0·02	0·11	—	—	—	0·24	0·66		11
12	·39	—	—		0·32	0·02	—	—	—	0·30	0·47	0·09		12
13	·20	—	—		0·35		0·02	—	—	0·18	0·07	0·51		13
14	·62	—	—		0·09		0·36	0·01	—	—	0·03	—		14
15	·29	—	0·01		0·05		—	0·07	—	0·52	0·39	0·31		15
16	·20	0·02	0·03		0·01		—	—	—	—	0·07	0·10		16
17	—	0·02	0·02		0·19		—	—	0·16	0·23	0·09	0·61		17
18	·30	—	—		0·06		Tr.	0·17	0·10	0·02	0·28	—		18
19	—	—	—		—		Tr.	0·04	0·94	—	0·82	—		19
20	·03	—	—		—		—	—	0·01	—	0·36	—		20
21	·05	—	—		—	—	—	0·10	0·42	0·24	0·26	—		21
22	·03	—	—		—	0·16	—	0·86	0·01	0·02	0·32	0·01		22
23	—	—	—	0·02	—	—	—	—	0·01	—	0·15	—		23
24	·10	0·14	0·28		0·06	0·01	—	0·03	0·05	—	0·90	—		24
25	·05	0·57	0·02		0·13	—	0·18	—	Tr.	0·09	1·56	—		25
26	·40	0·08	—		0·70	0·10	—	—	—	0·18	0·03	0·11		26
27	·36	0·08	—		0·10	0·08	0·12	1·07	—	0·03	0·42	—		27
28	·30	0·27	Tr.		0·10	0·13	—	0·17	0·09	0·02	—	0·01		28
29	·34	X	0·02		0·34	—	—	—	0·12	0·37	0·35	0·04		29
30	·14	✕	—		—	0·06	0·05	—	0·01	—	0·19	0·04		30
31	·30	✕	—	✕	0·27	✕	0·01	—	✕	0·44	✕	0·33		31
													Year's Total	
TOTAL	6·43	1·60	0·39	0·05	2·84	1·44	2·91	4·85	2·12	4·66	7·60	4·38	39·27	✓
* Days with .01 in. or more.	24	11	7	2	15	15	15	15	15	22	27	22	190	✓
* Days with .04 in. or more.	21	8	1	—	14	9	10	12	9	16	23	17	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B.W. Lutherna

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1930/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Downderry.

in the County of Cornwall.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

Inc 630 042/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5		0·00	0·55											5
6														6
7	1·45													7
8														8
9														9
10														10
11														11
12		0·84	0·30											12
13														13
14	0·96													14
15														15
16														16
17														17
18														18
19		0·17	0·02											19
20														20
21	2·38													21
22														22
23														23
24														24
25														25
26			0·44											26
27														27
28	1·96	1·00												28
29	—	×												29
30	—	×		#										30
31	—	×	0·06	×		×			×		×			31
TOTAL	6·75	2·01	1·37										Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

I regret that, owing to leaving the district, my records must now cease. B. W. Smithers

up imp

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1931

Section **A** for the entr

AIR MINI

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REG 1931 .

1931
MORVAL
1931—40

780311

Kept at Morval

in the County of Corn

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·67			·07		·39	·02			1
2	·34			·19		·01	·01		·42	·01	·27	·37	2
3	·19		·79				·09		·19	·04	1·84	·22	3
4	·01		·17				·58	·12	·23	·02		·04	4
5		·64	·24	·16	·08	·25		·46	·07		·03	·25	5
6		·01	·01		·09	·47				·41	·20	·36	6
7		·10			·41	·17	·40	·16		·08	·46	·25	7
8		·73		·25		·48	·17	·28				·06	8
9		·30				·08	·12	·02			·36	·01	9
10	·02				·57	·10	·07	·16			·64		10
11	·24	·57			·03	·63	·45		·01		·54		11
12	·02	·09			·01		·29		·13	·44			12
13		·21			·30	·07	·09	·24		·05	·11		13
14	·04	·11			·06	·14	·89	·11	·02		·73		14
15	·01	·10			·14		·03	·32	·04				15
16		·34			·09	1·12	·02	·04	·01				16
17	·04	·04		·11		·02	·20	·02	·02				17
18	·02			·02		·10	·15	1·87			·41		18
19	·08	·19	·45			·07	·13	·07			·53		19
20		·24	·51					·50			·05		20
21	·56	·03	·04		·19						·06		21
22	·89	·02			·22						·12		22
23	·32	·02		·38	·57		·06	·26			·97		23
24	·04	·02		·72	·01		1·25						24
25	·07	·03		·13			·15						25
26	·01	·12		·05			·23				·22		26
27	·60	·39		·01	·68		·04			·04	·77		27
28	·16	·17	·20	·03	·04			·01		·03	·32	·27	28
29	·16		·12				·18	·26		·04	·05	·13	29
30	·20	×	·03		·08		·02		·29		·15		30
31	1·53	×	·37	×	·58	×	·02		×		×	22	31
TOTAL	5·55	4·47	2·95	2·72	4·15	3·71	5·71	4·90	1·76	1·18	8·83	2·18	YEAR'S TOTAL 48·11 ~~47·89~~ ~~48·01~~
*Days with ·01 in. or more.	22	22	12	12	18	14	25	17	12	11	21	11 ~~10~~	197
*Days with ·04 in. or more.	16 ~~15~~	16	9	9	15	12	20 ~~19~~	14	7	7	20	10	155

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Arthur H. Tremayne

P.T.O.

1931

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Morval

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft – in.

" Ground " Sea Level 150 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·67			·07		·39	·02			1
2	·34			·19		·01	·01		·42	·01	·27	·37	2
3	·19		·79				·09		·19	·04	1·84	·22	3
4	·01		·17				·58	·12	·23	·02		·04	4
5		·64	·24	·16	·08	·25		·46	·01		·03	·25	5
6		·01	·01		·09	·47				·41	·20	·36	6
7		·10			·41	·17	·40	·16		·08	·46	·25	7
8		·73		·25		·48	·17	·28				·06	8
9		·30				·08	·12	·02			·36	·01	9
10	·02				·57	·10	·07	·16			·64		10
11	·24	·57			·03	·63	·45		·01		·54		11
12	·02	·09			·01		·29		·13	·44			12
13		·21			·30	·07	·09	·24		·05	·11		13
14	·04	·11			·06	·14	·89	·11	·02		·73		14
15	·01	·10			·14		·03	·32	·04				15
16		·34			·09	1·12	·02	·04	·01				16
17	·04	·04		·11		·02	·20	·02	·02				17
18	·02			·02		·10	·15	1·87			·41		18
19	·08	·19	·45			·07	·13	·07			·53		19
20		·24	·51					·50			·05		20
21	·56	·03	·04		·19						·06		21
22	·89	·02			·22						·12		22
23	·32	·02		·38	·57		·06	·26			·97		23
24	·04	·02		·72	·01		1·25						24
25	·07	·03		·13			·15						25
26	·01	·12		·05			·23				·22		26
27	·60	·39		·01	·68		·04			·04	·77		27
28	·16	·17	·20	·03	·04			·01		·03	·32	·27	28
29	·16		·12				·18	·26		·04	·05	·13	29
30	·20	×	·03		·08		·02		·29		·15		30
31	1·53	×	·37	×	·58	×	·02		×		×	22	31
TOTAL	5·55	4·47	2·95	2·72	4·15	3·71	5·71	4·90	1·76	1·18	8·83	2·18	YEAR'S TOTAL 48·11 ~~47·89~~ ~~148·81~~
*Days with ·01 in. or more.	22	22	12	12	18	14	25	17	12	11	21	11 ~~10~~	197
*Days with ·04 in. or more.	16 ~~15~~	16	9	9	15	12	20 ~~19~~	14	7	7	20	10	155

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Arthur H. Tremayne

[P.T.O.

1931

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1931

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Morval

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·17

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·11			·11	·02	·06		·03	·01	1
2	·03		·03	·27	·01		·04	·06	·15		·01	·45	2
3	·02					·74	·01		·85	·02	·03		3
4	·01					·10	·13	·04			·30	·02	4
5	·65		·11				·02		·60				5
6	·69		·01	·15			·24		·31	·01			6
7	·05			·14	·12			·01	·92	1·30			7
8			·45	·16	·13				·07	·62			8
9	1·31			·31	·05					·01			9
10	·49			·16	·14				·07	·03			10
11	·03			·15	·12		·20	·01		·01		·10	11
12	1·36			·05	1·01		·20		·06	·45		·06	12
13	·15			·23	·14			·45	·02	·83		·25	13
14	·22			·10	·26					·06		·02	14
15	·01			·05	·01		·01			·10	·05	·08	15
16	·17			·04			·47			·01			16
17	·09			·08	·24		·07		·03	·03		·03	17
18	·08				·73				·12		·16		18
19				·05	·26				·10	·64	·12	·05	19
20				·09	·67		·01	·04	·12	1·35		·01	20
21	·13		·03	·08				·93	·05	·63	·09	·34	21
22				·05	·05		·13		·43	·54	·52	·10	22
23		·03			·01		·22			·92	·05	·41	23
24		·02					·93		·14	·07	·05		24
25			·09				·06		·26	·77	·15		25
26			·18	·49			·21		·02	·08	·13		26
27			·32	·63	·22		·26			·59	·06	·44	27
28			·20	·05	·06		·14			·05		·09	28
29		×	·76	·16	·07	·77	·03	·70	·53	·58	·16	·68	29
30		×	·01	·13	·17	1·65	·58		·64	·13	·98		30
31		×	·60	×	·30	×	·06		×	·07	×	·66	31
TOTAL	5·55	·05	2·79	3·73	3·77	3·26	4·13	2·26	5·55	9·90	2·89	3·80	YEAR'S TOTAL 47·68
*Days with ·01 in. or more.	18	2	12	23	21	4	22	9	21	26	16	18	192
*Days with .04 in. or more.	13		8	23	18	4	17	6	18	19	13	13	152

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Arthur H. Tremayne

P.T.O.

1931

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** ~~1934~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Morval

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1934
·21.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·87	·20		·03	·11					·08	2·30		1
2	·52	·06	·87		·26	·88						·25		2
3	·16	·11	·31		·05	·03								3
4		·14	·25		·32									4
5	·16	·02	·53		·20				·01					5
6	·83	·53	·02		·37					·06				6
7	·03	·09			·08		·08			·05				7
8	·03	·01			·07		·19							8
9		·05			·04		·44			·26	·09			9
10	·04	·02					·27			·85	·02			10
11	·04			·07			·11	2·10		·18	·03			11
12				·26	·11	·36	·39	·09	·30					12
13					·06	·22	·28	·11		·31	·13			13
14	·47						·05	·10			·31			14
15	·25		·45			·05		·11		·09	·47			15
16	·03		1·21				·25	·03	·10	·01				16
17	·02	·08	·20			·06	·02	·09	·22					17
18	·16		·27			·08				·44	·03			18
19	·28	·01	·26		·17	·02		·08	·07	·22	·41			19
20		·09				·31		·10	·60		·06			20
21		·07						·20		·18				21
22		·60		·54				·55	·77					22
23		·22		·39		·22			·16	·19				23
24				·44					·03	·22				24
25		·29		·07	·08	·09			·10			·35		25
26		·12		·42	·16					·12				26
27		·19		·15						·45		·71		27
28	·05	·49		·40			·52	·04		·62				28
29	·12		·01	·28								·05		29
30		×	·06	·17			·10		·38	·08		·05		30
31	·27	×	·27	×	·21	×			×	·11	×			31
TOTAL	2·83	4·06	4·91	3·19	2·21	2·43	2·70	3·60	2·74	4·44	1·63	3·71	Year's Total 38·45	
*Days with ·01 in. or more.	18	20	14	11	15	12	12	12	11	18	10	6	159	
*Days with ·04 in. or more.	13	16	12	11	14	10	11	11	10	17	7	6	138	

40=9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Arthur H. Tremayne

[P.T.O.

Section **A** for the entry of Daily Observations. Station Number 1931 FOR OFFICIAL USE. 1931

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Morval

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 150 ft.

Day

alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06					·82		·05	·17	2·27	1
2	·10		·07			·02			1·03		·09	·13	2
3	·10			·02						·37	·02	·50	3
4	·12		·31	·06	·53			·16		·26		·49	4
5			·08		·23			2·37		·10	·01	·79	5
6	·16	·	·44	·19	·40	·27			·04	·72	·02	·45	6
7	·07							·02		·46	·05	·84	7
8					·10			·04			·44	·83	8
9	·11		·45					·02			·41	·10	9
10	·36		·27	·28				·10			·10	·09	10
11	·85	·01	·04	·84								·81	11
12	·10							·29				·18	12
13	·45			·43							·21	·47	13
14	·53		·40	·02					·35	·03		·37	14
15	·28		·08	·04	·13				·16	·12	·05	·30	15
16	·25		·41						·38			·40	16
17	·45		·27	·13	·12		·03		·16	·11		·58	17
18	·03		·32	·44		·04			·06	·09		·90	18
19			·29			·05		·02	·14			·38	19
20				·32			·09		·04	·06	·02	·13	20
21			·25		·04	·42		·08	·02	·30	·06	·10	21
22	·14		·03	·07			·21	·04	·72		·02	·40	22
23			·04	·21		·45		·02	·72	·02		·24	23
24	·11	·18	·09	·10		·43	·04		·06	·22		·13	24
25	·34			·35		·04		·36	·02	·21		1·04	25
26	·20		·05	·03		·23			·22			·13	26
27	·					·11			·15	·06	·01	·15	27
28	·01			·04		·02	·02	·65	·14			1·06	28
29								·06	·16			·04	29
30		×						·07	·26	·25		·61	30
31		×		×		×	·06	·17	×	·20	×	·03	31
TOTAL	4·76	·09	3·95	3·51	1·55	2·08	·45	5·29	4·83	3·63	1·68	14·94	YEAR'S TOTAL 46·86
*Days with ·01 in. or more.	20	2	19	17	7	11	6	17	19	18	15	·31	182 √
*Days with ·04 in. or more.	18	1	18	13	7	9	4	13	17	16	9	30	155

40-9999

(Signed) Arthur H. Tremayne [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1931

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Morval

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

Total days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·05	·76			·16	·01		·20	·07		·37		1
2		·05				·03	·06		·03	·40	·15	·20		2
3			·21	·02	·16	·13	·01		·06	·93	·20	·23		3
4		·15	·05	·14	·	·08			·21	·29	·09	·33		4
5		·32	·04	·06		·22			·25	·95	·08	·33		5
6				·37		·83					·05			6
7				·69		·03				·58	·12	·25		7
8				·62						·08	·42	·07		8
9				·32			·05			·91	·69			9
10	·09			·02		·06				·03	·05			10
11	·31	·03		·06		·57			·35	·02	·30			11
12	·20	·19				·24		·11	·12	·03	·14			12
13	·05	·21		·38		·04			·09	·03	·15			13
14		·06		·03					·26	·10	1·78	·42		14
15		·14	·05	1·09	·28	·14		·02	·24	·03	·37	·14		15
16		·14	·08	·25		·20			·28	·05	·60	·12		16
17		·08		·11	·63	·76		·07	·45		·02			17
18				·65	·05				·20	·12	·02	·20		18
19		·04		·15	·41	·15	·25		·02	·22	·54			19
20		·52		·65	·14	·04			·	·22	·07			20
21		·86		·02		·04	·21		·04	·08				21
22		·05	·03	·20			·02		·09	·21				22
23			·05	·16				·82	·16			·20		23
24	·02	·53		·04	·21			·23	·30	·60		·37		24
25	·32	·10			·22	·08				·02		·05		25
26		·15				·06		·34	·48	·03	·03	·51		26
27		·13						·04	·35	·02	·15	·41		27
28	·04	·25						·05	·30	·03	·04	·03		28
29					·02			·01	·34	·01	·11	·65		29
30	·04	✕						1·17	·07	·32	1·14	·82		30
31		✕		✕		✕		·09	✕	·88	✕	·49		31
TOTAL	1·16	4·05	1·27	6·03	2·12	3·86	·61	2·95	4·89	7·26	7·31	6·69	Year's Total 48·20	
* Days with .01 in. or more.	9 ✓	20 ✓	8 ✓	21 ✓	9 ✓	19 ✓	7 ✓	11 ✓	23 ✓	28 ✓	24 ✓	20 ✓	199	✓
* Days with .04 in. or more.	8 ✓	19 ✓	7 ✓	17 ✓	8 ✓	17 ✓	4 ✓	9 ✓	21 ✓	18 ✓	21 ✓	19 ✓	168	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Arthur H. Tremayne [P.T.O.

COPY FOR OFFICIAL USE

Station No. 1931

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Days

Kept at Moreal

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·18		·32		·22	·54	·05		·02	·30	·03		1
2	·05	·05	·12	·03		·17	·31		·07		·04	·04		2
3	·02	·02		·72		·02	·05		·48		·08			3
4	·05	·42	·19	≠			·06	·01	·27		·10	·16		4
5	·03		·04				·53	·09	·04		·02	·24		5
6	·03		·13			·07	1·25	·11	·26		·86			6
7	·51		·27				·04		·06		·45			7
8	·38		·26				·52		·04		·48			8
9	·17	·89	·16			·02	·32		·25		·18	·08		9
10	·05	·02					·11		·09		·16			10
11	·65	·08				·22	·09	·02			1·02	·22		11
12	·10	·02		·13			·67		·18		·11			12
13	·07					·06		·03		·07	·28	·90		13
14							·64		·11	·11	·02	·49		14
15		·08		·03	·04		·01		·03		·53	·43		15
16		·06		·02			·17				·25	·29		16
17	·25	·93			·15		·35	·05		·10	·14	·85		17
18	·44	·09	·25				·72	·01				·26		18
19	·78		·21	·25			·06	·28						19
20	·25	·47	·01	·10			·05	·02	·10					20
21	·05	·15	·16	·53		·25	·08			·11				21
22	·20	·27			·01		·45							22
23	·02	·15	·05	·17	·03		·20			·24				23
24	·33	·03	·06	·03			·06		·18	·38				24
25	·36		·38	·26	·25		·41		·02	·46				25
26	·32	·18	·52				·01			·06				26
27	·57	·11	·07				·14			·08				27
28	·86	·03	·86				·43			·03		·42		28
29	·03	·05	·03				·01			·13	·05	·		29
30	·19	✕	·01		·04	·22				·02		·01		30
31	·27	✕	·15	✕	·03	✕	·43		✕		✕	·61		31
TOTAL	7·18	4·28	3·93	2·59	·55	1·25	8·71	·67	2·18	1·81	5·07	5·03	Year's Total 43·25	
* Days with .01 in. or more.	28	21	20	12	7	9	29	10	15	13	18	15	197	
* Days with .04 in. or more.	23	16	17	8	4	7	26	5	13	10	16	13	158	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arthur. H. Tremayne

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1931.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Morval

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·02	·24	·61			·01		·26	·08	·01	·75		1
2	·12	1·14		·33					·10			·15		2
3	·01	·21		·03			·06		·01					3
4	·03	·80		·41	·08							·60		4
5	·38			·41			·93							5
6	·05	·80	·43	·09			·12		·01			·12		6
7		·65	·09	·03		·14			·02		·30	·02		7
8		·03			1·28	·08	·23							8
9	·14	·11	·22	·17	·03		·10		·63					9
10	·27	·02	1·02	·75	·01	·15		·01				·60		10
11			·23	·31	·78	·03	·40					·35		11
12	1·03	·59	·12	·02	·82	·35	·15	·15	·24			·48		12
13		·08	·97	·20				·30	·44			·14		13
14		·07	·15					·12	·15			·32		14
15	·56	·25	·27						·09			·40		15
16	·33	·18	·20	·78			·10	·09	·35		·80			16
17	·75	·12	·26						·04		·35			17
18	·16	·29	·26	·01	·18	·16			·50		·22	·10		18
19	·45	·05	·11	·38					·10		·03	·01		19
20	·45		·65	·17	·58							·62		20
21	·30	·90	·01	·02	·35		·04		·44	·12	·50	·10		21
22		·02	·08		·34		·10		·03	·60	·46	·18		22
23	·17	·45		·01	·35		·06			·25	·08	·05		23
24	·30	·69	·09		·01		·02		·02	·80		·06		24
25	·04	·94	·55						·01	·10		·02		25
26		·59	·06											26
27	·02	·15								·35				27
28	·02	·41				·01				·01				28
29						·01				·50	·60			29
30	·28	✕				·04			·01		·45			30
31	·26	✕		✕		✕			✕	·35	✕			31
TOTAL	6·31	9·56	6·01	4·73	4·81	·97	2·32	·67	3·45	3·16	3·50	5·07	Year's Total 50·56	✓ ✓
* Days with .01 in. or more.	23	25	20	18	12	9	13	5	19	10	11	19	184	✓ ✓
* Days with .04 in. or more.	19	21	19	12	9	6	11	4	12	9	8	16	146	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Arthur H. Tremayne. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1931

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Morval

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1938

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·13				·65		·60	·02	·50	·05	·20		1
2		·04		·05			·08			·28	·02	·08		2
3					·05	·01	·02	·55		·65	·50	·01		3
4					·03	·02	·35	·52		·24	·02	·38		4
5	·02					·05	·04	·30	·05	·42	·04	·03		5
6	·30					·20	1·65	·33	·04	·18	·06	·05		6
7	·28						·15	1·02	·02	·04	·07	·25		7
8	1·07	·10					·10			·42		·04		8
9	·28	·20				·28				·04	·08	·70		9
10	·58						·03	·06		·02		·25		10
11	·30	·02				·02	·10			·02	·35	·68		11
12	·41				·50	·03	·02			·36	·55	·02		12
13	·20				·45		·05			·15	·12	·35		13
14	·70				·12		·23	·02		·45	·05	·02		14
15	·35				·06			·05			·58	·40		15
16	·36		·08		·05			·04		122	·10	·03		16
17		·05	·04		·20				·12	·04	·13	·35		17
18	·33				·05			·16	·33		·35			18
19	·01							·13	1·20		·80			19
20	·01						·02		·03		·36			20
21	·10							·05	·40	·30	·28			21
22	·04					·15		1·05	·02	·05	·65			22
23						·01			·04		·16			23
24	·01	·42	·28		·01		·02	·03	·06		·85			24
25	·15	·80	·05		·10		·30			·10	1·60			25
26	·48	·15	·04		·85	·04	·12			·18	·08	·14		26
27	·49	·10			·14	·15	·22	1·35		·05	·46	·02		27
28	·30	·22	·02		·10	·14	·02	·13	·15	·04	·02	·02		28
29	·40				·45		·02		·40	·54	·60			29
30	·12	×	·02				·08		·08		·18	·10		30
31	·40	×		×	·35	×	·02		×	·45	×	·40		31
TOTAL	7·69	2·23	·53	·05	3·51	1·75	3·64	6·39	2·96	5·73	9·11	4·52	Year's Total. 48·11	✓
* Days with .01 in. or more.	25	11	7	1	16	13	21	17	15	24	28	22	200	✓
* Days with .04 in. or more.	21	10	5	1	14	8	13	15	11	22	25	15	160	✓

40-9999

† Spare column, no entries required.

(*Signed*) Arthur H. Tremayne

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1931
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Zonwal
in the County of Cornwall
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1939

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35				·02		·02	·28	·02		·42	·15		1
2	·05			·35			·03	·24	·50		·04	·08		2
3	·38		·20	·50	~~·55~~			·02			·32	·33		3
4	·04		·58	·15	·55		·90	·02		·45	·84	·20		4
5	·02		·05	·12	·30		·25			·48	1·00	·10		5
6	·80	·02	·13	·32	·12		·98	·06		·10	·18	·02		6
7	·03	·62					·05	·17			·25	1·50		7
8	·15	·30	·02		·10		·20	·16		2·11	·44	·08		8
9	·04	·03						·30		·04	·20	·20		9
10	·20	·02				·03		·11	·10	·20	·02	·40		10
11	·02	·05	·15					·02	·02	·14	·08	·04		11
12	·05	·04		·08					·23	·07	·05			12
13				·25		·08	·75		·05	·61	·03	·20		13
14	1·00	·02		·04	·09	·12	·60			·05	·20	·07		14
15	·25	·02		·02		1·08	·25				·42	·02		15
16	·12	·08		·20	·02		·65				·15			16
17	·78	·10				·18	·70				·02	·02		17
18	·10	·04	·03			·02	·18				·62	·06		18
19	·65	·06					·28	·10			·06	·07		19
20	·80	·02				·42	·06	·08			·02	·07		20
21	·10	·25	·08	·01	·03	·70	·55	·02			·02			21
22	·68	·30	·30	·04		·50	·22	·02			·70			22
23	1·02	·02	·06	·20		·16	·09			·03	1·60			23
24	·38	·02	·16	·08		·11	·02	·04		·22				24
25	·18	·14	·02			·02	·15	·65		·21	·60			25
26	·02	·10		·02			·05	·08		·05	·52			26
27		·35		·02		·06	·06	·10		·02	·24			27
28		·15				·07	·10				·32	·02		28
29				·03		·20	·22			·15	·08			29
30		✕	·06	·14		·14	·03	·02		·40	·07			30
31		✕		✕		✕	·03	·55	✕	·90	✕	·02		31
													Year's Total	
TOTAL	8·21	2·75	1·74	2·57	1·23	3·89	7·42	3·04	·92	6·23	9·51	3·65	51·16	
* Days with .01 in. or more.	25	22	13	18	8	16	26	20	6	18	29	20	221	
* Days with .04 in. or more.	21	14	10	13	5	13	21	14	4	16	24	15	173	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1931

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Morval
in the County of Cornwall
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 150 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
Snow.
~~1940~~

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·08			·08						·20			1
2		·18		·32	·02		·10				·72	·05		2
3	·09	·80		·02			·02			·02	1·00	·25		3
4		·04		·05			·14			·24	·15	·05		4
5	·02						·05			·08	·52	·40		5
6	·65	1·00					·08			·42	·08	·34		6
7	·14	·02		·03			·05		·04	·02		·03		7
8	·02			·02			·04	·02	·02	·40	·92	·38		8
9							·62	·03	·02	·20	·70	·68		9
10			·02				·04	·02	·05	·05	·15	·40		10
11		·03	·04	·02			·08			·02	1·62	·03		11
12			·12			·03	·42		·75		·15	·02		12
13			·30				·05			·30	1·15	·60		13
14		·02	·02	·05					·20	·32	·06	·50		14
15	·03	·03		·03					·18	·02	·55	·02		15
16		·95	1·35	·04			·22		·10		·06	·05		16
17		·38	·75	·02			·30		·04		·20	·02		17
18		·80	·18	·55			·02	·04	·06	·02	·40	·22		18
19		·10	·10	·20			·12		·55	·05	·30	·02		19
20			·02	·05			·02	·03		·15	·10			20
21			·03	·02	·10			·05	·02	·02	·35			21
22		·02	·10	·25		·48		·02	·05	·10	·02			22
23		·08	·22	·04	·02		·02	·02	·02	·35	·08			23
24	·22	·02	·08	·02	·02	·03	·35	·02		·02	·02			24
25	·65		·25	·10	·20	·04					·03			25
26	·50	·70		·02	·95	·05	·02		·12					26
27	·35	·07	·04	·10	·65									27
28	·52	·06	·02	·50	·26			·02						28
29	·15	·10	·40	·80		·12				·15		·50		29
30	·06	✕	·02	·02	·08	·02				·58		·45		30
31	·05	✕	·02	✕		✕			✕	·52	✕	·95		31
													Year's Total	
TOTAL	3·45	5·48	4·08	3·27	2·37	·77	2·76	·27	2·22	4·05	9·53	5·96	44·21	
* Days with .01 in. or more.	14 ~~13~~	20 ~~20~~ 6	20 ~~20~~ 7	23 ~~23~~ 10	10 ~~10~~ 3	7 ~~13~~	20 ~~15~~	10 ~~8~~	15 ~~14~~	22 ~~17~~	24 ~~23~~	21 ~~16~~	206 ~~206~~	65
* Days with .04 in. or more.	11	14	13	13	7	4	15	2	11	15	21	15	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Arthur H. Tremayne [P.T.O.

File Ref: 818

1932

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

1932

LOSTWITHEL, THE TERRACE

1931 — 39

780311

Kept at The Terrace, Lo

in the County of Cornwa

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	tr	tr	65	—	tr	08	01	79	01	tr	01	1
2	25	02	tr	tr	—	03	tr	—	37	02	16	45	2
3	15	tr	99	tr	01	—	07	—	50	03	243	20	3
4	03	03	19	tr	03	01	82	26	56	06	03	03	4
5	—	53	20	22	tr	24	14	31	01	tr	tr	27	5
6	—	02	02	01	12	40	10	tr	03	57	24	25	6
7	—	17	—	tr	36	11	28	27	—	08	41	16	7
8	09	50	—	27	tr	52	13	44	—	14	10	06	8
9	tr	30	tr	tr	tr	12	05	03	—	01	22	62	9
10	01	02	01	tr	37	10	10	34	—	—	61	05	10
11	32	54	tr	tr	02	39	79	01	10	—	34	tr	11
12	10	21	—	tr	tr	tr	39	tr	19	45	02	tr	12
13	—	24	05	—	40	01	39	23	—	02	30	—	13
14	04	11	42	—	10	19	1.69	08	tr	—	71	tr	14
15	01	12	—	01	13	13	05	49	tr	—	tr	tr	15
16	09	21	—	01	02	126	02	09	03	—	tr	—	16
17	02	06	—	01	—	—	22	tr	08	—	—	—	17
18	06	—	03	tr	—	22	13	1.26	tr	—	43	—	18
19	11	16	67	—	—	11	16	16	09	tr	71	01	19
20	13	17	57	—	—	—	01	56	tr	01	02	11	20
21	65	tr	tr	02	25	tr	tr	tr	—	~~tr~~	03	—	21
22	98	10	tr	05	21	—	tr	04	—	tr	09	01	22
23	19	—	—	50	44	tr	08	05	—	tr	99	tr	23
24	07	03	—	77	—	10	1.38	45	—	—	01	tr	24
25	06	02	—	05	tr	—	13	—	—	—	19	01	25
26	04	19	—	03	—	—	27	—	—	—	76	03	26
27	27	31	01	tr	95	tr	03	—	—	07	34	01	27
28	16	24	12	02	03	tr	tr	06	—	05	06	26	28
29	20	×	04	tr	03	—	16	30	02	03	18	14	29
30	19	×	03	—	06	—	02	01	29	05	—	05	30
31	1.20	×	49	×	69	×	01	tr	×	tr	×	14	31
TOTAL	5.44	4.30	3.42	2.62	4.22	3.94	7.70	5.45	3.06	1.54	9.33	227	YEAR'S TOTAL 53.29
*Days with ·01 in. or more.	26	23	14	14	18	16	27	21	13	15	24	20	231
*Days with ·04 in. or more.	21	17	9	7	12	13	22	17	9	8	19	12	166

40-9999

(Signed) Robt Pease.

P.T.O.

*See Instruction 2 (*f*) on other side.

Fil. Ref: 81

1932

Section **A** for the entry of D [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Terrace, Lostwithiel

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	tr	tr	65	—	tr	08	01	79	01	tr	01	1
2	25	02	tr	tr	—	03	tr	—	37	02	16	45	2
3	15	tr	99	tr	01	—	07	—	50	03	243	20	3
4	03	03	19	tr	03	01	82	26	56	06	03	03	4
5	—	53	20	22	tr	24	14	31	01	tr	tr	27	5
6	—	02	02	01	12	40	10	tr	03	57	24	25	6
7	—	17	—	tr	36	11	28	27	—	08	41	16	7
8	09	50	—	27	tr	52	13	44	—	14	10	06	8
9	tr	30	tr	tr	tr	12	05	03	—	01	22	62	9
10	01	02	01	tr	37	10	10	34	—	—	61	05	10
11	32	54	tr	tr	02	39	79	01	10	—	34	tr	11
12	10	21	—	tr	tr	tr	39	tr	19	45	02	tr	12
13	—	24	05	—	40	01	39	23	—	02	30	—	13
14	04	11	42	—	10	19	1.69	08	tr	—	71	tr	14
15	01	12	—	01	13	13	05	49	tr	—	tr	tr	15
16	09	21	—	01	02	126	02	09	03	—	tr	—	16
17	02	06	—	01	—	—	22	tr	08	—	—	—	17
18	06	—	03	tr	—	22	13	1.26	tr	—	43	—	18
19	11	16	67	—	—	11	16	16	09	tr	71	01	19
20	13	17	57	—	—	—	01	56	tr	01	02	11	20
21	65	tr	tr	02	25	tr	tr	tr	—	~~tr~~	03	—	21
22	98	10	tr	05	21	—	tr	04	—	tr	09	01	22
23	19	—	—	50	44	tr	08	05	—	tr	99	tr	23
24	04	03	—	77	—	10	1.38	45	—	—	01	tr	24
25	06	02	—	05	tr	—	13	—	—	—	19	01	25
26	04	19	—	03	—	—	27	—	—	—	76	03	26
27	27	31	01	tr	95	tr	03	—	—	07	34	01	27
28	16	24	12	02	03	tr	tr	06	—	05	06	26	28
29	20	—	04	tr	03	—	16	30	02	03	13	14	29
30	19	✕	03	—	06	—	02	01	29	05	—	05	30
31	1.20	✕	49	✕	69	✕	01	tr	✕	tr	✕	14	31
TOTAL	5.44	4.30	3.42	2.62	4.22	3.94	7.70	5.45	3.06	1.54	9.33	227	YEAR'S TOTAL 53.29
*Days with ·01 in. or more.	26	23	14	14	18	16	27	21	13	15	24	20	231
*Days with ·04 in. or more.	21	17	9	4	12	13	22	14	9	8	19	12	166

40-9999

(Signed) Robt Pease.

[P.T.O.

*See Instruction 2 (*f*) on other side.

File Ref: 818894/28 Station number 1932

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Terrace, Lostwithiel

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

„ Ground „ Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09	tr	—	19	—	—	05	05	04	—	01	09	1
2	02	tr	tr	20	tr	—	02	04	21	tr	tr	41	2
3	02	tr	tr	—	—	62	05	tr	62	08	04	01	3
+02 4	+02	tr	—	—	—	06	12	03	tr	—	59	tr	4
5	74	—	08	tr	tr	—	tr	—	43	—	tr	tr	5
6	80	—	02	20	01	—	44	01	48	02	—	tr	6
7	09	—	tr	13	tr	—	tr	tr	92	126	—	—	7
8	01	—	54	16	08	—	tr	—	tr	52	—	—	8
9	93	tr s	—	34	04	—	tr	—	tr	03	—	—	9
10	80	—	—	19	10	—	tr	tr	05	02	—	—	10
11	09	—	tr	06	11	—	09	tr	02	03	—	05	11
12	127	—	—	—	107	—	tr	—	05	39	—	03	12
13	12	—	—	30	11	—	06	21	01	84	tr	24	13
14	27	tr	—	06	19	—	—	17	tr	03	—	01	14
15	02	—	—	03	01	—	—	—	—	07	04	09	15
16	16	—	—	01	tr	—	tr	—	—	03	tr	01	16
17	03	—	—	tr	48	—	06	—	01	05	tr	01	17
18	03	—	—	—	61	—	tr	tr	05	—	19	tr	18
19	tr	—	tr	17	61	—	tr	tr	10	57	01	05	19
20	tr	—	tr	12	42	—	01	01	18	108	11	08	20
21	16	—	11	06	tr	—	—	13	01	62	13	30	21
22	tr	—	02	09	07	—	tr	01	40	38	56	12	22
23	01	10	tr	—	02	—	21	tr	—	79	08	21	23
24	—	—	tr	—	tr	—	69	—	09	03	07	01	24
25	—	—	11	01	02	—	13	—	13	74	20	tr	25
26	tr	—	20	41	tr	—	14	tr	08	11	09	tr	26
27	—	—	32	48	34	—	25	—	—	59	04	20	27
28	—	—	43	02	04	tr	16	01	tr	02	tr	05	28
29	—	—	57	20	12	60	02	50	52	40	25	87	29
30	—	×	01	07	21	194	125	01	82	06	74	tr	30
31	—	×	16	×	35	×	20	—	×	10	×	45	31
TOTAL	568	10	257	350	501	322	395	118	520	886	315	329	YEAR'S TOTAL 45.91
*Days with ·01 in. or more.	20	1	12	22	21	4	18	12	21	26	16	20	193
*Days with .04 in. or more.	12	1	9	18	17	4	15	6	17	18	14	14	145

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Robt Peace

P.T.O.

COPY FOR OFFICIAL USE. Filed by 818894/28 1932

Section | **A** | **for the entry of Daily Observations.** **Station No.** ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Terrace Lostwithiel

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	27	81	26	—	12	33	—	—	tr	tr	01	222		1
2	87	07	85	—	40	72	—	—	—	—	01	11		2
3	07	13	35	—	22	02	—	—	—	—	—	—		3
4	12	05	—	—	44	—	—	—	—	—	—	—		4
5	02	01	52	—	53	—	—	—	tr	tr	01	—		5
6	02	57	05	tr	47	—	03	—	tr	25	01	—		6
7	tr	07	tr	—	03	—	05	tr	—	17	tr	tr		7
8	07	01	tr	—	07	tr	25	tr	—	01	—	—		8
9	tr	02	tr	tr	09	—	84	tr	—	48	09	—		9
10	08	02	—	—	—	—	03	11	—	125	32	—		10
11	07	—	—	07	~~[illegible]~~	~~[illegible]~~	tr	109	tr	08	09	tr		11
12	tr	—	—	21	05	44	40	02	18	01	02	05 8		12
13	01	—	tr	—	04	01	15	08	—	08	14	—		13
14	48	—	tr	—	—	—	34	11	—	tr	31	—		14
15	23	—	47	—	—	16	72	05	—	15	47	—		15
16	02	03	123	—	—	04	tr	02	07	07	—	—		16
17	tr	27	18	—	—	15	08	11	23	tr	—	—		17
18	10	01	13	—	—	24	tr	tr	05	75	04	—		18
19	23	—	36	—	tr	04	—	02	23	77	03	tr		19
20	tr	12	tr	tr	15	37	—	12	25	tr	03	tr		20
21	—	15	—	tr	—	tr	—	14	tr	09	—	—		21
22	—	01	—	55	—	03	—	39	62	tr	—	—		22
23	—	79	—	22	—	22	—	02	11	18	—	—		23
24	—	07	—	35	tr	tr	—	tr	10	41	—	—		24
25	—	39	—	12	07	13	—	—	16	tr	—	14		25
26	—	03	—	35	28	—	—	—	tr	15	—	09		26
27	—	27	—	03	tr	—	—	tr	tr	32	—	90		27
28	—	28	tr	31	—	—	54	14	tr	58	—	—		28
29	08	×	tr	36	—	—	02	—	01	44	—	04		29
30	11	×	07	01	01	—	11	—	122	02	tr	01		30
31	36	×	16	×	16	×	tr	—	×	12	×	tr		31
TOTAL	321	418	463	258	313	290	356	242	923	638	158	356	Year's Total 41.36 ✓	
*Days with ·01 in. or more.	18	22	12	11	16	14	13	14	12	21	14	8	175	
*Days with .04 in. or more.	14	14	12	9	14	11	10	10	11	18	7	7	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Rob Pease

[P.T.O.

File Ref: 818894/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Terrace Lostwithiel
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	06	—	07	—	—	—	—	89	01	tr	12	214		1
2	11	—	11	—	—	—	—	02	103	01	01	22		2
3	06	tr	tr	—	—	—	—	29	tr	36	02	52		3
4	20	tr	23	06	43	—	—	10	01	47	tr	53		4
5	tr	—	09	tr	30	01	—	219	tr	03	01	75		5
6	25	tr	44	11	43	61	—	tr	10	43	tr	29		6
7	09	tr	—	tr	—	01	—	08	tr	46	12	89		7
8	—	—	tr	tr	05	tr	—	tr	17	tr	36	76		8
9	10	tr	39	tr	—	—	—	01	tr	01	57	06		9
10	50	tr	51	19	—	—	—	11	—	tr	07	12		10
11	57	tr	25	86	—	—	—	02	—	tr	09	80		11
12	12	tr	tr	tr	—	02	tr	39	—	tr	tr	10		12
13	47	—	01	47	—	03	tr	tr	—	04	15	27		13
14	67	—	56	01	—	—	01	—	tr	03	—	34		14
15	42	tr	08	tr	14	—	tr	01	tr	.19 h	tr	45		15
16	21	—	42	tr	03	—	—	tr	46	03	tr	38		16
17	43	tr	10	02	04	—	03	—	02	28	—	53		17
18	17	—	47	36	tr	06	—	01	06	02	—	86		18
19	tr	—	19	—	01	03	—	08	11	01	—	08		19
20	tr	tr	tr	23	02	—	—	—	06	02	tr	15		20
21	—	—	24	01	02	32	tr	08	02	44	01	09		21
22	15	—	04	01	tr	01	—	06	49	tr	tr	35		22
23	17	—	06	22	—	44	03	tr	53	04	tr	27		23
24	tr	18	04	12	—	34	16	04	02	31	—	34		24
25	21	08	—	28	—	17	01	—	01	35	tr	110		25
26	17	tr s	06	03	—	37	—	tr	48	01	tr	24		26
27	tr	tr	—	tr	—	06	tr	14	15	03	05	12		27
28	tr	02 s	—	—	—	02	02	58	14	01	tr	83		28
29	—	×	—	—	—	—	tr	12	15	tr	tr	06		29
30	—	×	—	—	—	—	03	04	18	.49 h	tr	34		30
31	—	×	—	×	01	×	01	12	×	22 h	×	01		31
TOTAL	5.13	.28	4.36	2.98	1.48	2.50	.30	5.38	4.20	4.29	1.52	13.99	Year's Total 46.41	
*Days with .01 in. or more.	20	3	20	15	11	15	8	21	20	24	12	31	200	
*Days with .04 in. or more.	20	2	19	10	6	8	1	16	14	13	8	30	144	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Robt Pease

P.T.O.

File Ref: 818894/28

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Terrace, Lostwithiel

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	08	08	80	01	—	08	tr	—	16	02	tr	19		1
2	tr	06	13	06	—	17	03	—	18	54	11	04		2
3	03	tr	05	tr	13	20	tr	—	23	20	43	38		3
4	—	38	05	10	01	30	tr	—	06	67	15	42		4
5	07	36	04	04	—	36	tr	—	36	28	09	32		5
6	—	—	tr	52	—	66	tr	—	—	02	03	10		6
7	—	—	tr	76	—	03	—	—	—	55	14	06		7
8	—	—	—	47	—	tr	tr	—	03	07	60	02		8
9	11	tr	tr S	46	tr	tr	03	—	—	101	27	—		9
10	01	tr	01 S	06	tr	17	09	—	—	09	09	tr		10
11	31	04	tr S	tr	—	38	—	tr	40	02	64	tr		11
12	24	24	—	—	—	21	—	25	15	tr	31	tr		12
13	06	20	—	31	—	tr	—	tr	tr	10	23	tr		13
14	tr	16	—	03	tr S	39	—	tr	55	06	1.21	25		14
15	tr	08	06	92	34	07	—	tr	07	03	12	15		15
16	tr	11	16	19	05	tr	03	tr	34	07	50	11		16
17	—	01	04	09	54 S	53	tr	03	20	tr	06	tr		17
18	tr	12	01	64	10	tr	tr	04	45	15	04	22		18
19	—	10	—	24	47	11	24	—	21	29	68	01		19
20	tr	52	tr	50	01	03	03	tr	tr	47	11	—		20
21	tr	84	tr	19	—	tr	11	—	09	17	tr	—		21
22	—	03	11	29	—	—	tr	05	07	45	tr	—		22
23	—	20	07	41	tr	—	—	1.26	15	49	—	48		23
24	07	41	02	tr	08	—	—	19	38	04	—	22		24
25	18	26	—	05	23	09	—	—	tr	02	tr	11		25
26	20	64	—	01	—	12	tr	32	34	07	04	52		26
27	tr	22	tr	—	—	tr	02	07	32	05	16	23		27
28	06	26	—	tr	—	—	06	09	21	06	09	04		28
29	tr	×	—	tr	01	—	tr	01	38	02	21	59		29
30	06	×	—	—	—	tr	—	1.17	10	17	1.39	79		30
31	—	×	—	×	—	×	—	19	×	70	×	36		31
TOTAL	1.28	5.24	1.55	6.35	1.97	3.90	·64	3.67	5.43	6.88	7.70	5.61	Year's Total. 50.42	
* Days with .01 in. or more.	13	22	13	22	11	17	9	12	23	29	24	22	217	
* Days with .04 in. or more.	11	20	10	19	8	15	4	10	22	23	23	20	185	

40-9999

† Spare column, no entries required.

(*Signed*) Robt Pease

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE File Ref: 818894/28

Section **A** for the entry of Daily Observations

Station No. 1932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Terrace Lostwithiel

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11	39	01	27	—	28	60	02	tr	—	09	02		1
2	01	05	tr	01	—	10	21	08	17	—	08	02		2
3	01	tr	16	52	—	04	01	tr	19	—	08	06		3
4	03	02	16	tr	—	05	01	tr	29	—	07	24		4
5	18	47	03	—	06	—	69	17	03	—	07	25		5
6	04	—	09	—	—	04	66	04	46	—	63	tr		6
7	57	—	15	—	—	01	01	—	06	—	56	09		7
8	45	—	41	—	—	01	58	—	05	tr	77	16		8
9	24	89	09	—	—	tr	1.13	—	13	—	25	tr		9
10	39	158	—	—	—	tr	15	—	—	—	46	04		10
11	53	23	—	tr	tr	15	14	01	42	—	1.23	31		11
12	10	01	—	03	tr	tr	54	tr	40	—	25	—		12
13	08	tr	—	04	tr	tr	03	tr	tr	16	tr	114		13
14	tr	02	—	tr	tr	06	56	01	16	09	02	49		14
15	tr	07	—	01	15	tr	01	tr	04	tr	65	42		15
16	tr	15	—	04	04	01	14	tr	tr	tr	30	28		16
17	31	103	—	tr	21	tr	43	03	—	06	06	89		17
18	36	15	23	—	—	04	71	06	—	tr	—	09		18
19	82	02	20	23	—	tr	tr	20	tr	01	—	tr		19
20	18	47	02	06	—	12	17	01	18	01	—	02		20
21	08	16	25	53	—	tr	15	—	tr	09	—	tr		21
22	18	21	tr	tr	04	tr	37	—	tr	01	—	03		22
23	tr	25	15	12	12	tr	13	—	tr	15	—	tr		23
24	31	15	14	02	14	—	89	—	12	34	—	08		24
25	90	tr	23	20	—	—	12	—	03	52	—	tr		25
26	44	21	96	tr	—	—	—	—	tr	08	—	—		26
27	49	10	12	tr	tr	—	67	—	01	10	07	tr		27
28	65	09	94	tr	—	tr	15	—	—	01	tr	32		28
29	06	25	05	—	—	29	—	—	—	09	11	11		29
30	19	✕	05	—	tr	159	01	—	—	04	tr	tr		30
31	18	✕	98	✕	10	✕	47	—	✕	tr	✕	45		31
TOTAL	7.29	6.97	5.42	2.10	.86	2.82	9.74	.63	2.74	1.46	5.89	5.46	Year's Total 51.98	
* Days with .01 in. or more.	27	23	21	13	8	14	28	10	16	15	19	21	215	215
* Days with .04 in. or more.	24	19	18	9	8	11	22	5	13	11	18	16	174	174

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) R B Pease [P.T.O.

File Ref: 818896/28

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Terrace, Lostwithiel

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	19	02	13	63	—	—	tr	—	11	01	tr	40		1
2	17	137	tr	30	—	—	tr	—	11	—	—	01		2
3	02	46	—	02	—	tr	11	—	tr	—	—	tr		3
4	15	61	tr	16	09	tr	tr	tr	tr	—	05	67		4
5	50	—	tr	30	tr	tr	63	tr	—	—	tr	05		5
6	15	63	60	53	04	06	04	—	02	—	tr	07		6
7	—	47	03	11	tr	28	tr	—	03	—	25	tr		7
8	tr	09	tr	01	104	22	28	—	tr	—	—	—		8
9	10	16	28	25	07	02	01	tr	55	—	—	tr		9
10	36	01	66	55	tr	18	03	04	tr	—	—	70		10
11	17	—	31	17	57	21	22	tr	—	—	—	95		11
12	95	49	44	21	10	45	05	14	40	—	tr	57		12
13	04	09	81	11	—	05	tr	64	45	—	—	18		13
14	—	04	43	tr	—	—	tr	16	15	—	—	64		14
15	54	22	31	66	—	—	—	tr	17	—	tr	33		15
16	34	14	35	01	—	tr	11	11	38	—	94	tr		16
17	111	12	25	04	—	—	tr	—	04	—	15	—		17
18	12	32	25	tr	—	19	tr	—	88	tr	17	09		18
19	27	12	32	33	20	—	tr	—	40	tr	16	tr		19
20	77	02	12	16	25	—	—	—	01	—	tr	101		20
21	37	99	tr	01	33	tr	06	tr	45	13	14	07		21
22	tr	tr	12	tr	24	01	12	tr	04	61	64	17		22
23	22	57	02	—	64	tr	01	—	tr	33	tr	03		23
24	24	59	06	—	tr	—	08	tr	03	74	—	05		24
25	—	101	60	03	tr	—	tr	—	02	04	tr	tr		25
26	05	26	~~44~~	—	01	tr	—	—	—	tr	tr	tr		26
27	01	32	tr	tr	tr	tr	—	—	—	33	—	—		27
28	01	43	08	—	—	02	tr	—	—	tr	tr	—		28
29	02	✕	—	—	—	01	—	—	—	59	37	tr		29
30	30	✕	—	—	—	05	—	01	tr	01	37	—		30
31	29	✕	tr	✕	—	✕	—	—	✕	45	✕	—		31
TOTAL	746	955	611	459	361	175	185	110	424	324	324	599	Year's Total 5273	✓ ✓
* Days with .01 in. or more.	26	25	21	20	12	13	13	6	18	10	10	14	191	✓ ✓
* Days with .04 in. or more.	22	22	19	15	11	9	10	5	13	8	10	15	159	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Robt Peal

[P.T.O.

COPY FOR OFFICIAL USE File Ref. 818894/28

Section **A** for the entry of Daily Observations

Station No. 1932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Terrace

in the County of Lostwithiel Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	26	—	tr	—	68	01	42	04	62	04	14		1
2	—	03	—	09	02	tr	tr	—	—	14	tr	04		2
3	tr	tr	tr	tr	05	01	03	250	—	71	36	03		3
4	—	tr	tr	—	tr	tr	30	17	tr	32	tr	40		4
5	05	tr	—	tr	—	03	05	49	07	43	03	05		5
6	34	02	—	—	—	45	164	05	09	21	02	11		6
7	15	tr	—	—	—	—	29	02	33	06	08	26		7
8	101	tr	—	—	—	—	28	—	—	48	—	03		8
9	32	18	tr	—	—	02	tr	—	—	02	05	80		9
10	20	tr	—	—	—	tr	05	01	—	04	tr	31		10
11	31	—	—	—	03	05	09	tr	tr	01	28	80		11
12	50	01	—	—	58	tr	tr	tr	tr	28	80	01		12
13	09	tr	—	—	49	—	02	tr	—	10	07	36		13
14	103	tr	tr	—	19	—	28	01	01	tr	02	tr		14
15	38	01	tr	—	02	—	—	05	—	18	123	52		15
16	30	tr	11	—	02	—	—	02	tr	tr	08	03		16
17	tr	02	01	—	04	—	02	tr	17	25	12	30		17
18	40	—	—	—	31	02	01	23	63	09	45	tr S		18
19	tr	tr	—	—	tr	—	02	10	92	tr	65	tr S		19
20	01	—	01	—	—	—	tr	04	03	01	44	—		20
21	06	—	tr	—	—	—	—	08	21	12	15	—		21
22	03	—	—	—	tr	07	—	98	08	03	49	tr		22
23	02	—	—	01	tr	tr	—	tr	12	—	38	tr		23
24	01	44	17	—	01	tr	08	tr	07	—	65	—		24
25	15	81	08	—	08	tr	31	tr	tr	21	160	04		25
26	63	20	02	—	66	10	07	tr	—	06	11	18		26
27	28	06	—	—	~~04~~ 24	04	38	1.02	tr	17	44	tr		27
28	44	20	tr	—	~~32~~ 07	25	02	05	09	04	04	06		28
29	44		tr	—	~~07~~ 37	tr	03	—	15	61	47	07		29
30	06		02	—	tr	12	09	—	02	—	25	09		30
31	52		01		36		tr	tr		37		57		31
TOTAL	7.73	2.38	.43	.10	3.54	1.64	4.07	6.24	3.03	5.56	9.30	5.20	Year's Total 49.22	✓
* Days with .01 in. or more.	25	13	8	2	14	12	21	17	16	25	26	22	204	✓
* Days with .04 in. or more.	21	8	3	1	12	8	13	13	13	21	23	18	154	✓

† Spare column, no entries required.

(*Signed*) Robt Peake [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE File Ref: 818894/28

Section A for the entry of Daily Observations

Station No. 1932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Terrace Lostwithiel

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	58	—	05	—	01	—	04	20	tr	—	37	24		1
2	09	—	tr	38	tr	—	tr	20	19	—	03	06		2
3	34	—	16	45	tr	—	tr	04	06	tr	37	67		3
4	15	tr	78	52	57	—	1.50	tr	tr	17	103	21		4
5	02	tr	02	22	53	—	37	—	tr	48	100	25		5
6	53	02	13	59	15	—	107	08	tr	10	08	tr		6
7	02	39	tr	—	—	—	11	13	—	tr	34	1.17		7
8	15	36	tr	—	11	12	29	15	—	1.67	42	11		8
9	04	04	05	—	tr	—	tr	22	tr	04	12	22		9
10	18	tr	tr	—	—	01	—	11	18	09	04	49		10
11	04	05	17	—	—	—	—	tr	tr	52	tr	07		11
12	05	06	—	20	—	—	—	—	17	tr	04	tr		12
13	tr	tr	—	22	tr	05	83	—	08	54	11	49		13
14	123	tr	—	11	15	09	51	—	—	03	16	06		14
15	57	02	—	05	tr	78	127	—	—	03	37	tr		15
16	12	02	02	21	02	tr	46	—	—	—	47	tr		16
17	86	10	—	—	tr	17	81	—	—	—	06	tr		17
18	19	07	02	—	—	10	34	—	—	—	72	09		18
19	81	01	tr	—	—	—	18	03	—	—	06	07		19
20	87	—	—	—	tr	06	tr	tr	—	—	—	tr		20
21	13	71	11	tr	05	46	33	tr	—	—	—	tr		21
22	117	39	17	tr	tr	32	12	02	tr	tr	59	—		22
23	06	03	12	22	—	22	11	tr	—	02	161	—		23
24	67	04	20	14	—	10	03	04	—	12	tr	tr		24
25	22	08	tr	18	—	tr	17	52	—	10	61	tr		25
26	03	09	tr	15	—	tr	03	08	—	07	61	02		26
27	—	68	02	10	—	09	04	01	tr	—	26	tr		27
28	tr	16	—	tr	—	14	17	tr	—	—	41	06		28
29	—	✕	tr	04	—	03	21	tr	—	17	08	—		29
30	—	✕	10	16	—	25	04	44	—	34	05	—		30
31	—	✕	tr	✕	—	✕	14	59	✕	63	✕	—		31
TOTAL	8.84	3.30	2.12	3.94	1.59	2.99	8.97	2.54	.68	5.08	10.01	4.22	Year's Total ~~54.08~~	54.28
* Days with .01 in. or more.	25	19	15	17	8	16	24	16	5	17	26	16	204	✓
* Days with .04 in. or more.	21	13	11	17	6	14	22	12	5	13	25	14	173	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. B. O. Pearce

P.T.O.

1933

Section **A** for the entry o

AIR MINISTR … FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS … 931 .

1933

LOCRENTON VEAN

1931 → 40

7803H

Kept at Locrent…

in the County of Cor…

Diameter of Funnel of Gauge…

Height of top of Gauge above Grou…

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	. .	·06	·59	. .	. .	·10	. .	·64	·02	. .	·02 dew	1
2	·34	·02	·21	·09	·02	·02	·02	. .	·54	·02	·32	·39	2
3	·18	. .	·73	. .	tr.	. .	·08	. .	·29	·03	2·13	·29	3
4	·04	·03	·15	. .	·08	. .	·57	·40	·27	·03	·14	·05	4
5	. .	·74	·22	·18	·01	·26	tr.	1·58	·01	tr.	·02	·28	5
6	. .	·01	·02	tr.	·11	·23	tr.	. .	·01	·37	·30	·36	6
7	. .	·14	. .	. .	·33	·27	·37	·16	. .	·12	·52	·27	7
8	. .	·73	. .	·28	. .	·52	·12	·24	. .	·01	·13	·18	8
9	·03	·28	. .	. .	. .	·08	·09	·04	. .	. .	·26	·06	9
10	·02	·06	. .	. .	·44	·10	·16	·20	. .	. .	·52	. .	10
11	·31	·63	. .	. .	·03	·26	·54	. .	·02	. .	·36	. .	11
12	·04	·09	. .	. .	tr.	. .	·38	. .	·13	·39	·02	. .	12
13	tr.	·20	·03	. .	·37	·01	·15	·20	·01	·04	·22	. .	13
14	·05	·11	. .	. .	·12	·32	·89	·16	·02	. .	·71	. .	14
15	·03	·18	. .	tr.	·15	·24	·03	·62	·03	. .	·02 dew	. .	15
16	·06	·37	. .	·03	·03	·98	·06	·15	. .	tr.	. .	. .	16
17	·02	·06	. .	·10	. .	·02	·22	~~[illegible]~~	·03	. .	. .	. .	17
18	·04	tr.	·02	·02	. .	·19	·21	1·38	. .	. .	·45	. .	18
19	·12	·25	·46	·02	. .	·01	·15	·11	·01	. .	·53	. .	19
20	·04	·18	·48	. .	. .	. .	. .	·57	. .	. .	·05	. .	20
21	·50	·02	·08	. .	·23	. .	·01	·01	. .	. .	·03	. .	21
22	1·11	·12	·01	·13	·26	. .	·05	·06	. .	. .	·12	. .	22
23	·12	·03	. .	·29	·62	. .	1·35	·01	. .	tr.	1·17	. .	23
24	·05	·03	. .	·69	. .	·05	·17	·28	. .	. .	. .	·01	24
25	·19	·03	. .	·07	·02	. .	·15	·01	. .	. .	·29	·01	25
26	·04	·21	. .	·06	tr.	. .	·25	. .	. .	. .	·80	tr.	26
27	·38	·30	. .	·01	·62	. .	·03	·03	. .	·04	·38	tr.	27
28		·13 snow	·20	·03	·01	·02	. .	. .	. .	·07	·05	·36	28
29	·12	×	·12	·01	·05	. .	·21	·43	·01	·01	·16	·11 sleet, hail	29
30	·18	×	·03	. .	·11	. .	·03	·02	·33	·05	. .	. .	30
31	1·49	×	·40	×	·39	×	·03	tr.	×	·01	×	·25	31
TOTAL	5·53	4·95	3·22	2·60	3·90	3·78	6·40	6·66	2·54	1·20	9·70	2·64	YEAR'S TOTAL 53·12
*Days with ·01 in. or more.	25.	25.	16.	16.	20.	17.	27.	21.	15.	14.	25.	14.	235.
*Days with ·04 in. or more.	20.	18.	11.	10.	14.	12.	21.	16.	6.	7.	21.	11.	167.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Wyker Lloyd

P.T.O.

1933

Section **A** for the entry o

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Locrenton. St. Keyne.

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 10 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	..	·06	·59	..	..	·10	..	·64	·02	..	·02 dew	1
2	·34	·02	·21	·09	·02	·02	·02	..	·54	·02	·32	·39	2
3	·18	..	·73	..	tr.	..	·08	..	·29	·03	2·13	·29	3
4	·04	·03	·15	..	·08	..	·57	·40	·27	·03	·14	·05	4
5	..	·74	·22	·18	·01	·26	tr.	1·58	·01	tr.	·02	·28	5
6	..	·01	·02	tr.	·11	·23	tr.	..	·01	·37	·30	·36	6
7	..	·14	..	..	·33	·27	·37	·16	..	·12	·52	·27	7
8	..	·73	..	·28	..	·52	·12	·24	..	·01	·13	·18	8
9	·03	·28	..	..	..	·08	·09	·04	..	..	·26	·06	9
10	·02	·06	..	..	·44	·10	·16	·20	..	..	·52	..	10
11	·31	·63	..	..	·03	·46	·54	..	·02	..	·36	..	11
12	·04	·09	..	..	tr.	..	·38	..	·13	·39	·02	..	12
13	tr.	·20	·03	..	·37	·01	·15	·20	·01	·04	·22	..	13
14	·05	·11	..	..	·12	·32	·89	·16	·02	..	·71	..	14
15	·03	·18	..	tr.	·15	·24	·03	·62	·03	..	·02 dew.	..	15
16	·06	·37	..	·03	·03	·98	·06	·15	..	tr.	..	..	16
17	·02	·06	..	·10	..	·02	·22	.. ~~·43~~	·03	..	..	..	17
18	·04	tr.	·02	·02	..	·19	·21	1·38	..	..	·45	..	18
19	·12	·25	·46	·02	..	·01	·15	·11	·01	..	·53	..	19
20	·04	·18	·48	..	..	..	..	·57	..	..	·05	..	20
21	·50	·02	·08	..	·23	..	·01	·01	..	..	·03	..	21
22	1·11	·12	·01	·13	·26	..	·05	·06	..	..	·12	..	22
23	·12	·03	..	·29	·62	..	1·35	·01	..	tr.	1·17	..	23
24	·05	·03	..	·69	..	·05	·17	·28	..	..	..	·01	24
25	·19	·03	..	·07	·02	..	·15	·01	..	..	·29	·01	25
26	·04	·21	..	·06	tr.	..	·25	..	..	..	·80	tr.	26
27 }	·38	·30	..	·01	·62	..	·03	·03	..	·04	·38	tr.	27
28 }		·13 snow	·20	·03	·01	·02	..	..	..	·07	·05	·36	28
29	·12	×	·12	·01	·05	..	·21	·43	·01	·01	·16	·11 sleet, hail.	29
30	·18	×	·03	..	·11	..	·03	·02	·33	·05	..	..	30
31	1·49	×	·40	×	·39	×	·03.	tr.	×	·01	×	·25.	31
TOTAL	5·53.	4·95	3·22	2·60	3·90	3·78	6·40	6·66	2·54	1·20	9·70	2·64	YEAR'S TOTAL 53·12
*Days with ·01 in. or more.	25.	25.	16.	16.	20.	17.	27.	21.	15.	14.	25.	14.	235.
*Days with ·04 in. or more.	20.	18.	11.	10.	14.	12.	24.	16.	6.	7.	21.	11.	167.

40-9999

(Signed) R. Wyker Lloyd

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lacrenton Vean. S^T. Keyne

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 10 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	·13	tr.	—	·21	·08	·09	—	·04	·05	1
2	·03	—	·04	·17	·05	—	—	·07	·18	tr.	·01	·39	2
3	·03	—	·02	—	—	·74	·04	—	·71	·05	·04	·04	3
4	·02	—	—	—	—	·05	·23	·06	·01	—	·40	—	4
5	·75	—	·08	—	—	—	·03	—	·38	—	—	tr.	5
6	·79	—	·02	·30	—	—	·32	—	·33	·04	—	—	6
7	·06	—	·01	·07	·13	—	tr.	—	1·31	2·15	—	—	7
8	—	—	·43	·16	·20	—	—	—	·14	·45	—	—	8
9	·94	—	—	·29	·05	—	—	—	·01	·02	—	—	9
10	·63	—	—	·29	·12	—	—	—	·06	·02	—	—	10
11	·05	—	tr.	·11	·12	—	·04	·02	·07	·02	—	·11	11
12	1·74	—	—	·05	1·22	—	—	—	·10	·43	—	·07	12
13	·15	—	—	·26	·11	—	·09	·36	·02	·83	—	·30	13
14	·20	—	—	·06	·25	—	—	·03	—	·07	—	·05	14
15	·02	—	—	·07	·02	—	·05	—	—	·13	·02	·10	15
16	·35	—	—	·06	tr.	—	·05	—	dew ·01	·03	tr.	·02	16
17	·06	—	—	·07	·36	—	·07	—	·03	·09	—	·01	17
18	·07	—	—		·77	—	—	—	·07	tr.	·16	·01	18
19	tr.	—	—	·15	·37	—	—	—	·08	·71	—	·07	19
20	—	—	—	·09	·63	tr.	·02	·03	·17	1·28	·13	·05	20
21	·10	—	·05	·10	tr.	—	—	·42	·05	·72	·11	·36	21
22	—	—	·01	·05	·03	—	·25	·02	·33	·56	·57	·17	22
23	tr.	·06	tr.	—	—	—	·17	—	—	·78	·04	·37	23
24	—	·03	—	tr.	·01	—	1·13	—	·11	·19	·05	·02	24
25	tr.	—	·11	tr.	·02	—	·06	—	·28	·71	·22	tr.	25
26	—	—	·33	·39	—	—	·20	—	·05	·09	·16	—	26
27	—	—	·48	·87	·21	tr.	·25	—	—	·61	·08	·33	27
28	—	—	·36	·05	·08	·18	·16	·01	·01	·02	—	·07	28
29	—	—	·87	·20	·05	·85	·04	·70	·45	·70	·28	·74	29
30	—	×	·01	·15	·25	1·90	·45	·02	·79	·12	1·02	·01	30
31	—	×	·27	×	·29	×	·20	—	×	·06	×	·78	31
TOTAL	6·07	·09	3·14	4·14	5·34	3·72	4·06	1·82	5·84	10·88	3·33	4·12	YEAR'S TOTAL 52·55
*Days with ·01 in. or more.	18.	2.	15.	23.	22.	5.	21.	12.	26.	26.	16.	22.	208.
*Days with .04 in. or more.	14.	1.	10.	23.	18.	5.	19.	6.	20.	21.	14.	17.	168

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Wykes Lloyd.

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Locrenton Vean, St. Keyne

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·90	·24	—	·04	·24	—	—	—	—	·11	2·62		1
2	·13	·06	·92	—	·25	1·02	—	—	—	—	·02	·19		2
3	·08	·13	·25	—	·16	·03	—	—	—	—	—	—		3
4	·26	·10	·21	—	·31	—	—	—	—	—	—	—		4
5	·02	·03	·66	—	·30	—	—	—	—	—	—	—		5
6	·01	·70	·07	—	·24	—	—	—	—	·06	—	—		6
7	·02	·11	·01	—	·06	—	·15	t.	—	·04	—	—		7
8	·07	·02	—	—	·07	·07	·14	·01	—	·02	—	—		8
9	—	·07	—	—	·06	—	·84	·02	—	·40	·04	—		9
10	·05	·01	—	—	—	—	·24	·01	—	1·01	·02	—		10
11	·05	—	—	·14	—	—	·04	2·18	—	·05	·05	—		11
12	—	—	—	·19	·08	·36	·40	·03	·29	—	—	·01		12
13	·02	—	—	—	·07	·14	·22	·09	—	·38	·12	—		13
14	·35	—	—	—	t.	—	·21	·12	—	·01	·44	—		14
15	·48	—	·56	—	—	·07	·32	·09	—	·07	·29	—		15
16	·03	—	1·17	—	—	·06	—	·03	·11	·07	·01	—		16
17	·02	·10	·12	—	—	·06	·02	·11	·30	—	—	—		17
18	·26	·01	·17	—	—	·08	·01	—	·01	·84	·02	—		18
19	·25	—	·29	—	—	·05	—	·05	·08	·58	·45	—		19
20	t.	·10	·01	—	·13	·32	—	·07	·30	—	·05	—		20
21	—	·09	—	—	t.	·01	—	·30	—	·15	—	·03		21
22	—	·02	—	·79	—	—	—	·58	·56	·01	—	—		22
23	—	·73	—	·50	—	·23	—	·04	·13	·23	—	—		23
24	—	·15	—	·51	—	—	—	t.	·05	·22	—	—		24
25	—	·33	—	·10	·08	·08	—	—	·24	·02	—	·37		25
26	—	·12	—	·41	·18	—	—	—	—	·13	—	—		26
27	—	·46	—	·08	—	—	—	—	—	·45	—	1·02		27
28	—	·38	—	·33	t.	—	·58	·06	—	·42	—	·01		28
29	·06	—	—	·22	—	—	·08	·02	—	·10	—	·05		29
30	·14	×	·07	·18.	t.	—	·07	—	·48	·02	—	·04		30
31	·37	×	·27	×	·20	×	t.	—	×	·13	×	—		31
TOTAL	2·95	4·62	5·02	3·45	2·23	2·82	3·32	3·82	2·55	5·41	1·62	4·34	Year's Total 42·15 ✓	
*Days with ·01 in. or more.	20.	21.	15.	11.	15.	15.	14.	17.	11.	23.	12.	9	183.	
*Days with .04 in. or more.	14.	16.	13.	11.	15.	13.	12.	11.	10.	18.	8.	6	147.	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 1933

Kept at Locrenton Vean. St. Keyne.

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 10 in.

„ Ground „ Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	—	·09	—	—	—	—	·92	·02	·03	·20	2·10	1
2	·09	—	·08	—	—	—	—	·03	1·09	·02	·11	·28	2
3	·10	—	—	—	—	—	—	·03	·01	·22	·01	·65	3
4	·20	—	·30	·07	·56	—	—	·16	·08	·23	—	·62	4
5	—	—	·12	—	·30	·02	—	2·69	—	·14	·03	·74	5
6	·22	—	·34	·15	·54	·28	—	—	·05	·53	·01	·50	6
7	·08	t.	—	—	—	t.	—	·08	—	·46	·08	1·13	7
8	—	—	—	—	·09	—	—	·04	·03	—	·62	·98	8
9	·14	—	·48	—	—	—	—	·03	·01	t	·35	·14	9
10	·50	t	·30	·24	—	—	—	·14	—	—	·10	·17	10
11	1·09	·02	·03	·90	—	—	—	·03	·01	—	—	1·08	11
12	·13	—	—	—	—	·03	·01	·31	—	—	·02	·22	12
13	·52	—	·01	·50	—	·01	t.	—	—	·03	·19	·24	13
14	·65	—	·57	·01	—	—	—	—	·20	·02	·02	·36	14
15	·26	—	·16	·03	·15	—	t	·01	·08	·20	·05	·36	15
16	·23	—	·48	·02	·01	—	—	—	·46	·04	—	·36	16
17	·49	·01 mist	·23	·12	·14	—	·03	—	·08	·13	—	·70	17
18	·05	—	·44	·61	·01	·05	—	—	·04	·06	—	1·21	18
19	t.	—	·31	·01	·02	·08	—	·06	·16	·02	—	·16	19
20	—	·01 mist	·01	·28	·03	·03	·09	—	·07	·01	·02	·12	20
21	—	—	·24	—	·04	·42	t.	·09	·02	·40	·06	·09	21
22	·22	t.	·03	—	—	·02	·90	·11	·56	—	·03	·35	22
23	·11	—	·03	·20	—	·44	·01	·01	·69	·02	—	·35	23
24	—	·18	·09	·09	—	·50	·04	t	·04	·32	—	·21	24
25	·32	·01	—	·59	—	·12	t	·02	·28	·40	—	1·20	25
26	·25	—	·05	·05	—	·25	t	—		—	—	·24	26
27	—	—	—	—	—	·09	—	—	·16	·02	t.	·15	27
28	—	—	—	·02	—	·02	·02	·74	·22	·10	—	1·16	28
29	—	×	—	—	—	—	t.	·07	·12	·03	t.	·04	29
30	·01	×	—	—	—	—	·08	·44	·23	·30	·01	·46	30
31	—	×	—	×	·04	×	·02	·21	×	·22	×	·03	31
TOTAL	5·79	·23	4·39	3·89	1·93	2·36	1·20	6·22	4·71	3·95	1·91	16·40	YEAR'S TOTAL 52·98 ✓
*Days with ·01 in. or more.	21	5	21	17	12	15	9	21	24	24	17	31	217.
*Days with ·04 in. or more.	20	1	16	12	8	9	4	14	18	15	9	30	156.

40-9999

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at LOCRENTON VEAN. ST KEYNE.

in the County of CORNWALL.

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 250. ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·15	·84	—	—	·13	t.	—	·29	·06	·01	·51		1
2	·02	·08	·08	—	—	·07	·01	—	·41	·74	·20	·15		2
3	—	·01	·10	·03	·20	·10	·02	—	·03	·71	·18	·20		3
4	—	·31	·03	·11	·01	·07	—	—	·15	·34	·11	·33		4
5	t.	·33	·06	·08	—	·14	—	—	·23	1·45	·09	·37		5
6	—	—	—	·68	—	1·00	—	—	—	·01	·08	·29		6
7	—	—	—	·70	—	·05	—	—	—	·50	·10	·06		7
8	—	—	—	·47	—	—	—	—	—	·10	·42	—		8
9	—	—	—	·44	—	·01	·03	—	—	·80	·41	—		9
10	·09	—	—	·08	—	·11	·03	—	—	·05	·08	—		10
11	·30	·02	t.	—	—	·65	—	—	·35	·03	·90	—		11
12	·22	·28	—	—	—	·21	—	·10	·12	·01	·23	—		12
13	·12	·17	—	·30	—	·03	—	—	t.	·06	·22	—		13
14	—	·20	—	·03	—	·33	—	—	·28	·08	1·51	·37		14
15	—	·07	·11	1·14	·22	·04	—	tr	·15	·04	·18	·12		15
* doubtful 16	—	·15	·02	·28	—	·02	·01	—	*·26	·09	·52	·10		16
17	—	·02	—	·10	·55	·50	·02	·05	·07	·01	·01	—		17
18	—	·10	·02	·68	·08	—	—	·01	·47	·15	·04	·22		18
19	—	·05	—	·20	·37	·13	·17	—	·21	·31	·54	·02		19
20	—	·52	—	·50	·07	·03	·04	—	·01	·26	·11	—		20
21	—	·91	—	·05	—	·02	·22	—	·05	·08	—	—		21
22	—	·02	·02	·16	—	—	—	—	·07	·25	—	—		22
23	—	·21	·08	·05	·02	—	—	1·20	·20	·45	—	·64		23
24	·05	·58	·01	·08	·14	—	—	·18	·47	·02	—	·34		24
25	·28	·12	—	—	·26	·13	—	—	—	—	—	·10		25
26	·04	·60	—	—	—	·11	—	·38	·37	·03	·08	·66		26
27	—	·10	·01	—	—	·02	·03	·08	·34	·12	·15	·34		27
28	·02	·35	—	—	—	—	·04	·13	·32	·05	·06	·03		28
29	—	×	—	—	—	—	—	·02	·34	·15	·20	[illegible]		29
30	·07	×	—	—	—	t.	—	1·05	·11	·29	1·26	1·68		30
31	—	×	—	×	—	×	—	·17	×	·87	×	·41		31
TOTAL	1·36	5·35	1·38	6·16	1·92	3·90	·62	3·37	5·20	8·21	7·69	6·94	Year's Total. 52·00	
* Days with .01 in. or more.	11	23	12	20	10	22	11	11	23	30	25	21	219	
* Days with .04 in. or more.	9	19	6	18	8	16	4	9	21	24	23	19	176	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) R S Wykeshurst

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1936

Kept at Launceston

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·27	·01	·39	—	·15	·86	·02	—	—	·31	·03		1
2	·03	·04	—	·04	—	·10	·49	·07	·31	—	·06	tr		2
3	·04	—	·15	·68	—	·04	·03	·01	·27	—	·09	·03		3
4	·02	·05	·16	—	—	tr	·03	·01	·36	—	·10	·20		4
5	·25	·60	·06	—	·02	—	·73	·09	·03	—	·14	·22		5
6	·04	—	·12	—	—	·07	·76	·18	·32	—	·90	·02		6
7	·65	—	·32	—	—	·01	·02	—	·04	—	·46	·05		7
8	·36	—	·36	—	—	—	·45	—	·03	·02	·53	·08		8
9	·26	·81	·14	—	—	—	·81	—	·18	—	·24	tr		9
10	·18	·76	—	—	—	·01	·05	—	tr	—	·23	—		10
11	·64	·06	—	—	—	·20	·11	·04	·14	—	·98	·20		11
12	·08	Tr	—	·11	—	—	·64	·01	·20	—	·17	·02		12
13	·06	·01	—	tr	tr	—	tr	·02	·02	·11	·23	1·19		13
14	—	·01	—	—	—	·06	·54	—	·11	·10	·01	·53		14
15	—	·07	—	·03	·07	—	tr	—	·05	·01	·55	·58		15
16	—	·10	—	tr	·06	tr	·18	—	·02	—	·30	·22		16
17	·27	1·02	—	·01	·10	·03	·54	·03	—	·10	·05	1·04		17
18	·45	·12	·35	—	—	—	·56	·05	—	·02	—	·17		18
19	·84	·03	·13	·26	—	—	·06	·24	—	·05	—	·02		19
20	·18	·45	·02	·12	—	·16	·02	·03	·14	·01	—	·05		20
21	·05	·28	·22	·50	—	·01	·16	—	—	·04	—	—		21
22	·25	·13	—	—	—	—	·64	—	·02	tr	—	—		22
23	—	·19	·08	·22	—	—	·13	—	—	·13	—	—		23
24	·35	·04	·31	·04	·30	—	·51	—	·18	·37	—	—		24
25	·31	—	·44	·25	—	—	·40	—	·01	·54	—	·03		25
26	·44	·16	·57	—	—	—	·02	—	—	·11	—	—		26
27	·60	·15	·07	—	—	—	·22	—	·06	·13	—	—		27
28	·74	·02	1·04	—	—	—	·22	—	—	·09	—	·40		28
29	·03	·06	·03	—	—	tr	—	—	—	·13	·08	·05		29
30	·34	✕	·02	—	·04	·45	·02	—	—	·03	·01	—		30
31	·21	✕	1·03	✕	·04	✕	·44	—	✕	—	✕	·80		31
TOTAL	7·85	5·43	5·63	2·65	·63	1·29	9·64	·80	2·49	1·99	5·44	5·93	Year's Total 49·77	
* Days with .01 in. or more.	27	23	21	12	7	12	28	13	19	17	19	21	249	
* Days with .04 in. or more.	24	19	17	9	6	7	22	6	13	12	17	15	167	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at LOCRENTON VEAN

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground .. ft. 10 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·03	·24	··	··	··	··	··	·05	·09	··	·65		1
2	·20	1·45	··	·56	··	··	··	··	·13	··	··	·15		2
3	·03	·26	··	·42	··	··	·08	··	·01	·01	··	··		3
4	·11	·90	tr	·02	·11	··	tr	··	·01	··	··	·75		4
5	·46	··	··	·04	··	··	·76	··	··	··	··	·10 }		5
6	·14	·70	·38	·43	·03	··	·10	··	·03	··	··			6
7	··	·58	·10	·20	··	·18	tr	··	·04	··	·37	··		7
8	tr	·05	··	·02	·90	·12	·14	··	··	··	··	··		8
9	·14	·09	·30	·15	·07	·02	·01	·01	·73	··	··	··		9
10	·35	·03	1·14	·61	··	·14	·02	·07	··	··	··	·67		10
11	·20	··	·39	·23	·50	·03	·35	··	··	··	··	·40		11
12	1·20	·59	·25	·19	·50	·39	·13	·14	·28	··	tr	·75		12
13	·03	·08	·90	·19	··	·05	·01	·28	·45	··	tr	·17		13
14	··	·10	·19	··	··	··	··	·16	·12	··	··	·32		14
15	·70	·27	·33	·67	··	··	··	·01	·27	··	··	·35		15
16	·19	·19	·30	tr	··	··	·13	·09	·43	··	·57	··		16
17	1·10	·14	·40	·02	··	··	·01	·01	·02	··	·44	··		17
18	·10	·34	·50	··	··	·19	··	··	·46	·02	·15	·14		18
19	·28	·11	·16	·37	·22	tr	··	··	·08	··	·12	··		19
20	·68	·03	·28	·20	·64	··	··	··	·64	··	··	·90		20
21	·36	1·02	··	·03	·38	··	·08	··	·06	·16	·46	·11		21
22	·02	·04	·10	··	·35	··	·12	··	··	·95	·63	·17		22
23	·15	·51	··	··	·30	··	·02	··	··	·30	·07	·05		23
24	·26	·69	·12	··	·03	··	·05	··	·04	·94	··	·06		24
25	··	1·36	·13	·07	·02	··	··	··	·02	·10	··	·01		25
26	·06	·32	·63	··	··	··	··	··	··	··	··	··		26
27	·03	·30	·07	··	··	··	··	··	··	·31	·01	tr		27
28	·05	·39	··	··	··	·04	··	··	··	·07	tr	··		28
29	·03	×	·10	··	··	·01	··	··	··	·56	·33	··		29
30	·33	×	··	··	··	·04	··	··	·02	·02	·69	··		30
31	·28	×	·02	×	··	×	··	··	×	·29	×	tr		31
TOTAL	7·70	10·55	7·03	4·42	4·07	1·21	2·00	0·77	3·85	3·92	3·84	5·75	Year's Total 55·11	✓ ✓
* Days with .01 in. or more.	27	26	22	18	13	11	15	8	20	13	11	18	202 ~~212~~	✓ ✓
* Days with .04 in. or more.	22	23	21	14	10	8	10	5	14	10	10	17	164.	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. T. Wyker

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lowenton Vean

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

,, Ground ,, Sea Level 250 ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	..	·22	..	..	tr.	·79	·26	·56	..	·77	·06	·18		1
2	..	·04	..	·07	·02	..	·01	..	..	·11	·01	·06		2
3	..	..	·02	..	·06	·02	·03	·66	..	·69	·56	·02		3
4	..	..	..	..	tr.	·03	·34	·52	·01	·22	·01	·49		4
5	·03	..	..	tr.	..	·07	·05	·50	·04	·55	·04	·04		5
6	·30	tr.	..	..	..	·32	1·66	·02	·05	·16	·05	·04		6
7	·30	..	..	..	..	..	·20	..	..	·15	·04	·24		7
8	1·03	·09	..	..	..	..	·21	..	..	·59	..	·03		8
9	·27	·24	..	..	..	·04	·02	..	..	·02	·06	·85		9
10	·51	tr.	..	..	..	·03	·10	·10	..	·01	·45	·35		10
11	·35	..	..	..	..	·04	·11	..	..	..	..	·40		11
12	·47	tr.	..	..	·75	·05	·02	..	..	·41	·85	·01		12
13	·17	..	..	..	·56	..	·03	..	..	·18	·11	·45		13
14	·86	..	·02	..	·20	..	·30	..	..	..	·05	·02		14
15	·43	..	..	..	·10	..	..	..	·01	·10	·68	·51		15
16	·36	·01	·09	..	·05	..	..	·15	..	..	·15	·09		16
17	..	·02	·05	..	·20	..	·02	..	·17	·20	·04	·27		17
18	·42	..	..	..	·06	·03	·02	·20	·51	·06	·44	..		18
19	..	..	..	..	tr.	..	·03	·13	·83	·01	·95	..		19
20	·03	..	..	..	..	..	..	..	·03	..	·20	..		20
21	·09	..	..	..	..	..	..	·02	·28	·28	·24	..		21
22	·04	..	..	..	tr.	·19	..	·02	·03	·04	·50	..		22
23	·01	..	..	tr.	..	tr.	..	·50	·06	..	·45	..		23
24	·06	·47	·34	..	·05	·01	·05	·23	·09	..	·61	..		24
25	·16	·90	·05	·01	·13	tr.	·30	..	·01	·12	1·53	..		25
26	·51	·30	·02	..	·91	·07	·09	..	..	·11	·03	·14		26
27	·57	·13	..	·04	·09	·14	·30	..	..	·08	·48	..		27
28	·34	·21	tr.	..	·10	·20	·02	·80	·15	·05	·04	·01		28
29	·54		·01	..	·46	tr.	·04	..	·08	·44	·64	·08		29
30	·13		·02	..	·02	·02	·08	·02	·18	~~·30~~ ·01	·30	·06		30
31	·49		tr.		·37		·05	..		·44		·46		31
TOTAL	8·47	2·63	0·62	0·12	4·13	2·03	4·34	5·33	2·53	5·90	9·37	4·80	Year's Total 50·27	✓
* Days with .01 in. or more.	25	11	9	3	17	16	25	15	16	26	28	22	213	✓
* Days with .04 in. or more.	22	9	4	2	15	10	16	11	11	21	25	17	163	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. Wyker Lindsay

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Locrenton Vean, St Keyne

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 250 ft. approx

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·49	..	·03	..	·02	..	·10	·43	—	—	·34	·21		1
2	·10	..	..	·42	..	..	·12	·25	·48	—	·05	·15		2
3	·44	..	·75	·65	·01	..	..	·02	—	—	·40	·43		3
4	·08	..	·70	·18	·69	..	1·01	—	·02	·43	·92	·24		4
5	..	..	·04	·16	·32	..	·20	·01	—	·39	1·26	·12		5
6	·78	..	·10	·43	·08	..	1·17	·08	—	·07	·15	—		6
7	·05	·58	..	..	..	..	·04	·09	—	—	·24	1·34		7
8	·17	·34	·03	..	·06	·02	·32	·11	—	1·99	·65	·16		8
9	·06	·04	·01	..	·01	..	·01	·25	—	·12	·28	·28		9
10	·14	·03	·03	..	..	·03	—	·20	·10	·05	·84	·50		10
11	·04	·05	·16	..	..	..	—	—	·01	·24	·04	·06		11
12	·05	·09	..	·10	..	..	·39	—	·23	·02	·03	—		12
13	..	·03	·01	·27	tr.	·11	·64	—	·04	·68	·08	·36		13
14	1·09	·01	..	·08	·11	·10	—	—	—	·08	·20	·16		14
15	·49	·02	..	·05	..	1·01	·25	—	—	·02	·41	—		15
16	·93	·03	·02	·23	·02	..	·97	—	—	—	·45	—		16
17	·24	·11	..	·03	..	·18	·63	—	—	—	·08	·01		17
18	·13	·08	·03	..	..	·09	·28	—	—	—	·85	·03		18
19	·63	·01	..	..	..	..	·19	·10	—	—	·05	·10		19
20	·71	..	..	..	..	·41	·04	·09	—	—	—	·09		20
21	·15	·20	·09	·01	·04	·44	·70	·05	—	—	—	—		21
22	1·05	·38	·37	·05	..	·67	·30	·05	—	—	·81	—		22
23	·12	·03	·08	·29	..	·02	·04	—	—	·09	1·61	—		23
24	·80	·02	·21	·05	..	·08	·02	·11	—	·29	—	—		24
25	·23	·11	·03	·03	..	..	·11	·73	—	·25	·75	—		25
26	·02	·10	..	·08	..	..	·07	·05	—	·10	·64	—		26
27	..	·46	..	·02	..	·11	·05	·05	—	·02	·28	—		27
28	..	·61	..	..	..	·12	·11	—	—	—	·44	—		28
29	..	·12	..	·03	..	·15	·18	—	—	·12	·10	—		29
30	..	✕	·01	·05	..	·11	·03	—	—	·49	·08	—		30
31	..	✕	..	✕	..	✕	·08	·62	✕	·87	✕	—		31
Total	8·99	3·45	2·70	3·21	1·36	3·65	8·05	3·29	·88	6·32	12·03	4·24	Year's Total 58·17	✓
* Days with .01 in. or more.	·24	22	18	20	10	16	27	18	6	19	27	16	223	✓
* Days with .04 in. or more.	23	14	9	15	6	13	24	16	4	16	26	14	180	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ……………………………

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1933

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at ~~[illegible] Vean St Keyne~~

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 250 ft.

Snow circ. sent 9.4.41.
Snow

Jan 3rd – 8th & 15th – 18th est'd from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf all November altered 1 day at

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·05	—	—	·10	—	—	—	—	—		—		1
2	—	·15	—	·41	—	—	—	—	—	—	·27	·08		2
3	—	·88	—	—	—	—	—	—	—	—	·92	·24		3
4	—	·09	—	·10	—	—	·14	—	—	·31	1·10	·10		4
5	—	·06	—	—	—	—	·05	—	—	·09	·25	·35		5
6	— (·75)	1·16	—	—	—	—	·06	—	·09	·46	·63	·37		6
7	—	·05	—	·03	—	—	·10	—	·03	·03	·11	·04		7
8	—	—	—	—	—	—	·05	·02	·04	·65	—	·47		8
9	—	—	—	—	—	—	·65	·05	·06	·17	·85	·62		9
10	—	—	·01	—	—	—	·03	—	—	·07	·92	·35		10
11	—	·05	·02	—	—	—	·10	—	·75	—	·20	·04		11
12	—	—	·24	—	—	·03	·65	—	·03	—	1·74	·01		12
13	—	—	·30	—	—	—	·10	—	·25	·39	·40	1·14		13
14	—	—	·04	·10	—	—	—	·03	·20	·30	·98	·94		14
15	—	·12	—	·05	—	—	—	—	·22	—	·16	n.		15
16	—	1·16	1·50	·18	—	—	·20	—	·02	—	·53	·09		16
17	(·60)	·35	·57	—	—	—	·38	—	·25	—	·08	n.		17
18	snow	·79	·34	·61	—	—	·02	·02	—	·01	·16	·24		18
19	rain	·12	·37	·11	—	—	·27	—	·55	·06	·28	—		19
20	—	—	·02	·08	—	—	·03	·02	—	·19	·44	—		20
21	—	—	·05	—	·11	—	—	·08	·02	·02	·19	—		21
22	—	—	·15	·35	—	·45	—	·01	·14	·11	·46	—		22
23	—	·23	·28	·06	·03	·01	·03	—	—	·20	·02	—		23
24	~~·12~~	—	·07	·01	·01	—	·29	—	—	—	·05	—		24
25	·42	—	·25	·09	·72	·09	—	—	—	—	—	—		25
26	·99	1·14	—	·06	·31	·05	·02	—	—	—	—	—		26
27	·55	·13	—	·36	·58	—	—	—	—	—	·03	—		27
28	·32	·10	·05	·40	·45	—	—	·03	—	·25	—	—		28
29	·27	·13	·38	·80	·02	·09	—	—	—	—	—	·51		29
30	·08	X	—	·05	·10	—	—	—	—	·86	—	·44		30
31	·07	X	—	X	—	X	—	—	X	·61	X	·91		31
TOTAL	3·65 ~~2·42~~	6·76	4·64	3·85	2·43	·72	3·17	·26	2·65	4·78	10·76	6·94	Year's Total ~~49·38~~	50·61
* Days with .01 in. or more.	148	18	17	18	10	6	18	8	14	18	23	18	182 ~~176~~	
* Days with .04 in. or more.	138	18	14	16	7	4	13	2	10	15	21	17	152 ~~140~~	

Gauge to [illegible] is to be read

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1934

1934
COLDRENICK
1931 — 40

780311

Section **A** for the entry of
AIR MINISTR ... NFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIST ... 931.

Kept at Coldrenick Me

in the County of Corn

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU... IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·64			·07	·04	·62				1
2	·29			·21			·01		·46	·03	·39	·48	2
3	·13		·77				·09		·35		1.82	·15	3
4			·11		·19		·50		·35	·06	·09	·13	4
5		·87	·30	·14	·02	·31		1.39		·41	·01	·23	5
6					·12	·27	·15			·41	·02	·34	6
7		·12			·35	·27	·17	·11		·14	·68	·23	7
8	·04	·67		·26		·47	·11	·18				·10	8
9		·19				·04	·12				·38		9
10		·09			·50	·16	·11	·12			·92	·01	10
11		·59				·50	·45				·41		11
12	·05	·16					·39		·15	·37			12
13	·29	·23			·32	·02	·24	·23		·05	·15		13
14	·06	·09			·13	·18	·81	·21	·04		·80		14
15		·19			·12			·29					15
16		·14		·04	·21	1.15	·04	·28					16
17	·06	·06					·21						17
18	·03		·07	·04		·12	·27	1.63	·06		·42		18
19	·04	·21	·50			·05	·05	·12			1.05		19
20	·10		·49					·56			·05		20
21	1.09	·03	·06		·21						·02		21
22		·18	·03	·19				·01					22
23				·49	·98			·02			1.33		23
24	·19			·80	·01		1.47	·24					24
25	·17	·08		·07		·02	·18				·33		25
26		·17		·04			·19				·62		26
27	·21	·28			·84		·06				·40		27
28	·13	·19	·22		·03			·06		·06		·48	28
29	·04		·12			·01	·18	·54		·04	·19	·13	29
30	·24	✕			·12			·02	·35				30
31	1.23	✕	·34	✕	·28	✕	·03		✕	·02	✕		31
TOTAL	4.42	4.54	3.01	2.92	4.43	3.57	5.90	6.05	2.38	1.18	10.08	2.28	YEAR'S TOTAL 50.76
*Days with ·01 in. or more.	19.	19.	11.	11.	16	14.	23	18	8	9	29	10	178
*Days with ·04 in. or more.	17.	18.	10.	11.	13	11.	21	15	8	7	17	9	157

40-9999

(Signed) Francis Ed: Trelawny [P.T.O.

*See Instruction 2 (*f*) on other side.

1934

Section **A** **for the entry of**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Coldrenick Menheniot

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" Ground " Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·64			·07	·04	·62				1
2	·29			·21			·01		·46	·03	·39	·48	2
3	·13		·77				·09		·35		1.82	·15	3
4			·11		·19		·50		·35	·06	·09	·13	4
5		·87	·30	·14	·02	·31		1.39		·41	·01	·23	5
6					·12	·27	·15			·41	·02	·34	6
7		·12			·35	·27	·17	·11		·14	·68	·23	7
8	·04	·67		·26		·47	·11	·18				·10	8
9		·19				·04	·12				·38		9
10		·09			·50	·16	·11	·12			·92	·01	10
11		·59				·50	·45				·41		11
12	·05	·16					·39		·15	·37			12
13	·29	·23			·32	·02	·24	·23		·05	·15		13
14	·06	·09			·13	·18	·81	·21	·04		·80		14
15		·19			·12			·29					15
16		·14		·04	·21	1.15	·04	·28					16
17	·06	·06					·21						17
18	·03		·07	·04		·12	·27	1.63	·06		·42		18
19	·04	·21	·50			·05	·05	·12			1.05		19
20	·10		·49					·56			·05		20
21	1.09	·03	·06		·21						·02		21
22		·18	·03	·19				·01					22
23				·49	·98			·02			1.33		23
24	·19			·80	·01		1.47	·24					24
25	·17	·08		·07		·02	·18				·33		25
26		·17		·04			·19				·62		26
27	·21	·28			·84		·06				·40		27
28	·13	·19	·22		·03			·06		·06		·48	28
29	·04		·12			·01	·18	·54		·04	·19	·13	29
30	·24	×			·12			·02	·35				30
31	1.23	×	·34	×	·28	×	·03		×	·02	×		31
TOTAL	4.42	4.54	3-01	2.92	4.43	3.57	5.90	6.05	2.38	1.18	10.08	2.28	YEAR'S TOTAL 50.76
*Days with ·01 in. or more.	19.	19.	11.	11.	16	14.	23	18	8	9	29	10	178
*Days with ·04 in. or more.	17.	18.	10.	11.	13	11.	21	15	8	7	17	9	157

40-9999

(Signed) Francis Ed: Trelawny

[P.T.O.

*See Instruction 2 (*f*) on other side.

1934

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Coldrenick

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33			·16			·28	·02	·09			·06	1
2	·02		·09	·16			·03		·20		·04	·30	2
3	·04					·63	·01		·59		·04	·05	3
4	·03					·06	·21		·32		·28		4
5	·77		·06				·03		·31				5
6	·68		·04	·18			·31			·02			6
7	·03			·03	·04				1·16	1.32			7
8	1.08		·41	·13	·32				·05	·35			8
9	·54			·28	·04					·01			9
10				·28									10
11	·03			·06	·24				·12	·05		·16	11
12	1.75								·06	·33		·16	12
13				·27	1.16		·07	·32					13
14				·05	·33			·19		·05			14
15	·29				·02					·09		·44	15
16	·37			·02			·04						16
17	·10			·03	·42		·01		·04			·02	17
18	·04				·76						·16		18
19				·11	·49					·75	·13	·07	19
20					·56			·14	·26	1.08	·13		20
21	·10		·05	·08				·45		·66	·09	·47	21
22				·15			·05	·02	·60	·50	·41	·15	22
23		·04					·19			·77	·08	·40	23
24							1.05		·11	·09	·02		24
25			·12				·21		·26	·59	·18		25
26			·35	·40	·09		·13		·02	·07	·16		26
27			·36	·85	·19		·19			·51	·09	·47	27
28			·29	·05	·10	·09	·11			·02		·04	28
29			·61	·18	·06	·80	·02	·59	·43	·63	·44	·84	29
30		×		·19	·20	1.84	·54		·80	·09	·77		30
31		×	·23	×	·26	×	·11		×	·07	×	·70	31
TOTAL	6.20	·04	2.61	3.66	5.28	3.42	3.59	1.73	5.42	8.05	2.89	4.33	YEAR'S TOTAL 47.22
*Days with ·01 in. or more.	16.	1	11.	20	17	5	19	7	17	21	14	15	163
*Days with ·04 in. or more.	12.	1	11.	17	16	5	14	5	16	18	13	14	142

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Francis Ed; Trelawny

[P.T.O.

1934

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Coldrenick

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	1.02	.33		.05	.28					.21	2.48	1
2	.71		.97		.30	.90					.02	.20	2
3	.10	.19	.30		.15								3
4	.25	.12	.35		.22								4
5		.03	.66		.31								5
6	.10	.60	.04		.31		.02						6
7	.02				.05		.15			.10			7
8		.12			.04		.23	.01		.03	.04		8
9					.02		.52			.45	.09		9
10		.11					.17			.93			10
11	.10						.01	2.03	.21	.07	.06		11
12				.34	.05	.47	.39	.05		.01		Snow .02	12
13	.03					.09	.15	.07		.42	.12		13
14	.29						.10	.14		.00	.45		14
15	.45	.58	.58			.07	.55	.17		.08	.40		15
Slet 16	.03		1.20						.09	.13			16
17			.14			.14		.14					17
18	.25	Snow .14	.20			.13				.86			18
Slet 19	.32					.02		.06	.09	.22	.35		19
20					.16	.26		.08	.57	.20			20
21		.10				.04		.21					21
22		[illegible]		.64				.61	.61				22
Slet 23		.76		.71		.21		.01	.15	.25			23
Slet 24		.22		.51					.04	.25			24
Slet 25		.32		.11	.08	.10			.17		[illegible]	.40	25
26				.35	.14	.14				.16			26
27		.60								.48		.82	27
28		.37		.39	.01	.00	.53	.03		.36		.02	28
29		×		.30			.09		.13	.03		.04	29
30	.19	×	.11	.39			.06		.60	.02		.03	30
31	.06	×	.25	×	.25	×			×	.13	×		31
TOTAL	3.19.	4.70.	5.13.	3.74.	2.14.	2.71.	2.97.	3.61.	2.66	5.18	1.74	4.01	YEAR'S TOTAL 41:78
*Days with ·01 in. or more.	15	14	12	9	15	12	13	13	10	20	9	8	150
*Days with ·04 in. or more.	12	13	12	9	13	11	11	10	10	16	8	6	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Francis Edw Trelawny [P.T.O.

1934

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~115~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Coldrenick

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft = in.

,, Ground ,, Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16		·06					·96			·31	2.28		1
2	·07		·07						1.36		·14	·20		2
3								·11		·50		·50		3
4	·23		·34		·57			·10		·18		·78		4
5			·16		·33			1.88		·21		·75		5
6	·22			·16	·44	·30			·05	·54		·54		6
7	·09							·04		·39		1.05		7
8											·64	1.02		8
9	·16		·81					·05			·33	·14		9
10	·47		·33	·26								·44		10
11	·86		·13	·80				·01				·90		11
12	·09					·01	·07	·40				·17		12
13	·45			·48		·01	·01				·33	·29		13
14	·24		·51	·01					·07		·05	·34		14
15	·21			·04								·24		15
16	·14		·23		·21				·41	·22		·36		16
17	·36		·48		·15		·02		·11	·07		·77		17
18			·17	·58		·06						·90		18
19	·05		·53			·08		·06	·25			·05		19
20			·27	·29	·04			·07	·08			·20		20
21					·05	·39		·08			·09	·04		21
22	·19		·24				·38		·55	·48		·33		22
23	·10	·23	·01	·17		·43		·01	·65			·38		23
24			·10	·10		·31	·04	·20				·33		24
25	·41			·51						·12		1.15		25
26	·17			·05		·23			·30	·01		·23		26
27									·16	·05		·05		27
28						·16		·75	·20	·03		1.35		28
29								·03	·10	·02	·05	·02		29
30		X					·06	·18	·28	·30		·46		30
31		X		X	·07	X	·03	·11	X	·11	X	·03		31
TOTAL	4.67	·23	4.44	3.45	1.86	1.98	·61	5.04	4.57	3.23	1.94	16.27	Year's Total. 48.29	
* Days with .01 in. or more.	19	1	16	12	8	10	7	17	14	15	8	31	158	
* Days with .04 in. or more.	19	1	15	11	8	8	4	14	14	11	8	29	112	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Francis Ed: Trelawny

[P.T.O.

1934

FOR OFFICIAL USE. ✓

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

County No.
River Dist.
Station No.

Kept at Coldrenick Menheniot
in the County of Cornwall
by F E Trelawny

Lat. Long.
Time of Observation 8.45
Nearest Railway Station Menheniot
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 301 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·14	·87			·04			·27	·04			1
2			·07	·05	·19	·05			·41	·80	·18	·37	2
3		·06				·09			·05	·08	·38	·16	3
4		·16		·08		·10	·02		·36	·38	·13	·25	4
5				·06		·15				1·23		·30	5
6				·59		1·00	·01			·03	·15	·13	6
7				·64		·03				·48	·15		7
8				·46						·15	·21		8
9				·07						·73	·94		9
10	·10			·06			·03			·05	·35		10
11	·23					·65			·39		·55		11
12	·04	·68				·23		·10	·15		·14	·06	12
13	·18	·03		·25							·51		13
14		·24		·07		·19			·32	·18	1·45	·35	14
15		·03	·05	1·14	·06	·01			·13	·02	·31	·09	15
16		·06	·19	·20		·07	·05		·38			·07	16
17				·18	·34	·56		·05	·14		·09		17
18		·08	·02	·57	·21			·04				·18	18
19		·06		·23	·31	·13	·18		·48	·36	·60		19
20		·62		·69	·08		·10		·20	·14	·15		20
21				·04			·15		·01				21
22		·78	·03	·20					·05	·37			22
23				·16	·13	·06		1·28	·04	·50		·62	23
24		·26		·14	·10			·20	·22			·42	24
25	·36	·38			·07	·06			·46				25
26		·75						·40	·40	·04		·12	26
27		·08				·07	·02	·07	·33	·05		·58	27
28		·20						·05	·31		·24	·42	28
29									·39	·27	·35	·90	29
30		X						1·03	·09	·43	·87	·64	30
31		X		X		X		·11	X	·57	X	·38	31
TOTAL	1.01	4.61	1.23	5.88	1.49	3.49	·56	3.33	5.58	6.90	7.75	6.04	YEAR'S TOTAL 47.87
Days with ·01 in. or more.	6	17	6	20	9	17	8	10	22	21	19	18	173
Days with ·04 in. or more	6	15	4	20	9	15	4	10	21	19	19	18	160

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Coldrenick Menheniot
in the County of Cornwall
Diameter of Funnel of Gauge Five inch
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 301 ft.

most wd april 3rd wd [illegible] Dec [illegible]
so fear Dec - in [illegible] 8.3. [illegible] middle
Totals
ex. Dec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16			1.06		·23	·80	·04	·42					1
2	·04			·34			·28	·01	·24		·26			2
3	·04	·08		·03			·03		·22					3
4	·04	·12		·70					·04		·22			4
5	·28	·65	·30				4.00							5
6	·82		·06				·54	·20	·34		·53			6
7	·22		·40								·40			7
8							·58				·93			8
9	·45	1.16	·48				·47		·20		·33			9
+ Snow. 10		*·61				·14	·12			·05	·36			10
11	·02						·06	·14	·32	·25	·42	45		11
* Snow 12	·69			*·14		·29	·55			·45	·46			12
13								·03		·45	·22			13
14							·58		·09		·01	169		14
15	·42					·13								15
* Snow 16	·70			*·03	·0		·18							16
17		1.35			·16	·05	·81	·02						17
18							·48							18
19	·50		·42	·23				·22				4		19
20		·60	·09	·10					·20	·15				20
* Snow 21	·24	·33	·03	·26		·18	·18			·38				21
22	·05		·12				·77			·49				22
23		·21	·05	·18	·08		·69							23
24	·73				·18		·51		·19					24
25			·36	·22			·32					40		25
26	·35	·10	·60				·05			·07		9		26
27	·57		·54				·24							27
28	·89		·11				·02			·09	·40			28
29	·18	·04	1.04							·04				29
30	·12	✕	·02		·08	·30				·14	·24	}59	d	30
31	·40	✕	·01	✕		✕	·43	6	✕	·03	✕			31
TOTAL	7.93	5.25	1.06 ~~5.63~~ 5.69	2.23 ~~2.29~~	·50	1.32	9.09	·66	2.26	1.69	4.72	(6.00)	Year's Total 47.34	
* Days with .01 in. or more.	22	11	17 ~~16~~	10 ~~11~~	4	7	23	7	10	10	12	(20)	~~155~~	
* Days with .04 in. or more.	21	11	15 ~~14~~	8 ~~9~~	4	7	22	4	10	9	11	(16)	~~138~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

1935

FORM 1090. **B** Month
Summ

1935
LISKEARD
1931

780311

, The following register of monthly t
&c., is NOT required if daily or w
values are given on the other side.

and also the space for

register should be sent:—

RAINFALL IN 1931

At Liskeard (Trevelmor

In the County of Cornwall

in Summer

Direction from gauge

Rain Gauge
Diameter of Funnel in.
Height of Top above Ground *ft.* *in.*
Height of Ground above Sea Level *ft.*

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	6.62	1.61	31	28	24
FEB.	5.90	.89	10	26	21
MAR.	–	–	–	–	–
APRIL	–	–	–	–	–
MAY	–	–	–	–	–
JUNE	–	–	–	–	–
JULY	–	–	–	–	–
AUG.	–	–	–	–	–
SEPT.	–	–	–	–	–
OCT.	–	–	–	–	–
NOV.	–	–	–	–	–
DEC.	–	–	–	–	–
Total	Imp			–	–

Signature Mrs Cock.

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

g. moved [illegible] St Pinnock Rectory

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1935

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Liskeard (Trevelmond)

In the County of Cornwall

Rain Gauge

Diameter of Funnel............in.

Height of Top above Ground........*ft*........*in*.

Height of Ground above Sea Level........*ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more*	Number of Days with ·04 in. or more*
	Inches.	Inches.	Date.		
JAN.	6.62	1.61	31	28	24
FEB.	5.90	.89	10	26	21
MAR.	-	-	-	-	-
APRIL	-	-	-	-	-
MAY	-	-	-	-	-
JUNE	-	-	-	-	-
JULY	-	-	-	-	-
AUG.	-	-	-	-	-
SEPT.	-	-	-	-	-
OCT.	-	-	-	-	-
NOV.	-	-	-	-	-
DEC.	-	-	-	-	-
Total	Imp			-	-

Signature Mrs Cock

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter............in Summer............

Nearest Railway Station............ Distance............ Direction from gauge............

Nearest Parish Church at............ Distance............ Direction from gauge............

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

g. moved back to St Pinnock Rectory

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1936

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIST

31 .

1936

LISKEARD, PENMILDER

1931—40

780311

Kept at Penmilder

in the County of Cornw

Diameter of Funnel of Gauge 6

Height of top of Gauge above Ground

,, Ground ,, Sea Le

18. 2·32.

THE MORNING MEASU DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–			·53			·04		·56	·01			1
2	·33	·02		·05			·01		·62	·01	·25		2
3	·25		·76		·02		·06		·34	·02	1·90	·34	3
4	·01		·19		·08	·01	·65		·40	·04	·09	·34	4
5		·73		·15	·02	·23		1·30	·01	·02	·04	·05	5
6		·01			·10	·27	·56		·01	·32		·27	6
7		·17			·35	·19	·35	·20		·23	·78	·28	7
8	·03	·37		·12		·47	·08	·28		·39	·10	·17	8
9		·28				·08	·07	·05		·01	·27	·06	9
10	·01	·05			·35	·08	·11	·22			·69	·01	10
11	·23	·68				·37	·54		·03		·29		11
12	·04	·17			·03		·61		·16	·37			12
13		·25	·05		·34	·01	·18	·19	·01		·18		13
14	·07	·17			·03	·19	·97	·11			·82		14
15	·04	·19		·01	·13	·06	·01	·48	·02		·01		15
16	·07	·39		·04		1·14	·02	·20					16
17	·02	·09		·11			·26		·04				17
18	·03		·04	·01		·20	·10	1·10			·42		18
19	·05		·59	·03		·14		·17			·50		19
20	·02	·20	·05					·52			·07		20
21	·50		·03	tr	·19		·01				·06		21
22	1·00			·11	·25						·07		22
23	·17			·05	·59		·05	·02			1·21		23
24	·05			·84		·08	1·45	·01				·01	24
25	·22	·04		·16			·17				·26		25
26	·01	·20		·03			·36				·54		26
27	·21	·27		·01	·57		·07			·05	·24	·01	27
28	·09		·15			·01		·03			·07	·41	28
29	·20	·18	·06		·05		·14	·55		·04	·04	·10	29
30	1·63	×	·01		·07		·03	·07	·32	·04		·01	30
31		×	·35	×	·20	×	·01		×		×	·37	31
TOTAL	5·28	4·46	2·28	2·25	3·37	3·53	6·91	5·44	2·52	5 1·15	8·90	2·43	YEAR'S TOTAL 9 48·52
*Days with ·01 in. or more.	24	19	11	15	17	16	26	17	12	13	23	14	207
*Days with ·04 in. or more.	17	17	9	10	13	13	20	13	7	8 ~~6~~	22	10	15~~7~~9

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. P. Foster

P.T.O.

Section **A** for the entry of ~~Daily Observations.~~ **COPY FOR OFFICIAL USE.** 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Penmilder Liskeard

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 301 ft.

400

circ D2 sent 18. 2.32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–			·53			·04		·56	·01			1
2	·33	·02		·05			·01		·62	·01	·25		2
3	·25		·76		·02		·06		·34	·02	1·90	·34	3
4	·01		·19		·08	·01	·65		·40	·04	·09	·34	4
5		·73		·15	·02	·23		1·30	·01	·02	·04	·05	5
6		·01			·10	·27	·56		·01	·32		·27	6
7		·17			·35	·19	·35	·20		·23	·78	·28	7
8	·03	·37		·12		·47	·08	·28		·39	·10	·17	8
9		·28				·08	·07	·05		·01	·27	·06	9
10	·01	·05			·35	·08	·11	·22			·69	·01	10
11	·23	·68				·37	·54		·03		·29		11
12	·04	·17			·03		·61		·16	·37			12
13		·25	·05		·34	·01	·18	·19	·01		·18		13
14	·07	·17			·03	·19	·97	·11			·82		14
15	·04	·19		·01	·13	·06	·01	·48	·02		·01		15
16	·07	·39		·04		1·14	·02	·20					16
17	·02	·09		·11			·26		·04				17
18	·03		·04	·01		·20	·10	1·10			·42		18
19	·05		·59	·03		·14		·17			·50		19
20	·02	·20	·05					·52			·07		20
21	·50		·03	tr	·19		·01				·06		21
22	00 1·[illegible]			·11	·25						·07		22
23	·17			·05	·59		·05	·02			1·21		23
24	·05			·84		08	1·45	·01				·01	24
25	·22	·04		·16			·17				·26		25
26	·01	·20		·03			·36				·54		26
27	·21	·27		·01	·57		·07			·05	·24	·01	27
28	·09		·15			·01		·03			·07	·41	28
29	·20	·18	·06		·05		·14	·55		·04	·04	·10	29
30	1·63	×	·01		·07		·03	·07	·32	·04		·01	30
31		×	·35	×	·20	×	·01		×		×	·37	31
TOTAL	5·28	4·46	2·28	2·25	3·37	3·53	6·91	5·44	2·52	5 1·~~1~~5	8·90	2·43	YEAR'S TOTAL 9 48·~~5~~2
*Days with ·01 in. or more.	24	19	11	15	17	16	26	17	12	13	23	14	207
*Days with ·04 in. or more.	17	17	9	10	13	13	20	13	7	8 ~~6~~	22	10	15~~7~~9

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. P. Foster

P.T.O.

✓ ✓ ✓ Ck

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Penmilder Liskeard

in the County of Cornwall

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground one ft ... in.

,, Ground ,, Sea Level 301 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	–	·10	–	–	·08	·14	·09		·03	·02	1
2	–	–	·06	·12	·03	–	–	·05	·14	·02	–	·43	2
3	·03	–	·02	–	–	·47	–	–	·64	–	·04	·06	3
4	·03	–	–	–	–	·03	·24	tr	–		·05		4
5	·73	–	·05	–	tr		–	–	·14				5
6	·75	–	·02	·18	–		·18	·04	·45	·06			6
7	·03	–	–	·07	–			–	·89	1·69			7
8	–	–	·44	·15	·18			–	·10	·20			8
9	1·10	–	–	·18	·06			–	–	·02			9
10	·44	tr snow	–	·31	·10			–	·03	·02			10
11	–	–	–	·08	·19			–	·05	·05		·09	11
12	1·56	–	–	·02	1·13			·19	·05	·26		·03	12
13	–	–	–	·23	·12	~~·06~~	·06	·13	·03	·82		·35	13
14	·21	–	–	·01	·23	–				·06		·03	14
15	·02	–	–	–	·02	–				·15	·03	·08	15
16	·22	–	–	–	–	~~·03~~	·03			·04		·07	16
17	·04	–	–	·04	·28	~~·08~~	·08		·03	·07			17
18	·05	–	–	–	·78	~~·01~~	·01		·05	–	·15	·07	18
19	–	–	–	·05	·33	–		·05	·03	·56	tr	·04	19
20	–	–	–	·13	·54	–		·25	·11	1·18	·10	·07	20
21	·08	–	·08	·03	–	~~·01~~	·01		·03	·66	·15	·34	21
22	–	–	·01	·03	·03	~~·08~~	·08		·27	·54	·31	·13	22
23	–	·06	–	–	–	~~·2~~	·28		–	·67	·06	·36	23
24	–	·02	–	–	–		·86		·15	·28	·08		24
25	–	–	·12	·07	·02		·11		·07	·68	·16	·07	25
26	–	–	·32	·13	tr		·32		·04	·18	·18		26
27	–	–	·40	·72	·12		·13		–	·68	·08	·26	27
28	–	–	·42	·04	·13	·03	·16		·01	·03		·04	28
29	tr	–	·64	·17	·04	·80	–	·64	·43	·62	·25	·65	29
30	–	×	·06	–	·13	2·17	·69		·78	·07	·92		30
31	–	×	·04	×	–	×	·39		×	·06	×	·75	31
TOTAL	5·38	·08	2·68	2·80	4·26	3·50	3·71	1·49	4·61	9·67	2·59	3·76	YEAR'S TOTAL 44·73
*Days with ·01 in. or more.	15	2	14	21	19	5	17	8	23	26	15	20	185
*Days with .04 in. or more.	11	1	11	16	15	3	14	8	17	22	13	14	145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J P Foster

P.T.O.

COPY FOR OFFICIAL USE. ✓ Kg.

Section **A** for the entry of Daily Observations. Station No. 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Penmilder Liskeard
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 250 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·89	·23		·03	·33					·15	1·79		1
2	·67	·04	·76		·23	·83					·02	·19		2
3	·18	·09	·23		·32	·01								3
4	·02	·07	·02		·30									4
5	·05	·01	·62		·22									5
6	·04	·74	·02		·13				~~·06~~	·06				6
7	·02	·01			·03		·20		~~·05~~	·05				7
8	·09				·04	·21	·09	·01	~~·01~~	·01				8
9	–	·05			·05		·88		~~·42~~	·42	·10			9
10	·04	·03					·17	tr		1·00	·04			10
11				·08	~~·02~~		·03	1·41		·14	·10			11
12				~~·23~~	·05	·44	·44	·02	·31		·04	·02 Snow		12
13	·05					·14	·18	·15		·14	·14			13
14	·20						·14	·18		·02	·35			14
15	·59		·57			·12	1·56	·18		·12	·33			15
16	·04		1·08			·07		·02		·08	tr			16
17	·03	·09	·08			·14	·07	·11	·25					17
18	·21	·01	·15			·14		·02	·01	·79				18
19	·05	·02	·19			·05		·01	·05	·60	·36	tr		19
20		·08	tr			·38		·17	·61		·21			20
21		·09			·12			·43		·18				21
22		·02		·67		·02			·48					22
23		·72		·37		·18			·23	·22				23
24		·18		·35				·08	·07	·17				24
25		·43		·15	·11	·10			·10	·02		·25		25
26		·13		·45	·15					·10				26
27		·34		·04			·61			·50		1·03		27
28		·46		·32			·08	·03		·57		tr		28
29	·06			·07			·08	·01	·08	·13		·04		29
30	·18	×	·03	·05					·47	·05		·06		30
31	·31	×	·23	×	·17	×			×	·12	×	–		31
TOTAL	2·92	4·50	4·21	2·~~78~~ 55	1·95	3·16	4·47	2·83	2·66	5·43	1·84	3·38	Year's Total ~~40·15~~	3990
*Days with ·01 in. or more.	19	21	~~9~~ 13	11⁰	14	15	13	15	11	22	11	7	17~~2~~1	
*Days with ·04 in. or more.	16	15	10	11⁰	12	13	11	8	10	19	10	6	14~~1~~0	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) Dorothy P. Foster

[P.T.O.

COPY FOR OFFICIAL USE. ✓✓✓✓ ✓✓ CK.

Section **A** for the entry of Daily Observations. **Station No.** 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Penmilder

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 250 ft.

File No T L,

~~400.~~

701746/26. M.O.7

Reading from new g. see encl 33A 7 701746/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09							1·04	·07	·02	·38	1·79		1
2	–	X	·10					·03	1·11	·04	·15	·22		2
3	·17							·10		·18	·02	·62		3
4	·18			·04	·61			·18	·02	·24		·58		4
5	~~·18~~		·27	·06	·34			2·02		·25	·02	·69		5
6	·18		·47	·13	·50	·25			·06	·41		·28		6
7	·08							·20	tr	·44	·47	1·~~03~~ 53		7
8	–				·09			·03	·19	tr		1·02		8
9	·10		·47		–			·02		tr	·41	·31		9
10	·51	·01	·33	·29	–			·13		tr	·10	·08		10
11	·66		·07	·98				·02			tr	·12		11
12	·09			·08		·03	·08	·40			~~[illegible]~~	1·12		12
13	·55		·04	·54		tr	·02		·12	·03	·18	·16		13
14	·79			·01					·06			·12		14
15	·26		·53		·12				·40	·25	·05	·34		15
16	·21		·27		·07				·04	·05		·24		16
17	·07		·44	·07	·08							·56		17
18	–		·24	·63	tr	·03		·02		·04		·84		18
19	–		·46		·07	·08		·05	·21			·17		19
20	–				·02		·04		·09	·05		·05		20
21	·16		·47	·31	·05		tr	·07	·02	·40	·05	·07		21
22	·08		·04			·01	·02	·05	·47			·30		22
23	–		·03	·18		·41			·46	·04	·02	·34		23
24	–	·17	·08	·07		·46	·05	·12	·02	·40		·14		24
25	·38		·03	·68		·26			·04	·29		1·21		25
26	·12			·11		·36	tr	·02	·34			·23		26
27						·07		·64	·18	·04		·18		27
28						·03	·03	·06	·28	·04		1·00		28
29									·05	·01		·04		29
30		X					·09		·22	·34	·02	·39		30
31		X		X	·07	X	–	·10	X	·21	X	·04		31
TOTAL	4·68 ✓	·18 ✓	4·34 ✓	4·18 ✓	1·84 ✓	1·99 ✓	·33 ✓	5·30 ✓	4·45 ✓	3·77 ✓	1·87 ✓	14·78 ✓	Year's Total. 47·7 ✓	
* Days with .01 in. or more.	18 ✓	2 ✓	17 ✓	15 ✓	~~10~~ 11 ✓	11 ✓	7 ✓	20 ✓	21 ✓	21 ✓	12 ✓	31 ✓	18~~5~~ 6 ✓	
* Days with .04 in. or more.	18 ✓	1 ✓	~~1~~ 15	14 ✓	7 ✓	7 ✓	~~3~~ 4	14 ✓	18 ✓	18 ✓	8 ✓	31	15~~8~~ 5 ✓	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ……………… [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pennmilder Liskeard

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 260 ft. 250

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15		·77	tr						·04	·01	·48		1
2	tr	·10	·09			·12	·02		·37	·41	·23	·23		2
3	·02	·01	·10	·02	·18	·14	·02		·40	·78	·13	·24		3
4	·07	·34	·05	·12		·15			·17	·38		·35		4
5		·35	·08	·08		·08			·08	1·63	·16	·33		5
6				·77		·15			·22	·07	·14			6
7				·83		·93				·53	·13	·07		7
8				·57		·03				·10	·36	·07		8
9			·07 (snow)	·47	·07		·02			·98	·37			9
10	·05			·08		·15				·07	·04			10
11	·14	·03				·53			·35	·04	·88			11
12	·24	·17		tr		·27		·14	·12		·27			12
13	·11	·21		·32		·05			·01	·06	·26			13
14				·05		·25			·36	·04	1·56	·36		14
15		·07	·09	1·00	·21	·05		tr	·08	·02	·17	·14		15
16		·11	·02	·37		·07	·07		·40	·10	·47	·05		16
17				·08	·61 (snow)	·50		·04	·26		·07			17
18		·11	·02	·64	·16		·03	·03	·38	·15	·04	·18		18
19		·04		·24	·56	·11	·13		·28	·35	·51	·02		19
20		·48		·74	·07	·07	·07		·07	·30	·10			20
21		·82		·05			·23		·05	·16				21
22			·20	·15					·08	·26				22
23		·13	·09	·03	·07			1·38	·18	·38		·39		23
24		·50		·07	·08			·14	·44			·34		24
25	·37	·18			·32	·13				·02		·13		25
26	·07					·09	·04	·34	·18	·09	·08	·37		26
27		·18	·02				·04	·08	·23	·05	·17	·33		27
28	·02	·23						·13	·27	·13		·03		28
29									·34	·05	1·44	·18		29
30	·07	✕						·94	·15	·21	·28	1·30		30
31		✕		✕		✕		·11	✕	·75	✕	·38		31
													Year's Total	
TOTAL	1·25	4·06	1·54	6·68	2·21	3·75	·67	3·33	5·41	8·09	7·81	6·11	50·85	
* Days with .01 in. or more.	12	18	12	20	10	19	10	10	24	28	23	21	207	
* Days with .04 in. or more.	8	16	8	18	8	16	5	9	22	25	21	18	174	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Dup

Kept at Liskeard (Pennmilder)
in the County of Cornwall
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1' ft. in.
,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·15	-	·36	-	·09	·63	·02	-	-	·36	·04		1
2	·05	·06	-	·02	-	·24	·49	-	·42	-	·06	·01		2
3	·03	-	·15	·73	-	·03	·03	-	·25	-	·09	·02		3
4	·03	·04	·19	tr	-	-	·01	-	·26	-	·13	·04		4
5	·10	·46	·07	-	-	-	·74	·07	·05	-	·20	·22		5
6	·02	-	·08	-	·07	·07	·83	·17	·44	-	·88	tr		6
7	·51	-	·13	-	-	tr	·04	-	·01	-	·49			7
8	·40	·75	·32	-	-	-	·57	-	-	-	·20			8
9	·27	·79	·10	-	-	·01	·65	-	·18	-	·54			9
10	·39	-	-	-	-	·18	·04	-	-	-	·18			10
11	·69	·04	tr	-	-	-	·18	·07	·07	-	·22	·32		11
12	·06	tr	-	{snow ·09	-	-	·56	-	·22	·12	·93	·02		12
13	·07	tr	-	-	-	-	·04	-	-	-	·19	1·27		13
14	tr	-	-	tr	-	·07	·64	·02	·12	·13	·21	·43		14
15	-	·07	tr	·03	·09	-	tr	-	tr	-	tr	·55		15
16	-	·09	-	tr	·05	tr	·16	-	tr	-	·55	·17		16
17	·33	1·17	-	-	·11	·02	·54	-	-	·07	·32	·96		17
18	·56	·12	·41	-	-	-	·71	·02	-	·01	·05	·11		18
19	·85	-	·08	·28	-	tr	·03	·23	-	-				19
20	·19	·53	·01	·09	-	·15	·01		·48	-		·02		20
21	·03	·37	·25	·26	-	tr	·19	-	-	-				21
22	·13	·07	-	tr	·02	-	·60	-	-	·04				22
23	·07	·20	·10	·15	·07	-	·10	-	-	·18				23
24	·33	·07	·35	·04	·19	-	~~·50~~ 45	-	·13	·34		·08		24
25	·31	-	·46	·26	-	-	·38	-	·01	·53				25
26	·43	·07	·55	·01	-	-	~~·43~~	-	-	·09		tr		26
27	·44	·07	·09	-	-	-	·20	-	·06	·12				27
28	·73	·03	1·09	-	-	-	·26	-		·07		·37		28
29	·05	·07	·05	-	-	-	-	-		·12	·08	·01		29
30	·23	✕	-	-	·05	·74	·04	-		·03		·65		30
31	·25	✕	·85	✕	·05	✕	·55	-	✕		✕			31
TOTAL	7·66	5·22	5·33	2·32	·64	1·60	9·67	·60	2·70	1·85	5·68	5·29	Year's Total 48·56	
* Days with .01 in. or more.	28	20	19	12	9	10	28	7	14	13	18	18	196	
* Days with .04 in. or more.	23	19	18	9	7	7	24	4	12	11	18	13	165	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Penmilder Liskeard

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·02	·35	·35					·08	·09	tr	·63		1
2	·22	1·34	–	·44					·13			·23		2
3	·01	·27	–	·01	·13		·11							3
4	·05	·73	·02	·02								·97		4
5	·60	–	–	·23			·78					·02		5
6	·24	·05	·43	·23	tr		·17		·03			·05		6
7	–	·63	·08	·25		·18			·03		·35			7
8	–	·48	–	·01	·80	·18	·04		–					8
9	·12	·07	·33	·15	·04	·07	·23		·71					9
10	·26	·05	1·15	·68	·01	·21	·02	·13				·62		10
11	·21	–	·37	·20	·62	·02	·43	·02				·49		11
12	1·16	·50	·12	–	·77	·41	·14	·14	·38			·67		12
13	·07	·10	·96	·20			·07	·29	·42			·29		13
14	·01	·09	·07	–				·19	·12			·37		14
15	·81	·24	·37	·63				tr	·14			·40		15
16	·21	·19	·26	·01			·13	·12	·30		·45			16
17	1·08	·16	·27	–			·01	–	·02		·59			17
18	·10	·38	·44	–	·16	·16		·03	·53		·20	·18		18
19	·35	·10	·16	·34					·13		·25	·01		19
20	·98	·02	·25	·17	·73				·03			1·04		20
21	·38	·99	·07	·01	·43		·12		·63	·13	·47	·05		21
22	·17	·23	·11	tr	·31	·01			·06	·79	·69			22
23	·11	·75	·14	–	·23				–	·38	·10	·15		23
24	·29	–	–	–	·07		·06		·02	·85		·05		24
25	–	1·09	·67	·09						·02				25
26	·05	·43	·06	tr						–				26
27	–	·33	–							·24				27
28	·05	·52	·23			·04				·02	·01	·01		28
29	–		–			·02				·79	·26			29
30	·35	✕	–			·07			·02		·53			30
31	·28	✕	–	✕		✕		·02	✕		✕			31
													Year's Total	
TOTAL	8·38	9·76	6·85	4·22	4·24	1·31	2·25	·94	3·78	3·31	3·90	6·23	55·17	✓ ✓
* Days with .01 in. or more.	26	25	22	18	12	11	13	8	18	9	11	18	191	✓ ✓
* Days with .04 in. or more.	24	23	20	13	10	7	10	5	12	7	10	15	156	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) D. P. Foster

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1050

REGISTER OF RAINFALL IN 1938

Kept at Penmilder, Liskeard
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 250 ft.

Entry on Oct 18th est'd from surr. stns.
Entries on Jan 21 & 25, Nov 5, 22, 23, 24, est'd from nearby stns.
W.G.R.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·29				·89	·95	·48	–	·69	·10	·27		1
2		·02				·01	Tr	·79	–	·15	–	·10		2
3					·02	·01	·02	·47	–	·56	–	·01		3
4					·05	·01	·40	–	–	·31	–	·42		4
5	·03					·06	·08	·40	·04	·41	·50	·02		5
6	·25			·07		·28	1·56	·04	·06	·23	–	·05		6
7	·32						·22	–	Tr	·11	·06	·27		7
8	·83	·08					·22	–	–	·43	·05	·02		8
9	·23	·26					·01	–	–	·04	–	1·02		9
10	·60					·01	·10	·08	–	·04	·05 ~~Tr~~	·44		10
11	·23					·03	·08	–	–	–	·44	–		11
12	·53	·01			·03	·03	·02	–	–	·38	·78	–		12
13	·10				·58		·02	–	–	·10	·06	·23		13
14	·78				·63		·22	–	·01	Tr	·04	·01		14
15	·40				·24		Tr	·08	–	·11	·63	·57		15
16	·23		·06		·16		·02	·01	–	·14	·13	·02		16
17		·03	·02		·02		Tr	–	·11	·07	·04	·27		17
18	·33				·20	·02	–	·17	·45	(·20)	·47	·02		18
19					·04		·02	·11	·53	·01	1·22	–		19
20	·07						–	·02	·06	·24	·23	–		20
21	(·10)						–	·07	·26	·02	·24	–		21
22	·01					·14	–	1·22	·02	–	·94	–		22
23				·02			–	–	·05	–	[illegible]	–		23
24	·03	·33	·28		·02		·05	–	·08	–	(·50)	–		24
25	(·20)	·94	·03		·13		·27	–	–	·13	1·30	–		25
26	·53	·23	·03		·79		·01	–	Tr	·22	–	·12		26
27	·60	·09			·10	·09	·37	1·06	–	·10	·40	Tr		27
28	·48	·18	·01		·06	·22	–	·19	–	·05	·04	·01		28
29	·42		·02		·37	·02	·03	–	–	·28	·46	–		29
30	·15	✕	·01			·27	·04	–	·33	Tr	·20	·09		30
31	·42	✕		✕	·34	✕	·01	–	✕	·34	✕	·41		31
TOTAL	7·87 ~~7·57~~	2·46	·46	·09	3·78	2·09	4·72	5·19	2·00	5·39	(8·00) ~~7·20~~	4·70	Year's Total ~~45·46~~ 6	47·73 ~~47·66~~
* Days with .01 in. or more.	24 ~~22~~	11	8	2	17	15	22	15	1~~2~~4	2~~4~~5	27 ~~22~~	20	~~192~~3	200
* Days with .04 in. or more.	21 ~~19~~	8	2	1	13	7	~~11~~ 13	13	1~~0~~2	2~~2~~3	25 ~~22~~	13	~~145~~6	151

Nov 22 ·91
·50

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D. P. Foster

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Copy by B.R.O.

Kept at Penmilder, Liskeard

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	–	·03	TR	·03	–	·02	29	·01	–	·47	·16		1
2	·12	–	–	43	–	–	tr	·33	·44	–	·06	–		2
3	·43	–	·22	·70	–	–	–	–	–	–	·36	·68		3
4	·05	–	·70	·60	·64	–	1·14	tr	–	·37	·93	·30		4
5	–	–	·03	·14	28	–	·21	–	–	·39	1·20	·16		5
6	·67	·04	·10	46	–	–	1·07	·08	–	–	10	tr		6
7	·43	·39	–	–	–	–	·04	·20	–	–	·05	·07		7
8	·03	·37	·05	–	·06	·02	·18	·06	–	1·72	·73	·15		8
9	–	·02	·02	–	–	–	tr	·29	–	·05	·09	·51		9
10	·33	TR	·03	–	–	·03	–	·20	·09	·08	·03	·05		10
11	·03	·05	·17	–	–	–	–	·02	–	·20	·03	–		11
12	·03 TR	·08	–	·11	–	–	–	–	·14	·01	·02	–		12
13	1·03	·01	–	·13	–	·08	·91	–	·03	·08	·07	·38		13
14	·55	–	–	·04	09	·10	·47	–	tr	·05	·16	·10		14
15	·17	·02	–	·03	–	·87	35	–	–	tr	·12	–		15
16	1·01	·03	·01	·22	·01	–	·62	–	–	–	·39	–		16
17	·20	·08	–	·01	–	–	·59	–	–	–	·83	–		17
18	·63	·08	·02	–	–	·06	·31	–	–	–	·78	·03		18
19		–	–	–	–	–	·21	·10	–	–	·15	·09		19
20	·14	–	–		–	·24	·01	11	–	–	–	–		20
21	1·31	·30	·07	TR	–	·32	·72	·04	–	–	–	–		21
22	·13	·47	·21	·04	–	·65	·25	·03	–	–	·76	–		22
23	·76	·02	·08	·28	–	–	·03	·05	–	·08	1·40	–		23
24	–	TR	·20	·09	–	·09	·01	·04	–	·24	–	–		24
25	·08	·08	·01	·01	–	·01	·08	·79	–	·25	·02	–		25
26	·22	·08	–	·11	–	–	·04	·02	–	·11	·20	–		26
27	–	·40	–	–	–	·11	·03	09	–	·03	·58	–		27
28	–	·11	–	·01	–	·07	·13	–	–	–	·56	·11		28
29	–		–	·04	–	·05	·22	–	–	·15	·04	–		29
30	–	✕	·03	·15	–	·11	·02	–	–	28	·04	–		30
31	–	✕	–	✕	–	✕	·04	·55	✕	·74	✕	–		31
TOTAL	8·78	2·63	1·98	3·60	1·11	2·81	7·70	3·29	·71	4·83	9·97	2·79	Year's Total 50·20	
* Days with .01 in. or more.	22	18	17	19	6	15	25	18	5	17	27	13	202	
* Days with .04 in. or more.	19	13	9	15	4	12	19	15	3	15	23	12	159	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1936 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Penmilder, Liskeard

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 260 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·03	·09	-	-	-	-	-	·39	-		1
2	-	-	-	·32	-	-	·07	-	-	-	1·01	-		2
3	·16	1·28	-	-	-	-	tr	-	-	·01	·98	·22		3
4	-	·05	-	·11	-	-	·08	-	-	·21	·20	·08		4
5	·01	·05	-	-	-	-	·05	-	-	·08	·79	·22		5
6	·69	1·15	-	-	-	-	·15	-	·11	·35	·08	·76		6
7	·09	·05	-	·02	-	-	·21	-	·03	·03	-	·04		7
8	·01	-	-	-	-	-	·03	·02	·02	·62	·89	·50		8
9	-	-	-	-	-	-	·60	·03	·02	·14	·78	·61		9
10	-	-	·10	-	-	-	·04	·02	-	·14	·22	·38		10
11	-	·05	·15	·01	-	-	·07	-	·65	-	1·42	·10		11
12	-	-	·15	-	-	·02	·81	-	·02	-	·85	·01		12
13	-	-	·10	-	-	-	·08	-	·31	·57	1·10	1·45		13
14	-	·09	·01	·07	-	-	tr	·02	·21	·38	·13	·76		14
15	·05	·01	-	·05	-	-	-	-	·14	-	·65	·01		15
16	·01	1·57	1·37	·12	-	-	·25	-	·15	-	·03	·07		16
17	-	·34	·54	·06	-	-	·41	-	·22	-	·16	-		17
18	·75	·83	·23	·65	-	-	·03	-	·56	·01	·28	·27		18
19	·04	·09	·18	·12	-	-	·14	tr	-	·08	·38	-		19
20	-	-	-	·08	-	-	·02	-	-	·14	·12	-		20
21	-	-	·04	-	·12	-	-	·05	·23	·02	·47	-		21
22	·03	-	·08	·22	TR	·45	·01	tr	-	·07	·02	-		22
23	·01	·21	·11	·07	·01	-	-	-	-	·13	·04	-		23
24	·02	-	·12	·02	TR	-	-	-	-	-	·01	-		24
25	·29	-	·20	·04	·67	·05	·32	-	-	-	-	-		25
1·79 26	·59	1·13	-	·05	·23	tr	-	-	-	-	·03	-		26
18 27	·38	·10	·06	·03	·56	-	-	-	-	-	-	-		27
28	·27	-	·01	·29	·78	-	-	-	-	-	-	·01		28
29	·15	-	·32	·23	·01	·09	-	-	-	·21	-	·40		29
30	·08	✕	-	·75	·06	-	-	-	-	·79	-	·42		30
31	·03	✕	-	✕	-	✕	-	-	✕	·56	✕	1·12		31
TOTAL	3·66	7·00	3·77	3·34	2·53	·61	3·37	·14	2·67	4·54	11·03	7·43	Year's Total 50·09	✓
* Days with .01 in. or more.	19	15	17	21	9	4	18	5	13	19	24	19	183	
* Days with .04 in. or more.	12	14	15	16 17	7	3	14/5	1	9	15	20	16	142	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D. P. Foster

[P.T.O.

1937/5
LISKEARD, TREVENTON
1933 – 40
780311

Section **A** for the entry of Da
AIR MINISTRY.— L ORGANIZATION.

Station No. 1937/5

FORM 1090.

REGISTE 3.

Cornwall/2

Kept at TREVEN
in the County of LISKEARD, C
5

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level ft.

V.G. Record

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·84	·28	—	·04	·33	—	—	—	—	·14	1·74	1
2	·67	·05	·83	—	·27	·83	—	—	—	—	·06	·21	2
3	·09	·15	·29	—	·23	·01	—	—	—	—	tr	—	3
4	·11	·09	·01	—	·25	—	—	—	—	—	—	—	4
5	·04	·02	·60	—	·33	—	—	—	—	·01	—	—	5
6	·05	·54	·07	—	·19	—	tr	—	—	·08	—	—	6
7	·02	·15	·01	—	·04	—	·23	·01	—	·07	—	tr	7
8	·12	·02	—	tr	·10	·36	·12	·02	—	tr	—	—	8
9	·01	·05	—	—	·07	—	·89	·01	—	·53	·11	—	9
10	·09	·14	—	—	tr	—	·02	·08	—	·91	·09	—	10
11	·03	—	—	·14	tr	—	·10	1·04	·01	·10	·08	—	11
12	tr	—	—	·19	·06	·33	·42	·01	·17	—	·05	·02	12
13	·02	tr	—	—	·10	·14	·15	·10	—	·17	·10	—	13
14	·36	—	—	—	—	—	·47	·16	—	·01	·27	—	14
15	·38	—	·54	tr fog	—	·09	·67	·11	—	·10	·33	—	15
16	·03	·02	1·04	—	—	·10	tr	·01	·08	·07	—	—	16
17	·08	·16	·26	—	—	·14	·02	·16	·24	—	—	—	17
18	·20	·01	·17	—	—	·29	·04	—	·10	·91	—	—	18
19	·30	—	·24	—	—	·03	—	·08	—	·24	·46	·01	19
20	—	·05	—	—	·12	·26	—	·15	·63	—	·02	—	20
21	—	·13	—	tr	—	·01	—	·17	—	·18	—	—	21
22	—	—	—	·43	—	·01	—	·61	·47	tr	—	—	22
23	—	·67	—	·33	—	·23	—	·01	·24	·28	—	—	23
24	—	·16	—	·42	·02	·01	—	·01	·06	·21	—	—	24
25	—	·35	—	·15	·17	·19	—	—	·26	—	—	·20	25
26	—	·11	—	·41	·20	—	—	—	—	·32	—	—	26
27	—	·39	—	·06	—	—	—	·01	—	·60	—	·80	27
28	—	·38	—	·30	·04	—	·64	·05	—	·49	—	tr	28
29	·07		·02	·07	—	—	·11	tr	·13	·10	—	·04	29
30	·13	×	·08	—	·01	—	·14	—	·46	·06	—	·07	30
31	·35	×	·23	×	·17	×	—	—	×	·14	×	tr	31
TOTAL	3·39	4·48	4·67	2·50	2·41	3·36	4·02	2·80	2·85	5·58	1·71	3·09	YEAR'S TOTAL 40·86
*Days with ·01 in. or more.	21	21	15	10	18	17	14	19	12	21	11	8	187
*Days with ·04 in. or more.	16	17	12	10	16	12	12	11	11	19	10	6	152

40-9999
*See Instruction 2 (*f*) on other side.

(Signed) Edward R. Foster

ER FOSTER ESQ

P.T.O.

Section **A** **for the entry of Daily Observations.** **Station No.** 1937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

cf 1936

Cornwall/2

Kept at TREVENTON,
in the County of LISKEARD, ~~CORNWALL~~

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 360 ft.

[illegible] 701746/26

C 1933

V.G. Record

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	.84	.28	—	.04	.33	—	—	—	—	.14	1.74	1
2	.67	.05	.83	—	.27	.83	—	—	—	—	.06	.21	2
3	.09	.15	.29	—	.23	.01	—	—	—	—	tr	—	3
4	.11	.09	.01	—	.25	—	—	—	—	—	—	—	4
5	.04	.02	.60	—	.33	—	—	—	—	.01	—	—	5
6	.05	.54	.07	—	.19	—	tr	—	—	.08	—	—	6
7	.02	.15	.01	—	.04	—	.23	.01	—	.07	—	tr	7
8	.12	.02	—	tr	.10	.36	.12	.02	—	tr	—	—	8
9	.01	.05	—	—	.07	—	.89	.01	—	.53	.11	—	9
10	.09	.14	—	—	tr	—	.02	.08	—	.91	.09	—	10
11	.03	—	—	.14	tr	—	.10	1.04	.01	.10	.08	—	11
12	tr	—	—	.19	.06	.33	.42	.01	.17	—	.05	.02	12
13	.02	tr	—	—	.10	.14	.15	.10	—	.17	.10	—	13
14	.36	—	—	—	—	—	.47	.16	—	.01	.27	—	14
15	.38	—	.54	tr fog	—	.09	.67	.11	—	.10	.33	—	15
16	.03	.02	1.04	—	—	.10	tr	.01	.08	.07	—	—	16
17	.08	.16	.26	—	—	.14	.02	.16	.24	—	—	—	17
18	.20	.01	.17	—	—	.29	.04	—	.10	.91	—	—	18
19	.30	—	.24	—	—	.03	—	.08	—	.24	.46	.01	19
20	—	.05	—	—	.12	.26	—	.15	.63	—	.02	—	20
21	—	.13	—	tr	—	.01	—	.17	—	.18	—	—	21
22	—	—	—	.43	—	.01	—	.61	.47	tr	—	—	22
23	—	.67	—	.33	—	.23	—	.01	.24	.28	—	—	23
24	—	.16	—	.42	.02	.01	—	.01	.06	.21	—	—	24
25	—	.35	—	.15	.17	.19	—	—	.26	—	—	.20	25
26	—	.11	—	.41	.20	—	—	—	—	.32	—	—	26
27	—	.39	—	.06	—	—	—	.01	—	.60	—	.80	27
28	—	.38	—	.30	.04	—	.64	.05	—	.49	—	tr	28
29	.07		.02	.07	—	—	.11	tr	.13	.10	—	.04	29
30	.13	✕	.08	—	.01	—	.14	—	.46	.06	—	.07	30
31	.35	✕	.23	✕	.17	✕	—	—	✕	.14	✕	tr	31
TOTAL	3.39	4.48	4.67	2.50	2.41	3.36	4.02	2.80	2.85	5.58	1.71	3.09	YEAR'S TOTAL 40.86
*Days with ·01 in. or more.	21	21	15	10	18	17	14	19	12	21	11	8	187
*Days with .04 in. or more.	16	17	12	10	16	12	12	11	11	19	10	6	152

40-9999
*See Instruction 2 (*f*) on other side.

(Signed) Edward R. Foster

P N ER FOSTER ESQ

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at TREVENTON,

in the County of LISKEARD, CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 360 ft.

Total Evap

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	—	.05	—	—	—	—	.93	.02	tr	.33	1.52		1
2	.08	—	.11	—	—	—	—	.02	.98	.03	.14	.24		2
3	.09	—	—	—	—	—	—	.27	—	.20	.04	.58		3
4	.20	—	.27	.07	.54	—	—	.11	—	.31	—	.54		4
5	tr	—	.26	—	.29	.03	—	2.05	—	.17	.08	.72		5
6	.27	—	.25	.15	.44	.23	—	—	.06	.38	.01	.34		6
7	.07	—	—	—	—	—	—	.10	.01	.39	.07	.96		7
8	—	—	—	—	.10	—	—	.02	.18	.01	.37	.85		8
9	.10	.01	.44	—	—	—	—	.06	—	.01	.45	.07		9
10	.46	.01	.30	.30	—	—	—	.12	—	—	.19	.19		10
11	.55	tr	.04	.90	—	—	—	.04	—	—	.02	.78		11
12	.14	—	—	.03	—	.02	.15	.43	—	—	—	.21		12
13	.43	—	.01	.55	—	.01	tr	—	—	.05	.13	.17		13
14	.87	—	.39	.01	—	—	—	—	—	.05	.04	.36		14
15	.31	tr	.23	.02	.14	—	—	.01	.17	.20	.08	.45		15
16	.21	—	.40	tr	.13	—	—	tr	—	.07	tr	.28		16
17	.36	tr	.22	.09	.05	—	.02	—	.35	.14	—	.46		17
18	.14	tr	.42	.51	tr	.09	tr	tr	.03	.05	—	.86		18
19	.01	tr	.32	.02	.02	.09	—	.07	.21	.02	—	.14		19
20	—	tr	—	.32	.05	tr	.02	—	.10	.06	.09	.20		20
21	—	—	.21	—	.07	.38	—	.09	—	.39	.01	.12		21
22	.18	.01	.06	.02	—	tr	—	.05	.58	—	.02	.37		22
23	.11	—	.02	.17	—	.50	.01	—	.26	.06	tr	.34		23
24	—	.15	.10	.06	—	.28	.04	—	.20	.36	—	.19		24
25	.29	.01	—	.50	—	.06	—	.08	.02	.27	—	1.04		25
26	.10	—	.06	.05	—	.38	.01	—	.34	.04	.01	.20		26
27	—	—	—	—	—	.29	—	.03	.15	.08	tr	.23		27
28	tr	.02	—	tr	—	tr	.07	.55	.28	.06	.01	.90		28
29	—		—	—	—	—	.01	.09	.09	.04	.01	.08		29
30	tr	×	—	—	—	—	.08	.16	.17	.44	.02	.35		30
31	—	×	—	×	—	×	.08	.10	×	.17	×	.08		31
TOTAL	5.12	.21	4.16	3.77	1.83	2.36	.49	5.38	4.19	4.05	2.12	13.82	Year's Total. 47.50 ✓	
* Days with .01 in. or more.	21	6	20	17	10	12	10	21	19	26	20	31	213 ✓	
* Days with .04 in. or more.	20	1	18	12	9	9	5	17	15	22	12	31	171	

40-9999

† Spare column, no entries required.

(*Signed*) Edward R. [illegible]

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at TREVENTON,
in the County of LISKEARD, CORNWALL
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 360 ft.

✓✓✓ SR.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·24	·65	·03	—	·12	·01	—	·32	·08	·01	·55		1
2	tr	·13	·11	tr	—	·09	·02	—	·45	·50	·24	·20		2
3	·03	·03	·08	·06	·15	·09	·03	—	·09	·46	·28	·28		3
4	·02	·46	·05	·10	—	·11	—	—	·10	·58	·11	·35		4
5	·03	·37	·07	·08	—	·15	—	—	·21	1·35	·07	·35		5
6	—	—	tr	·61	—	·85	—	—	—	·03	·20	·22		6
7	—	—	—	·66	—	·08	—	—	—	·43	·09	·07		7
8	—	—	—	·43	—	—	—	—	—	·13	·30	·01		8
9	·01	—	—	·45	tr	—	·04	—	—	·97	·42	—		9
10	·05	—	·01	·15	—	·11	tr	—	—	·08	·03	—		10
11	·32	·03	tr	—	—	·62	—	—	·36	·03	·67	—		11
12	·23	·41	—	—	—	·26	—	·14	·14	tr	·18	—		12
13	·09	·15	—	·40	—	·05	—	—	—	·05	·37	—		13
14	tr	·22	—	·12	—	·32	—	—	·31	·07	1·49	·39		14
15	—	·13	·09	·83	·13	·07	—	—	·13	·03	·13	·11		15
16	—	·09	·06	·28	·03	·01	·06	tr	·38	·13	·47	·04		16
17	—	tr	—	·06	·47	·52	tr	·05	·20	tr	·02	—		17
18	—	·24	·03	·66	·23	—	—	·15	·50	·13	·05	·18		18
19	—	·08	—	·23	·58	·16	·13	—	·13	·34	·42	·02		19
20	—	·49	—	·57	·04	·05	tr	—	·11	·24	·13	—		20
21	—	·73	·01	·03	—	·01	·26	—	·07	·17	tr	—		21
22	—	—	·07	·16	—	—	—	—	·11	·24	—	—		22
23	—	·12	·13	·12	·10	—	—	·84	·20	·37	—	·52		23
24	·12	·52	·01	·07	·14	—	—	·13	·44	·01	—	·34		24
25	·33	·19	—	tr	·24	·15	—	—	—	—	—	·14		25
26	·05	·55	tr	—	—	·10	—	·38	·28	·12	·07	·43		26
27	—	·21	tr	—	—	·02	·05	·07	·23	·05	·20	·41		27
28	·02	·17	—	—	—	—	·03	·08	·27	·16	·06	·04		28
29	—	×	—	—	·01	—	—	·01	·36	·07	·20	·57		29
30	·07	×	—	—	—	—	—	·91	·13	·18	1·28	·73		30
31	—	×	—	×	·01	×	—	·11	×	·74	×	·39		31
TOTAL	1·48 ✓	5·56 ✓	1·37 ✓	6·10 ✓	2·13 ✓	3·94 ✓	·63 ✓	2·87 ✓	5·52 ✓	7·74 ✓	7·49 ✓	6·34 ✓	Year's Total 51·17 ✓	
* Days with .01 in. or more.	✓ 14	21 ✓	13 ✓	21 ✓	12 ✓	21 ✓	9 ✓	11 ✓	23 ✓	28 ✓	25 ✓	22 ✓	220 ✓	
* Days with .04 in. or more.	✓ 9	19 ✓	9 ✓	19 ✓	9 ✓	18 ✓	5 ✓	10 ✓	23 ✓	24 ✓	22 ✓	20 ✓	187 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Copy for B.R.O.

Kept at TREVENTON,

in the County of LISKEARD, CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.25	tr	.34	—	.29	.63	08	—	—	.36	.06		1
2	.03	.04	—	.03	—	.11	.68	.04	.43	—	.06	.01		2
3	.04	—	.15	.67	—	.03	.04	tr	.28	—	.11	.06		3
4	.02	.05	.23	—	—	.02	.02	—	.51	—	.08	.16		4
5	.22	.36	.08	—	.01	—	.80	.17	.03	—	.21	.25		5
6	.04	—	.10	—	tr	.09	.67	.08	.39	—	.72	.01		6
7	.68	—	.26	—	—	tr	.02	—	.02	—	.50	.07		7
8	.28	—	.39	—	—	—	.33	tr	.02	TR	.64	.08		8
9	.20	.58	.12	—	—	.01	.74	—	.10	—	.16	TR		9
10	.18	.61	tr	—	—	—	.05	—	tr	—	.18	.01		10
11	.66	.03	—	—	—	.21	.22	.07	.29	—	.87	.19		11
12	.06	tr	—	.08	tr	—	.58	—	.07	TR	.20	.02		12
13	.08	tr	.01	—	tr	—	.04	.02	.04	.23	.25	1.10		13
14	tr	.02	—	—	—	.11	.56	tr	.14	.12	.02	.34		14
15	—	.05	—	.04	.05	—	.01	tr	.02	—	.69	.62		15
16	—	.11	—	.03	.02	.02	.19	—	—	—	.40	.23		16
17	.44	1.07	—	.02	.09	.03	.67	.02	—	.11	.06	.93		17
18	.38	.13	.40	—	—	—	.50	.03	—	.02	—	.19		18
19	.74	.02	.02	.26	—	.01	.08	.21	—	—	—	TR		19
20	.09	.47	.02	.13	—	.12	.03	.02	.41	TR	—	.04		20
21	.06	.39	.24	.44	—	tr	.22	—	—	.04	—	—		21
22	.36	.09	.01	—	.01	—	.53	—	—	.01	TR	.02		22
23	.01	.19	.09	.15	.06	—	.08	—	—	.16	—	—		23
24	.35	.05	.32	.08	.25	.29	.69	—	.15	.38	—	.07		24
25	.28	—	.57	.31	—	—	.46	—	.03	.60	—	—		25
26	.36	.17	.40	—	.01	—	.01	—	—	.11	—	—		26
27	.34	.16	.09	—	—	—	.23	—	.08	.18	TR	—		27
28	.67	.03	.95	.01	—	—	.05	—	—	.11	TR	.38		28
29	.09	.07	.07	—	—	.03	—	—	—	.12	.09	.08		29
30	.53	✕	.01	—	.06	.65	.06	—	—	.05	—	.01		30
31	.21	✕	.88	✕	.03	✕	.58	—	✕	—	✕	.59		31
													Year's Total	
TOTAL	7.53	4.94	5.41	2.59	.59	2.02	9.77	.74	3.01	2.24	5.60	5.42	49.86 ✓	
* Days with .01 in. or more.	28	22	22	14	10	15	30	10	17	14	18	24	224 ✓	
* Days with .04 in. or more.	26	18	17	10	5	8	25	6	12	12	17	18	174 ✓	

40-9999. ✓ ✓ ✓ ✓ ✓ ✓ ✓

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

✓ ✓

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Liskeard, Treventon

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·04	·16	·48	-	-	·01	-	·06	·06	-	·52		1
2	·30	1·27	-	·34	-	-	-	-	·10	-	-	·17		2
3	·03	·27	-	·01	-	-	·13	-	-	-	-			3
4	·13	·64	·02	·04	·07	-	-	-	-	-	-	·86		4
5	·64	-	-	·20	-	-	·82	-	-	-	-	·09		5
6	·17	·54	·47	·38	·07	-	·05	-	·04	-	-	·04		6
7	TR	·46	·11	·14	-	·22	-	-	·06	-	·31			7
8	-	·20	-	·01	·72	·28	·26	-	-	-	-			8
9	·15	·06	·41	·14	·03	·07	-	-	·75	-	-			9
10	·28	·01	1·12	·60	·01	·22	·03	·21	-	-	-	·55		10
11	·19	-	·31	·22	·63	·04	·47	-	-	-	-	·43		11
12	·97	·57	·18	·04	·10	·28	·17	·17	·44	-	·02	·57		12
13	·03	·15	·95	·12	-	·03	-	·47	·62	-	-	·26		13
14	·01	·11	·15	-	-	-	-	·09	·13	-	-	·51		14
15	·71	·28	·41	·48	-	-	-	-	·29	-	-	·41		15
16	·21	·10	·21	·03	-	-	·15	·18	·13	-	·44			16
17	·85	·20	·35	-	-	-	-	-	·04	-	·51			17
18	·11	·55	·40	-	-	·16	-	·02	·65	-	·17	·21		18
19	·34	·08	·18	·33	·17	-	-	-	·14	-	·21	·01		19
20	·81	·03	·14	·17	·53	-	-	-	·01	-	·04	·94		20
21	·34	1·05	-	·04	·40	-	·11	-	·56	·19	·45	·07		21
22	·04	·03	·14	-	·31	-	·16	-	·10	·70	·73	·18		22
23	·21	·50	·01	-	·28	-	·02	-	-	·27	·04	·03		23
24	·19	·72	·21	-	·02	-	·12	-	·03	·79	-	·07		24
25	·01	·92	·58	·08	·02	-	-	-	·01	·02	-	·02		25
26	·05	·39	·03	-	-	-	-	-	-	-	-			26
27	TR	·49	-	-	-	-	-	-	-	·25	·01			27
28	·04	·49	·16	-	-	·06	-	-	-	·06	·01			28
29	·03	-	-	-	-	·01	-	-	-	·39	·29			29
30	·32	✕	-	-	-	·08	-	-	·02	·01	·43			30
31	·31	✕	-	✕	-	✕	-	-	✕	·47	✕			31
TOTAL	7·68	10·15	6·70	3·85	3·36	1·45	2·50	1·14	4·18	3·21	3·66	5·94	Year's Total 53·82	✓ ✓
* Days with .01 in. or more.	28	26	22	19	14	11	13	6	19	11	14	19	202	✓ ✓
* Days with .04 in. or more.	23	23	19	16	10	9	10	5	15	9	11	16	166	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Liskeard, Treventon

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 360 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·24				·91	·51	·40	TR	·75	·09	·33		1
2		·03		·10	·01		tr	—	–	·35	·02	·38		2
3					·07	·02	·02	1·35	–	·65	·36	·04		3
4						·01	·35	·33	–	·27	·01	·39		4
5	·03					·08	·07	·30	·04	·43	·04	·04		5
6	·24					32	1·47	·02	·10	·29	·06	·12		6
7	·28						·32	—	·01	·11	·06	·28		7
8	·84	·10					·34	—	–	·51	—	·09		8
9	·31	·24				·01	·03	·06	–	·04	·04	·79		9
10	·52	·01					·17	·12	–	·02	·06	·32		10
11	·29				08	·06	·09	—	–	—	·36	·76		11
12	·53	·01			·51	·03	—	—	–	·35	·76	TR		12
13	·14				69		·03	—	–	·13	·05	·41		13
14	71		·01		·17		·30	tr	·01	tr	·04	—		14
15	·42				·08		—	·12	–	·21	·78	·52		15
16	·44	·02	·09		·02		—	·04	–	tr	·07	·01		16
17		·03	·02		22		·03	·26	·16	·18	·07	·28		17
18	·38				·02	·02	·01	·08	·48	·18	·52	–		18
19							·03	—	·44	tr	1·33	–		19
20	·05						—	·05	·07	·01	·35	–		20
21	·09						—	·11	·32	·20	·17	–		21
22	·05			·01		·13	—	1·41	·03	·02	·41	–		22
23	·01						➤	tr	·07	—	27	–		23
24	·08	·32	32		06	·01	·05	tr	09	—	·58	–		24
25	·22	·86	·03		·15		·26	—	·01	·15	1·42	·05		25
26	·46	·31	·04		77	·08	·03	—	TR	·39	·05	·11		26
27	·60	·18			06	·06	·37	1·09	–	·12	·42	–		27
28	·43	·21	·02		·09	·29	·03	·21	·10	·03	·05	·02		28
29	·51		·03		39	·01	·04	—	·03	·39	·46	·07		29
30	·19	✕	·02		·04	·23	·10	—	·14	·01	·27	·03		30
31	·61	✕	·01	✕	·43	✕	tr	—	✕	·35	✕	·48		31
TOTAL	8·43	2·56	·59	·11	3·86	2·27	4·65	5·95	2·10	6·14	9·17	5·52	Year's Total 51·35	x
* Days with .01 in. or more.	25	13	10	2	18	16	22	16	16	25	29	21	213	
* Days with .04 in. or more.	23	8	3	1	15	9	14	15	11	20	27	18	164	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward R. Foster Esq.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Copy by B.R.O.

Kept at Liskeard, Treventon

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·54	–	·06	·02	·02	–	·12	·06	–	–	·46	·25		1
2	·10	–	–	37	–	–	·01	·36	·45	–	·09	·11		2
3	39	–	·25	·66	TR	–	tr	·01	·09	–	·39	·79		3
4	·03	–	53	39	56	–	1·04	tr.	-	·35	·83	33		4
5	·02	TR	·03	·09	·25	–	31	–	–	·38	1·11	·16		5
6	·70	·05	·12	·48	·03	–	1·13	·10	–	·23	·14	tr		6
7	·05	·43	–	–	–	–	·08	·21	-	–	·25	·96		7
8	·22	·37	06	–	·04	·02	·29	·07	-	1·61	·50	·14		8
9	·03	·03	·03	–	–	–	–	·25	–	·05	·08	·21		9
10	·20	·01	tr	–	–	·04	–	·17	·12	·06	·02	·73		10
11	·01	·05	·16	–	–	tr	–	·01	–	·16	·05	·05		11
12	·06	·07	–	·18	–	–	–	–	·26	·01	·04	tr		12
13	·01	–	–	·18	TR	·14	·89	–	·04	·44	·09	·28		13
14	·92	·02	–	·18	·12	·14	·58	–	–	·07	·22	·11		14
15	·48	·02	–	·08	–	1·87	·54	–	-	·02	·41	tr		15
16	·19	·02	·02	·18	·02	·04	·49	–	-	–	·61	–		16
17	·89	·12	–	–	–	·17	·67	–	-	–	·18	-		17
18	·25	·08	·03	–	–	·03	·37	–	-	–	1·09	08		18
19	·53	·01	–	–	–	–	·38	·09	-	–	·02	·07		19
20	·58	–	–	–	–	·49	·01	·19	-	–	–	·04		20
21	·19	·28	·14	·02	·05	·38	·68	·07	-	–	–	-		21
22	1·40	·34	·15	·05	–	·73	·27	–	-	–	·46	tr		22
23	·01	·04	·10	·48	–	–	·05	tr.	-	·03	1·29	-		23
24	·82	·03	·21	·09	–	·10	·01	·04	-	·20	–	tr		24
25	·22	·10	·03	·02	–	–	·03	·75	-	·22	·72	·02		25
26	·02	·12	–	·11	–	–	·03	·02	-	·10	·71	·01		26
27	–	·40	–	TR	–	·13	·05	·11	-	·02	·18	-		27
28	–	·13	–	·01	–	·08	·20	–	·	–	·45	·05		28
29	–		–	·07	–	·06	·25	–	-	·28	·11	-		29
30	–	✕	·04	·15	–	·07	·04	·01	-	·23	·07	-		30
31	–	✕	–	✕	–	✕	·11	·53	✕	·53	✕	tr		31
TOTAL	8·86	2·72	1·96	3·81	1·09	3·49	8·63	3·05	·96	4·99	10·87	4·39	Year's Total 54.82	✓
* Days with .01 in. or more.	26	21	16	20	8	16	26	18	5	19	27	16 18	220	✓
* Days with .04 in. or more.	19	14	11	16	5	14	21	14	5	15	25	18 16	175	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1937/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Liskeard Treventon

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 360 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·03	-	·03	·13	–	–	–	–	–	·30	–		1
2	-	·20	–	·30	–	–	·07	–	–	–	1·08	·09		2
3	·15	1·04	-	·01	–	–	tr	–	–	·01	1·04	·24		3
4	–	·16	–	·24	–	–	·18	–	–	·27	·18	·10		4
5	·03	·03	–	–	–	–	·06	tr	–	·12	·73	·21		5
6	·71	1·15	–	tr	–	–	·05	–	–	·41	·04	·68		6
7	·09	·06	–	·03	–	–	·26	–	·19	·03	–	·13		7
8	tr	tr	–	–	–	–	·04	·07	·01	·56	·98	·64		8
9	–	–	–	tr	–	–	·64	·08	·03	·21	·34	·57		9
10	–	–	tr	–	–	–	·31	–	·08	·24	·25	·54		10
11	–	·03	·05	·02	–	–	·35	–	–	–	1·36	·07		11
12	–	–	·18	tr	–	·02	·94	–	·67	–	·39	·01		12
13	–	tr	·34	–	–	–	·54	–	tr	·54	1·19	1·36		13
14	–	·11	·02	·08	–	–	–	·06	·28	·39	·08	·79		14
15	·08	–	–	·01	–	–	–	–	·27	·04	·59	trace		15
16	·07	1·33	1·22	·14	–	–	·29	–	·19	·02	·03	·09		16
17	✓	·30	·55	tr	–	–	·38	–	tr	tr	·13	·01		17
18	}·78	·86	·16	·56	–	–	·11	·01	·31	·02	·31	·28		18
19	–	·12	·15	·14	–	–	·18	–	·34	·13	·38	trace		19
20	–	–	·01	·10	–	–	·10	tr	tr	·15	·14	–		20
21	–	–	·03	tr	·10	·07	–	·03	·08	·01	·57	–		21
22	·01	–	·14	·20	–	·40	–	·01	·27	·06	tr	–		22
23	·01	·19	·25	·01	·04	–	·02	–	–	·07	·03	–		23
24	·02	tr	·07	·03	·02	·03	·26	–	–	–	·01	–		24
25	·33	–	·29	·11	·65	·05	–	–	–	–	–	–		25
2.15 26	·69	1·02	–	·12	·17	·04	·05	–	tr	–	·04	–		26
21 27	56	·21	·08	·58	·63	tr	–	–	tr	–	·02	–		27
28	32	·14	tr	·32	·48	tr	–	·01	–	–	tr	Trace		28
29	·13	·05	·32	·87	·02	·11	–	–	–	·20	–	·44		29
30	·08	×	tr	tr	·04	–	–	–	–	·74	–	·42		30
31	·04	×	·02	×	–	×	–	–	×	·53	×	1·00		31
TOTAL	4·10	7·03	3·88	3·90	2·28	·72	4·83	·27	2·67	4·75	10·21	7·67	Year's Total 52·31	✓
* Days with .01 in. or more.	18 17	18	17	20	10	7	19	7	12	21	24	19	192	✓
* Days with .04 in. or more.	13 ✓	15 ✓	13 ✓	13 ✓	8 ✓	5 ✓	18 ✓	3 ✓	9 ✓	16 ✓	20 ✓	17	150	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward R. Foster

[P.T.O.

1937

Section **A** for the entry of Daily

AIR MINISTRY.—ME

Y FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

1937

LISKEARD, LEWARNE

1931 — 35

780311

Kept at Lewarne Glynn

in the County of Cornwall

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground —

" Ground " Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·92	—	—	·09	—	·89	·02	—	·02	1
2	·41	—	·01	·05	—	·02	—	—	·54	·03	·19	·65	2
3	·27	—	1·03	—	·05	—	·08	—	·93	·02	1·73	·24	3
4	·07	·03	·18	·01	—	—	·94	·04	·45	·17	·08	·02	4
5	—	·75	·27	·48	·02	·30	·02	·41	·01	—	·10	·26	5
6	—	—	—	·08	·13	·53	·03	—	·02	·52	·13	·36	6
7	—	·23	—	—	·41	·20	·19	·31	—	·11	·48	·22	7
8	·03	·46	—	·33	—	·56	·08	·30	—	·02	·24	·05	8
9	—	·31	—	—	—	·16	·06	·03	·01	·02	·26	·07	9
10	·02	·09	—	—	·41	·33	·06	·43	—	—	·60	·03	10
11	·42	·59	·01	—	·11	·31	·70	·52	·16	—	·35	·01	11
12	·10	·12	—	·01	—	—	·01	—	·32	—	·01	—	12
13	—	·25	·08	—	·46	—	·27	·22	—	·46	·38	—	13
14	·15	·10	—	—	·17	·28	1·05	·15	·02	—	·71	—	14
15	·05	·26	—	·02	·33	·15	·05	·62	·04	—	—	—	15
16	·07	·29	—	·06	—	1·15	·02	·13	·01	—	·01	—	16
17	·12	·12	—	·05	—	—	·29	—	·06	—	—	—	17
18	·18	—	·05	·53	—	·33	·24	1·22	—	—	·47	—	18
19	·30	·26	·08	·01	—	·51	·20	·09	—	—	1·10	·01	19
20	·09	·32	·03	—	—	—	—	·71	—	—	·06	·02	20
21	·73	—	—	·05	·40	·01	·52	—	—	—	·16	—	21
22	1·28	·11	·06	·50	·34	—	—	—	—	—	·14	·01	22
23	·22	—	—	·48	·59	—	·15	·10	—	—	1·08	—	23
24	·12	·12	—	·88	—	·15	1·42	·42	—	—	·02	·03	24
25	·23	·23	—	·03	·02	—	·28	—	—	—	·38	·02	25
26	·04	·18	—	·16	—	—	·29	—	—	—	·74	·10	26
27	·33	·26	·01	·02	·78	—	·14	—	—	·05	·57	·02	27
28	·11	·22	·27	·03	·02	·03	—	·03	—	·04	·05	·41	28
29	·31	×	·06	—	·04	—	·19	·43	·04	·03	·22	·20	29
30	·27	×	·02	—	·10	—	·01	·01	·34	·06	—	·05	30
31	2·31	×	·56	×	·81	×	·01	—	×	—	×	·27	31
TOTAL	8·29	5·37	3·92	3·76	5·27	4·52	7·47	5·07	3·84	1·57	11·50	3·03	YEAR'S TOTAL 63·77
*Days with ·01 in. or more.	25	22	15	20	18	16	27	19	15	13	26	22	238
*Days with ·04 in. or more.	23	20	11	13	15	12	22	15	10	7	23	13	184

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Rendell

P.T.O.

1937

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Lewarne (Glynn Valley)
in the County of Cornwall
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground — ft 10 in.
,, Ground ,, Sea Level 420 ft.

Jan 12th

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·92	—	—	·09	—	·89	·02	—	·02	1
2	·41	—	·01	·05	—	·02	—	—	·54	·03	·19	·65	2
3	·27	—	1·03	—	·05	—	·08	—	·93	·02	1·73	·24	3
4	·07	·03	·18	·01	—	—	·94	·04	·45	·17	·08	·02	4
5	—	·75	·27	·48	·02	·30	·52	·41	·01	—	·10	·26	5
6	—	—	—	·08	·13	·53	·03	—	·02	·52	·13	·36	6
7	—	·23	—	—	·41	·20	·19	·31	—	·11	·48	·22	7
8	·03	·46	—	·33	—	·56	·08	·30	—	·02	·24	·05	8
9	—	·31	—	—	—	·16	·06	·03	·01	·02	·26	·07	9
10	·02	·09	—	—	·41	·33	·06	·43	—	—	·60	·03	10
11	·42	·59	·01	—	·11	·31	·70	·52	·16	—	·35	·01	11
12	·10	·12	—	·01	—	—	·01	—	·32	—	·01	—	12
13	—	·25	·08	—	·46	—	·27	·22	—	·46	·38	—	13
14	·15	·16	—	—	·17	·28	1·05	·15	·02	—	·71	—	14
15	·05	·26	—	·52	·33	·15	·05	·52	·04	—	—	—	15
16	·07	·29	—	·06	—	1·15	·02	·13	·01	—	·01	—	16
17	·12	·12	—	·05	—	—	·29	—	·06	—	—	—	17
18	·18	—	·05	·03	—	·33	·24	·22	—	—	·47	—	18
19	·36	·26	·08	·01	—	·01	·20	·09	—	—	1·15	·01	19
20	·09	·32	·03	—	—	—	—	·71	—	—	·06	·02	20
21	·73	—	—	·05	·40	·01	·52	—	—	—	·16	—	21
22	1·28	·11	·06	·06	·34	—	—	—	—	—	·14	·01	22
23	·22	—	—	·48	·07	—	·15	·10	—	—	1·08	—	23
24	·12	·12	—	·88	—	·15	1·42	·42	—	—	·32	·03	24
25	·23	·23	—	·09	·02	—	·28	—	—	—	·38	·02	25
26	·04	·18	—	·16	—	—	·29	—	—	—	·94	·06	26
27	·33	·26	·01	·02	·78	—	·14	—	—	·05	·57	·02	27
28	·11	·22	·27	·03	·02	·03	—	·03	—	·04	·05	·41	28
29	·31	×	·06	—	·04	—	·17	·43	·04	·03	·22	·20	29
30	·27	×	·02	—	·10	—	·01	·01	·34	·08	—	·05	30
31	2·31	×	·56	×	·81	×	·01	—	×	—	×	·27	31
TOTAL	8·29	5·37	3·92	3·70	5·27	4·52	7·47	5·07	3·84	1·57	11·06	3·03	YEAR'S TOTAL 63·77
*Days with ·01 in. or more.	25	22	15	20	18	16	24	19	15	13	26	22	238
*Days with ·04 in. or more.	23	20	11	13	15	12	22	15	10	7	23	13	184

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. Rendell

P.T.O.

1937

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1937.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lewarne (Glynn Valley)

in the County of Cornwall.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 420 ft.

June 30th OK when in correct position

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	—	—	·12	—	—	·02	·03	·08	—	·03	·12	1
2	·07	—	·10	·18	·07	—	·05	·07	·31	—	·02	·52	2
3	·07	—	·02	—	—	·53	·05	—	·57	·02	·03	·03	3
4	·07	—	—	—	—	·03	·15	·12	—	—	·03	·02	4
5	·01	—	·07	—	—	—	—	—	·25	—	—	—	5
6	·07	—	·03	·22	—	—	·58	·02	·50	·15	—	—	6
7	·07	—	·02	·06	·02	—	—	—	·95*	1·40	—	—	7
8	·01	—	·67	·17	·23	—	—	—	·01	·30	—	—	8
9	1·17	—	—	·36	·13	—	—	—	·04	·01	—	—	9
10	·72	—	·03	·30	·27	—	·01	—	·07	·04	—	—	10
11	·04	—	—	·25	·12	—	·02	·01	·03	·09	—	·09	11
12	1·42	—	—	·02	1·61	—	—	—	·12	·30	—	·08	12
13	·08	—	—	·52	·02	—	·05	·27	·03	·92	—	·42	13
14	·33	—	—	·02	·19	—	—	·07	—	·14	—	·04	14
15	·05	—	—	·03	·01	—	·01	—	—	·16	·06	·06	15
16	·26	—	—	·04	—	—	·13	—	—	·07	—	·02	16
17	·20	—	—	—	—	—	·10	—	·06	·08	—	·02	17
18	·04	—	—	—	·09	—	·01	—	·08	·03	·30	·01	18
19	·11	—	—	·06	1·07	—	—	—	·05	·27	·01	·04	19
20	—	—	—	·04	·50	—	·02	·02	·07	1·70	·12	·06	20
21	·10	—	·22	—	·50	—	·01	·63	·11	·80	·24	·43	21
22	—	—	·04	·10	—	—	·02	·01	·40	·52	·61	·15	22
23	—	·11	—	—	·07	—	·29	·01	—	·96	·15	·32	23
24	—	·01	—	—	·01	—	·78	—	·06	·28	·06	·01	24
25	—	—	·13	·02	·02	—	·36	—	·15	1·07	·25	—	25
26	—	—	·35	·44	·32	—	·06	—	·07	·16	·18	—	26
27	—	—	·38	·84	·57	—	·15	—	—	·95	·20	·19	27
28	—	—	·50	·04	·13	—	·17	·01	·01	·07	—	·11	28
29	—	—	·57	·31	·10	·71	·01	·44	·60	·77	·40	1·02	29
30	—	×	·01	·13	·14	3·10	·94	·02	·95*	·30	1·22	·01	30
31	—	×	·34	×	·35	×	·20	—	×	·09	×	·68	31
													YEAR'S TOTAL
TOTAL	5·71	·12	3·42	4·25	7·08	4·37	4·09	1·63	5·47	11·85	4·51	4·45	55·95
*Days with ·01 in. or more.	20	2	16	22	23	4	24	17	24	27	17	23	219
*Days with .04 in. or more.	18	1	11	18	18	3	14	9	20	24	13	16	165.

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) W. Rendell.

P.T.O.

1937

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Lewarne, Liskeard

In the County of Cornwall

Rain Gauge
Diameter of Funnel Eight in.
Height of Top above Ground — *ft.* ten *in.*
Height of Ground above Sea Level 420 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·99	·93	2nd	20	15
FEB.	5·63	1·22	23rd	21	18
MAR.	5·06	1·35	16th	14	12
APRIL	3·21	·69	22nd	11	11
MAY	3·57	·72	5th	18	14
JUNE	3·51	·55	1st	14	12
JULY	3·79	·74	15th	16	13
AUG.	2·63	·84	11th	17	11
SEPT.	2·88	·48	22nd	14	11
OCT.	8·49	1·68	10th	23	19
NOV.	1·95	·46	14th	12	10
DEC.	3·64	1·70	1st	10	7
Total	4~~7~~8·35			190	153

Signature W. R. Rendell

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
W. R. Rendell
Lewarne, Two Waterfoot, Liskeard, Cornwall

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Doublebois Distance 2 miles Direction from gauge S.E

Nearest Parish Church at St Neot Distance 3 miles Direction from gauge N.E

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you **know of any record of rainfall** not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Circ/ F. sent 24:2:34.
observer [illegible] 28/2/[illegible]

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

1937

FORM 1090.

B Monthly Summary.

**** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Lewarne, Two Waters Foot, Liskeard ~~Cornwall~~

In the County of Cornwall

Rain Gauge
Diameter of Funnel eight in.
Height of Top above Ground — *ft* ten *in.*
Height of Ground above Sea Level 420 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·20	·88	14th	24	18
FEB.	·34	·24	24th	7	1
MAR.	5·48	·79	18th	21	20
APRIL	3·82	·93	11th	17	14
MAY	2·17	·63	6th	11	8
JUNE	2·67	·58	23rd	15	9
JULY	·73	·20	31st	15	5
AUG.	6·68	2·14	5th	22	16
SEPT.	5·87	1·34	2nd	23	17
OCT.	4·60	·55	25th	29	21
NOV.	2·18	·51	9th	22	13
DEC.	17·42	1·98	1st	31	30
Total	58·16			237	172

Signature W. R. Rendell

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
W. R. Rendell
Lewarne, Two Waters Foot, Liskeard, Cornwall

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Doublebois Distance 2 miles Direction from gauge S.E.

Nearest Parish Church at St Neot Distance 2½ miles Direction from gauge N.

Nature of objects nearest to gauge	House			
Height of objects	about 55 feet			
Distances ..	about 60 feet			
Directions from gauge ..	East			

If gauge has been moved during the year state—

Date of move — Distance — Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

No. 7

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1937

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Liskeard (Lewarne)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel.........in.
- *Height of Top above Ground.........ft.........in.*
- *Height of Ground above Sea Level* 420 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·01	·39	12	15	12
FEB.	6·65	·96	21	24	21
MAR.	1·93	·95	1	13	9
APRIL	7·30	1·10	15	22	20
MAY	2·62	·68	17	12	7
JUNE	4·71	1·05	6	22	16
JULY	1·32	·48	21	13	9
AUG.	3·17	1·05	30	12	8
SEPT.	6·14	·67	24	26	22
OCT.	temporarily discontinued				
NOV.					
DEC.					
TOTAL					

Signature pp. W. R. Rendell Esq.

Copied in M.O.7. per C.R.A.

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station.................Distance.................Direction from gauge.................

Nearest Parish Church at.................Distance.................Direction from gauge.................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................Distance.................Direction.................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090. **B** Mont
Sum

1938

1938
TREGARRIC, ST CLEER
1933-35

780311

*** The following register of monthly
&c., is NOT required if daily or
values are given on the other side

n and also the space for

register should be sent:—

her, Liskeard

RAINFALL IN 1931

At Tregarric, St Cl

In the County of Cornwal

in Summer

e 5 mile gauge S.E Direction from

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 800 *ft.*

Nearest Parish Church at St Cleer Distance 2 Direction from gauge S.E.

Nature of objects nearest to gauge			
Heights of objects			
Distances ..			
Directions from gauge ..			

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·60				
FEB.	4·12				
MAR.	2·58				
APRIL	2·76				
MAY	4·80				
JUNE	3·95				
JULY	9·20				
AUG.	5·72				
SEPT.	4·03				
OCT.	2·35				
NOV.	8·95				
DEC.	2·30				
Total	56·36				

Signature J. D. A. Roberts

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

A week-end cottage on the Cornish Moors.
Times of taking irregular, but always
totalled at end of each month

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mont
Summary.

C Particulars of Station.

1938

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1938

At Tregarric, St Cleer

In the County of Cornwall

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 800 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5.60				
FEB.	4.12				
MAR.	2.58				
APRIL	2.76				
MAY	4.80				
JUNE	3.95				
JULY	9.20				
AUG.	5.72				
SEPT.	4.03				
OCT.	2.35				
NOV.	8.95				
DEC.	2.30				
Total	56.36				

Signature J. D. A. Roberts

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Col: J. D. A. Roberts
Tregarric, St Cleer, Liskeard

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Liskeard Distance 5 mile Direction from gauge S.E

Nearest Parish Church at St Cleer Distance 2 Direction from gauge S.E.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

A week-end cottage on the Cornish Moors, Times of taking irregular, but always totalled at end of each month

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Monthly Summary.

C Particulars of Station.

1938.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Tregarric, St Cleer

In the County of Cornwall

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 6 *in.*
Height of Ground above Sea Level 800 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	7.35				
FEB.	–				
MAR.	2·84				
APRIL	3·58				
MAY	4·85				
JUNE	3·50				
JULY	4·55				
AUG.	1·90				
SEPT.	4·81				
OCT.	10·75				
NOV.	3·50				
DEC.	4·40				
Total	52·03				

Signature J. D. A. Roberts.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Lt Col. J. D. A. Roberts
Trethill, Torpoint, Cornwall

Hour of observation by the clock—in Winter uncertain in Summer

Nearest Railway Station Liskeard Distance 5 Direction from gauge S.E

Nearest Parish Church at St Cleer Distance 2 Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

M.O.
4 JAN 1938

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Guage at a week-end cottage
Times of taking irregular
but totalled at end of each month

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

FORM 1090. **B** Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At St Cleer (Tregarric)

In the County of Cornwall

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 6 *in.*

Height of Ground above Sea Level 800 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·95				
FEB.	4·70				
MAR.	3·35				
APRIL	2·45				
MAY	3·60				
JUNE	3·40				
JULY	3·70				
AUG.	(2·75)				
SEPT.	1·75				
OCT.	5·30				
NOV.	1·63				
DEC.	2·57				
Total	38.15 ✓				

Signature J D A Roberts

*See Instruction 2 (*f*) below.

1938

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— Col J D A Roberts, Trethill, Torpoint, Cornwall

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from original 9/2/34 J.G.O.

Form 906 sent suggesting estimate of 2.75 ins for August.

Observer agrees to estimate 12/2/34 J.G.O.

1936 }
1939 } 400

Jan 1" Low?

Sept 1" Low

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

1938

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~5~~ 4

At Tregarric - St Cleer

In the County of Cornwall

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 6 *in.*
- *Height of Ground above Sea Level* 800 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5.32				
FEB.	1.10				
MAR.	(4·55) ~~2.55~~		4.5		
APRIL	3.15				
MAY	2.10				
JUNE	(2·35) ~~.35~~				
JULY	·25				
AUG.	(5·50) ~~3.50~~				
SEPT.	4.61				
OCT.	4.50				
NOV.	1.85				
DEC.	(14·65) ~~12.65~~				
Total	(49·93) ~~41.93~~				

Signature Col. J. D. A. Roberts

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Taken approximately weekly

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Liskeard Distance 5 mils Direction from gauge S.E

Nearest Parish Church at St Cleer Distance 2 Direction from gauge S.E

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Shd be about 50" = 101%.

Record is approx 8" two low.

march, June, August & December adjusted in accordance with min. 6a file 926446/29

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

9264+6/29 1938

1934 wp low

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Tregarric, St Cleer

In the County of Cornwall

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 800 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·03				
FEB.	4·96				
MAR.	(·95)		+		
APRIL	(8·20)				
MAY	2·25				
JUNE	4·86				
JULY	(·45)				
AUG.	(4·00)				
SEPT.	5·20				
OCT.	7·70				
NOV.	7·45				
DEC.	8·95				
TOTAL	56·00				

Signature J. D. A. Roberts

Ave. 49·4

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Taken approximately weekly

Hour of observation by the clock—in Winter ~ in Summer

Nearest Railway Station Liskeard Distance 5 Direction from gauge S.E

Nearest Parish Church at St Cleer Distance 2 Direction from gauge S.E

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
6 JAN 1936

Ref. Mar. April & July Aug there is reason to believe that some rainfall has been included in following month in each case.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

0

1939

Section **A** for the entry of D
AIR MINISTRY.

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST

31.

1939
BOLVENTOR VICARAGE
1931 — 38

7P0311

Kept at Bolventor Vo
in the County of Cornw
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.05	.50	—	—	.09	—	.97	.12	—	—	1
2	.33	.03	.01	.09	—	.03	.05	—	.63	.14	.41	.57	2
3	.46	—	1.16	—	.04	—	.16	—	1.62	.08	3.56	.35	3
4	.04	.04	.26	.13	.01	—	.80	.25	[illegible]	.24	.01	.07	4
5	—	.78	.15	.55	.01	.23	.27	.56	.03	—	.01	.39	5
6	—	.03	.02	.14	.13	.38	.27	—	.06	.62	.19	.42	6
7	—	.14	—	—	.43	.25	.57	.71	—	.14	.44	.36	7
8	.05	.67	—	.51	—	.44	.03	.24	—	.04	.23	.14	8
9	.02	.49	—	—	—	.15	.13	.06	—	.07	.44	.10	9
10	.02	.05	—	—	.30	.16	.16	.66	.16	—	.45	.04	10
11	.72	.77	.02	—	.09	.28	1.06	.09	.36	—	.34	.01	11
12	.12	.17	—	.01	.01	—	.50	—	.24	.37	.06	—	12
13	—	.13	.11	—	.49	—	.74	.18	—	.05	.41	—	13
14	.15	.29	—	—	.28	.48	1.14	.11	.02	—	.99	—	14
15	.05	.15	—	.06	.23	.32	.02	.83	.01	—	—	—	15
16	.37	.22	—	.16	.03	1.33	.13	.23	.03	—	—	—	16
17	.04	.12	—	.08	—	.07	.61	—	.08	—	—	—	17
18	.37	—	.04	.04	—	.57	.63	.91	—	—	.46	—	18
19	.67	.31	.75	.02	—	—	.39	.18	—	—	1.09	.01	19
20	.05	.31	.42	—	—	—	—	1.02	—	.01	.09	.05	20
21	.86	.06	.05	.04	.20	.01	.08	.01	—	—	.06	—	21
22	1.03	.08	.03	.02	.40	—	—	.01	—	—	.13	—	22
23	.31	.01	—	.64	.53	—	.12	.28	—	—	1.10	—	23
24	.31	.41	—	.84	—	—	1.49	.56	—	—	.03	.04	24
25	.08	.33	—	.08	.02	—	.15	—	—	—	.21	.09	25
26	.04	.46	—	.12	—	—	.44	—	—	—	1.07	.15	26
27	.44	.55	.01	.08	.96	.01	.10	—	—	.12	.34	.02	27
28	.25	.24	.25	.04	.03	.03	—	.03	—	.02	.04	.43	28
29	.28	×	.09	—	.12	—	.45	.82	.07	.23	.16	.11	29
30	.14	×	.01	—	.27	—	.04	—	.25	.07	—	—	30
31	2.12	×	.25	×	.87	×	.01	—	×	—	×	.45	31
TOTAL	9.35	6.84	3.68	4.15	5.45	4.74	10.63	7.74	5.31	2.32	12.32	3.80	YEAR'S TOTAL 76.33
*Days with ·01 in. or more.	27	25	18	20	21	16	28	20	15	15	25	19	249
*Days with ·04 in. or more.	24	22	12	17	15	12	25	17	11	13	22	16	206

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Arthur S. Rashleigh [P.T.O.

1939

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Bolventor Vicarage

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 845 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.05	.50	—	—	.09	—	.97	.12	—	—	1
2	.33	.03	.01	.09	—	.03	.05	—	.63	.14	.41	.57	2
3	.46	—	1.16	—	.04	—	.16	—	1.62	.08	3.56	.35	3
4	.04	.04	.26	.13	.01	—	.80	.25	.78	.24	.01	.07	4
5	—	.78	.15	.55	.01	.23	.27	.56	.03	—	.01	.39	5
6	—	.03	.02	.14	.13	.38	.27	—	.06	.62	.19	.42	6
7	—	.14	—	—	.43	.25	.57	.71	—	.14	.44	.36	7
8	.05	.67	—	.51	—	.44	.03	.24	—	.04	.23	.14	8
9	.02	.49	—	—	—	.15	.13	.06	—	.07	.44	.10	9
10	.02	.05	—	—	.30	.16	.16	.66	.16	—	.45	.04	10
11	.72	.77	.02	—	.09	.28	1.06	.09	.36	—	.34	.01	11
12	.12	.17	—	.01	.01	—	.50	—	.24	.37	.06	—	12
13	—	.13	.11	—	.49	—	.74	.18	—	.05	.41	—	13
14	.15	.29	—	—	.28	.48	1.14	.11	.02	—	.99	—	14
15	.05	.15	—	.06	.23	.32	.02	.83	.01	—	—	—	15
16	.37	.22	—	.16	.03	1.33	.13	.23	.03	—	—	—	16
17	.04	.12	—	.08	—	.09	.61	—	.08	—	—	—	17
18	.37	—	.04	.04	—	.57	.63	.91	—	—	.46	—	18
19	.67	.31	.75	.02	—	—	.39	.18	—	—	1.09	.01	19
20	.05	.31	.42	—	—	—	—	1.02	—	.01	.09	.05	20
21	.86	.06	.05	.04	.20	.01	.08	.01	—	—	.06	—	21
22	1.03	.08	.03	.02	.40	—	—	.01	—	—	.13	—	22
23	.31	.01	—	.64	.53	—	.12	.28	—	—	1.10	—	23
24	.31	.41	—	.84	—	—	1.49	.56	—	—	.03	.04	24
25	.08	.33	—	.08	.02	—	.15	—	—	—	.21	.09	25
26	.04	.46	—	.12	—	—	.44	—	—	—	1.07	.15	26
27	.44	.55	.01	.08	.96	.01	.10	—	—	.12	.34	.02	27
28	.25	.24	.25	.04	.03	.03	—	.03	—	.02	.04	.43	28
29	.28	×	.09	—	.12	—	.45	.82	.07	.23	.16	.11	29
30	.14	×	.01	—	.27	—	.04	—	.25	.07	—	—	30
31	2.12	×	.25	×	.87	×	.01	—	×	—	×	.45	31
TOTAL	9.35	6.84	3.68	4.15	5.45	4.74	10.63	7.74	5.31	2.32	12.32	3.80	YEAR'S TOTAL 76.33
*Days with ·01 in. or more.	27	25	18	20	21	16	28	20	15	15	25	19	249
*Days with ·04 in. or more.	24	22	12	17	15	12	25	17	11	13	22	16	206

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Arthur S. Rashleigh [P.T.O.

CK
1939

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bolventor Vicarage.
in the County of Cornwall.
Diameter of Funnel of Gauge 5. in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 845. ft.

400
days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	–	–	·25	–	–	–	·17	·28	–	·04	·17	1
2	·45	–	·13	·10	–	–	·07	·09	·81	–	·18	·79	2
3	·43	–	·02	·10	–	·22	·12	–	·55	·03.	·06	·06	3
4	·21	–	–	–	–	·04	·21	·23.	·01	–	·61	–	4
5	12	–	·17	–	–	–	·01	·01	·56	–	–	–	5
6	1·26	–	·08	·39.	·02	–	·22	·03	·79	·10	–	–	6
7	1·43.	–	·04	·01	–	–	·02	–	1·34	1·73	–	–	7
8	·34	–	1·09	·24	·33.	–	–	–	·09	·55	–	–	8
9	·02	–	–	·52	·03.	–	·01	–	·07	·01	·01	–	9
10	1·62	–	·02	·26	·09	–	–	–	·27	·33	–	–	10
11	·87	–	·02	·11	·31	–	·24	–	·03	·26	–	·07	11
12	04	–	–	–	1·12	–	–	·03	·43	·31	·01	·09	12
13	1·46	–	–	·34	·07	–	·04	·18	·08	1·09	–	·46	13
14	·13.	–	–	·04	·16	–	·95	·20	·01	·18	–	·07	14
15	·48	–	–	·01	·02	–	·04	–	–	·33.	·01	·09	15
16	·12	–	–	·13.	·01	–	·12	–	–	·16	–	·02	16
17	·69	–	–	·02	·40	–	·08	–	·20	·25	–	·05	17
18	·04	–	–	–	·86	–	–	–	·17	–	·23	·08	18
19	·03	–	–	·14	·74	–	–	–	·10	1·08	·02	·03	19
20	–	–	–	·15	·48	–	·02	·05	·01	1·05	·35	·21	20
21	–	–	·19	·08	·02	–	·18	·91.	·07	1·15	·28	·49	21
22	·15	–	·06	·15	·09	–	·17	·08	36	·42	·86	·26	22
23	·04	·06	–	–	·02	–	·59	·01	–	1·09	·24	·38	23
24	·01.	–	–	·01	·01.	–	·80	–	·16	·29	·09	·02	24
25	–	–	·23	·09	–	–	·36	–	·44	1·09	·35	·01	25
26	–	–	·33.	·58	–	–	·28	–	·17	·18	·06	–	26
27	–	–	·52	·53.	·27.	·05	·23	–	–	1·10	·12	·22	27
28	–	–	·30	·14	06	–	1·00	·02	·01	·09.	·01	·09	28
29	–	–	·74	·35	·18	·70	·16	·34	·45	·56	·41	1·40	29
30	–	×	·21	·19.	·09.	2·55	·77	·08	·88.	·20	·76	·02	30
31	–	×	·10.	×	·16	×	·97.	·01.	×	·08	×	·82	31
TOTAL	10·39	·06	4·25	4·93	5·54	3.56	7·66	2·44.	8·34	13·71	4·70	5·90	YEAR'S TOTAL 71·48
*Days with ·01 in. or more.	22	1	17.	25.	23.	5.	25	16	26	26	20	23	229
*Days with ·04 in. or more.	19.	1	14.	21.	16	5.	21.	10	21.	24	15.	18.	185

40-9999

(Signed) Rev. S. J. Pethick

P.T.O.

*See Instruction 2 (*f*) on other side.

137 1939

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1939.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

Kept at Bolventor Vicarage

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 845. ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·74	1·21	·40	–	·07	·69.	–	–	·08	tr	·19	1·02		1
2	1·15.	·04	1·04	–	·31	·43.	–	–	–	–	·04	·15		2
3	·08	·23	·53	–	·38	·02	–	–	–	–	–	–		3
4	·21.	·10	–	–	·31	–	–	–	–	–	–	–		4
5	·09.	·02	·82	–	1·19	–	–	–	·01	tr	·01	–		5
6	·10.	·70	·07	–	·17	–	·01.	–	–	·30	·01.	–		6
7	·08	·19	·01	–	·08	–	·39.	·15	–	·22	–	–		7
8	·32	·18	–	–	·14	–	·26.	·03	–	·02	–	–		8
9	tr	·04	–	·02	·11.	–	·43.	·02	–	1·08	·15	–		9
10	·15	·07	–	tr.	–	–	·06	·12	–	1·78	·11	–		10
11	·07.	–	–	·23.	·02	·01.	·21	·26	tr	·18	·26	–		11
12	·02	tr.	–	·16	·05	·35	·53	–	·14	tr	·09	tr		12
13	·02	–	–	–	·27	·02.	·66	·10	–	·21	·18	–		13
14	·42	–	–	–	–	–	·46	·14	–	tr	·32	–		14
15	·44	–	·65	–	–	·16	·35	·15	–	·24	·15	tr		15
16	·04	·06	1·43	–	–	·22	·01.	·02	·03	·18	–	–		16
17	·10	·18	·28	–	–	·35	·05	·17	·34	–	–	–		17
18	·33.	–	·41	–	–	·53	·01	tr	·07	·77.	·04	–		18
19	·33.	–	·26	–	–	·36	–	·04	·37	·38	·33	·01.		19
20	·01	·16	–	–	·15	·34	–	·17	·26	–	·13	–		20
21	–	·07	–	–	–	tr	–	·40	tr	–	tr	–		21
22	tr.	·02	–	·53	–	·06	–	·87	·45	·20	–	–		22
23	–	·90	–	·25	–	·33.	–	·03	·16	·34	–	–		23
24	–	·17	–	·25	tr	tr	–	·01	·14	·21	–	–		24
25	–	·31	–	·27	·16	·06.	–	–	·23	tr	–	·24		25
26	–	·06	–	·70	·17	–	–	–	–	·26	–	–		26
27	–	·36	–	·07	·01	–	tr	tr	tr	·67	–	1·24		27
28	–	81	–	·26	–	–	·68	·09	–	·72	–	·01		28
29	–	X	·02.	·38	tr	–	·10	tr	·02	·26	–	·06		29
30	·24	X	·15.	·01	·01	–	·25	tr.	·16	·11	–	·08		30
31	·54	X	·20	X	·08	X	·01.	–	X	·10	X	·01.		31
TOTAL	5·48	5·88	6·27	3·13	3·68	3·93	4·47	2·77	2·46.	8·23	2·01	2·82	Year's Total 51·13.	✓.
*Days with ·01 in. or more.	21✓	21✓	14✓	12✓	18✓	15✓	17✓	17✓	14✓	20✓	14✓	9✓	192✓	
*Days with ·04 in. or more.	18✓	19.✓	12✓	10✓	15✓	12✓	13.✓	12✓	11.✓	19✓	12✓	6✓	159✓.	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) S. J. Pethick.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1939

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

400

Kept at Bolventor Vicarage, Launceston

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft .. in.

,, Ground ,, Sea Level 845. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	–	·08	–	–	–	–	1·47	·08	·03	·21.	1·77		1
2	·07	–	·13	–	–	–	–	·10	·81.	·04	·15	·62		2
3	·20	–	tr	–	–	–	–	·05	·08	·59.	–	1·26		3
4	·33.	·01	·25	·11.	·64	–	–	·08	·09.	·39	·01	·85		4
5	tr.	–	·19	·03.	·76	·23	–	1·57	·03.	·19	·06	·93		5
6	·22	–	·18	·21	·90	·03	–	·13	·13.	·54	·02	·51		6
7	·14	–	tr	–	–	–	–	·06	tr.	·63	·16	1·18		7
8	–	–	–	–	·21	–	–	·07	·13.	·01	·43	1·67		8
9	·19	tr	·36	–	tr	–	–	·08	–	·05	·65	·07		9
10	·98	·02	·49	·34	–	–	–	·38	–	–	·10	·33		10
11	87	·01.	·20	·96	–	–	–	·30.	–	·01	·07	·74		11
12	08	–	tr	tr	–	·02	·40	·43.	–	·01.	–	·09		12
13	·86	–	·02	·79	–	·02	tr	–	–	·18	·08	·20		13
14	·89	–	·73	·03.	–	–	tr	–	·05	·16	·03	·59		14
15	15	·01	·23	·02	·24	–	·02	·05	–	·10	·04	·59		15
16	·28	–	·59	·02	·08	–	tr.	tr	·52	·07	·01	·31		16
17	·50	·01.	·20	·07	·tr.	–	·02	–	·07	·39	–	·50		17
18	17	·01.	·62	·46	·02	·14	tr	·08	·08	·12	–	·97		18
19	02	·01.	·29	–	·11.	·16	–	·15	·34	·09	–	·19		19
20	–	·01.	–	·46	·13.	tr	·01.	–	·23.	·03	·02	·13		20
21	–	–	·28	tr	·15.	·59	–	·14	·23.	·56	·07	·13		21
22	·15	tr	·15	·04	–	·03	–	·07	·60	·07	·04	·41		22
23	·14	tr.	·04	·30	–	·53	·01.	·01.	·34	·10	–	·26		23
24	–	·21	·04	·09	–	·38	·23.	–	·09	·60	–	·29		24
25	48	·02	tr	·73	–	·09	·03	–	·04	1·00	–	1·22		25
26	·05	tr	·07	·06	–	·57.	·03	–	·53	·12	·14	·26		26
27	–	–	–	·01	–	·22	·01.	·14	·16	22	·17	·15		27
28	–	·04	–	–	–	·04	·26	·87	·24	·12	–	1·01.		28
29	–	×	–	–	–	–	·05	·20	·10	·06	·02	·11.		29
30	·03	×	–	–	–	–	·05	·23.	·24	·72	·02	·56		30
31	tr	×	–	×	–	×	·04	·09	×	·20	×	·10		31
TOTAL	6·93	·36	5·14	4·73	3·24	3·05	1·16	6·75	5·21	7·40	2·50	18·00	Year's Total. 64.47	
* Days with .01 in. or more.	22	11	20	18	10	14	13	23	23	30	21	31	236	
* Days with .04 in. or more.	20	2	19	13	9	10	6	22	22	25	14	31	193	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. J. Pethick.

[P.T.O.

COPY FOR OFFICIAL USE. 111/7

Section **A** for the entry of Daily Observations. Station No. 1939

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bolventor Vicarage

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 845 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·41	·80	—	—	·09	·04	—	·25	·11	·02	·36		1
2	·02	·12	·11	·07	—	·30	·02	—	·10	·48	·21	·05		2
3	·07	·07	·09	·06	·12	·42	·07	—	1·01	·23	·43	·44		3
4	·03	·91	·02	·17	—	·31	·03	—	·09	·46	·24	·74		4
5	·07	·54	·05	·17	—	·19	—	—	·22	1·71	·21	·41		5
6	—	—	—	·55	—	1·01	—	—	—	·08	·11	·32		6
7	tr	—	—	·72	—	·08	—	—	—	·54	·13	·27		7
8	tr	—	—	·98	—	—	—	—	·02	·19	·47	·03		8
9	—	·02	—	·09	—	—	—	—	—	1·13	·34	—		9
10	·02	—	·11	—	—	·30	·04	—	—	·10	·02	—		10
11	·33	·07	—	—	—	·40	—	—	·37	·15	·74	—		11
12	·40	·58	—	—	—	·26	—	·17	·16	·02	·20	—		12
13	·21	·25	—	·29	—	·07	—	—	·03	·19	·48	—		13
14	tr	·26	—	·17	—	·36	—	—	·50	·08	1·31	·44		14
15	—	·46	·07	·79	·23	·22	—	·02	·41	·04	·10	·14		15
16	—	·15	·21	·22	tr	·04	·14	—	·63	23	·48	·01		16
17	—	—	·05	·10	·52	·63	·03	·04	·15	·02	—	—		17
18	—	·20	·04	·82	·08	tr	·02	·31	·67	·21	·04	·21		18
19	—	·13	—	·38	·39	·13	·41	—	·40	·30	·39	·05		19
20	—	·63	—	·63	·03	·06	·02	—	·02	·66	·21	—		20
21	—	·84	—	·40	—	·01	·37	—	·13	·35	—	—		21
22	—	·01	·11	·23	—	—	—	—	·14	·30	tr	—		22
23	—	·14	·24	—	·08	—	—	·39	·51	·35	—	·33		23
24	·23	·53	·13	—	·11	·67	—	·18	·33	·13	—	·34		24
25	·34	·38	—	—	·14	·18	—	—	—	·04	·02	·16		25
26	·08	1·00	—	—	—	·20	·01	·57	·49	·23	·14	·30		26
27	—	·21	—	—	—	—	·23	·37	·29	·05	·49	·22		27
28	·02	·26	—	—	—	—	·14	·36	·23	·19	·10	·05		28
29	—	×	—	—	·76	—	—	·03	·50	·16	·29	1·02		29
30	·19	×	—	—	—	—	—	1·00	·30	·14	1·33	1·05		30
31	—	×	—	×	—	×	—	·15	×	·79	×	·45		31
TOTAL	2·15 ✓	8·17 ✓	2·03 ✓	6·84 ✓	2·46 ✓	5·93 ✓	1·57 ✓	3·59 ✓	7·95 ✓	9·66 ✓	8·50 ✓	7·39 ✓	Year's Total. 66·24 ✓	
* Days with .01 in. or more.	14 ✓	23 ✓	13 ✓	18 ✓	10 ✓	21 ✓	14 ✓	12 ✓	25 ✓	31 ✓	25 ✓	22 ✓	228 ✓	
* Days with .04 in. or more.	10 ✓	21 ✓	12 ✓	18 ✓	9 ✓	20 ✓	8 ✓	10 ✓	22 ✓	29 ✓	22 ✓	20 ✓	201 ✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. J. Pethick.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1939.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bolventor Vicarage

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 845 ft.

Copy to B.R.O.

400

Compare with nearby stations at end of year

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·25	·04	·66	–	·32	1·51	·12	–	–	·53	·05		1
2	·04	·03	–	·02	–	·17	·46	·03	·39	–	·01	·07		2
3	–	·01	·15	·78	–	·02	·11	–	·82	–	·14	·24		3
4	06	·06	·31	–	–	·03	·01	·02	·62	–	·21	·35		4
5	·46	·35	·14	–	·05	–	·58	·26	·03	–	·20	·21		5
6	·16	–	·09	–	–	·13	·57	·15	·73	–	·76	–		6
7	·45	–	·24	–	–	·02	·07	–	·07	–	1·04	·09		7
8	·43	–	·67	–	–	·01	·68	–	·05	–	1·24	·34		8
9	·60	·82	·03	–	–	·04	·93	–	·21	–	·25	–		9
10	–	·99	tr.	–	–	–	·02	–	·01	–	·27	·06		10
11	·43	·09	–	–	–	–	·22	·14	·72	–	1·40	·39		11
12	·03	·01	–	·13	·01	·15	1·01	·02	–	·01	·27	·05		12
13	·08	·02	–	–	–	–	·04	·04	·07	·30	·39	1·79		13
14	–	·03	–	–	tr	·27	·73	·03	·11	·23	·04	·92		14
15	–	·05	–	·10	·20	–	·02	·02	– –	TR	·35	·56		15
16	·03	·16	–	·08	–	·04	·14	–	·01	–	1·58	·60		16
17	·52	1·36	–	–	·11	·03	1·01	·09	–	–	·17	1·10		17
18	·45	·22	·34	–	–	–	1·48	·09	tr	·22	–	·03		18
19	·57	·04	·08	·44	–	·01	·04	·35	–	TR	–	TR		19
20	·20	·61	·05	·14	–	·09	·05	·04	·42	·05	–	·09		20
21	·18	·10	·42	·42	–	tr	·06	–	–	·13	–	–		21
22	·43	·50	·01	–	·07	–	·54	–	–	·03	–	·03		22
23	–	·22	·24	·16	·06	·02	·11	–	–	·10	–	·04		23
24	·38	·15	·41	·18	·19	·03	tr	–	·22	·51	·07	·17		24
25	·25	–	·57	·37	–	–	·10	–	·06	·66	–	–		25
26	·58	·23	1·00	–	·01	–	·01	–	·01	·16	–	–		26
27	·39	·29	·35	–	–	–	·41	–	·06	·15	·08	–		27
28	·72	·04	1·08	·03	–	–	·94	–	–	·08	–	·63		28
29	·08	·27	·11	–	·01	·48	–	–	–	·38	·35	·26		29
30	·80	×	·16	–	–	·91	·19	–	–	·14	·01	–		30
31	·32	×	·87	×	·11	×	1·45	–	×	–	×	·69		31
TOTAL	8·78	6·90	7·36	3·51	·82	2·77	13·49	1·40	4·61	3·15	9·30	8·71	Year's Total 70·80	
* Days with .01 in. or more.	26	25	22	13	10	18	29	14	18	15	21	23	234	
* Days with .04 in. or more.	24	20	20	11	7	10	25	9	14	13	18	21	192	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) S. J. Pethick

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1939

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Bolventor Vicarage

in the County of Cornwall

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Circ F sent 6.1.38.

incomplete for the year, no observer

Copy by B.R.O

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·06	·20	·53						–	–	·37		1
2	·39	1·65		·47						–	–	·23		2
3	·03	·80		·01						–	–	·01		3
4	·32	·36	·02	·37						–	–	·94		4
5	1·06	·06		·26						–	–	·05		5
6	·44	·47		·71						–	–	·02		6
7	–	·74	·18	·18						–	·40			7
8	·03	·10	·02	·02						–	–			8
9	·18	·17	·18	·37						–	–			9
10	·40	·03	1·08	·52						–	–	·64		10
11	·25	–	·43	·26						–	–	·77		11
12	1·10	·55	·23	·21						–	–	·49		12
13	TR	·38	1·00	·12						–	–	·39		13
14	–	·12	·15							–	–	·61		14
15	1·00	·39	·58	·61						–	–	·37		15
16	·75	·12	·76	·20						–	·24			16
17	1·44	·24	·53							–	·70			17
18	·19	·81	·50	·02						–	·30	·25		18
19	·27	·15	·30	·75						–	·24	·10		19
20	1·38	·01	·18	·23						·03	·07	1·00		20
21	1·19	1·64	·03	·06						·16	·21	·05		21
22	·10	·04	·27							·79	1·34	·26		22
23	·67	·58	·01							·63	·04	·02		23
24	·40	·93	·16	·01						·75	–	·14		24
25	–	·98	·71	·09						·08	–			25
26	·08	·25	·04							–	–			26
27	–	·57								·49	–			27
28	·10	·48								·03	–			28
29	·05	–								·70	·59			29
30	·34	✕								·06	·76			30
31	·25	✕	·01	✕		✕			✕	·45	✕			31
TOTAL	12·88	12·68	7·57	6·00						7 4·18	4·89	6·62	Year's Total	
* Days with .01 in. or more.	26	27	23	21						14	11	19		
* Days with .04 in. or more.	24	25	18	17						9	11	15		

40-9999.

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1939

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Bolventor Vicarage
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 845 ft.

mp 37 f 173064/32

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·36				1·06	·50	·64	–	1·00	·19	·38		1
2	·01	·04		·22	·02		·01	tr	–	·34	·01	·17		2
3			·01		·12	·04	·05	1·11	–	·87	·30	·05		3
4					·02	·02	·89	·20	–	·85	·08	·46		4
5	·06			·03		·13	·13	·46	·36	·35	·02	·09		5
6	·32					·38	1·64	–	·18	·38	·03	·17		6
7	·20						·35	–	TR	·03	·04	·34		7
8	1·06	·14					·66	–	·02	·81	TR	·20		8
9	·27	·39					·11	·69	–	·08	·02	1·88		9
10	·65	·01				·02	·42	·02	–	·15	·21	·52		10
11	·35	·03			·09	·10	·10	–	·01	·02	·33	1·03		11
12	·68				·50		tr	–	TR	1·08	1·57	·09		12
13	·05				66		·02	–	–	·23	·04	·56		13
14	1·35				33		·28	·01	–	·01	·04	·01		14
15	·73				·09		–	·27	–	·19	1·35	·98		15
16	·41	·03			·02		–	·11	–	·01	·07	·02		16
17		·05	·15		·04		–	–	–	·29	·08	·25		17
18	·43		·02		·04	·03	·15	·45	✗	·09	·70	TR		18
19							·04	·10	✗	·01	·76	TR		19
20	·23		·08				·01	·08	2·23 ✗	·01	·31	TR		20
21	·03		·09			·02	–	·33	✗	·17	·41	TR		21
22	·05				·02	·25	–	2·10	✗	·02	·40	·01		22
23	·02			·01		·23	–	tr	·07	·01	·41	TR		23
24	·19	·21	·50		·15	·04	·05	–	·10	tr	·64	–		24
25	·22	1·00	·09		·10	·01	·34	–	–	·23	1·29	TR		25
26	·60	·49	·11		·71	·27	·08	–	–	·39	·14	·23		26
27	·69	·24			·08	·15	·52	1·13	–	·07	·72	·01		27
28	·42	·36	·06		·18	·29	·06	·05	·18	·16	·12	·09		28
29	·71		·12		·36		·03	–	·14	·53	·47	·11		29
30	·19	✗	·14		·28	·04	·02	–	·01	·03	·28	·07		30
31	·75	✗	·02	✗	·44	✗	·02	–	✗	·60	✗	·62		31
TOTAL	10·67	3·35	1·39	·26	4·25	3·08	6·48	7·75	8·33	9·01	11·06	8·35 4	Year's Total 68·97	
* Days with .01 in. or more.	26	13	12	3	20	17	24	16	14	30	29	24	228	
* Days with .04 in. or more.	23	10	9	1	16	12	18	14	11	21	25	20	180	

Print
CB
✓ 29/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Horace H. Hook [P.T.O.

REV. H. HOOK

1940

1940
DEVON PORT, EMPACOMBE
1931 — 40

780311

Section **A** for the entry of
AIR MINISTRY.

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST

31.

Kept at Empacombe, Yo
in the County of Cornw

0

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

3. 32

THE MORNING MEASURE TTED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	–	·74	–	–	·04	·01	·45	·02	–	–	1
2	·35	·04	–	·29	–	·02	–	–	·27	·01	·17	·35	2
3	·70	–	·83	–	·01	–	·10	–	·09	·03	1·23	·20	3
4	–	–	·03	–	·14	–	·49	·02	·19	·06	·01	·03	4
5	–	·63	·05	·07	–	·34	·01	·01	–	–	·08	·12	5
6	–	–	–	·04	·14	·48	–	–	–	·25	·06	·25	6
7	–	·13	–	–	·34	·36	·61	·14	–	·03	·55	·30	7
8	·01	·59	12° frost	·28	–	·66	·09	·09	–	–	·25	·08	8
9	–	–	13° "	·02	–	·14	–	·02	–	–	·29	–	9
10	·03	·02	11° "	–	·14	·06	–	·05	·04	–	·92	–	10
11	·13	·50	9° "	–	·02	·65	·21	–	·04	–	·32	–	11
12	·04	·04	4° "	–	–	–	·04	–	·05	·33	–	–	12
13	–	·10	·03	–	·08	·01	·62	·17	–	·07	·03	–	13
14	·02	·08	·01	–	·03	·24	·65	·06	·01	–	·49	–	14
15	–	·10	–	–	·08	–	·02	·24	·02	–	–	–	15
16	·03	·11	–	–	·40	·98	·01	·01	·02	–	–	·01	16
17	–	·01	–	·08	–	·05	·19	·03	·01	–	–	–	17
18	·02	–	–	·04	–	·12	·08	1·69	–	–	·35	–	18
19	·04	·15	·21	–	–	·16	·04	·25	–	–	·25	–	19
20	·02	·13	·61	–	–	–	–	·24	–	–	·07	–	20
21	·35	·02	–	·03	·13	–	·04	–	–	–	·07	–	21
22	·69	·01	·02	–	·14	–	–	–	–	–	·08	–	22
23	·13	·01	–	·32	·65	·39	–	·14	–	–	·69	–	23
24	·05	–	–	·82	·01	–	1·08	·20	–	–	·02	–	24
25	·68	·03	–	·10	·02	–	·16	–	–	–	·16	–	25
26	·04	·15	–	·04	–	–	·18	–	–	–	·51	–	26
27	·35	·36	–	·01	1·81	–	·08	–	–	·03	·16	–	27
28	·12	·14	·17	–	·04	–	–	·03	–	·02	·02	·26	28
29	·08	–	·15	–	·04	–	·14	·49	·01	–	·16	·21	29
30	·11	×	·04	–	·02	–	·04	·03	·15	–	–	–	30
31	·84	×	·32	×	·12	×	·12	–	×	–	×	·31	31 ~~42·79~~
TOTAL	8 4·~~2~~5	3·36	2·47	2·88	4·36	4·66	5·04	3·92	1·35	·85	6·93	2·12	YEAR'S TOTAL ~~42·15~~
*Days with ·01 in. or more.	23	22	12	14	20	15	23	20	13	10	24	11	207
*Days with ·04 in. or more.	16	15	8	11	14	13	20	12	8	4	20	9	150

40-9999

(Signed) H. C. Algate

P.T.O.

*See Instruction 2 (*f*) on other side.

1940

Section **A** for the entry of [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

400

Kept at Empacombe, Mount Edgcumbe,
in the County of Cornwall

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
,, Ground ,, Sea Level 20 ft.

Circ D2 sent 22.3.32
No reply by 20.4.32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	–	·74	–	–	·04	·01	·45	·02	–	–	1
2	·35	·04	–	·29	–	·02	–	–	·27	·01	·17	·35	2
3	·70	–	·83	–	·01	–	·10	–	·09	·03	1·23	·20	3
4	–	–	·03	–	·14	–	·49	·02	·19	·06	·01	·03	4
5	–	·63	·05	·07	–	·34	·01	·01	–	–	·08	·12	5
6	–	–	–	·04	·14	·48	–	–	–	·25	·06	·26	6
7	–	·13	–	–	·34	·36	·61	·14	–	·03	·55	·30	7
8	·01	·59	12° frost	·28	–	·66	·09	·09	–	–	·26	·08	8
9	–	–	13° „	·02	–	·14	–	·02	–	–	·29	–	9
10	·03	·02	11° „	–	·14	·06	–	·05	·04	–	·92	–	10
11	·13	·50	9° „	–	·02	·65	·21	–	·04	–	·32	–	11
12	·04	·04	4° „	–	–	–	·04	–	·05	·33	–	–	12
13	–	·10	·03	–	·08	·01	·62	·17	–	·07	·03	–	13
14	·02	·08	·01	–	·03	·24	·65	·06	·01	–	·49	–	14
15	–	·10	–	–	·08	–	·02	·24	·02	–	–	–	15
16	·03	·11	–	–	·40	·98	·01	·01	·02	–	–	·01	16
17	–	·01	–	·08	–	·05	·19	·03	·01	–	–	–	17
18	·02	–	–	·04	–	·12	·08	1·69	–	–	·35	–	18
19	·04	·15	·21	–	–	·16	·04	·25	–	–	·25	–	19
20	·02	·13	·61	–	–	–	–	·24	–	–	·07	–	20
21	·35	·02	–	·03	·13	–	·04	–	–	–	·07	–	21
22	·69	·01	·02	–	·14	–	–	–	–	–	·08	–	22
23	·13	·01	–	·32	·65	·39	–	·14	–	–	·69	–	23
24	·05	–	–	·82	·01	–	1·08	·20	–	–	·02	–	24
25	·68	·03	–	·10	·02	–	·16	–	–	–	·16	–	25
26	·04	·15	–	·04	–	–	·18	–	–	–	·51	–	26
27	·35	·36	–	·01	1·81	–	·08	–	–	·03	·16	–	27
28	·12	·14	·17	–	·04	–	–	·03	–	·02	·02	·26	28
29	·08	–	·15	–	·04	–	·14	·49	·01	–	·16	·21	29
30	·11	×	·04	–	·02	–	·04	·03	·15	–	–	–	30
31	·84	×	·32	×	·12	×	·12	–	×	–	×	·31	31 42·79
TOTAL	8 4·~~2~~5	3·36	2·47	2·88	4·39	4·66	5·04	3·92	1·35	·85	6·93	2·12	YEAR'S TOTAL ~~42·15~~
*Days with ·01 in. or more.	23	22	12	14	20	15	23	20	13	10	24	11	207
*Days with ·04 in. or more.	16	15	8	11	14	13	20	12	8	4	20	9	150

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. C. Algate

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1940

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Empacombe, Mount Edgcumbe

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 20 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		–	·12	–	–	·04	·08	·06	–	·03	·02	1
2	·03		·08	·20	–	–	–	·09	·12	–	·02	·59	2
3	·06		–	–	–	·85	·01	–	·75	·05	·01	·02	3
4	·02		·08	–	–	·17	–	·06	–	–	·23		4
5	·41		–	–	·01		–		·55	–			5
6	·56		·04	·15	–		·11		·59	·06			6
7	·04		–	·03	·04		–		1·01	·93			7
8	·01		·44	·05	·16		–		·09	·17			8
9	·93		·01	·27	·04		–		–	·01			9
10	·30		–	·19	·16		–		·03	·02			10
11	·02			·09	·14		–	–	·03	·05		·09	11
12	1·01			·01	·87		–	–	·04	·18		·10	12
13	·04	SNOW ·01		·20	·04		·07	·20	–	·72		·27	13
14	·25			·10	·17		–	·21	–	·17		·19	14
15	–			·03	·09		·01		–	·03	·03	·06	15
16	·08			–	–		–		–	–		·01	16
17	·03			–	·21		–		·08	·07			17
18	·05			–	·54		–		·04	–	·13		18
19	·02			·03	·46		–		·10	·49	·01	·02	19
20	–			·09	·83		·02	·16	–	1·24	·44	·08	20
21	–		·03	·23	–		–	·23	·08	·48	·12	·29	21
22	–		–	·03	·10		·03		·69	·44	·41	·09	22
23	–	·03	–	–	·03		·24		·01	·84	·01	·19	23
24	–		–	–	·04		·73		·17	·08	·03	–	24
25	–		·12	·05	·06		·02		·09	·68	·07	–	25
26	–		·17	·32	–		·15		·02	·06	·09	–	26
27	–		·27	·61	·14		·30		–	·32	·02	·29	27
28	–		·20	·05	·13		·13	·01	·01	–	·01	·06	28
29	–		–	·14	·12	·73	·01	·73	·63	·44	·22	·58	29
30	–	×	·08	·18	·07	1·62	·48		·65	·04	2·01	–	30
31	–	×	–	×	·26	×	·07		×	·08	×	·81	31
TOTAL	3·96	·04	1·52	3·17	4·71	3·37	2·42	1·77	6·74	7·65	3·59	3·76	YEAR'S TOTAL 41·70
*Days with ·01 in. or more.	18	2	11	22	23	4	16	9	22	24	18	18	187
*Days with .04 in. or more.	12	–	9	17	21	4	10	8	17	21	9	14	142

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) H. E. Algate.

P.T.O.

149

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1940

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Empacombe, Mount Edgcumbe.
in the County of Cornwall.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 20 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·94	·18			·12					·03	1·73		1
2	·42	·06	·80		·33	·50					·04	·16		2
3	·03	·09	·20		·06	·02								3
4	·20	·06			·07									4
5	·05	·03	·30		·16				·02					5
6	·05	·52	·01		·33		·14			·07	·01			6
7	·01	·07	·01		·06		·07			·09				7
8		·06			·04		·24							8
9		·07			·01		·53	·05		·23	·07			9
10	·07	·07					·05	·07		·70	·12	8° frost		10
11	·06			·07			·25	·10		·09	·08	12° frost		11
12				·19	·07	·31	·51	·03	·23			·01		12
13	·04				·01	·10	·08	·54		·21	·06			13
14	·12						·21	·15		·06	·22			14
15	·28		·34			·02	·17	·05		·04	·47			15
16			·95			·04	·05	·03	·02					16
17	·06		·14			·10		·07	·10					17
18	·21	·04	·15			·04				·06	·02			18
19	·30	snow ·01	·19					·05	·05	·09	·58			19
20		·02			·08	·16		·13	·13		·19			20
21		·06				·04		·07		·25				21
22		·02		·39		·03		·53	·69	·03				22
23		·67		·30		·24			·07	·66				23
24		·17		·29					·15	·13				24
25		·34		·05	·04	·61			·12			·24		25
26		·14		·43	·14					·05				26
27		·13		·09					·01	·28		·64		27
28		·34		·44			·37	·06						28
29	·07			·04			·03	·02	·03	·01		·04		29
30	·11	×	·04	·31			·06		·21			·03		30
31	·28	×	·32	×	·41	×			×	·01	×			31
TOTAL	2·47	3·91	3·63	2·60	1·81	2·33	2·76	1·95	1·83	3·06	1·89	2·85	Year's Total 31·09	
*Days with ·01 in. or more.	18	21	13	11	14	14	14	15	13	18	12	7	170	
*Days with .04 in. or more.	16	17	11	11	12	11	13	12	9	15	9	5	141	

40-9999
*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) H. Algate.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1940

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Empacombe, Mount Edgcumbe,
in the County of Cornwall -

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 20 ft.

400
TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06		·04			·04		·67	·08	·02	·15	1·40		1
2	·12		·10					·02	·78	·07		·27		2
3	·09									·47		·37		3
4	·12		·32		·65			·03	·06	·10	·01	·32		4
5			·11		·22	·13		1·73		·11	·01	·66		5
6	·04		·46	·35	·23	·34		·01	·05	·49	·02	·52		6
7	·07	·01				·03		·12		·25	·06	·71		7
8					·10			·02	·02		·51	·82		8
9	·07		·47					·02			·59	·17		9
10	·21	·03	·31	·16				·07			·05	·02		10
11	·45		·06	·50				·03		·02		·82		11
12	·07			·01			·03	·14				·21		12
13	·36			·36		·01	·04				·13	·30		13
14	·42		·38	·02			·06				·01	·29		14
15	·16		·11	·07	·11				·18	·16	·01	·14		15
16	·21		·33	·01					·38			·46		16
17	·34		·27	·10	·14		·05		·08	·07		·40		17
18	·10		·31	·37		·03			·06			·42		18
19			·18	·05	·02	·03		·05	·11			·14		19
20				·35	·03				·05	·04		·12		20
21			·29		·02	·37	·01	·12	·03	·35		·10		21
22	·17		·05	·01		·02	·24	·42	·53			·39		22
23	·05		·02	·17		·41			·45	·07		·35		23
24		·11	·05	·03		·18	·07	·17	·03	·07		·19		24
25	·36			·25		·08				·29		·86		25
26	·05	snow ·01	·06	·05		·10			·09	·06		·18		26
27						·05		·04	·13	·04	·05	·23		27
28				·01			·01	·58	·31	·02		1·01		28
29								·02	·09			·03		29
30		×					·01	·04	·25	·18	·01	·29		30
31		×		×		×		·18	×	·11	×	·01		31
													Year's Total.	
TOTAL	3·52	·16	3·92	2·87	1·52	1·82	·52	4·48	3·76	2·99	1·61	12·20	39·37	
* Days with .01 in. or more.	20	4	19	18	9	14	9	20	20	20	13	31	197	
* Days with .04 in. or more.	20	1	18	12	6	9	5	13	17	17	7	28	153	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) (Miss) M. C. Algate. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1940.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Empacombe, Mount Edgcumbe.
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 20 ft.

400

JK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03		·71			·17	·04		·37	·04		·25		1
2		·02	·09			·24	·02		·10	·68	·24	·06		2
3			·06		·28	·22	·01		·02	·14	·15	·11		3
4		·08	·03	·11	·02	·10			·24	·11	·26	·30		4
5	·02	·24	·02	·07		·17			·21	1·03	·04	·17		5
6				·37		·93				·02	·09	·17		6
7				·50		·03				·43	·25	·07		7
8			·01	·65		·01			·02	·11	·49			8
9	·06			·39			·02			·74	·60			9
10	·05		·03			·08				·02	·09			10
11	·18	·01	·01	·02		·34			·25	·01	·45			11
12	·07	·18				·26		·12			·40			12
13	·04	·18		·22		·02			·10	·06	·13			13
14		·25		·13	·08	·25			·32	·07	1·75	·45		14
15		·12		·93		·31			·16	·05	·46	·05		15
16		·06	·06	·10		·03			·31	·05	·91	·12		16
17		·02		·07	·50	·27	·02	·05	·03		·01			17
18		·07		·47				·03	·23	·07		·10		18
19		·04		·17	·22	·14	·32		·27	·10	·78	·03		19
20		·26		·43	·47	·05				·03	·12			20
21		·61	·02	·20		·03	·15		·04	·11				21
22		·02	·03	·33					·04	·22				22
23		·14	·09	·13	·08			1·23	·09	·41		·62		23
24	·03	·51	·02	·72	·06			·25	·48			·40		24
25	·20	·14		·05	·16	·09						·04		25
26		·55				·04		·44	·43	·01	·03	1·02		26
27		·11						·08	·16	·01	·15	·43		27
28		·07					·01	·06	·14		·07	·11		28
29		×			·03	·02		·07	·32	·01	·08	·50		29
30	·05	×				·13		1·21	·04	·26	·78	·68		30
31		×		×		×		·06	×	·88	×	·35		31
TOTAL	·73	3·68	1·18	6·06	1·90	3·93	·59	3·60	4·37	5·67	3·33	6·03	Year's Total. 46·07	
* Days with .01 in. or more.	10	21	13	20	10	23	8	11	23	26	23	21	209	
* Days with .04 in. or more.	7	17	5	19	8	17	3	10	20	19	21	20	166	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Y. Algate.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1940

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

T. L

Kept at Empacombe, Mount Edgcumbe

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·11		·14		·38	·33	·04			·09			1
2	·13		·02	·03		·10	·43	·05	·53		·07			2
3	·04		·10	·46		·01	·04		·49		·13	·03		3
4	·03		·23			·01	·06		·33		·13	·08		4
5	·31	·31	·03		·03		·23	·11	·01		·01	·10		5
6	·10		·06			·03	·63	·13	·29		·70			6
7	·44		·16				·01		·03		·34	·07		7
8	·24		·43				·58		·07	·03	·41			8
9	·20	1·09	·21			·03	·41		·24		·11	·02		9
10	·10	1·16					·03				·23	·01		10
11	·61					·17	·11	·04	·06		·74	·17		11
12	·07			snow, hail ·16	·01		1·46		·60		·06			12
13	·04			·02		·02	·01	·03		·07	·15	·76		13
14						·08	·75		·12	·02	·01	·38		14
15					·04		·01		·09		·35	·37		15
16		·10		·02	·09		·25		·04		·13	·23		16
17	·15	·91		·02	·09		·16	·06		·09	·10	·61		17
18	·40	·21	·24				·33	·04				·26		18
19	·61	·03	·19	·17		·03	·11	·12		·02				19
20	·16	·34	·04	·13		·13	·04		·16			·02		20
21	·03	·24	·07	·57			·27			·01				21
22	·26	·09					·41					·08		22
23	·01	·11	·02	·22	·06		·08			·14				23
24	·43	·06	·18	·02	·30		·01		·23	·25		·03		24
25	·25		·37	·22			·64		·02	·35				25
26	·34	·11	·41				·01		·04	·06				26
27	·61	·18	·06				·14		·01	·05				27
28	·78	·03	·73	·04			·26			·06		·27		28
29	·03	·03	·04							·14	·02	·06		29
30	·12	✕	·04			·14	·01			·02		·35		30
31	·11	✕	·83	✕	·12	✕	·27		✕		✕			31
TOTAL	6·93	5·11	4·46	2·22	·74	1·13	7·48	·62	3·36	1·31	3·78	3·90	Year's Total 41·04	
* Days with .01 in. or more.	28	17	21	14	8	12	30	9	18	14	18	19	208	
* Days with .04 in. or more.	24	14	18	9	6	6	23	8	14	9	15	14	160	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) (Miss) H. Algate [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1940.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Empacombe, Mount Edgcumbe

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 20 ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·02	·19	·60					·06	·09	·02	·67		1
2		·80	·10	·30					·10					2
3	·05	·17	·01	·03			·05							3
4	·10	·82		·02	·02							·62		4
5	·39			·22			·59					·06		5
6	·09		·61	·33	·02	·01	·12					·24		6
7		·63	Snow ·25	·02	·01	·11			·04		·10	·05		7
8		·02			·87	·28	·45							8
9	·09	·10	Snow & rain ·30	·17	·04	·03	·03	·01	·83					9
10	·18	·02	·56	·61	·04	·11	·03	·02				·49		10
11	·06		·42	·32	·59	·03	·26					·09		11
12	·67	·63	·10	·04	·16	·35	·05	·52	·17			·43		12
13		·04	·66	·23				·21	·15			·03		13
14		·03	·12					·04	·09			·20		14
15	·33	·22	·36	·75				·08	·07			·25		15
16	·15	·11	·31	·03			·10	·07	·33		·45			16
17	·56	·12	·32						·02		·63			17
18	·13	·13	·40			·20			·30		·23	·21		18
19	·18	·16	·05	·32	·11	·09			·06		·03	·05		19
20	·39	·01	·23	·16	·32				·07			·23		20
21	·24	·76		·03	·38		·09		·27	·22	·05	·69		21
22	·10		·07		·40	·05			·04	·55	·67	·08		22
23	·09	·48			·18		·05			·16	·08	·06		23
24	·34	·52	·07		·02		·03		·06	·58		·09		24
25	·24	·84	·69		·04				·01	·60				25
26	·03	·22	·06							·55				26
27	·13	·26								·07				27
28		Snow. ·49				·02				·55				28
29	·07	×				·04				·14	·41			29
30	·21	✕				·02		·03	·03	·77	·67			30
31	·22	✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	5·19	7·60	5·88	4·18	3·20	1·34	1·85	·98	2·70	4·28	3·34	4·54	45·08	✓ ✓
* Days with .01 in. or more.	25	24	21	17	15	13	12	8	18	11	11	18	193	✓ ✓
* Days with .04 in. or more.	24	19	20	12	11	8	9	5	15	11	9	17	160	✓ ✓

† Spare column, no entries required.

(*Signed*) (Miss) M. Algate [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1940

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Empacombe, Mount Edgcumbe,

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 20 ft.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07				·42		·50	·04	·35	·04	·19		1
2		·08		·01	·01	·02	·03			·12	·01	·11		2
3		·03			·07	·01		·25		·44	·46			3
4		·03			·01	·02	·29	·30		·20	·01	·30		4
5	·05					·02	·09	·45	·08	·38	·06	·01		5
6	·23					·20	1·60		·06	·06	·07	·09		6
7	·09					·01	·18		·04	·04	·04	·24		7
8	·61	·05					·03			·18	·07	·02		8
9	·21	·12				·02				·04		·19		9
10	·38	·02				·01	·06	·11				·31		10
11	·17					·07	·12				·40	·72		11
12	·35				·31	·02	·02			·22	1·22	·09		12
13	·30				·55		·01			·14	·07	·85		13
14	·71				·19		·39				·03			14
15	·28				·05			·08		·57	·66	·35		15
16	·21		·08		·01			·02			·18	·01		16
17		·05	·03		·17				·13	·29	·12	·31		17
18	·35				·27			·13	·22	·04	·23			18
19	·02						·01	·09	1·15		·74			19
20	·04							·08			·25			20
21	·09							·03	·09	·10	·25			21
22	·07					·11		·77		·06	·38			22
23	·01			·12							·05			23
24	·02	·06	·24		·02	·03		·04	·07		·80			24
25	·10	·55	·03		·17		·40	·01	·01	·07	1·91	·02		25
26	·46	·11	·01		·65	·02	·09			·13	·03	·15		26
27	·25	·09			·09	·17	·16	1·16	·16	·06	·40			27
28	·17	·23			·10	·09		·44	·14					28
29	·26	✕			·50				·11	·42	·31	·02		29
30	·11	✕			·03	·02			·06		·19	·01		30
31	·18	✕		✕	·26	✕	·01		✕	·29	✕	·29		31
TOTAL	5·72	1·46	·39	·13	3·46	1·26	3·49	4·46	2·36	4·20	8·98	4·28	Year's Total 40·19	✓
* Days with .01 in. or more.	26	12	5	2	18	17	16	16	14	21	27	20	194	✓
* Days with .04 in. or more.	23	10	2	1	13	6	10	13	13	21	23	14	149	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) (Miss) H. Algate [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1940.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Empacombe, Mount Edgcumbe

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 20 ft.

2/40 letter re rain-gauge

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23		·01	·05				·11			·52	·10		1
2	·22			·32			·05	·25	·27		·02	·11		2
3	·30		·16	·57				·01			·35	·35		3
4			·44	·09	·57		·41	·02		·37	·34	·19		4
5			·04	·19	·30		·47			·36	1·00			5
6	·65		·11	·16	·05		·86	·11		·05	·05			6
7	·03	·47					·05	·17			·18	1·04		7
8	·04	·25			·08		·21	·12		1·85	·10	·07		8
9		·05						·20		·03	·19	·12		9
10	·30	·01				·01		·42	·07	·13	·10	·31		10
11		·04	·14					·03		·34	·05			11
12		·03		·02					·18	·04	·10			12
13				·22		·13	·34		·07	·75	·05	·04		13
14	1·07			·02	·09	·11	·25			·08	·13	·06		14
15	·17			·03	·06	·95	·34				·30			15
16	·07	·03		·23			·46				·10			16
17	·65	·04				·21	·41							17
18	·17		·07				·17				·49	·05		18
19	·45	·02				·02	·04	1·31				·26		19
20	·68					·86	·08	·50						20
21	·04	·17	·08	·01	·02	·65	·26	·03						21
22	·61	·28	·12	·01		·30	·38				·57			22
23	·04		·04	·13			·06	·01		·07	1·50			23
24	1·22	·02	·09	·06		·41	·01			·05				24
25	·18	·12		·34			·16	·71		·05	·54			25
26		·05		·09			·07	·04			·47			26
27		·16				·05	·07				·08			27
28		·11		·06		·04	·10				·28			28
29				·02		·11	·11			·42	·12			29
30		✕	·02	·18						·49	·11			30
31		✕		✕		✕	·01	·35	✕	·88	✕			31
TOTAL	7·12	1·85	1·32	2·80	1·17	3·85	5·37	4·39	·59	5·96	7·74	2·70	Year's Total 44·86	Np
* Days with .01 in. or more.	19	16	12	20	7	13	24	17	4	16	25	12	185	Wt.
* Days with .04 in. or more.	18	11	10	14	6	11	22	12	4	15	24	12	159	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Algate

[P.T.O.

~~DEVONPORT (EMPACOMBE)~~ COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No** 1940

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

up high 1939

Kept at Empacombe, Mount Edgcumbe

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 20 ft.

T.L

662273/26

Settlement of high values 9/7/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07									·17			1
2		·27		·28	·11						·80			2
3	·10	·75					·02			·03	·92	·40		3
4		·06		·07			·12			·25	·31	·09		4
5	·06									·05	·32	·27		5
6	·50	·64								·33	·04	·38		6
7	·13	·02							·08			·05		7
8							·02				·70	·40		8
9							·85		·01	·69	·42	·46		9
10							·09		·02	·13	·14	·64		10
11		·06	·02	·04			·42				1·35	·39		11
12			·27				·18		·70		·11	·48		12
13			·38			·06			·08	·36	·82			13
14		·03	·02	·06					·30	·23				14
15		·11					·08		·25		·47			15
16		1·29	1·24	·21			·12		·05		·12			16
17	·05	·35	·61				·14		·01		·15			17
18	SNOW ·10	·83	·27	·44			·05			·02	·09	·24		18
19		·08	·19	·11			·07		·75	·12	·35			19
20			·01	·04						·17	·06			20
21					·11			·07	·03	·01	·43			21
22	SNOW ·05		·12	·06		·54			·15	·08	·04			22
23		·03	·12							·12	·06			23
24					·01		·41							24
25	·34		·17	·12	·73	·02								25
26	·47	·51		·04	·30									26
27	·33	·06			·31						·05			27
28	·49	·18	·06	·51	·27									28
29	·12		·19	·98		·10				·08		·65		29
30	·03	×		·11	·02					·33		·59		30
31	·05	×		×		×			×	·48	×	·95		31
TOTAL	2·82	5·34	3·67	3·07	1·86	·72	2·57	·07	2·43	3·48	7·92	5·99	Year's Total 39·94	up high
* Days with .01 in. or more.	14	17	14	14	8	4	13	1	12	17	22	14	150	
* Days with .04 in. or more.	13	14	11	14	6	3	11	1	8	14	22	14	131	

1·83

† Spare column, no entries required.

* See Instruction 3 (f) on other side. MISS M. C. ALGATE (*Signed*) M. Algate [P.T.O.

1941

Section **A** for the entry of I

COPY FOR OFFICIAL USE.

AIR MINISTRY

ALL ORGANIZATION.

FORM 1090.

REGIST 31.

1941
CREMYLL
1931 — 40

780311

Kept at Cremyll

in the County of Cornw

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

only to June
e examine, seems
low.

7/3/32

2.32

THE MORNING MEASU **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

[ete sent re low total
18/3/32

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	60	09	12	—	09	—	13	—	15	—	02	1
2	02	01	01	23	—	—	06	—	35	04	—	—	2
3	31	03	—	25	—	—	—	—	22	—	10	18	3
4	08	—	37	01	—	—	10	—	08	05	62	14	4
5	01	02	02	—	12	—	32	01	11	05	08	03	5
6	—	60	03	05	—	16	01	02	02	01 06	03	15	6
7	—	02	—	04	—	36	—	—	—	11 11	06	17	7
8	—	06	—	—	28	21	67	13	—	03	41	25	8
9	—	48	—	14	—	57	09	10	—	01	40	05	9
10	04	21	—	—	—	13	16	03	—	—	15	01	10
11	02	02	—	—	11	09	—	05	06	—	1.20	—	11
12	13	—	—	—	04	53	13	—	07	—	32	—	12
13	05	36	—	—	01	—	05	—	05	28	02	—	13
14	—	07	—	—	08	02	46	12	—	06	14	—	14
15	02	05	—	—	05	20	62	08	—	—	28	—	15
16	—	08	—	—	05	04	01	23	—	—	01	—	16
17	02	05	—	03	33	63	04	03	07	—	—	02	17
18	03	01	—	03	—	04	11	—	—	—	—	—	18
19	01	—	—	02	—	08	10	1.08	—	—	21	—	19
20	05	16	15	01	—	05	05	25	—	—	16	—	20
21	02	14	33	—	—	—	01	27	—	—	06	—	21
22	27	02	—	01	12	—	02	01	—	02	28	—	22
23	45	04	—	11	09	—	—	—	—	—	09	—	23
24	11	—	—	42	47	—	—	05	—	—	56	—	24
25	06	08	—	62	03	21	56	13	—	—	02	—	25
26	09	02	—	08	02	—	14	—	—	—	19	—	26
27	05	11	—	02	—	—	10	—	—	—	40	01	27
28	30	33	—	—	55	—	04	—	—	02	11	04	28
29	13		10	—	05	—	—	04	—	02	03	16	29
30	08	×	11	—	04	—	09	28	04	—	11	18	30
31	14	×	03	×	03	×	04	02	×	—	×	29	3135·21.
													YEAR'S TOTAL
TOTAL	2.50	3.57	1.24	2.19	2.50	3.~~2~~1 4	4.02	3.06	1.07	·8~~4~~ 5	6.13	1.67	~~30 in.~~
*Days with ·01 in. or more.	25	24	~~1~~ 10	17	18	16	24	20	10	13	26	15	~~2~~ 218
*Days with ·04 in. or more.	16	16	6	10	14	~~14~~ 15	20	14	9	7	21	9	~~1~~ 157

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) S. B. Wilcox

Print will
[P.T.O.

Section **A** for the entry of [redacted]

1941

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cremyll

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 25 ft.

Plotted only to June
Please examine, seems [illegible] low.
7/3/32

~~400~~

Circ D2 sent 17.2.32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Lette sent re low total
18/3/32

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	60	09	12	—	09	—	13	—	16	—	02	1
2	02	01	01	23	—	—	06	—	35	04	—	—	2
3	31	03	—	25	—	—	—	—	22	—	10	18	3
4	08	—	37	01	—	—	10	—	08	05	62	14	4
5	01	02	02	—	12	—	32	01	11	05 01	08	03	5
6	—	60	03	05	—	16	01	02	02	06 11	03	15	6
7	—	02	—	04	—	36	—	—	—	11	06	17	7
8	—	06	—	—	28	21	67	13	—	03	41	25	8
9	—	48	—	14	—	57	09	10	—	01	40	05	9
10	04	21	—	—	—	13	16	03	—	—	15	01	10
11	02	02	—	—	11	09	—	05	06	—	1.20	—	11
12	13	—	—	—	04	53	13	—	07	—	32	—	12
13	05	36	—	—	01	—	05	—	05	28	02	—	13
14	—	07	—	—	08	02	46	12	—	06	14	—	14
15	02	05	—	—	05	20	62	08	—	—	28	—	15
16	—	05	—	—	05	04	01	23	—	—	01	—	16
17	02	05	—	03	33	63	04	03	07	—	—	02	17
18	03	01	—	03	—	04	11	—	—	—	—	—	18
19	01	—	—	02	—	08	10	1.08	—	—	21	—	19
20	05	16	15	01	—	05	05	25	—	—	16	—	20
21	02	14	33	—	—	—	01	27	—	—	06	—	21
22	27	02	—	01	12	—	02	01	—	02	28	—	22
23	45	04	—	11	09	—	—	—	—	—	09	—	23
24	11	—	—	42	47	—	—	05	—	—	56	—	24
25	06	08	—	62	03	21	56	13	—	—	02	—	25
26	09	02	—	08	02	—	19	—	—	—	14	—	26
27	05	11	—	02	—	—	10	—	—	—	40	01	27
28	30	33	—	—	58	—	04	—	—	02	11	04	28
29	13		10	—	05	—	—	04	—	02	03	16	29
30	08	×	11	—	04	—	09	28	04	—	11	18	30
31	14	×	03	×	03	×	04	02	×	—	×	29	3135·21
TOTAL	2.50	3.57	1.24	21.9	2.5.0	4 3.~~2~~1	4.02	3.06	1.07	5 .8~~4~~	6.13	1.67	YEAR'S TOTAL ~~30 in~~
*Days with ·01 in. or more.	25	24	~~11~~ 10	17	18	16	24	20	10	13	26	15	~~2[illegible]~~ 218
*Days with ·04 in. or more.	16	16	6	10	14	~~14~~ 15	20	14	9	7	21	9	~~156~~ 157

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. B. Wilcox

Print ill query

[P.T.O.

f 909912/32.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1941

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Cremyll
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1¾ in.
,, Ground ,, Sea Level 25 ft.

Repair to gauge has proved efficient. Total now 3½ ~~[illegible]~~ than Empacombe as is normal. see file 909912/32. No adjustment required for Jan – March as in close agreement with 1940.

~~OK this year~~
~~Jan now O.K~~
~~Nov. now O.K.~~

Blench 28/3/33. Crossland 28/3/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·73 (see 31st Dec)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	29	—	—	13	14	18	1.55	07	—	68	07	1.58	1
2	09	—	—	14	—	—	08	07	06	—	05	02	2
3	04	—	06	20	01	—	—	06	34	—	02	35	3
4	05	—	—	—	—	·74	01	—	60	10	02	03	4
5	04	—	—	—	—	14	04	06	—	—	22	—	5
6	40	—	09	—	—	—	—	—	52	—	—	—	6
7	49	—	~~04~~	16	—	—	11	—	55	06	—	—	7
8	11	—	23	04	02	—	—	—	25	21	—	—	8
9	02	—	—	06	15	—	—	—	03	12	—	—	9
10	46	—	—	22	03	—	—	—	—	02	—	—	10
11	27	—	—	22	14	—	—	—	02	03	—	—	11
12	04	—	—	05	15	—	—	01	—	02	—	04	12
13	1.09	—	—	—	69	—	01	—	06	15	—	07	13
14	08	—	—	15	06	—	08	07	—	63	—	23	14
15	26	—	—	10	17	—	—	17	—	10	—	19	15
16	01	—	—	01	10	—	—	—	—	03	02	08	16
17	05	—	—	03	—	—	—	—	—	—	—	02	17
18	08	—	—	01	22	—	—	—	—	08	—	—	18
19	06	—	—	—	48	—	—	—	09	—	12	—	19
20	04	—	—	08	44	—	—	15	06	40	—	03	20
21	01	—	—	—	68	—	—	15	02	85	16	08	21
22	07	—	05	25	—	—	02	—	05	36	11	27	22
23	01	—	—	03	10	—	—	—	57	27	37	09	23
24	—	03	—	—	—	—	18	—	01	72	03	19	24
25	—		—	—	05	—	65	—	13	03	02	—	25
26	—		09	04	04	—	06	—	09	64	08	—	26
27	—		17	37	01	—	17	—	01	07	08	—	27
28	—		31	30	15	—	24	—	—	27	01	19	28
29	—		19	06	13	—	14	76	01	—	—	05	29
30	—	×	35	19	13	51	—	—	48	37	23	44	30
31	—	×	— +.13	× +.14	05 +.18	× +1.55	29	~~16~~	× +.68	03	× +1.58	73 ✓	31
TOTAL	3.57 ~~[illegible]~~	03	1.71 ~~1.58~~	2.95 ~~[illegible]~~	4.18 ~~4.14~~	2.04 ~~[illegible]~~	2.18 ~~[illegible]~~	1.50 ~~[illegible]~~	5.33 ~~4.65~~	6.33 ~~[illegible]~~	3.12 ~~1.61~~	3.10 ~~[illegible]~~	YEAR'S TOTAL 37·04 ~~37.33~~
*Days with ·01 in. or more.	22 ~~23~~	1	10	22	23	4	15	10	20	24	16	19	18~~7~~6
*Days with .04 in. or more.	18 ~~17~~	—	10	17	19	4	12	9	14	18	10	15	14~~7~~6

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. B. Wilcox

P.T.O.

1941

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1941

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cremyll

in the County of Cornwall

Diameter of Funnel of Gauge 5 in. 1 : 4

Height of top of Gauge above Ground ~~28~~ ft. — in.

„ Ground „ Sea Level ~~10~~ ft. 25

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·90	·17	—	—	·11	—	—	—	—	·03	1·05	1
2	·35	·04	·66	—	·15	·24	—	—	—	—	·07	·09	2
3	·03	·06	·11	—	·04	—	—	—	—	—	—	—	3
4	·16	·06	·01	—	·08	—	—	—	—	—	—	—	4
5	·05	·01	·35	—	·26	—	—	—	—	—	—	—	5
6	·04	·44	·02	—	·12	—	·27	—	—	·07	—	—	6
7	—	·05	—	—	·05	—	·07	—	—	·11	—	—	7
8	—	—	—	—	·06	—	·17	—	—	·03	—	—	8
9	—	·07	—	—	·01	—	·48	·03	—	·24	·08	—	9
10	·06	·07	—	—	—	—	·24	·05	—	·69	·11	—	10
11	—	—	—	·07	—	—	·02	·06	—	·12	·09	—	11
12	—	—	—	·20	·03	·27	·55	·01	·23	·01	—	—	12
13	—	—	—	—	·01	·07	·01	·44	—	·24	·06	—	13
14	·27	—	—	—	—	—	·28	·01	—	·01	·28	—	14
15	·19	—	·35	—	—	·02	·12	·05	—	·05	·35	—	15
16	—	—	·88	—	—	·04	—	·03	—	·05	·01	—	16
17	·03	·04	·15	—	—	·07	·04	·07	·09	—	—	—	17
18	·16	—	·16	—	—	·05	—	·02	·01	·03	·01	—	18
19	·11	—	·22	—	—	·01	—	·03	·05	—	·80	—	19
20	—	·01	—	—	·05	·15	—	·13	·11	—	·01	—	20
21	—	·05	—	—	—	·04	—	·05	—	·17	—	—	21
22	—	—	—	·30	—	·07	—	·46	·57	·02	—	—	22
23	—	·72	—	·33	—	·24	—	—	·09	·70	—	—	23
24	—	·13	—	·25	—	—	—	—	·17	·07	—	—	24
25	—	·29	—	·06	·06	·62	—	—	·12	—	—	·25	25
26	—	·17	—	·33	·11	—	—	—	—	·07	—	·02	26
27	—	·14	—	·08	—	—	·37	—	—	·25	—	·58	27
28	—	·30	—	·33	—	—	·01	·05	—	·33	—	·58	28
29	—		—	—	—	—	·05	—	·03	·02	—	·07	29
30	·13	×	—	·22	—	—	—	—	·22	·01	—	·03	30
31	·30	×	·34	×	·21	×	·01	—	×	·02	×	—	31
TOTAL	2·10	3·55	3·42	2·17	1·24	2·00	2·69	1·49	1·69	3·31	1·90	2·67	YEAR'S TOTAL 28·23
*Days with ·01 in. or more.	14	18	12	10	14	14	15	15	11	22	12	8	165
*Days with .04 in. or more.	12	16	10	10	11	12	11	9	9	14	8	6	128

40-9999

*See Instruction 2 (*f*) on other side.

W

(*Signed*) S. B. Wilcox

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1041

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cremyll

in the County of Cornwall

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01 in.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	·17	·21	·09	·04		1
2	·09	—	·06	—	—	—	—	·45	·06	·01	·11	1·25		2
3	·10	—	·09	—	—	—	—	·01	·73	·08	—	·27		3
4	·09	—	—	—	—	—	—	—	·04	·49	—	·33		4
5	·11	—	·31	·04	·54	—	—	·02	—	·08	—	·31		5
6	—	—	·31	—	·18	·24	—	1·30	—	·10	·01	·51		6
7	·03	—	·17	·29	·23	·03	—	—	·04	·40	—	·52		7
8	·12	—	—	—	·01	·02	—	·12	—	·23	·05	·52		8
9	—	—	—	—	·10	—	—	—	·01	·01	·60	·56		9
10	·06	—	·24	—	—	—	—	·02	—	—	·24	·17		10
11	·26	·03	·28	·16	—	—	—	—	—	—	·05	·12		11
12	·45	—	·04	·35	—	—	·05	·03	—	—	—	·53		12
13	·06	—	—	—	—	·01	·03	·15	—	—	—	·34		13
14	·33	—	·02	·30	—	·01	·02	—	—	—	·06	·31		14
15	·44	—	·29	—	—	—	·07	—	—	—	—	·29		15
16	·12	—	·09	·09	·10	—	·01	—	·06	·07	—	·15		16
17	·20	—	·28	—	—	—	—	—	·35	·01	—	·37		17
18	·30	—	·23	·12	·14	—	—	—	·11	·08	—	·44		18
19	·10	—	·25	·27	·01	—	—	—	·03	·01	—	·58		19
20	—	—	·10	·01	·01	·04	—	·06	·10	—	—	·08		20
21	—	—	—	·33	·04	·01	—	—	·05	·03	—	·10		21
22	—	—	·21	·01	·01	·13	—	·12	·05	·36	—	·05		22
23	·15	—	—	·01	—	·02	·50	·39	·47	—	·02	·36		23
24	·06	—	·02	·4	—	·34	—	·01	·36	·09	—	·25		24
25	—	·13	·05	·28	—	·13	·08	·21	·08	·07	—	·12		25
26	·32	—	—	~~·04~~	—	·07	—	—	·10	·23	—	·60		26
27	·08	—	—	·04	—	·09	—	—	·37	·03	—	·15		27
28	—	—	—	—	—	·14	—	·03	—	·03	—	·22		28
29	—		—	—	—	·02	—	·56	—	·01	—	·78		29
30	—	×	—	—	—	—	—	·01	·04	—	—	·06		30
31	—	×	—	×	—	×	·02	—	×	·44	×	·25		31
TOTAL	3·47	·16	3·04	2·70	1·37	1·30	·78	3·49	3·22	7 3·09	3 1·28	10·63 11·53	Year's Total 35·57	46
*Days with ·01 in. or more.	20	2	18	15	11	15	8	16	19	22	9	31	186	
*Days with ·04 in. or more.	19	1	16	12	7	8	4	9	17	14	7	31	145	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S. B. Wilcox

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 1941

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at CREMYLL

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 26 ft.

wrote for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·36

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01	—	03	—	—	—	14	—	03	09	77	74		1
2	02	—	58	—	—	11	03	—	40	03	03	28		2
3	—	—	10	—	—	25	01	—	10	61	18	08		3
4	—	—	04	04	25	19	01	—	01	08	14	13		4
5	—	04	02	02	—	11	—	—	41	12	18	25		5
6	—	23	01	05	—	24	—	—	20	92	03	10		6
7	—	—	—	37	—	77	—	—	01	04	09	11		7
8	—	—	—	53	—	04	—	—	—	42	24	06		8
9	—	—	—	61	—	—	—	—	—	09	40	—		9
10	04	—	—	36	—	—	03	—	—	64	48	—		10
11	04	—	02	02	—	08	—	—	—	02	09	—		11
12	14	03	—	—	—	33	—	—	15	—	35	—		12
13	06	26	—	20	—	26	—	08	11	—	35	—		13
14	01	07	—	09	—	01	—	—	—	06	11	—		14
15	—	25	—	54	—	29	—	—	37	06	1·61	30		15
16	—	05	01	56	08	31	—	—	15	06	40	25		16
17	—	08	05	11	—	04	01	—	30	03	86	08		17
18	—	01	—	06	43	59	—	—	04	—	—	—		18
19	—	09	—	44	02	—	—	05	22	05	02	08		19
20	—	03	—	17	21	14	30	—	27	08	25	—		20
21	—	27	—	25	40	07	02	—	—	02	14	—		21
22	—	60	01	29	—	03	11	—	04	12	—	—		22
23	—	—	02	26	—	—	—	—	04	21	—	—		23
24	—	15	06	13	07	—	—	1·17	10	22	—	62		24
25	01	50	01	77	06	—	—	25	44	02	—	31		25
26	10	13	—	02	10	08	—	01	—	01	—	04		26
27	—	38	—	—	—	04	—	44	46	—	—	94		27
28	—	11	—	—	—	—	—	08	24	—	12	42		28
29	—		—	—	—	—	—	05	16	—	05	11		29
30	—	×	—	—	02	—	—	09	29	—	08	49		30
31	03	× ·03	—	×	—	× ·14	—	1·05 ·93	× ·09	26 ·77	× ·74	70 ·36		31
TOTAL	~~·44~~ ·45	~~3.24~~ 3.27	~~·96~~ ·93	~~5.79~~ 5.89	1.64	~~3.98~~ 4.12	~~·66~~ ·52	~~3.27~~ 3.30	~~4.54~~ 4.60	~~4.24~~ 4.94	6.9~~X~~4	~~6.77~~	Year's Total. ~~41.56~~	42·31
* Days with .01 in. or more.	9 ~~10~~	~~18~~ 19	~~12~~ 11	22	10	~~20~~ 21	7~~8~~	10~~9~~	23	23	23	21	199	
* Days with .04 in. or more.	5	15	5	19	7	~~17~~ 18	1~~2~~	8	~~22~~ 21	18	20	21	~~164~~	158

40-9999

† Spare column, no entries required.

(Signed) S. B. Wilcox

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1941

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at CREMYLL

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·08		·70		·07	·17	·26						1
2	·34	·11	·01	·10		·40	·34	·02			·09			2
3	·11	·01		·02		·10	·46	·06	50		·10			3
4	·03		·09	·35		·01	·03		48		·10	·03		4
5		·01	·21	·01		·01	·06		28		·14	·10		5
6	·36	·32	·03		·03		·18	·11	02		·64	·08		6
7	·10	·01	·07				·53	·16	26		·68	·01		7
8	·51		·14				·01		02		·40	·07		8
9	·19		·42				·66		03	·02	·35	·06		9
10	·21	·55	·17			·02	·38		20		·10			10
11	·11	·20	·01				·02		01		·25			11
12	·58	·04				·18	·09	·05	54		·55	·16		12
13	·06			·12		·01	1·23		07		·09	·01		13
14	·02	·01		·03	·02		·03	·02	01	·04	·17	·79		14
15						·08	·70		13	·02	·01	·35		15
16					·10	·01	·01		04		·38	·33		16
17		·06		·02	·02		·25		04		·10	·34		17
18	·17	·52			·08		·17	·06	~~17~~	·10	·08	·50		18
19	·34	·23	·26		·01		·34	·03	~~20~~	·01		·19		19
20	·42	·02	·05	·23		·02	·09	·12	~~11~~	·01				20
21	·15	·22		·11		·16	·02	·01	07			·02		21
22	·02	·21	·04	·29		·01	·25		—					22
23	·24	·03	·01	·01			·41		—			·07		23
24	·01	·09	·01	·24	·06		·08		—	·14		·02		24
25	·35	·05	·16	·01	·22		~~0~~		·20			·02		25
26	·12		·35	·21	·01		·03		·11	·61				26
27	·38	·13	·41	·01			·01		—	·05				27
28	·72	·14	·03				·13		03	·02				28
29	·59	·02	·65	·09			·19		—	·09		·23		29
30	·03	✕	·04			·01			—	·11	·01	·05		30
31	·15	✕	·03	✕	·01	✕	·01		✕	·02	✕	·46		31
TOTAL	6·67	3·06	3·19	2·55	·56	1·09	6·88	·90	3·14	1·24	3·64	3·89	Year's Total 36·81	
* Days with .01 in. or more.	27	22	21	17	10	14	29	11	19	13	18	21	222	
* Days with .04 in. or more.	22	15	14	10	4	6	20	7	13	7	16	15	~~129~~	149

† Spare column, no entries required.

(*Signed*) S. B. Wilcox [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1941

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Cremyll

in the County of Cornwall

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 1½ in.

,, Ground ,, Sea Level 25 ft.

Corrected for W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

(Nil)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.46	38	20	—	—	—	02	—	—	04	99	63		1
2	·16	04	11	22	—	—	—	—	06	09	—	58		2
3	·06	76	10	20	—	—	—	—	11	01	—	—		3
4	04	18	—	01	—	—	05	—	—	—	—	—		4
5	08	92	—	03	03	—	—	—	—	—	—	62		5
6	38	—	—	08	—	—	59	—	—	—	—	06		6
7	07	57	37	35	03	01	14	—	—	—	—	16		7
8	~~08~~	58	17	02	01	11	—	—	01	—	07	04		8
9	—	04	—	—	64	41	46	—	—	—	—	—		9
10	08	08	26	25	04	—	04	01	80	—	—	—		10
11	2.0	03	47	48	—	10	—	—	—	—	—	44		11
12	1.0	—	39	25	56	03	31	—	—	—	—	04		12
13	71	65	13	04	19	32	03	53	15	—	—	44		13
14	—	04	—	22	—	—	—	23	15	—	—	04		14
15	—	03	62	—	—	—	—	05	08	—	—	18		15
16	31	29	22	94	—	—	—	02	07	—	—	18		16
17	77	08	22	01	—	—	11	07	31	—	28	—		17
18	12	18	37	—	—	—	—	—	01	—	30	—		18
19	22	18	34	—	—	18	—	—	33	—	15	21		19
20	39	08	06	16	11	05	—	—	06	—	03	04		20
21	29	—	22	02	30	—	—	—	08	—	—	50		21
22	06	77	—	—	28	—	09	—	30	25	04	07		22
23	—	01	—	—	48	03	14	—	01	58	63	08		23
24	3~~7~~4	60	—	—	14	—	01	—	—	54	01	06		24
25	·23	37	08	—	—	—	02	—	04	68	—	09		25
26	08	80	65	—	04	—	—	—	—	—	—	02		26
27	03	2~~5~~0	07	—	—	—	—	—	—	56	—	—		27
28	07	—	—	—	—	—	—	—	—	05	—	—		28
29	03		—	—	—	01	—	—	—	56	—	—		29
30	03		—	—	—	03	—	—	—	12	41	—		30
31	~~—~~ .38	.20	—		—	.02	—	01	.04	— .99	.63	—		31
TOTAL	~~5.30~~ 5.22	~~7.85~~ 7.67	~~4.85~~ 4.85	3.28	2.84	~~1.28~~ 1.30	~~2.01~~ 1.99	.92	~~2.69~~ 2.55	~~3.47~~ 4.44	~~2.41~~ 2.55	~~4.46~~ 3.85	Year's Total 41.79	~~41.79~~ 41.46
* Days with .01 in. or more.	25	24	19	18	13	11	13	7	16	11	10	20	185	185
* Days with .04 in. or more.	21	21	19	11	10	6	9	4	13	10	8	19	151	151

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) S. B. Wilcox [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1941
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Cremyll
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 25 ft.

Circ. C sent 27/1/39.

W.P.

V. W.E.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.22	.27	—	—	·24	—	·01	—	·03	·28	·18		1
2	—	.07	—	—	—	.38	—	·43	·03	·31	·02	·13		2
3	—	02	—	01	—	.02	.11	—	—	·10	·01	·11		3
4	—	—	—	—	05	01	01	·13	—	·46	·50	—		4
5	—	—	—	—	—	02	25	·72	—	·06	·02	·30		5
6	01	—	—	—	—	08	07	·73	·02	·52	·04	·01		6
7	.18	—	—	—	—	21	1.13	·39	·05	·03	·07	·09		7
8	.15	—	—	—	—	01	.19	—	·05	·05	·04	·22		8
9	.60	05	—	—	—	—	.02	—	·02	·20	—	—		9
10	.18	11	—	—	—	02	—	—	—	·03	·04	·24		10
11	.34	—	—	—	—	—	05	·06	—	—	—	·35		11
12	.20	—	—	—	—	—	11	·04	—	—	·43	·33		12
13	.35	—	—	—	.36	08	01	—	—	·20	1·34	·02		13
14	.28	—	—	—	.47	—	—	—	—	·15	·11	·72		14
15	.80	—	—	—	.19	—	.40	—	—	—	·02	—		15
16	.28	—	—	—	.05	—	—	·04	—	·54	·47	·33		16
17	.22	—	05	—	—	—	—	·02	—	—	·19	—		17
18	—	02	04	—	.16	—	—	—	·14	·30	·12	·10		18
19	.34	—	—	—	20	—	01	·11	·20	·01	·22	—		19
20	—	—	—	—	—	—	—	·08	·92	—	·77	—		20
21	—	—	—	—	—	—	—	·11	—	—	·31	—		21
22	.09	—	—	—	—	—	—	—	·08	·05	·22	—		22
23	.06	—	—	—	—	09	—	·77	—	·06	·38	—		23
24	—	—	—	.15	—	—	—	—	—	—	·02	—		24
25	—	04	21	—	.02	01	—	·04	·05	—	·73	—		25
26	.11	.61	03	—	.18	—	.45	—	—	·09	1·76	—		26
27	.48	13	01	—	.60	—	08	—	·01	·09	·03	·15		27
28	.22	09	—	—	.04	27	17	·90	—	·03	·36	—		28
29	.16		—	—	.19	08	—	·62	·19	·01	—	—		29
30	—	.27	—	—	.48	—	01	—	·14	·45	·35	—		30
31	.08		—		.52		06 ·01	—	·03	·28	·18	·02		31
TOTAL	~~·22~~ 5·35 ~~5·13~~	1·41 ~~1·36~~	·34 ~~·61~~	·16	3·35 ~~3·07~~	1·23 ~~1·47~~	3·14 ~~3·15~~	5·19 ~~5·20~~	1·93 ~~1·90~~	4·02 ~~3·87~~	8·75 ~~8·85~~	·28 3·40 3·30	Year's Total ~~38·05~~	38·27
* Days with .01 in. or more.	21 ~~20~~	10	5 ~~6~~	2	15 ~~14~~	13 ~~14~~	18	16 ~~17~~	14 ~~13~~	22	27	16	~~178~~	179
* Days with .04 in. or more.	20 ~~19~~	8	3 ~~4~~	1	13 ~~12~~	6 ~~7~~	12	15	9	17 ~~16~~	21	13	~~137~~	138

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. B. Wilcox

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1941

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Crenyn
in the County of Cornwall
Diameter of Funnel of Gauge ~~[illegible]~~ 5¼ in. 1705
Height of top of Gauge above Ground 1 ft. ~~5¼~~ in.
,, Ground ,, Sea Level 25 ft.

July est.
✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.			
1	.28	—	.10	—	—	—	—	—	—	—	.05	.16			1
2	.19	—	—	.04	.18	—	—	.08	.28	—	.53	.09			2
3	.18	—	—	.25	—	—	—	.05	—	—	.02	.16			3
4	.39	—	.15	.60	—	—	.05	.29	.25	—	.35	.42			4
5	—	—	.48	.09	—	—	—	—	—	—	.34	.17			5
6	—	—	.03	.17	.54	—	.24	.01	—	.25	1.00	.04			6
7	.60	—	.12	.18	.32	—	.42	—	—	.22	.18	—			7
8	.03	.58	—	—	.02	—	.75	.11	—	.34	.19	1.23			8
9	.03	.31	.01	—	—	—	.07	.16	—	1.14	.10	.04			9
10	.08	.05	—	—	.09	—	.23	.18	—	.05	.10	.13			10
11	.25	.01	.02	—	—	02	—	.16	—	.15	.05	.41			11
12	.01	.05	.13	—	—	~~.02~~	—	.32	.07	.41	.10	—			12
13	—	.08	—	.08	—	—	— x	.01	—	.04	.05	—			13
14	—	.01	—	.22	—	12	— x	—	.23	.87	.13	.04			14
15	1.03	—	—	.02	—	.14	x	—	—	.07	.30	—			15
16	.21	—	—	.03	.08	88	x	—	.06	—	.10	—			16
17	.04	—	—	.24	.09	~~.88~~	x	—	—	—	—	—			17
18	.65	—	—	—	—	28	x	—	—	—	.49	—			18
19	.10	.04	.06	—	—	~~.28~~	x (2.00)	—	—	—	—	.17			19
20	.50	.01	—	—	—	—	.04	—	—	—	—	.19			20
21	.73	—	—	—	—	99	.07	.76	—	—	—	.06			21
22	.04	.18	.06	—	—	22	.35	.48	—	—	.57	—			22
23	.57	.40	.09	.01	.01	20 ~~.44~~	.24	.08	—	.05	1.50	—			23
24	.41	—	.02	.13	—	~~.20~~	.03	—	—	.05	—	—			24
25	.88	.01	.14	.06	—	43	—	—	—	.03	.54	—			25
26	.14	.11	—	.36	—	~~.43~~	.20	—	—	—	.47	—			26
27	—	.05	—	.08	—	05	.08	.50	—	—	.08	.03			27
28	—	.23	—	.01	—	03	.06	—	—	—	.28	—			28
29	—		.01	—	—	.12	.12	—	—	.44	.12	—			29
30	—	✕	—	.07	—	.04	.12	—	—	.27	.11	—			30
31	—	✕	.02	✕	—	✕	—	—	✕	—	✕	—			31
TOTAL	7.34	1.21	1.33	2.59	1.33	2.60	(5.07) ~~3.07~~	2.69	.89	4.38	7.74	3.29	Year's Total ~~38.42~~	40.42	
* Days with .01 in. or more.	22	15	14	16	8	18	22 ~~15~~	14	5	15	25	15	~~142~~	199	
* Days with .04 in. or more.	19	11	10	14	6	15	22 ~~16~~	12	5	14	24	14	159	166	

Gauge out of order

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) S. B. Wilcox

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1941

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~34~~40

Kept at [illegible]

in the County of Cornwall

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 25 ft.

Jan, Feb + Sept pt estd from nearby stns

Corrected for wrong day

909912/29 Query sent 8/2/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	03	01	—	03	—	—	—	—	—	50	—		1
2	—	07	—	—	11	—	—	—	—	—	20	—		2
3	—	23	—	30	—	—	02	—	—	—	79	02		3
4	·06	~~08~~ ·60	—	—	—	—	—	—	—	06	94	41		4
5	—	07	—	—	—	—	14	—	—	27	21	08		5
6	~~61~~ ·01	—	—	—	—	—	—	—	—	04	35	27		6
7	49	58	—	—	—	—	—	—	—	34	02	35		7
8	16	—	—	—	—	—	02	—	08	01	—	05		8
9	—	—	—	—	—	—	03	—	~~03~~	40	79	43		9
10	—	—	—	—	—	—	90	—	—	38	60	45		10
11	—	—	—	—	—	—	09	—	02	17	17	39		11
12	—	02	06	09	—	—	42	—	—	—	1·27	01		12
13	—	—	26	—	—	~~02~~	23	—	41	—	16	—		13
14	—	—	40	—	—	~~02~~	15	—	—	21	73	50		14
15	—	10	—	03	—	—	—	—	18	29	04	40		15
16	—	05	—	—	—	—	—	—	·25	—	54	—		16
17	—	1·50	1·38	23	—	—	15	—	—	—	14	95		17
18	—	24	73	02	—	—	23	—	—	—	14	—		18
19	—	80	28	35	—	—	06	—	05	02	04	21		19
20	—	11	12	12	—	—	—	—	26	15	40	—		20
21	—	—	01	03	—	—	—	—	—	18	06	—		21
22	—	—	—	—	17	—	—	—	06	02	52	—		22
23	—	—	19	10	—	·73	02	—	16	—	09	—		23
24	—	—	13	—	04	—	43	—	—	17	08	—		24
25	23	—	—	—	—	—	—	—	—	—	01	—		25
26	53	—	15	09	65	02	—	—	—	—	—	—		26
27	1·08	~~17~~ ·43	—	03	50	—	—	—	—	—	03	—		27
28	35	07	—	—	39	—	—	—	—	—	03	—		28
29	—	10	07	45	36	—	—	—	—	—	—	04		29
30	18	✕	23	99	—	—	—	—	—	09	—	63		30
31	—	✕	—	✕	—	✕	—	—	✕	40	✕	61		31
TOTAL	3·12 ~~3·79~~ 3·03	~~4·16~~ ·01 4·98	~~4·02~~ 4·01	~~2·83~~ 2·86 ·83	~~2·20~~ 2·17	·77	~~2·79~~	00	~~1·64~~ 1·89	~~3·19~~ ~~3·69~~ ·50	~~8·54~~ ~~8·04~~ 8·17	~~5·10~~ 5·30	Year's Total 38·93	39·86
* Days with .01 in. or more.	~~9~~10	16	~~14~~13	~~13~~14	~~8~~7	3	14	00	8	18 ~~17~~	~~20~~25	18	145	
* Days with .04 in. or more	9	14	12	9	7	1	9	00	6	15 ~~14~~	~~21~~ 20	15	117	

2.37

3·12 4·98 4·01 2·86 2·17 ·77 2·89 1·89 3·70 8·17 5·30 39·86

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) S. B. Wilcox

[P.T.O.

1942.

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGIST

93/ .

1942

SHEVIOCK TRETHILL
1931 —— 40

780311

Kept at Trethill, Sh

in the County of Cornu

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·35	–	–	–	·02	·60	·02	–	–	1
2	·40	·02	–	30	·02	·02	·06	–	28	·03	·13	·10	2
3	·10	–	·58	–	–	–	·16	–	·03	–	1·10	·38	3
4	·03	–	·04	–	·06	–	·85	–	20	·07	·02	20	4
5	40R. ~~42~~	·42	·05	·10	–	24	·10	·03	–	–	10	·04	5
6	–	·03	–	–	10	20	·04	–	·05	30	05	35	6
7	–	–	–	–	30	44	38	20	–	08	50	31	7
8	·03	50	–	·28	–	52	15	·03	–	–	20	11	8
9	–	20	–	–	–	·08	·06	02	–	–	12	·01	9
10	·01	·03	–	–	25	10	02	10	46	–	1·00	–	10
11	·17	50	–	–	·05	66	30	–	–	–	32	–	11
12	·02	·07	–	–	·02	–	12	–	·10	35	–	–	12
13	–	14	–	–	10	·02	50	·10	–	10	–	–	13
14	–	05	–	–	10	20	78	·19	·03	–	44	–	14
15	·03	·22	–	·01	·02	–	·02	33	·01	–	–	–	15
16	·01	·07	–	–	20	·76	·02	–	–	–	–	–	16
17	·03	·05	–	·03	–	·06	·16	·12	05	–	–	–	17
18	·01	–	–	·02	–	08	·13	1·22	–	–	·28	–	18
19	·03	·03	·15	–	–	22	03	10	–	–	08	–	19
20	36	25	·50	–	–	–	–	·39	–	–	04	–	20
21	·04	–	–	–	·12	–	–	–	–	–	·08	–	21
22	·66	·03	·02	·03	·18	–	·01	–	–	–	·02	–	22
23	·10	02	30R	·45	·51	–	–	–	–	–	70	–	23
24	·08	–	–	·73	–	·18	1.00	·32	–	–	–	–	24
25	·07	·04	–	·08	–	–	·15	–	–	–	·13	–	25
26	·03	20	–	·02	–	–	13	–	–	–	·52	·02	26
27	·22	30	–	·01	·92	–	·02	–	–	–	23	·01	27
28	·12	·12	·03	–	02	–	–	·03	–	·03	·02	42	28
29	10	–	·15	–	04	–	·10	40	–	·01	13	·01	29
30	10	✕	·01	–	06	–	·01	·05	·15	·01	–	–	30
31	·84	✕	·10	✕	·20	✕	·15	–	✕	–	✕	30	31
TOTAL	3·59	3·29	1·63	2·41	3·27	3·78	5·45	3·65	1·96	100	6·21	2·26	YEAR'S TOTAL 38·50
*Days with ·01 in. or more.	24	21	10	13	19	15	26	17	11	10	22	13	201
*Days with ·04 in. or more.	14	15	7	7	15	13	19	12	8	5	19	9	143

40-9999

(Signed) J. D. A. Roberts.

P.T.O.

*See Instruction 2 (*f*) on other side.

1942

Section **A** for the entry of COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Trethill, Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·35	–	–	–	·02	·60	·02	–	–	1
2	·40	·02	–	30	·02	·02	·06	–	28	·03	·13 }	·10 }	2
3	·10	–	·58	–	–	–	·16	–	·03	–	1·10 }	·38 }	3
4	·03	–	·04	–	·06	–	·85	–	20	·07	·02	20	4
5	for ~~42~~	·42	·05	·10	–	24	·10	·03	–	–	10	·04	5
6	–	·03	–	–	10	20	·04	–	·05	30	05	35	6
7	–	–	–	–	30	44	38	20	–	08	50	31	7
8	·03	50	–	·28	–	52	15	·03	–	–	20	11	8
9	–	20	–	–	–	·08	·06	02	–	–	12	·01	9
10	·01	·03	–	–	25	10	02	10	46	–	1·00	–	10
11	·17	50	–	–	·05	66	30	–	–	–	32	–	11
12	·02	·07	–	–	·02	–	12	–	·10	35	–	–	12
13	–	14	–	–	10	·02	50 }	·10	–	10	–	–	13
14	–	05	–	–	10	20	78 }	·19	·03	–	44	–	14
15	·03	·22	–	·01	·02	–	·02	33	·01	–	–	–	15
16	·01	·07	–	–	20	·76	·02	–	–	–	–	–	16
17	·03	·05	–	·03	–	·06	·16	·12	05	–	–	–	17
18	·01	–	–	·02	–	08	·13	1·22	–	–	·28	–	18
19	·03	·03	·15	–	–	22	03	10	–	–	08	–	19
20	36	25	·50	–	–	–	–	·39	–	–	04	–	20
21	·04	–	–	–	·12	–	–	–	–	–	·08	–	21
22	·66	·03	·02	·03	·18	–	·01	–	–	–	·02	–	22
23	·10	02	# for	·45	·51	–	–	–	–	–	70	–	23
24	·08	–	–	·73	–	·18	1·00	·32	–	–	–	–	24
25	·07	·04	–	·08	–	–	·15	–	–	–	·13	–	25
26	·03	20	–	·02	–	–	13	–	–	–	·52	·02	26
27	·22	30	–	·01	·92	–	·02	–	–	–	23	·01	27
28	·12	·12	·03	–	02	–	–	·03	–	·03	·02	42	28
29	10	–	·15	–	04	–	·10	40	–	·01	13	·01	29
30	10	×	·01	–	06	–	·01	·05	·15	·01	–	–	30
31	·84	×	·10	×	·20	×	·15	–	×	–	×	30	31
TOTAL	3·59	3·29	1·63	2·41	3·27	3·78	5·45	3·65	1·96	100	6·21	2·26	YEAR'S TOTAL 38·50
*Days with ·01 in. or more.	24	21	10	13	19	15	26	17	11	10	22	13	201
*Days with ·04 in. or more.	14	15	7	7	15	13	19	12	8	5	19	9	143

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. D. A. Roberts.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Trethill, Sheviock
in the County of Cornwall

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	-	-	13	-	-	·35	·05	·06	-	·10	-	1
2	·08	-	-	23	-	-	·04	·07	20	-	·04	·45	2
3	·02	-	·03	-	-	·80	·02	-	65	·02	·02	·03	3
4	·02	-	-	-	-	·10	·04	·08	-	-	·16	-	4
5	·48	-	·09	-	-	-	·02	-	·44	-	-	-	5
6	·47	-	-	·18	-	-	·15	-	·20	·02	-	-	6
7	·07	-	-	·08	·02	-	-	-	60	·90	-	-	7
8	·02	-	·43	·03	·18	-	-	-	·06	·13	-	-	8
9	·80	-	-	·35	·03	-	-	-	-	·03	-	-	9
10	·60	-	-	·25	·13	-	-	-	·04	·01	-	-	10
11	·02	-	-	·10	·12	-	·02	-	·03	·02	-	·08	11
12	·86	-	-	-	·75	-	-	-	·05	25	-	·10	12
13	·10	-	-	·20	12	-	·01	·30	-	75	-	·15	13
14	25	-	-	·14	20	-	·02	·10	-	·08	-	·15	14
15	·01	-	-	·02	05	-	-	-	-	·02	-	·05	15
16	·10	-	-	·04	-	-	-	-	-	·03	-	·03	16
17	·02	-	-	-	08	-	-	-	-	·02	-	-	17
18	·04	-	-	-	·45	-	-	-	13	-	10	-	18
19	-	-	-	-	50	-	-	-	10	·50	-	-	19
20	-	-	-	·08	72	-	·02	·10	·07	·80	23	·03	20
21	·06	-	·02	·16	-	-	-	·06	·03	·50	-	30	21
22	-	-	-	·02	·07	-	·01	-	·56	·36	50	07	22
23	-	-	-	-	-	-	22	-	-	·72	·05	-	23
24	-	·02	-	-	-	-	85	-	10	·16	-	-	24
25	-	-	·06	·02	·03	-	·02	-	·04	·74	10	fog ·02	25
26	-	-	·12	·40	-	-	·20	-	·03	·06	10	-	26
27	-	-	·28	·33	·15	-	33	-	-	50	·07	16	27
28	-	-	·20	·02	·10	02	19	-	-	-	-	08	28
29	-	-	·30	·15	·06	52	·01	·70	·40	·45	03	35	29
30	-	×	·40	·10	·03	1·10	·40	-	·52	·15	1·40	·01	30
31	-	×	·03	×	·17	×	·12	-	×	-	×	·44	31
TOTAL	4·08	·02	1·96	3·03	3·96	2·54	3·04	1·46	4·31	7·22	2·90	2·50	YEAR'S TOTAL 37·02
*Days with ·01 in. or more.	19	1	11	21	20	5	20	8	20	23	13	17	178
*Days with .04 in. or more.	13	~~1~~	8	16	16	4	11	8	17	15	11	12	131

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) J. D. A. Roberts.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at [illegible]thill, Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·90	·12	-	·07	·10	-	-	-	-	·16	1·12	1
2	30	06	55	-	20	40	-	-	-	-	03	·13	2
3	·05	08	·10	-	03	-	-	-	-	-	-	-	3
4	25	·08	01	-	·10	-	-	-	-	-	-	-	4
5	02	·20	35		22	-	-	-	-	-	-	-	5
6	03	·42	02		21		01	-	-	·12	-	-	6
7	-	·08	01		03	-	09	-	-	-	-	-	7
8	-	·06	-	-	04	-	31		-	02	-	-	8
9	-	05	-	-	03	-	40	-	-	24	·05	-	9
10	-	05	-	-	-	-	41	03	-	·72	08	-	10
11	05	-	-	03	-	-	03	65	-	12	-	-	11
12	-	-	-	40	03	35	45	01	·20	-	-	-	12
13	03	-	-	-	·01	·10	07	47	-	·10	40	-	13
14	12	-	-	-	-	-	·50	15	-	-	23	-	14
15	35	-	35	-	-	03	10	·14	-	05	44	-	15
16	-	-	75	-	-	02	-	03	03	05	-	-	16
17	07	-	20	-	-	07	04	07	08	-	-	-	17
18	17	-	15	-	-	02	-	-	-	03	03	-	18
19	20	-	25	-	-	-	-	03	02	20	35	-	19
20	-	10	-	-	·06	28	-	10	20	-	-		20
21	-	-	-	-	-	24	-	17	-	16	-	-	21
22	-	-	-	35	-	01	-	55	60	01	-	-	22
23	-	50	-	26	-	25	-	~~08~~	08	03	-	-	23
24	-	22	-	26	-	-	-	-	12	55	-	-	24
25	-	40	-	05	05	·55	-	-	06	-		·15	25
26	-	16	-	42	15	·01	-	-	-	·03	-	-	26
27	-	10	-	12	-	·04	-	-	-	·45	-	65	27
28		20	-	36	-	-	·45	·05	-	35	-	05	28
29	06	×	-	12	-	-	02	·01	-	-	-	02	29
30	·08	×	17	22	-	-	03	-	34	03	-	03	30
31	24	×	30	×	15	×	-	-	×	05	×	-	31
TOTAL	2·17	3·48	3·33	2·57	1·38	2·43	2·91	2·46	1·65	3·31	1·47	2·15	YEAR'S TOTAL 29·~~38~~ 31
*Days with ·01 in. or more.	16	17	14	11	15	14	14	14	10	18	9	7	159
*Days with .04 in. or more.	13	16	11	10	10	10	10	9	7	12	7	5	120

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) J. D. A. Roberts.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Trethill, Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 200 ft.

bap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	–			–	08	~~37~~	·37	·08	03	·20	1·30		1
2	·12	–	·10	–	–	–	for ~~01~~	01	·72	07	·02	·24		2
3	·03	–	–	–	–	–	–	–	–	·35	–	30		3
4	·15	–	·20	–	28		–	08	·03	10	–	31		4
5	–	–	34	05	·12	–	–	1·42	–	16	–	60		5
6	·03	–	26	–	28	35	–	–	·02	34	·03	·42		6
7	·07	–	–	25	02	–	–	07	–	·27		·58		7
8	–	–	–	–	·07		–	03	–	–	·55	22		8
9	·03	–	25	–	–		–	02	–	–	·45	10		9
10	·15	·04	35	·15	–		–	·03	–	–	·05	25		10
11	·47	·01	·03	·47			–	–		–	–	45		11
12	·05	–	–	–			05	·22		–	·03	20		12
13	·23	–	–	30			–	–		–	·25	43		13
14	·55	–	30	01			05	–		·03	–	50		14
15	·22	–	10	05	08		–	–	·13	·18	·03	·15		15
16	·20	–	35	–	–		–	–	·47	·06	–	38		16
17	·40	–	21	05	12		03	–	03	·02	–	40		17
18	·06	–	19	21	–		–	–	03	–	–	·60		18
19	·03	–	15	20	·01	·03	–	–	·10	–	–	10		19
20	–	–		·33	·03	·02	–	·01	·03	03	–	16		20
21	–	–	24	~~[illegible]~~ for	·01	·41	01	·09	–	·25	·05	10		21
22	·14	–	·33	–	–	02	·81	·22	·51	–	–	27		22
23	·06	–	·03	·10	–	35	–	·03	40	·02	–	25		23
24	–	·09	07	15	–	13	·03	·10	03	·10	–	11		24
25	45	–	·08	25	–	03	–	–	–	15	–	60		25
26	·10	–	–	07	–	20	–	–	·10	03	–	14		26
27	–	–	–	–	–	03	–	–	·05	05	–	38		27
28	–	–	–	·01	–	·02	–	·48	25	–	·03	60		28
29	–		–	–	–	–	–	·02	·10	·01	for ~~01~~	·03		29
30	–	×	–	–	–	–	–	·03	·23	30	·01	·30		30
31	–	×	–	×	–	×	01	·20	×	·12	×	·02		31
TOTAL	3·62	·14	3·28	2·75	1·02	1·67	·98	3·43	3·31	2·67	1·70	10·79	Year's Total. 35·36	
* Days with .01 in. or more.	21	3	18	16	10	12	7	18	18	21	12	31	187	
* Days with .04 in. or more.	17	2	15	14	6	6	3	8	12	14	6	29	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. D. A. Roberts

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Trethill Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·02	·55	–	–	·10	·01	–	·20	·10	·02	·40		1
2	–	·03	·10	–	–	·27	·06	–	·03	·28	·15	·13		2
3	–	·02	·10	–	–	·10	·01	–	–	·07	·13	·18		3
4	–	·08	·03	·08	·20	·06	–	–	·25	·18	·10	·27		4
5	·02	·25	–	·07	–	·28	–	–	·15	1·01	·05	·20		5
6	–	–	–	·35	–	·78	–	–	–	–	·15	·30		6
7	–	–	–	·52	–	·10	–	–	–	·45	–	·03		7
8	–	–	–	·50	–	–	–	–	–	20	·30	–		8
9	·02	–	–	·40	–	–	·08	–	–	·72	·55	–		9
10	·03	–	–	·06	–	04	–	–	–	·03	03	–		10
11	·32	·03	–	–	–	·30	–	–	20	–	57	–		11
12	10	25	–	–	–	25	–	·06	·05	–	15	–		12
13	03	05	–	·20	–	–	–	–	·02	·03	15	–		13
14	–	·03	–	·04	–	30	–	–	·50	03	1·25	·35		14
15	–	·25	–	·60	·03	·15	–	–	10	·07	40	·06		15
16	–	07	·02	40	–	–	–	–	·18	05	75	·14		16
17	–	–	–	·06	70	62	02	04	20	–	02	–		17
18	–	·02	–	45	·03	–	–	–	03	02	·03	·10		18
19	–	·03	–	15	20	13	·18	–	25	10	·40	–		19
20	–	25	–	40	25	·04	·02	–	–	05	·10	–		20
21	–	67	–	·06	–	·04	12	–	02	–	–	–		21
22	–	03	·08	·27	–	–	–	–	07	·22	–	–		22
23	–	·06	05	23	–	–		1·02	·10	·40	–	·36		23
24	·02	37	·02	·35	·14	–	–	·16	·35	–	–	–		24
25	·33	·03	–	03	·10	03	–	–	–	·01	–	·10		25
26	–	·44	–	–	–	·08	–	32	30	·02	–	·68		26
27	–	·06	–	–	–	–	–	06	·10	03	·18	·42		27
28	–	10	–	–	–	–	–	·04	·22	–	·05	·10		28
29	–	–	–	–	·02	·02	–	14	·22	–	·10	45		29
30	·02	✕	–	–	–	01	–	1·12	·12	·22	1·05	55		30
31		✕		✕		✕	–	·04	✕	·78	✕	·65		31
TOTAL	·92	3·14	·95	5·22	1·67	3·70	·50	3·00	3·66	5·07	6·63	5·47	Year's Total 39·93	
* Days with .01 in. or more.	10	22	8	20	9	20	8	10	22	23	23	19	194	
* Days with .04 in. or more.	3	13	5	19	6	17	4	10	18	16	19	18	148	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. D. A. Roberts

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Trethill

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground 1-,,6 Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	10	-	·12	-	·45	·42	·03	-	-	·13	-		1
2	07	02	-	03	-	35	45	05	-	-	-	-		2
3	06	-	·12	50	-	-	·10	-	·91	-	20	09		3
4	·02	03	18	-	-	01	04	-	35	-	10	03		4
5	30	21	05	-	-	-	15	12	01	-	03	10		5
6	10	-	05	-	-	05	47	10	·13	-	70	02		6
7	33	-	07	-	-	-	02	-	01	-	38	08		7
8	17	-	28	-	-	-	75	-	03	-	10	03		8
9	21	83	10	-	-	02	45	-	22	-	33	-		9
10	15	57	-	-	-	-	02	-	-	-	20	-		10
11	60	02	-	-	-	22	05	-	-	-	70	15		11
12	08	-	-	08	03	01	90	01	28	-	08	02		12
13	06	-	-	02	-	-	01	02	-	-	20	70 }		13
14	-	-	-	·01	-	04	60	-	07	10	02	30 }		14
15	-	03		01	·10	-	05	-	-	04	40	24		15
16	-	07		30	03	-	15	-	-	-	12	26		16
17	16	90	-	01	10	-	12	05	01	-	10	45		17
18	25	15	·02	-	-	-	40	-	-	15	-	20		18
19	55	-	30	22	-	-	08	14	-	01	-	-		19
20	07	40	04	03	-	12	01	-	12	-	-	02		20
21	03	20	06	10			18	-	-	02	-	-	-	21
22	23	08	-	-	-	-	28	-	-		-	08		22
23		16			·03 }		04			15	-	-		23
24	24	02	21	04	22 }		03	-	10	25	-	-		24
25	20	-	45	22	-	-	02	-	-	33	-	-		25
26	24	-	35	-	-	-	-	-	-	07	-	-		26
27	56	15	02	-	-	-	18		02	03	-	-		27
28	1·15	07	50	01	-	-	35	-	-	·02	-	·20		28
29	·03	02	·05	-	-	-	-	-	-	15	03	02		29
30	17	×	05	-	01	90	-	-		-		-		30
31	13	×	60	×		×	30	-	×	-	×	40		31
TOTAL	6·71	4·03	3·50	1·80	·52	2·17	6·62	·52	2·26	1·31	3·82	3·39	Year's Total 36·65	
* Days with .01 in. or more.	27	19	19	15	7	10	28	8	13	·12	17	20	195	
* Days with .04 in. or more.	24	13	17	8	3	6	22	5	8	8	14	14	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. D. A. Roberts

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938 47

Kept at Trethill Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·40	·03	·32	30	–	–	·01	–	·04	·15	–	·55		1
2	10	70	–	21	–	–	–	–	06	–	–	·03		2
3	03	15	–	·03	–	–	·02	–	01	–	–	–		3
4	11	67	–	–	·01	–	–	–	–	–	–	75		4
5	40	15	–	12	–	–	75	–	–	–	–	03		5
6	07	{65	·50	28	·02	·01	12	–	–	–	–	10		6
7	–	{47	·13	·04	–	·10	–	–	–	–	08	05		7
8	–	·03	–	–	70	21	47	–	–	–	–	–		8
9	·04	07	20	10	07	·02	–	·01	75	–	–	–		9
10	15	07	35	66	–	·13	–	·02	–	–	–	55		10
11	05	–	20	20	74	01	20	–	–	–	–	23		11
12	60	53	10	05	30	25	05	37	25	–	–	37		12
13	–	·05	70	23	–	–	–	20	18	–	–	07		13
14	–	·04	15	–	–	–	–	·05	08	–	–	20		14
15	25	24	20	70	–	–	–	·03	12	–	–	25		15
16	20	10	·10	·02	–	–	05	·05	24	–	50}	–		16
17	48	13	50	–	–	–	–	–	22	–	25}	–		17
18	15	30	18	–	–	20	–	–	38	–	20	30		18
19	25	·04	12	30	05	03	–	–	06	–	03	02		19
20	32	·02	25	14	23	–	–	–	–	–	–	34		20
21	15	75	·02	·02	25	–	·05	–	·15	–	15	·06		21
22	05	–	·05	–	38	–	–	–	·06	·60	35	07		22
23	10	40	–	–	22	–	10	–	–	·15	01	05		23
24	23	55	·10	–	–	–	·03	–	·03	·65	–	08		24
25	–	57	55	–	02	–	–	–	–	·15	–	02		25
26	07	20	·02	–	–	–	–	–	–	–	–	–		26
27	–	40	–	–	–	01	–	–	–	30	–	–		27
28	02	·20	–	–	–	–	–	–	–	05	–	–		28
29	06	×	–	–	–	–	–	–	–	55	·40}	–		29
30	52	×	–	–	–	–	–	–	03	–	·60}	–		30
31	28	×	–	×	–	×	~~85~~	–	×	48	×	–		31
TOTAL	5·08	7·51	4·74	3·40	2·99	·97	1·85	·73	2·66	3·08	2·60	4·12	Year's Total 39·73	✓
* Days with .01 in. or more.	25	26	20	16	12	10	11	7	16	22	10	20	195	✓
* Days with .04 in. or more.	23	23	18	14	9	6	8	4	13	22	8	16	164	164 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Da Roberts [P.T.O.

Where bracketed the fall has been practically continuous over the time of taking

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Trethill, Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·10				·45	03	55	·03	55	03	10		1
2	-	·02					01			·07	-	11		2
3	-				·08	02	-	1·30		·38	·25	-		3
4	-						·40	1·10		30	·02	20		4
5	·02					·01	·10	-	·02	-	·06	·01		5
6	·20					·10	1·30	-	·10	20	·07	10		6
7	·25						12	-	·01	·06	03	27		7
8	·31	·08					03	-	-	·02	-	·03		8
9	·25	·12				02	-	-	-	·04	·08	25		9
10	40	-	-	-	-	02	05	·03	-	-	-	20		10
11	·10	-	-	-					·10	·13	·28			11
12	-					·07		80		03	30			12
13	·24	-	-	-	·30	-	-	-	-	·13	·07	·35		13
14	·26				·15		43			02	·05	·03		14
15	38			·~~08~~	·08			04		50	34	30		15
16	15		·03		·03			02		-	10	03		16
17					·27				·17	-	·06	·22		17
18	38				·02	01	-	10	·20	·25	·20			18
19	·02						-	03	70	02	·70	-		19
20	03	-	-	-	-	-		10	03	-	20	-		20
21	·10							-	·10	13	23	-		21
22	05			+		·07		80	-	03	30	-		22
23	-			·04		01		01			10			23
24	03	03	·24		·05	·02		01	04	-	70			24
25	10	47	·03		·11	-	25			07	1·53	-		25
26	48	06			·80		02			·16	02	·14		26
27	30	08			·05	10	15	50 }	-	-	·38	01		27
28	30	26			·07	05	-	83 }	·13	-	·02			28
29	35	×	·03		30				15	36	·33			29
30	15	✕	·01	-	-	02	05		02	-	20	·05		30
31	25	✕	-	✕	·23	✕			✕	32	✕	28		31
TOTAL	5·75	1·12	·34	·04	2·64	·93	3·04	5·44	1·70	3·81	7·07	3·25	Year's Total 35·13	
* Days with .01 in. or more.	25	9	5	1	15	14	14	16	13	20	27	20	179	
* Days with .04 in. or more.	21	7	1	1	13	5~~4~~	10	10	8	16	22	15	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Trethill, parish Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	–	–	·02	·02	–	02	·14	–	–	·70	·12		1
2	·13	–		20	11		01	18	30	–	02	10		2
3	·37	–		33	–	–	01	–	–	–	48	30		3
4	–	–	53	25	43	–	40	01	–	25	35	17		4
5	–	–	04	05	17	–	25	–	–	20	70	07		5
6	47	–	10	05	03	–	60	12	–	03	05	–		6
7	03	·45	–	–	–	07	03	06	–	–	08	95		7
8	06	23	–	–	09	–	20	07	–	1·10 }	42	05		8
9	–	·02	–	–	–		–	35	–	15 }	15	10		9
10	–		01	–	–	–	–	15	–	12	09	30		10
11	03	·06	16	–	–	03	–	–	–	06	03	–		11
12	–	03	–	03	–	–	–	–	·30	03	10	–		12
13	–	–	–	17	–	10	41	–	·03	70	10	–		13
14	·63	–	–	·01	06	10	50	–	–	07	15	08		14
15	·20	02	–	04	–	75	15	–	–	–	33	–		15
16	05	03	01	–	–	–	25	–	–	–	10	–		16
17	38	05	–	–	–	12	42	–	–	–	02	–		17
18	12	03	02	–	–	03	07	–	–	–	50	–		18
19	40	–	–	–	–	–	09	1·03	–	–	–	20		19
20	45	–	–	–	–	20	06	·42	–	–		12		20
21	20	·10	08	20	02	50	43	–	–	–		–		21
22	65	25	12	02	–	45	29	–	–	–	·60 }	–		22
23	05	–	–	15	–	–	03	–	–	10	1·20 }	–		23
24	1·00	02	03	03	–	40	01	06	–	13	–	–		24
25	·11	08	10	13	–	–	03	58	–	07	50	–		25
26	–	05	–	07	–	–	04	–	–	02	55	02		26
27	–	20	02	–	–	06	08	–	–	–	10	02		27
28	–	07	–	03	–	02	10	–	–	–	08	–		28
29	–	✕	–	02	–	19	08	–	–	30	·17	–		29
30	–	✕	–	10	–	02	–	–	–	35	10	–		30
31	–	✕	–	✕	–	✕	06	·27	✕	60	✕	–		31
TOTAL	5·48	1·73	1·22	1·90	·93	3·04	4·62	3·34	·63	4·28	7·60	2·70	Year's Total 37·47	✓
* Days with .01 in. or more.	12	17	12	19	8	15	26	13	3	17	26	14	182	✓
* Days with .04 in. or more.	10	11	7	12	5	11	19	12	2	14	22	12	127	✓

† Spare column, no entries required.

(*Signed*) J. D. A. Roberts

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Trethill, Sheviock

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 200 ft.

Jan 18th & 28th estd from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	08	-	-	·15	-	-	-	-	-	-	-		1
2	-	17	-	15	-	-	·05	-	-	-	23	03		2
3	·05	70	-	-	-	-	-	-	-	-	40	22		3
4	-	-	-	·05	-	-	12	-	-	·20	80	05		4
5	-	·01	-	-	-	-	-	-	-	03	07	20		5
6	·50	·48	-	-	-	-	03	-	-	22	30	35		6
7	·18	·02	-	-	-	-	03	-	·03	-	02	03		7
8	-	-	-	-	-	-	-	-	·03	25	-	32		8
9	-	-	-	-	-	-	·72	·02	02	17	55	43		9
10	-	-	-	-	-	-	·03	01	02	15	45	40		10
11	-	03	·03	-	-	-	32	-	-	‡ -	1·15	·02		11
12	-	-	·20	-	-	·02	33	-	70	-	·23	-		12
13	-	-	38	-	-	-	-	-	-	·17	1·14	25		13
14	-	·05	-	·08	-	-	-	·02	28	10	03	27		14
15	-	05	-	-	-	-	-	-	27	-	40	03		15
16	·06	·90	1·20	15	-	-	12	-	03	01	23	05		16
17		·50	60	-	-	-	13	-	-	-	12	-		17
18	~~08~~ (·48)	·60	30	30	-	-	10	-	-	-	20	20		18
19	-	·20	15	·12	-	-	08	01	60	20	22	-		19
20	-	-	~~01~~	05	-		·10	-	-	10	06	-		20
21	-	-	-		·11	-	-	03	-	-	25	-		21
22	-	-	·10	15	-	·55	-	-	·02	05	05	-		22
23	-	05	·15	03	-	-	-	-	-	21	·07	-		23
24	-	-	·03	-	-	-	38	-	-	-	03	-		24
25	·10	-	·27	·04 ~~27~~	60	-	-	-	-	-	-	-		25
26	·45	·35	-	·10	10	·05	-	-	-	-	02	-		26
27	20	·03	-	-	25	-	-	-	-	-	-	-		27
28	~~38~~ (·68)	·12	·03	-	30	-	-	-	-	-	03	-		28
29	06	-	15	1·03	01	05	-	-	-	04	·82	50		29
30	05	✕	02	05	04	-	-	-	-	36	-	63		30
31	04	✕	-	✕	-	✕	-	-	✕	30	✕	1·10		31
TOTAL	~~2·15~~ 2·85	4·14	3·62	2·68	1·56	·67	2·54	·09	2·00	2·56	7·52	5·08	Year's Total ~~34·61~~	35·31
* Days with .01 in. or more.	12	16	15	14	8	4	14	5	10	16	26	18	158	
* Days with .04 in. or more.	12	12	10	13	7	3	11	-	4	15	20	14	121	

† Spare column, no entries required.

(Signed) ....

[P.T.O.

* See Instruction 3 (f) on other side.

FORM 1090. **B** M
Su

n.

1943

—

1943

TORPOINT, WILCOVE
1931 — 38

78031l

*** **The following register of mont**
&c., is NOT required if daily
values are given on the other s

ection and also the space for

this register should be sent:—

RAINFALL IN 1931

At Torpoint (Wilcove

In the County of Cornwal

in Summer

Distance gauge Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Rain Gauge
Diameter of Funnel in.
Height of Top above Ground *ft* *in*.
Height of Ground above Sea Level 40 *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	3.92				
FEB.	3.75	-	-	-	-
MAR.	1.90				
APRIL	2.53	-	-	-	-
MAY	4.86	1.93	27	-	-
JUNE	3.98	-	-	-	-
JULY	5.03	-	-	-	-
AUG.	4.07	-	-	-	-
SEPT.	1.63	-	-	-	-
OCT.	1.20	-	-	-	-
NOV.	7.40	-	-	-	-
DEC.	2.40	-	-	-	-
Total	42·67			-	-

Signature G. P. Jenkin

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110,

FORM 1090. **B** M
Summary. **C** Particulars of Station.

1943

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Torpoint (Wilcove)

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft* .... *in.*
Height of Ground above Sea Level 40 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	3.92				
FEB.	3.75	–	–	–	–
MAR.	1.90				
APRIL	2.53	–	–	–	–
MAY	4·86	1.93	27	–	–
JUNE	3.98	–	–	–	–
JULY	5.03	–	–	–	–
AUG.	4·07	–	–	–	–
SEPT.	1.63	–	–	–	–
OCT.	1·20	–	–	–	–
NOV.	7·40	–	–	–	–
DEC.	2.40	–	–	–	–
Total	42·67			–	–

Signature G. P. Jenkin

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from C.R.A.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

1943

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932.

At Torpoint (Wilcove)

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... ft .... in.
Height of Ground above Sea Level .... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4·88	-	-	-	-
FEB.	·04	·02	23. 24	2	0
MAR.	2·55	-	-	-	-
APRIL	3·33	-	-	-	-
MAY	4·74	-	-	-	-
JUNE	3·35	-	-	-	-
JULY	2·87	-	-	-	-
AUG.	1·67	-	-	-	-
SEPT.	5·31	-	-	-	-
OCT.	7·75	-	-	-	-
NOV.	3·12	-	-	-	-
DEC.	3·38	-	-	-	-
Total	42·99				

Signature G. P. Jenkin.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— ....

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:— ....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

per Cornish Rainfall Assn

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

1943

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Torpoint (Wilcove)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground* .... *ft* .... *in.*
- *Height of Ground above Sea Level* 40 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·50				
FEB.	4·10				
MAR.	4·00				
APRIL	3·04				
MAY	1·77				
JUNE	2·03				
JULY	3·25				
AUG.	2·59				
SEPT.	1·94				
OCT.	3·53				
NOV.	1·70				
DEC.	3·14				
Total	33·59				

Signature J. P. Jenkin Esq.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from records of Cornwall Rainfall Assocⁿ.
A. Pearse Jenkin Hon. Sec.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1943.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1934

At Torpoint (Wilcove)
In the County of Cornwall

Rain Gauge
- Diameter of Funnel – in.
- *Height of Top above Ground* – *ft.* – *in.*
- *Height of Ground above Sea Level* 40 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·93				
FEB.	·19				
MAR.	3·85				
APRIL	2·93				
MAY	1·40				
JUNE	1·85				
JULY	·30				
AUG.	4·61				
SEPT.	3·64				
OCT.	3·38				
NOV.	1·34				
DEC.	14·44	1·80	1st		
Total	41·89				

Signature G. P. Jenkin, Esq.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Cornwall Rainfall Assoc. Return.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is* "*trace*". *The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1943

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Torpoint (Wilcove)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel.................in.
- *Height of Top above Ground.........ft...........in.*
- *Height of Ground above Sea Level* 40 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·90				
FEB.	3·73				
MAR.	1·24				
APRIL	6·17				
MAY	1·92				
JUNE	4·24				
JULY	·39				
AUG.	3·02				
SEPT.	4·74				
OCT.	6·08				
NOV.	8·21				
DEC.	5·89				
TOTAL	46·52				

Signature pp. G.P. Jenkin

Copied in M.O.7. per C.R.A

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

Form 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Torpoint (Wilcove)

In the County of Cornwall

Rain Gauge { Diameter of Funnel........................in.

Height of Top above Ground.........ft.............in.

Height of Ground above Sea Level...................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	6·53				
Feb.	4·67				
Mar.	4·25				
April	1·97				
May	·72				
June	1·65				
July	6·55				
Aug.	·65				
Sept.	3·17				
Oct.	1·48				
Nov.	3·59				
Dec.	4·17				
Total	39·40				

* per G. P. Jenkins Esq *

~~Signature~~ Cornish Rainfall Association.

* See Instruction 3 (*f*) below.

Copy by B.R.O. 1943

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

G. P. Jenkins Esq.

Hour of observation by the clock—in Winter......................in Summer......................

Nearest Railway Station.............................. Distance................ Direction from gauge..........

Nearest Parish Church at.............................. Distance................ Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

1943

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~8~~ 7

At ....Torpoint (Wilcove)....

In the County of ....Cornwall....

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·75				
FEB.	9·02				
MAR.	5·76				
APRIL	3·95				
MAY	3·48				
JUNE	1·40				
JULY	2·08				
AUG.	·84				
SEPT.	2·73				
OCT.	3·86				
NOV.	3·36				
DEC.	4·57				
TOTAL	46·80				

Signature ....Per Cornish Rainfall Association

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....G. P. Jenkins....

....

Hour of observation by the clock—in Winter........................in Summer....................

Nearest Railway Station.. Distance.................. Direction from gauge............

Nearest Parish Church at.. Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

Copy by B.R.O.

1943

FORM 1090.

B Monthly Summary.

C Particulars of Station.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Torpoint (Wilcove)

In the County of ....

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground*.........*ft*...............*in.*
- *Height of Ground above Sea Level*.......40.......*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·11				
FEB.	1·46				
MAR.	·30				
APRIL	·09				
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
TOTAL					

Signature G. P. Jenkin Esq.^x^

per C.R.A.

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..............................in Summer..............................

Nearest Railway Station.............................. Distance.................. Direction from gauge..................

Nearest Parish Church at.............................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

appears no more after april.

terminated.

Died - 117A f 660613/26

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 662/91
S.O. Code No. 40-9999

SALTASH

|3

Station No. ~~NONE~~ 1943/2

Section **A** for the entry of D
AIR MINISTRY
ALL ORGANIZATION

FORM 1090

REGIST

6.

1943/2
SALTASH
1936–37, 39

780311

529799/36

Kept at The Borough of Sa

in the County of Cornwall

Diameter of Funnel of Gauge 8

Height of top of Gauge above Grou

,, Ground ,, Sea L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							.64	-	-	-	.142	.10		1
2							1.02	.25	.605	-	.14	-		2
3							-	-	-	-	.17	trace		3
4		GAUGE NOT FIXED					.65	-	.925	-	.03	.16		4
5								.16	-	-	.08	-		5
6							.37	-	.335	-	.122	-		6
7							-	-	-	-	.34	.26		7
8							.9	-	.016	-	.28	-		8
9							.2	-	.185	-	-	-		9
10			UNTIL				.1	-	.05	-	-	-		10
11							.09	.025	.60	-	.24	-		11
12							.6	.025	-	-	.33	-		12
13							.025	.03	-	.015	.04	.948		13
14							.62	-	.07	.02	.02	.187		14
15							1.02	-	.06	-	.63	.465		15
16							.235	-	-	-	.36	.168		16
17		18 TH. JUNE, 1936.					.28	.08	-	.098	.26	.72		17
18						-	.31	.02	-	.06	-	.24		18
19						.01	.18	.08	-	-	-	-		19
20						.135	.02	.24	.19	.015	-	trace		20
21						-	.09	-	-	.015	-	-		21
22						-	.59	-	-	-	-	-		22
23						-	-	-	-	.102	trace	-		23
24						-	-	-	.12	.25	-	-		24
25						-	-	-	trace	.803	-	-		25
26						-	.11	-	-	.056	-	-		26
27						-	.16	-	.022	.042	-	-		27
28						-	.255	-	-	-	.10	.48		28
29						.025	-	-	-	-	.05	.08		29
30		✕				.9	.015	-	-	-	.15	.24		30
31		✕		✕		✕	-	-	✕	-	✕	.29		31 ✓
TOTAL						1·07 1.070	6.505 6·47	8·91 .910	3·18 3.198 7	1·48 1.476	3·48 3.484	~~4·38~~ 4·38 4.378 4·34	Year's Total ~~21.021~~	
* Days with .01 in. or more.						4	24	9	12	11	18	13	~~91~~	
* Days with .04 in. or more.						2	18	5	10	7	16	13	~~71~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. J. Harris [P.T.O.

N

F. J. HARRIS ESQ., C.E.

SALTASH

13

Section **A** for the entry of Daily Observations

Station No. 1943/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

529799/36

Kept at The Borough of Saltash.
in the County of Cornwall. /3
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							.64	-	-	-	.142	.10		1
2							.102	.25	.605	-	.14	-		2
3							-	-	-	-	.17	trace		3
4		GAUGE	NOT	FIXED			.65	-	.925	-	.03	.16		4
5								.16	-	-	.08	-		5
6							.37	-	.335	-	.122	-		6
7							-	-	-	-	.34	.26		7
8							.9	-	.016	-	.28	-		8
9							.2	-	.185	-	-	-		9
10			UNTIL				.1	-	.05	-	-	-		10
11							.09	.025	.60	-	.24	-		11
12							.6	.025	-	-	.33	-		12
13							.025	.03	-	.015	.04	.948		13
14							.62	-	.07	.02	.02	.187		14
15							.102	-	.06	-	.63	.465		15
16							.235	-	-	-	.36	.168		16
17		18 TH.	JUNE,	1936.			.28	.08	-	.098	.26	.72		17
18						-	.31	.02	-	.06	-	.24		18
19						.01	.18	.08	-	-	-	-		19
20						.135	.02	.24	.19	.015	-	trace		20
21						-	.09	-	-	.015	-	-		21
22						-	.59	-	-	-	-	-		22
23						-	-	-	-	.102	trace	-		23
24						-	-	-	.12	.25	-	-		24
25						-	-	-	trace	.803	-	-		25
26						-	.11	-	-	.056	-	-		26
27						-	.16	-	.022	.042	-	-		27
28						-	.255	-	-	-	.10	.48		28
29						.025	-	-	-	-	.05	.08		29
30		☒				.9	.015	-	-	-	.15	.24		30
31		☒		☒		☒	-	-	☒	-	☒	.29		31
TOTAL						1·07 1.070	~~6.505~~ 6·47	0·91 .910	3·19 3.198 / 7	1·48 1.476	3·49 3.484	~~4·38~~ 43·38 4.378 4. 34	Year's Total	~~21.021~~
* Days with .01 in. or more.						4	24	9	12	11	18	13	~~91~~	
* Days with .04 in. or more.						2	18	5	10	7	16	13	~~71~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) F. J. Harris [P.T.O.

N

F.J. HARRIS ESQ., C.E.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1943/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Saltash

in the County of Cornwall

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 240 ft.

c inf 1936

Sept-Dec estimated from surrounding stations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	-	·28	-	-	·21	-	-	·12	-	-	trace		1
2	·78	1·11	trace	-	-	·48	-	-	-	-	-	·02		2
3	·178	·97	trace	·24	-	-	·84	-	-	-	-	·11		3
4	·062	·015	-	·65	trace	-	·21	-	-	-	-	-		4
5	-	-	-	·31	-	-	-	-	-	-	-	-		5
6	·48	1·285	x ·77	·18	-	trace	-	-	·10	-	-	-		6
7		x -	x -	·12	trace	-	trace	-	-	-	-	-		7
8	-	·275	·3	·09	·14	-	·34	-	-	-	-	trace		8
9	-	-	·7	·21	·805	-	-	-	-	-	-	trace		9
10	·365	-	·274	-	trace	-	-	-	-	trace	-	·005		10
11	·13	·025	·154	·42	trace	-	-	-	-	-		·12		11
12	·951	x -	·21	·31	·82	-	-	-	-	-		·24		12
13	-	✓ ·485	·16	·07	-	trace	-	·24	-	-		·18		13
14	-	✓ -	·34	-	-	·36	·242	-	-	-		·02		14
15	·471	·36	·74	-	trace	trace	-	-	·01	trace		trace		15
16	x ·941	·215	·224	-	-	-	-	trace	-	trace		-		16
17	x -	·075	·594	-	-	-	-	·34	-	trace		-		17
18	·048	-	·40	-	-	-	·21	-	-	trace		-		18
19	·23	-	·16	trace	trace	-	-	-	-	-		-		19
20	·469	✓ -	x -	-	·35	·25	-	-	~~trace~~	-				20
21	·24	x ·75	·181	-	·87	-	-	-	trace	trace		trace		21
22	·16	-	-	-	·24	-	-	-	-	-		·02		22
23	·21	x 1·525	-	-	·27	-	-	-	-	-		·15		23
24	·26	x -	-	-	-	-	-	-	-			·08		24
25	·13	·63	·43	·05	trace	-	-	·16	·055			-		25
26	·018	x 1·885	·36	-	-	trace	-	·18	·21			-		26
27	·01	x -	-	-	-	-	·05	-	·01			-		27
28	trace	x -	-	-	-	-	-	-	-			-		28
29	·021	-	-	-	-	·12	-	-	-	-		-		29
30	x ·817		-	-	-	-	-	-	-			-		30
31	x -		-		-		-	-	(2·90)			(4·50)		31
TOTAL	7·28 7·28~~1~~	9·91 9·90~~5~~	6·27 6·26~~7~~	2·65	3·49 3·49~~5~~	1·42	1·89 1·89~~7~~	·95	~~·51~~ ·506	(3·80)	(3·00)	~~·45~~ ·945	Year's Total ~~35·311~~	(47·86)
* Days with .01 in. or more.	~~22~~ 24	~~17~~ 20	18 ~~17~~	11	7	5	6	4	(16)	(11)	(11)	(19)	~~101~~	(152)
* Days with .04 in. or more.	~~19~~ 21	~~12~~ 15	18 ~~17~~	11	7	5	6	4	(14)	(10)	(9)	(16)	~~91~~	(136)

NO READINGS TAKEN.

MP. too many adjustments

GB

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. J. Ashfield

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1943/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Borough of Saltash

in the County of Cornwall

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 240 ft.

File No: 529799/36.

F 529799/36

NK 1938

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·85	—	Trace	·09	·05	—	·14	·15	Trace	—	.42	.28		1
2	·5	—	Trace	·67	—	—	—	·21	·53	—	.09	.47		2
3	·96	—	·62	·45	—	—	·54	·14	—	·54	.49	.52		3
4	·21	—	·74	·74	1·15	—	·37	·15	—	·73	.32	.37		4
5	—	—	·14	·81	·07	—	·67	·33	—	·85	.74	Nil		5
6	1·46	Trace	·21	·12	·35	—	1·57	·9	Trace	.21	.22	.17		6
7	·17	1·37	·17	—	—	—	—	·17	—	.34	.76	.87		7
8	·3	·64	·09	—	·43	·07	·73	·32	·9	.96	.84	.74		8
9	·38	·09	·05	—	—	—	·1	·21	—	.45	.54	.14		9
10	·32	·22	·09	—	—	Trace	—	·75	—	.54	.11	.21		10
11	—	·09	·17	—	—	—	—	·07	·17	.32	.17	.32		11
12	—	Trace	·1	·15	—	—	—	—	—	.12	.08	Trace		12
13	·15	Trace	Trace	·62	Trace	—	1·15	—	·55	.45	.21	Nil		13
14	1·35	—	—	—	·15	·57	·47	—	Trace	.34	.41	.47		14
15	1·26	Trace	—	·05	—	1·75	·64	—	—	—	.54	Nil		15
16	·46	Trace	—	·17	—	·12	·21	—	—	—	.72	.07		16
17	1·26	·02	—	·31	·12	·27	·11	—	Trace	—	.13	.11		17
18	·24	Trace	—	—	—	—	1·11	·17	—	—	.17	.05		18
19	·96	Trace	—	—	—	—	1·84	·87	—	—	Nil	.35		19
20	1·15	Trace	—	—	—	1·57	·15	1·15	—	Trace	Nil	.19		20
21	1·03	Trace	·19	—	—	·43	·15	·64	—	—	Nil	Nil		21
22	·62	·07	·23	·07	—	·61	·74	·15	—	.06	.78	nil		22
23	·21	Trace	·06	·12	—	·22	·25	Trace	—	Trace	1.35	nil		23
24	1·1	·15	·19	·17	—	·64	·15	·04	—	.12	.23	Nil		24
25	·72	·27	·09	·37	—	·15	Trace	·21	—	Trace	.34	Nil		25
26	Trace	·33	—	·9	—	—	·35	·32	—	.13	.21	Nil		26
27	—	·17	—	·09	—	Trace	·21	·15	—	.25	.52	Nil		27
28	—	·37	—	—	—	·27	·52	—	—	.37	.64	.07		28
29	—		—	Trace	—	·19	·47	·12	—	.14	.27	Nil		29
30	—	✕	Trace	·27	—	·32	·19	Trace	—	.42	.51	Nil		30
31	—	✕	—	✕	—	✕	·37	·75	✕	.61	✕	Nil		31
TOTAL	15·66	3·79	3·14	6·17	2·32	7·18	13·2	7·97	2·15	7.98	11.01	5.40	Year's Total 45.97	Up by SH
* Days with .01 in. or more.	22	12	15	18	7	14	25	22	4	20	27	17	203	
* Days with .04 in. or more.	22	11	15	18	7	14	25	22	4	20	27	17	202	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. J. Harris

[P.T.O.

1943/5

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM

REGIS 931.

295

Cornwall/3.

Kept at Ellbridge (

in the County of Cornw

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

29/30.

1943/5

ELLBRIDGE, EXP. STN.

1931 — 40

780311

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·77				1
2												·40	2
3											1·85		3
4													4
5													5
6										·40		·40	6
7													7
8													8
9													9
10													10
11		·62											11
12													12
13													13
14													14
15													15
16						·97							16
17													17
18								1·61					18
19													19
20			·57										20
21													21
22													22
23				·72									23
24							1·46						24
25													25
26													26
27					1·98								27
28													28
29													29
30		×											30
31	1·27	×		×		×			×		×		31
Total	4·30	3·59	1·89	2·60	4·77	3·93	5·35	4·14	1·93	0·99	8·86	2·41	Year's Total 44·76
*Days with ·01 in. or more.	23	20	10	14	20	16	22	17	13	10	24	13	202
*Days with ·04 in. or more.	15	18	8	10	15	12	20	15	9	3	20	10	155
40-9999	109·2	91·2	48·0	66·0	121·2	99·8	135·9	105·2	49·0	25·1	225·0	61·2	1136·8

(Signed) Horticultural Superintendent

[P.T.O.]

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

(1935)

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form

REGISTER OF RAINFALL IN 1931.

295

Cornwall/3.

Kept at X Ellbridge (EXPERIMENTAL STN) X

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1' ft 0" in.

,, Ground ,, Sea Level 200' ft.

M.O.g.

Comp 1929/30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·77				1
2												·40	2
3											1·85		3
4													4
5													5
6										·40		·40	6
7													7
8													8
9													9
10													10
11		·62											11
12													12
13													13
14													14
15													15
16						·97							16
17													17
18								1·61					18
19													19
20			·57										20
21													21
22													22
23				·72									23
24							1·46						24
25													25
26													26
27					1·98								27
28													28
29													29
30		X											30
31	1·27	X		X		X			X		X		31
TOTAL	4·30	3·59	1·89	2·60	4·77	3·93	5·35	4·14	1·93	0·99	8·86	2·41	YEAR'S TOTAL 44·76
*Days with ·01 in. or more.	23	20	10	14	20	16	22	17	13	10	24	13	202
*Days with ·04 in. or more.	15	18	8	10	15	12	20	15	9	3	20	10	155
40-9999	109·2	91·2	48·0	66·0	121·2	99·8	135·9	105·2	49·0	25·1	225·0	61·2	1136·8

*See Instruction 2 (*f*) on other side.

(Signed) X Horticultural Superintendent

[P.T.O.]

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

1943/5

FORM 1

REGISTER OF RAINFALL IN 1932.

Kept at Ellbridge

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 200' ft.

R'fall should be about 1" less than [illegible]

295/5

Rowings 1929/30/31.

This return fits our maps very well this year I think we should accept. Surf wall erected [illegible] 6 Oct. 1932

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7									1·28				7
8													8
9													9
10													10
11													11
12	1·70				1·13								12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										1·25			20
21													21
22													22
23		·01											23
24		·01					·95						24
25													25
26													26
27				·78									27
28													28
29			·62					·75					29
30		×				2·15					1·00		30
31		×		×		×			×		×	·72	31
TOTAL	5·94	0·02	2·48	3·20	5·61	3·66	3·49	1·89	5·45	9·09	3·28	4·01	YEAR'S TOTAL 48·12
*Days with ·01 in. or more.	21	2	13	18	22	6	20	11	20	24	15	20	192
*Days with ·04 in. or more.	13	0	10	16	18	5	13	7	17	22	14	16	151
40-9999	150·9	0·5	63·0	81·3	142·5	93·0	88·6	48·0	138·4	230·9	83·3	101·9	Print

O

(Signed) The Horticultural Superintendent

[P.T.O.

*See Instruction 2 (*f*) on other side

1943/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1933.

Kept at Ellbridge

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0½ in.

,, Ground ,, Sea Level 200 ft.

295/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·68	1
2	·73					·51							2
3													3
4													4
5					·42								5
6													6
7													7
8													8
9							·61						9
10										1·20			10
11								1·11					11
12													12
13													13
14											·38		14
15													15
16			1·25										16
17													17
18													18
19													19
20													20
21													21
22				·70					·61				22
23		·83											23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	3·87 ✓	4·23 ✓	5·05 ✓	3·14 ✓	1·79 ✓	2·18 ✓	2·95 ✓	3·79 ✓	1·93 ✓	4·95 ✓	1·57 ✓	3·03 ✓	YEAR'S TOTAL 38·48 ✓
*Days with ·01 in. or more.	19	21	14	10	15	13	15	14	12	19	10	7	169 ✓
*Days with ·04 in. or more.	17	14	13	10	12	11	10	11	11	16	8	6	139 ✓

40-9999 98·3

*See Instruction 2 (*f*) on other side.

D

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** ~~295~~/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

1943/5

Kept at Ellbridge

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0½ in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·96	1
2									1·00				2
3													3
4					·42								4
5								2·26					5
6										·55			6
7													7
8											·39		8
9													9
10													10
11	·93			·53									11
12													12
13													13
14													14
15													15
16			·48										16
17													17
18													18
19													19
20													20
21													21
22							·38						22
23						·37							23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	5·11 ✓	0·19 ✓	3·91 ✓	2·86 ✓	1·42 ✓	2·24 ✓	0·68 ✓	5·06 ✓	1·80 ✓	3·37 ✓	1·34 ✓	16·31 ✓	YEAR'S TOTAL 44·29 ✓
*Days with ·01 in. or more.	20	2	19	11	7	11	5	16	19	20	17	31	178 ✓
*Days with .04 in. or more.	20	2	16	10	6	11.	4	13.	15	17	7	30.	151

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

1943/5

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ellbridge

in the County of Cornwall

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft 0½ in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·75											1
2														2
3														3
4														4
5										1·40				5
6						1·13								6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14											2·09			14
15				·96										15
16														16
17					·63									17
18									·48					18
19							·29							19
20														20
21		·77												21
22														22
23														23
24														24
25	0.41													25
26														26
27														27
28														28
29														29
30		×						1·01				·79		30
31		×		×		×			×		×			31
TOTAL	1·20	4·61	1·15	5·55	1·71	4·17	0·44	3·00	5·00	6·43	8·98	5·74	Year's Total 47·98	
*Days with ·01 in. or more.	10	21	9	22	9	19	6	11	22	26	24	22	201	
*Days with ·04 in. or more.	8	17	7	18	7	16	3	10	20	21	20	18	165	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(Signed) ....

[P.T.O.

1943/5

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.** **Station No.** 295/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ellbridge

in the County of Cornwall

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2						·43			·40					2
3				·39										3
4														4
5														5
6														6
7														7
8							1·03							8
9														9
10														10
11											·94			11
12														12
13												1·10		13
14														14
15					·20									15
16														16
17		·99												17
18														18
19								·27						19
20														20
21														21
22														22
23														23
24														24
25										·47				25
26														26
27														27
28	·99		·90											28
29														29
30		×												30
31		×	·90	×		×			×		×			31
TOTAL	8·04	4·81	5·03	2·25	0·59	1·41	8·35	0·75	2·07	1·60	4·30	5·47	Year's Total. 44·67	✓
* Days with .01 in. or more.	28	21	23	14	10	12	27	12	12	13	18	22	212	✓
* Days with .04 in. or more.	24	18	17	9	4	7	17	6	9	10	15	16	152	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

295/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 943/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

St Mellion

Kept at (Ellbridge Exp. Stn)

in the County of Cornwall)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4	1·07													4
5							·95							5
6														6
7														7
8					·81									8
9									·74					9
10			·68											10
11														11
12						·36		·66						12
13														13
14														14
15				·53										15
16														16
17														17
18														18
19														19
20												·98		20
21														21
22											·62			22
23														23
24										·97				24
25		1·33												25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	Year's Total	
TOTAL	7·63	9·80	5·46	3·34	3·27	1·15	1·98	1·86	3·31	3·62	2·88	5·24	49·54	
* Days with .01 in. or more.	26	25	19	15	15	11	13	7	17	12	10	19	189	
* Days with .04 in. or more.	20	22	19	13	10	8	8	6	14	11	9	15	155	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

295/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1943/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at St Mellion (Ellbridge Exp. Station)

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·55				·81				1
2				·02										2
3														3
4														4
5														5
6							1·41							6
7														7
8	1·11													8
9														9
10														10
11														11
12														12
13					·86							·76		13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23				·02										23
24			·18											24
25		·75									1·72			25
26														26
27								1·00						27
28														28
29									1·00					29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	7·05	1·81	·27	·04	3·88	1·49	3·46	4·37	2·80	5·73	8·80 ~~22·35~~	4·72	Year's Total 44·42	
* Days with .01 in. or more.	25	9	7	2	17	12	15	16	13	22	28	21	187	
* Days with .04 in. or more.	23	8	1	0	14	7	11	11	7	19	25	16	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

~~495~~ 5

Section **A** for the entry of Daily Observations

Station No. 1943/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at St. Mellion (Ellbridge Exp. Station)

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·49					·32					2
3														3
4			·72		·70									4
5														5
6							1·15							6
7		·72										1·17		7
8										1·86				8
9														9
10														10
11														11
12														12
13														13
14	·94													14
15						1·04								15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23											1·50			23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕		·58	✕		✕			31
													Year's Total	
TOTAL	7·20	2·57	1·66	2·59	1·28	3·88	7·84	2·75	·64	4·15	9·41	3·58	47·55	
* Days with .01 in. or more.	22	17	14	18	7	17	24	17	5	15	27	21	204	
* Days with .04 in. or more.	18	12	7	14	4	16	23	12	2	13	23	12	156	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

295/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1943/5 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at St Mellion (Ellbridge Ec Station)

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6	·87													6
7														7
8														8
9							·62	·09						9
10														10
11											1·50			11
12									·60					12
13														13
14														14
15														15
16		1·35	1·43											16
17														17
18														18
19														19
20														20
21														21
22						·45								22
23														23
24														24
25					·67									25
26														26
27														27
28														28
29				·98										29
30		✕								·86				30
31		✕		✕		✕			✕		✕	·95		31
TOTAL	3·41	6·79	4·48	2·92	2·23	·78	3·00	·15	2·21	4·18	9·30	5·88	Year's Total 45·33	✓
* Days with .01 in. or more.	16	19	16	18	9	6	18	6	11	19	23	19	180	✓
* Days with .04 in. or more.	13	18	15	16	7	5	16	1	8	16	19	14	148	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of
AIR MINISTRY

1944 CALLINTON
1932—34

7803 n

1944/5

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST

32. Cornwall | 3

Kept at Callingto

in the County of Corn

written on this matter Jan 1933.

Look into monthly values

CK print

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground.

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Trace

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·10				·46	1
2										·64		·33	2
3							1·8					Trace	3
4												—	4
5							·1			1·83	1·7	·04	5
6								Holidays				—	6
7							·15					—	7
8												—	8
9									2·59	·26		—	9
10									3·09				10
11													11
12							2·05					·49	12
13										1·4			13
14											·27	—	14
15										—		·08	15
16								1·13		—			16
17							1·53			—		Trace	17
18							—						18
19							—		·08	·87			19
20											·5		20
21										1·2			21
22							·92	Holidays					22
23									·5	1·47	—		23
24													24
25							·09						25
26										·68	·29		26
27							·12		·89			1·17	27
28												—	28
29							·73				—	·43	29
30		×						+·50		1·7	·05	—	30
31		×		×		×			×		×	1·61	31
TOTAL	7·8"	0	3·67"	2·3"	3·45"	2·1"	7·49"	(1·73)" ~~1·23~~	(4·06) ~~4·56~~	10·05"	2·81"	4·61" ~~6·36~~	YEAR'S TOTAL 50·07
*Days with ·01 in. or more.	~~18~~	~~0~~	~~13~~ ~~8~~	~~4~~ ~~16~~	~~23~~ ~~16~~	~~5~~ ~~27~~	~~18~~	~~8 9~~	~~7 18~~	~~27~~	~~14~~	~~25~~	~~205~~
*Days with ·04 in. or more.	~~18~~	~~0~~	~~8~~	~~4~~	~~16~~	~~5~~	~~18~~	~~6~~	~~11~~	~~20~~	~~8~~	~~16~~	~~135~~

The total annual rainfall only was revised by the Callington U.D.C.

I am using the other register for the daily readings taken at 9 ~~a.m.~~ every morning. If you desire that I should continue let me know. I shall give it up if do not here from you before the end of the month.

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) D. H. Watkins.

P.T.O.

1944 5

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Cornwall | 3

Kept at Callington
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ~~4~~ ft. 9 ~~8½~~ in.
,, Ground ,, Sea Level 525 ft.

Observer written on this matter Jan 1933.

Look into monthly valu

COK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
Trace

Please read the Notes and Instructions Overleaf.

The total annual rainfall only was received by the Callington U.D.C.

I am using the other register for the daily readings taken at 9 ~~A.M.~~ every morning. If you desire that I should continue let me know. I shall give it up if I do not here from you before the end of the month.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·10				·46	1
2										·64		·33	2
3							1·8					Trace	3
4												—	4
5							·1			1·83	1·7	·04	5
6												—	6
7							·15					—	7
8								Holidays				—	8
9									2·59	·26		—	9
10									3·09				10
11													11
12							2·05					·49	12
13										1·4			13
14											·27	—	14
15										—		·08	15
16								1·13		—			16
17							1·53			—		Trace	17
18							—						18
19							—		·08	·87			19
20											·5		20
21										1·2			21
22							·92						22
23								Holidays	·5	1·47	—		23
24													24
25							·09						25
26										·68	·29		26
27							·12		·89			1·17	27
28												—	28
29							·73				—	·43	29
30		×						1·50		1·7	·05	—	30
31		×		×		×			×		×	1·61	31
TOTAL	7·8"	0	3·67"	2·3"	3·45"	2·1"	7·49"	(1·73) ~~7·23~~	(4·06) ~~4·56~~	10·05"	2·81"	4·61 ~~6·31~~"	YEAR'S TOTAL 50·07
*Days with ·01 in. or more.	18	0	~~13~~ 8	4	16	5	[illegible]	89	~~7~~ 18	27	14	25	205
*Days with ·04 in. or more.	18	0	8	4	16	5	18	6	11	20	8	16	135

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) D. A. Watkins.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1944/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Callington

in the County of Cornwall.

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 0 ft. 8½ in.

,, Ground ,, Sea Level 525 ft.

906 sent 11/6/34 suggesting amendments to August. Observer agrees 15/6/34 "due to errors of deputy observer". August part estimated.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·29	·67	—	·18	1·37	—	—	—	—	·9	1·01	1
2	·74	·67	·48	—	·12	·27	—	—	—	—	Tr.	·45	2
3	·37	Tr.	·47	—	·16	—	—	—	—	—	Tr.	—	3
4	·62	Tr.	·34	—	·05	—	—	—	—	—	—	—	4
5	—	·02	·02	—	1·36	—	—	—	—	—	—	—	5
6	—	·18	·86	—	·03	—	—	—	—	—	—	—	6
7	—	·5	·01	—	·02	—	·03	—	—	Tr.	—	—	7
8	—	·09	—	—	·01	·53	·35	—	—	Tr.	—	—	8
9	—	Tr.	—	—	Tr.	—	·44	—	—	·26	—	—	9
10	—	·01	—	Tr.	Tr.	—	·09	Tr.	—	1·51	·07	—	10
11	—	—	—	—	Tr.	Tr.	Tr.	Tr.	Tr.	Tr.	·33	—	11
12	—	—	—	Tr.	Tr.	·28	·47	·94	·21	Tr.	—	—	12
13	·25	—	—	—	Tr.	—	·09	~~·05~~ (·10)	—	—	·06	—	13
14	—	—	—	—	Tr.	—	·69	~~·01~~ (·01)	—	Tr.	·34	—	14
15	·69	—	—	—	—	—	·49	~~Tr.~~ (·08)	—	Tr.	·17	—	15
16	—	—	·69	—	—	Tr.	—	·01	Tr.	·38	·16	—	16
17	Tr.	Tr.	Tr.	—	—	·05	Tr.	~~·31~~ (·15)	·29	Tr.	·02	—	17
18	·09	Tr. (Snow)		—	—	·08	Tr.	—	Tr.	Tr.	·03	—	18
19	·06	Tr. (Snow)		Tr.	—	·19	—	(·05)	Tr.	·37	·35	—	19
20	·17	—	1·57	—	—	·28	—	(·08)	·47	Tr.	—	—	20
21	—	·15	—	Tr.	Tr.	·04	—	~~·01~~ (·20)	·19	Tr.	—	—	21
22	—	Tr.	—	—	—	Tr.	—	~~·05~~ (·50)	Tr.	·31	—	—	22
23	—	Tr. (Snow)	—	·45	—	·17	—	·04	1·03	·72	—	—	23
24	—	·69	—	·43	Tr.	·06	—	Tr.	·2	Tr.	—	—	24
25	—	Tr. (Snow)	—	·39	·13	·11	—	—	—	Tr.	—	—	25
26	—	(Snow) ·02	—	·28	Tr.	—	—	—	—	Tr.	—	Tr.	26
27	—	·36	—	·09	—	—	—	—	—	Tr.	—	Tr.	27
28	—	·43	—	·17	Tr.	—	·48	—	—	·55	—	·17	28
29	Tr.	×	—	·46	Tr.	—	·03	—	Tr.	·94	—	·49	29
30	Tr.	×	Tr.	·29	—	—	Tr.	—	·19	Tr.	Tr.	Tr.	30
31	·05	×	·14	×	Tr.	×	—	—	×	Tr.	×	—	31
TOTAL	3·04	3·41	5·25	2·56	2·06	3·43	3·16	~~1·42~~ (2·16)	2·58	5·04	2·43	2·12	YEAR'S TOTAL ~~36·50~~ (37·14)
*Days with ·01 in. or more.	9	12	10	8	9	12	10	5	7	8	10	4	~~104~~
*Days with .04 in. or more.	9	9	8	8	6	12	8	3	7	8	8	4	~~90~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. H. Watkins.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1944/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

april 2½ low

April ½ May [illegible]

Kept at Callington

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 8½ in.

,, Ground ,, Sea Level 525 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Heavy Rain	—	—	—	—	—	—			—	·04	1·89		1
2	Rain ~~Fog~~	—	Dr	—	·51	—	—			·19	—			2
3	1·01 Rain	—	Dr	—	·49	—	—			Dr	—	·71		3
4	and Fog	—	Dr	Dr	·63	—	—		6·17	Dr	—	·72		4
5	—	—	·33	Dr	·24	Dr	—				—	·48		5
6	Rain	—	·29	·18	~~1·84~~	·31	—			·25	—	·65		6
7	Rain	—	—	Dr	—	—	—				—			7
8	—	—	—	—	—	—	—			—	—	2·90		8
9	—	—	—	—	—	—	—			—	·57			9
10	Dr 1·38	—	·39	—	—	—	—		—	—	Dr			10
11	Heavy Rain	—	·26	—	—	—	—		—	—	·19	·61		11
12	Heavy	—	·38	—	—	—	—		—	—	—	·72		12
13	Rain	—	·50	—	—	—	·21		—	—	—	·10		13
14	Dr	—	·09	1·84	—	—	Dr		—	Dr	—	·62		14
15	Dr	—	·19	—	—	—	Dr			·17	—	·61		15
16	·28	—	·48	—	—	—	—		·59	Dr	—	·89		16
17	Dr.	—	·03	—	—	—	—			Dr.	—	·51		17
18	·39	—	·41	—	—	·01	—		Dr	—	—	·52		18
19	Dr	—	Dr		—	·02	—		—	—	—	·75		19
20	—	—	·19	—	Dr	·16	—		—	Dr.	—			20
21	—	—	·18	·19	·06	·13	—		—	·60	—			21
22	·26	—	Dr	·17	—	—	—			Dr	—			22
23	Dr	—	Dr	·09	—	·31	—		1·32	Dr	—	4·0		23
24	Dr	·18	—	·05	—	·32	Dr			·89	—			24
25	·49	—	—	·07	—	·19	Dr		—	Dr.	—			25
26	·06	—	—	—	—	·36	—		·31	Dr.	—			26
27	Dr	—	—	—	—	·22	—		Dr.	Dr.	—			27
28	—	—	—	—	—	—	—		Dr.	·61	Dr	·09		28
29	—	×	Dr	—	—	—	—		·45	·46	Dr	·19		29
30	—	×	—	—	—	—	—		·43	Dr	·91	·08		30
31	—	×	—	×	—	×	—		×	·09	×	·17		31 "d
TOTAL	3·87	·18	3·72	2·59 ~~·75~~	1·93 ~~2·77~~	2·03	·21	50 6·17+	3·77 2·10	3·26	1·71	17·21	Year's Total 44·98	
*Days with ·01 in. or more.	~~15(2)~~	~~1~~	~~13~~	6	6	~~10~~	1	(2)	(2)	(2)	~~4~~	(2)	(2)	
*Days with ·04 in. or more.	~~15(2)~~	~~1~~	~~12~~	6	6	8	1	(2)	(2)	(2)	~~4~~	(2)	(2)	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) D. H. Watkins

[P.T.O.

1944

Section **A** for the entry of D COPY FOR OFFICIAL USE.

AIR MINISTRY.- ALL ORGANIZATION.

FORM 1090.

REGIST 1 .

1944

PENTILLIE CASTLE

1931 —— 40

710311

Kept at Pentillie Garde reading of -

in the County of Cornwa ds a day late

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1			44	.	.	6	5	73	2	.	1	1
2	23	.		24	2	1	1	.	45	3	42	56	2
3	15	.	.	.	.	.	7	.	14	3	2.45	15	3
4	2	.	59	.	9	.	52	.	32	4	9	5	4
5	.	.	10	8	.	39	.	39	1	.	.	30	5
6	.	85	6	.	15	35	8	.	.	40	5	37	6
7	.	6	.	.	33	31	60	15	.	9	80	14	7
8	2	3	.	23	.	49	3	4	.	3	29	9	8
9	.	62	.	.	.	10	9	3	.	1	24	.	9
10	.	32	.	.	40	10	7	10	4	.	64	2	10
11	22	.	.	.	3	65	45	.	3	.	32	.	11
12	3	8	.	.	.	.	15	.	10	33	.	.	12
13	.	12	.	.	18	1	13	12	.	1	25	.	13
14	4	15	4	.	7	26	78	20	3	.	40	.	14
15	.	7	4	.	11	5	.	32	2	.	.	.	15
16	3	6	.	3	9	1.15	2	12	1	.	.	3	16
17	.	8	.	7	.	.	42	.	4	.	.	.	17
18	1	4	.	3	.	15	11	1.87	.	.	40	.	18
19	9	.	.	2	.	36	9	9	.	.	43	.	19
20	.	12	23	.	.	.	.	55	.	.	7	.	20
21	51	14	59	1	25	.	.	.	.	.	3	.	21
22	1.24	.	.	15	23	.	.	.	.	.	10	.	22
23	32	3	2	67	74	.	2	1	.	.	1.37	.	23
24	10	2	.	85	.	7	1.45	10	.	.	.	.	24
25	13	2	.	15	.	.	15	.	.	.	41	1	25
26	5	3	.	2	.	.	14	.	.	.	82	.	26
27	24	15	.	2	2.00	.	7	.	.	3	20	.	27
28	9	29	. 14	.	5	.	.	3	.	2	2	25	28
29	7	34	5	.	6	.	12	35	2	.	9	21	29
30	9	×	1	.	19	.	2	1	23	2	.	1	30
31	1.44	×	17	×	16	×	3	.	×	.	×	27	31
TOTAL	5.13	3.65	2.04	3.01	5.10	4.45	5.68	4.53	2.17	1.06	9.89	2.50	YEAR'S TOTAL 49.21
*Days with ·01 in. or more.	22	21	8	15	18	15	25	18	14	13	22	15	206
*Days with ·04 in. or more.	16	16	7	9	16	13	19	14	8	4	20	10	152

40-9999

(Signed) W. [illegible]. Johnson.

P.T.O.

*See Instruction 2 (*f*) on other side.

1944

Section **A** for the entry of D COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Pentillie Gardens

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

Please note the reading of Feb. + March reads a day late

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1			44	·	·	6	5	73	2	·	1	1
2	23	·		24	2	1	1	·	45	3	42	56	2
3	15	·	·	·	·	·	7	·	14	3	2.45	15	3
4	2	·	59	·	9	·	52	·	32	4	9	5	4
5	·	·	10	8	·	39	·	39	1	·	·	30	5
6	·	85	6	·	15	35	8	·	·	40	5	37	6
7	·	6	·	·	33	31	60	15	·	9	80	14	7
8	2	3	·	23	·	49	3	4	·	3	29	9	8
9	·	62	·	·	·	10	9	3	·	1	24	·	9
10	·	32	·	·	40	10	7	10	4	·	64	2	10
11	22	·	·	·	3	65	45	·	3	·	32	·	11
12	3	8	·	·	·	·	15	·	10	33	·	·	12
13	·	12	·	·	18	1	13	12	·	1	25	·	13
14	4	15	4	·	7	26	78	20	3	·	40	·	14
15	·	7	4	·	11	5	·	32	2	·	·	·	15
16	3	6	·	3	9	1.15	2	12	1	·	·	3	16
17	·	8	·	7	·	·	42	·	4	·	·	·	17
18	1	4	·	3	·	15	11	1.87	·	·	40	·	18
19	9	·	·	2	·	36	9	9	·	·	43	·	19
20	·	12	23	·	·	·	·	55	·	·	7	·	20
21	51	14	59	1	25	·	·	·	·	·	3	·	21
22	1.24	·	·	15	23	·	·	·	·	·	10	·	22
23	32	3	2	67	74	·	2	1	·	·	1.34	·	23
24	10	2	·	85	·	7	1.45	10	·	·	·	·	24
25	13	2	·	15	·	·	15	·	·	·	41	1	25
26	5	3	·	2	·	·	14	·	·	·	82	·	26
27	24	15	·	2	2.00	·	7	·	·	3	20	·	27
28	9	29	·	·	5	·	·	3	·	2	2	25	28
29	7	34	14 5	·	6	·	12	35	2	·	9	21	29
30	9	×	1	·	19	·	2	1	23	2	·	1	30
31	1.44	×	17	×	16	×	3	·	×	·	×	27	31
													YEAR'S TOTAL
TOTAL	5.13	3.65	2.04	3.01	5.10	4.45	5.68	4.53	2.19	1.06	9.89	2.50	49.21
*Days with ·01 in. or more.	22	21	8	15	18	15	25	18	14	13	22	15	206
*Days with ·04 in. or more.	16	16	7	9	16	13	19	14	8	4	20	10	152

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. J. Johnson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pentillie Gardens.

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

Err July days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	9	·	·	9	·	·	—	11	9	·	3	4	1
2	3	·	6	17	·	·		4	24	·	1	51	2
3	2	·	2	·	·	60		·	55	·	2	5	3
4	3	·	·	·	·	3		10	·	·	23	·	4
5	79	·	9	·	·	·	D	·	25	2	·	·	5
6	63	·	·	24	·	·	a	·	30	·	·	·	6
7	7	·	3	·	3	·	i	·	1.19	1·35	·	·	7
8	2	·	31	10	23	·	l	·	·	23	·	·	8
9	1·37	·	·	27	11	·	y.	·	·	·	·	·	9
10	57	·	·	21	15	·		·	8	27	·	·	10
11	2	·	·	12	3	·		·	2	3	·	4	11
12	2.15	·	·	1	1.23	·	R	·	3	37	·	7	12
13	11	·	·	30	14	·	e	12	·	77	·	19	13
14	43	·	·	1	4	·	c	14	·	20	·	·	14
15	2	·	·	1	5	·	o	·	·	4	·	11	15
16	2	·	·	3	·	·	r	·	·	1	·	4	16
17	47	·	·	·	33	·	d.	·	6	5	·	·	17
18	9	·	·	·	65	·		·	4	·	10	·	18
19	2	·	·	3	53	·		·	5	63	1	3	19
20	1	·	·	5	76	·		14	7	1·10	9	10	20
21	4	·	4	12	·	·		23	15	63	10	15	21 ·31
22	·	·	·	5	5	·		1	45	47	45	35	22 ·15
23	·	1	·	·	·	·	L	·	·	70	5	·	23 35
24	·	2	·	·	·	·	o	·	15	11	4	1	24 ·
25	·	·	18	·	·	·	s	·	20	50	17	·	25 1
26	·	·	40	25	30	·	t.	·	·	12	9	37	26 ·
27	·	·	34	90	10	·		·	·	37	3	12	27 37
28	·	·	17	4	15	16		·	·	·	1	72	28 12
29	·	·	77	18	12	82		71	43	55	33	·	29 72
30	·	×	5	23	7	2.58		·	90	14	1·10	—	30 ·
31	·	×	13	×	17	×		·	×	2	×	—	31 90
													YEAR'S TOTAL
TOTAL	7.00	0.03	2.59	3.41	5.24	4.19	3.00	1.60	5.28	8.68	2.86	4.11	47.99
*Days with ·01 in. or more.	21	2	13	21	20	5	(22)	9	19	23	14	18	190
*Days with .04 in. or more.	12	0	11	16	18	4	(15)	8	17	19	11	16	147

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) W. J. Johnson.

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pentillie Garden

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 150 ft.

Do/p Kj.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	22	80	24	·	7	17	·	·	·	·	2	1·52		1
2	94	2	86	·	20	65	·	·	1	·	2	9		2
3	10	10	35	·	5	1	·	·	·	·	·	·		3
4	33	11	33	·	12	·	·	·	·	·	·	·		4
5	3	2	43	·	30	·	·	·	1	·	·	·		5
6	2	54	·	·	31	·	2	·	·	15	·	·		6
7	1	5	·	·	2	·	26	·	·	2	·	·		7
8	2	2	·	·	4	15	19	·	·	·	·	·		8
9	·	4	·	·	·	·	45	1	·	47	11	·		9
10	4	7	·	·	2	·	34	2	·	1·30	3	·		10
11	·	·	·	3	·	·	3	1·75	·	10	20	·		11
12	·	·	·	15	3	15	32	2	17	·	·	·		12
13	·	·	·	·	1	13	31	43	·	47	5	·		13
14	40	·	·	·	·	·	15	9	·	1	47	·		14
15	41	·	50	·	·	·	30	9	·	5	16	·	/	15
16	·	·	1·20	·	·	3	·	·	4	4	[illegible]	·		16
17	9	·	20	·	·	5	4	16	23	·	·	·		17
18	15	·	18	·	·	13	·	·	·	23	2	·		18
19	37	3	20	·	·	1	·	4	6	14	34	[illegible]		19
20	·	2	·	·	6	15	·	4	34	·	6	·		20
21	·	4	·	·	·	7	·	14	·	22	·	·		21
22	·	·	·	52	·	·	·	84	60	2	·	·		22
23	·	90	·	73	·	20	·	3	5	63	·	·		23
24	·	21	·	53	·	1	·	·	3	13	·	·		24
25	·	28	·	9	3	17	·	·	5	·	·	40		25
26	·	9	·	41	10	·	·	·	·	7	·	·		26
27	·	33	·	5	·	·	·	·	·	63	·	74		27
28	·	50	·	20	1	·	52	1	·	44	·	2		28
29	5	×	·	19	·	·	3	·	7	1	·	2		29
30	9	×	12	18	·	·	10	·	32	1	·	6		30
31	35	×	25	×	21	×	·	·	×	8	×	·		31
TOTAL	3.65	4.17	5.19	3.08	1.58	2.08	3.04	3.67	1.94	5.22	1.48	2.85	Year's Total 37.95	
*Days with ·01 in. or more.	17	19	12	11	16	15	14	14	12	21	11	7	169	
*Days with .04 in. or more.	13	14	12	10	10	11	11	9	10	16	7	5	128	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. T. Johnson.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Pentillie Castle Gardens

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft · in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·14	•	0·05	•	•	•	•	1·03	0·10	0·03	0·19 ~~[illegible]~~	2·05		1
2	0·06	•	0·06	•	•	0·01	•	0·02	1·16	0·06	0·14 ~~[illegible]~~	0·29		2
3	0·05	•	•	•	•	•	•	0·25	•	0·22	• ~~[illegible]~~	0·70		3
4	0·17	•	•	•	0·48	•	•	0·19	0·04	0·07	• ~~[illegible]~~	0·73		4
5	•	•	0·13	0·02	0·43	0·19	•	2·33	•	0·29	0·02 ~~[illegible]~~	0·28		5
6	0·33	•	0·32	0·08	0·54	0·22	•	•	0·07	0·59	• ~~[illegible]~~	1·25		6
7	0·07	•	•	•	0·10	•	•	0·10	•	0·50	0·08 ~~[illegible]~~	1·35		7
8	•	•	•	•	•	•	•	0·02	0·02	0·13	0·48 ~~[illegible]~~	1·10		8
9	0·11	•	0·32	•	•	•	•	0·03	•	•	0·36	0·23		9
10	0·50	0·02	0·42	•	•	•	•	0·09	•	•	0·07	0·39		10
11	0·92	•	0·01	0·14	•	•	•	0·05	•	•	0·02	1·15		11
12	0·05	•	•	0·57	•	•	0·19	0·19	•	•	•	0·36		12
13	0·60	•	•	•	•	0·02	0·02	•	•	0·02	0·10	0·55		13
14	0·65	•	0·60	0·58	•	•	•	•	0·11	0·05	•	0·48		14
15	0·17	•	0·19	0·02	0·15	•	0·01	•	•	•	0·03	0·32		15
16	0·33	•	0·54	0·06	•	•	•	•	0·55	0·04	0·01	0·28		16
17	0·45	•	0·07	0·02	0·08	•	0·02	•	0·08	0·08	•	0·80		17
18	0·05	•	0·40	0·10	0·02	0·08	•	•	0·02	0·01	•	0·81		18
19	•	•	0·14	0·65	0·02	0·13	•	0·08	0·16	0·02	•	0·42		19
20	•	•	•	•	0·04	•	0·02	•	0·11	0·06	0·04	0·15		20
21	•	•	0·23	0·28	0·03	0·39	•	0·09	0·07	0·53	0·04	0·10		21
22	0·15	•	0·02	•	•	0·02	0·27	0·12	0·53	•	0·02	0·65		22
23	0·09	•	0·02	0·20	•	0·37	•	•	0·74	0·03	•	0·37		23
24	•	0·24	0·05	0·05	•	0·19	0·06	0·17	0·02	0·22	•	0·21		24
25	0·46	0·01	•	0·52	•	0·12	•	•	0·04	0·49	•	1·40		25
26	0·12	•	0·01	0·04	•	0·24	•	•	0·31	0·02	•	0·34		26
27	•	•	•	•	•	0·12	•	0·03	0·17	0·07	0·02	0·30		27
28	•	•	•	0·02	•	0·06	0·01	0·62	0·39	0·02	0·02	1·52		28
29	•	•	•	•	•	•	•	0·08	0·08	0·03	0·02	0·07		29
30	•	×	•	•	•	•	0·04	0·19	0·43	0·28	0·01	0·53		30
31	•	×	•	×	0·03	×	0·05	0·11	×	0·21	×	0·05	Year's Total	31
TOTAL	5·47	0·27	3·58	3·35	1·92	2·18	0·69	4·79	5·20	4·07	1·62	19·23	52·37	
*Days with ·01 in. or more.	20	3	18	16	11	14	10	20	21	25	18	31	207	
*Days with .04 in. or more.	20	1	14	12	7	11	5	16	18	17	8	31	160	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~W. H. Damerell~~

Head Gardener

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at PENTILLIE GARDENS

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·04	0·04	0·74	0·04	-	0·12	0·02	-	0·27	0·11	1·07	0·14		1
2	·	0·03	0·07	-	-	0·15	0·04	-	0·28	0·75	0·04	0·23		2
3	0.04	-	0·08	0·03	0·27	0·16	-	-	0·17	0·09	0·18	0·02		3
4	·	0·11	-	0·07	-	0·26	-	-	0·14	0·21	0·27	0·07		4
5	0·03	-	0·02	0·15	-	0·27	-	-	0·20	1·48	0·28	0·20		5
6	·	0·39	-	0·52	-	1·34	-	-	-	0·02	0·05	0·17		6
7	·	-	-	0·72	-	0·09	-	-	-	0·49	0·16	0·08		7
8	·	-	-	0·49	-	-	-	-	-	0·09	0·17	0·02		8
9	·	-	-	0·37	-	0·02	-	-	-	1·09	0·46	-		9
10	0·14	-	0·06	0·07	-	0·12	-	-	-	0·03	1·00	-		10
11	0·27	0·04	0·01	0·01	-	0·56	-	-	0·28	-	0·03	-		11
12	0·12	0·38	-	-	-	0·23	-	0·71	0·16	-	1·15	-		12
13	0·04	0·15	-	0·20	-	0·01	-	-	0·02	-	0·14	-		13
14	0·01	0·28	-	0·08	-	0·43	-	-	0·47	0·06	0·25	-		14
15	·	0·13	-	1·04	0·09	0·12	-	-	0·03	0·07	2·40	0·38		15
16	·	0·25	0·03	0·30	-	0·04	0·03	-	0·59	0·06	0·25	0·12		16
17	·	0·03	-	0·05	0·66	0·48	-	0·09	0·20	0·04	1·45	-		17
18	·	0·14	0·02	0·63	0·02	0·04	-	0·09	0·63	0·11	0·02	0·01		18
19	·	0·07	-	0·21	0·42	0·20	0·29	-	0·20	0·10	0·01	0·15		19
20	·	0·65	-	0·73	0·11	0·16	0·02	-	-	0·08	0·68	0·01		20
21	·	0·84	-	0·11	-	0·02	0·04	-	0·20	0·10	0·20	-		21
22	·	0·02	0·06	0·14	-	-	-	-	0·05	0·27	-	-		22
23	·	0·14	0·04	0·10	0·38	-	-	0·37	0·07	0·16	-	-		23
24	0·10	0·58	0·03	0·24	0·08	-	-	0·16	0·76	0·10	-	0·50		24
25	0·27	0·11	-	0·02	0·03	0·21	-	0·42	-	0·22	-	0·14		25
26	0·02	0·68	-	-	-	0·06	-	-	0·40	-	-	0·67		26
27	·	0·11	0·01	-	-	-	0·01	0·07	0·28	0·02	-	0·43		27
28	·	0·09	-	-	-	-	-	0·10	0·31	0·03	0·21	0·07		28
29	·	-	-	-	0·03	-	-	0·08	0·45	0·03	0·17	0·78		29
30	0·05	×	-	-	-	0·05	-	1·03	0·11	0·04	0·20	0·90		30
31	·	×	-	×	-	×	-	0·11	×	0·27	×	0·37		31
TOTAL	1·13	5·26	1·22	6·37	2·09	5·14	0·45	3·23	6·27	5·25	10·84	5·46	Year's Total. 52·71	
* Days with .01 in. or more.	12	12	12	23	10	23	7	11	23	27	24	21	215	215
* Days with .04 in. or more.	9	19	6	20	7	20	3	6	20	22	21	15	161	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. E. Bone

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at PENTILLIE CASTLE GDNS

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 150 ft.

corr: for annual total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·11	0·18	0·01	0·45	-	-	0·50	-	-	-	0·14	-		1
2	0·01	-	-	0·02	-	0·30	0·40	0·09	-	-	-	-		2
3	0·02	-	0·07	0·36	-	-	0·03	0·02	0·82	-	0·30	0·05		3
4	0·01	0·05	0·15	-	-	-	0·34	-	-	-	0·10	0·16		4
5	0·50	0·41	0·16	-	0·02	-	0·49	0·20	0·37	-	-	-		5
6	0·03	-	-	-	-	0·07	0·47	-	0·23	-	-	0·02		6
7	0·58	-	0·38	-	-	-	0·02	-	-	-	0·31	-		7
8	0·40	-	0·50	-	-	-	0·90	-	0·36	-	0·69	-		8
9	0·40	0·79	0·08	-	-	-	0·15	-	0·30	-	0·34	0·04		9
10	0·56	0·91	-	-	-	-	0·35	-	0·12	-	0·12	0·20		10
11	0·52	0·06	-	-	-	0·24	0·26	0·07	0·22	-	1·21	0·14		11
12	0·05	-	-	0·04	-	0·03	0·44	-	0·03	-	0·33	0·35		12
13	0·05	-	-	-	-	-	-	0·03	-	0·04	0·31	1·10		13
14	-	-	-	-	-	0·06	0·64	-	0·04	0·06	0·30	-		14
15	-	-	-	-	0·18	-	0·10	-	-	-	0·20	0·26		15
16	-	0·11	-	0·12	-	-	0·21	-	-	-	-	0·17		16
17		0·30	-	-	-	-	0·57	-	0·02	0·11	0·10	1·33		17
18	0,45	1·20	0·38	-	0·07	0·05	0·48	-	-	-	-	0·26		18
19	0·64	-	0·15	-	-	-	0·25	0·07	-	-	-	-		19
20	0·27	0·35	0·03	-	-	-	0·05	-	0·13	0·02	0·20	0·02		20
21	0·11	0·36	0·27	0·43	-	0·14	0·08	-	-	-	-	0·03		21
22	0·25	0·33	-	0·43	-	-	0·15	-	0·01	0·14	-	-		22
23	0·05	0·17	0·03	-	0·18	-	0·66	0·03	-	0·19	-	-		23
24	0·41	0·30	0·20	0·15	-	-	0·36	-	0·12	0·40	-	-		24
25	0·11	0·15	0·37	0·26	-	-	0·76	-	0·03	0·50	-	-		25
26	0·40	-	0·47	-	-	-	0·56	-	-	0·08	-	-		26
27	0·70	-	0·32	-	-	-	0·41	-	0·04	-	-	0·03		27
28	1·00	0·10	0·65	-	-	-	0·73	0·01	-	0·35	0·03	0·01		28
29	0·10	0·05	0·05	-	-	-	-	-	-	0·04	-	0·21		29
30	0·50	✕	0·03	-	-	0·30	-	-	-	0·04	-	0·04		30
31	0·25	✕	1·02	✕	-	✕	0·20	-	✕	-	✕	0·34		31
TOTAL	8·68 ~~9·17~~	5·82	5·32	2·26	·48	1·19	10·56	·52	2·84	1·97	4·68	4·71	Year's Total 48·90	49·00
* Days with .01 in. or more.	28	17	20	9	4	8	27	8	15	12	15	19	182	
* Days with .04 in. or more.	24	17	16	9	3	7	25	4	11	11	14	14	155	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

1944.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pentillie Castle, St Mellion

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 150 ft.

Totals ck

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·08	·20	·54	-	-	-	-	·12	·11	-	1·10		1
2	·11	1·83	-	·32	-	-	-	-	·05	·05	-	·43		2
3	·13	·87	-	-	-	-	-	-	·02	-	·04	-		3
4	·12	·52	-	·11	·01	-	-	-	-	-	-	·03		4
5	·49	·04	-	·10	-	-	·15	-	-	-	-	·51		5
6	·15	·07	·32	·48	·08	-	1·08	-	·03	-	-	-		6
7	-	1·07	·18	·22	-	-	·04	-	-	-	-	-		7
8	-	·10	·20	·04	·87	·40	-	-	·08	-	-	-		8
9	·08	·06	·17	·22	·08	-	-	·04	-	-	·10	-		9
10	·50	·05	·60	·37	·04	-	·67	·59	-	-	-	·61		10
11	·14	-	·32	·33	·08	·43	·10	-	·23	-	-	·31		11
12	1·36	-	·11	·04	·40	-	·02	·49	·23	-	-	·72		12
13	-	·50	·44	·13	-	-	-	·40	·17	-	-	·11		13
14	-	-	·20	-	-	-	-	·03	·15	-	-	·38		14
15	·60	·33	·37	·60	-	-	·07	·05	·18	-	-	·25		15
16	·31	·12	·11	-	-	-	·14	·08	·05	-	·30	-		16
17	1·00	·25	·40	·02	-	-	-	-	·60	-	·83	-		17
18	·05	·17	·40	-	-	-	-	·04	·15	-	·18	·15		18
19	·25	·29	·22	·31	·17	·24	·07	-	·10	-	·06	·02		19
20	·54	·25	·21	-	·80	-	-	-	·60	-	-	1·30		20
21	·47	·50	-	·24	·50	-	-	-	·30	·14	·25	·10		21
22	·06	·13	·03	-	-	-	-	-	-	·65	·60	·25		22
23	·25	·30	·10	-	·30	-	·02	-	·02	·34	·19	·07		23
24	·50	·51	·06	-	·61	-	-	-	-	·80	-	·08		24
25	·02	1·74	·67	-	·03	-	-	-	-	·20	-	·03		25
26	·05	·25	-	-	·03	-	-	·05	-	·02	-	-		26
27	-	·32	-	-	-	-	·~~12~~	-	-	·47	-	-		27
28	-	·27	·06	-	-	-	·~~20~~	-	-	·07	-	-		28
29	-	-	-	-	-	·02	-	-	-	·46	·37	-		29
30	·57	☒	-	-	-	·03	-	-	·09	·10	·11	-		30
31	·26	☒	-	☒		☒	-	-	☒	·70	☒	-		31
TOTAL	8·47	10·62	5·37	4·07	4·10	1·12	2·07	1·74	3·95	4·26	3·05	7·05	Year's Total 56·47	✓
* Days with .01 in. or more.	24	25	21	16	14	5	10	9	18	13	11	18	184	✓
* Days with .04 in. or more.	23	25	20	15	11	3	10	8	15	12	11	15	168	✓

† Spare column, no entries required.

(Signed) J. Loader

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pentillie Castle

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·18	—	—	—	·57	·38	·59	—	·58	··6	·16		1
2	—	—	—	··2	··1	—	—	—	—	·30	··5	·36		2
3	—	—	—	—	··7	—	—	·29	—	·86	·72	··3		3
4	—	—	—	—	—	—	·29	·68	—	·22	—	·40		4
5	··3	—	—	—	—	··2	·17	·30	··2	·39	··5	—		5
6	·25	—	—	—	—	·24	1·58	··5	—	·25	··7	—		6
7	·14	—	—	—	—	—	—	—	·15	·12	—	·48		7
8	·12	··8	—	—	—	—	·33	—	—	·62	—	··6		8
9	·16	·14	—	—	—	··2	—	··1	—	··4	··8	·70		9
10	·43	—	—	—	—	—	·10	·27	—	—	—	·46		10
11	·26	—	—	—	—	—	·11	—	—	—	·52	·75		11
12	·60	—	—	—	·70	—	—	—	—	·47	·85	·10		12
13	·18	—	—	—	·97	—	··3	—	—	·16	·10	·89		13
14	1·00	—	—	—	·25	—	·33	—	—	—	—	—		14
15	·62	—	—	—	·14	—	—	··7	—	·41	·50	·56		15
16	·47	—	··8	—	—	—	—	··3	—	—	·20	—		16
17	—	—	··4	—	·28	—	—	—	·28	·33	··6	··8		17
18	·34	—	—	—	·14	·15	—	·27	·55	·14	·55	—		18
19	—	—	—	—	—	··2	··2	··5	·60	—	1·7	—		19
20	··6	—	—	—	—	—	—	—	··3	—	·15	—		20
21	··6	—	—	—	—	—	—	··4	·20	·14	·31	—		21
22	··4	—	—	—	—	—	—	·71	—	··3	·48	—		22
23	—	—	—	··4	—	—	—	—	—	—	·16	—		23
24	··4	·21	·17	—	··1	—	—	··3	··4	—	·17	—		24
25	·26	·91	—	—	·18	—	·40	—	—	··6	1·70	—		25
26	·41	·20	··3	—	·92	··9	—	—	—	·19	·15	·15		26
27	·28	·20	—	—	·15	·12	·39	1·11	—	··7	·15	—		27
28	·29	·18	··2	—	·11	·27	—	·41	·12	··7	—	··3		28
29	·31	—	·2	—	·53	··2	—	—	·30	·35	·76	—		29
30	·10	✕	—	—	··3	·13	·16	—	·61	—	·26	··7		30
31	·56	✕	—	✕	·36	✕	—	—	✕	·45	✕	·38		31
TOTAL	7·95	2·10	·36	··6	4·75	1·65	4·19	4·90	3·30	6·27	9·18	5·66	Year's Total 50·37	✓
* Days with .01 in. or more.	24	8	3	2	16	11	13	16	11	22	24	17	167	✓
* Days with .04 in. or more.	23	8	3	1	12	7	11	13	9	21	24	15	147	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Loader

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Pentillie Castle

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	—	—	—	—	—	—	·55	—	—	·55	·12		1
2	·28	—	—	·60	—	—	··8	·32	34	—	·58	·10		2
3	·44	—	·28	·48	—	—	—	—	—	—	·11	·21		3
4	··3	—	·82	·11	·80	—	—	··3	—	—	·43	·45		4
5	—	—	··4	·14	·26	—	·65	—	—	·43	·15	·19		5
6	·53	—	·10	·17	·30	—	·36	·10	—	·55	1·55	··9		6
7	··7	·89	—	—	—	·14	1·37	·15	—	··9	·11	—		7
8	·22	·50	··5	—	—	··2	··9	·10	—	—	·22	1·25		8
9	··4	··4	—	—	—	—	·27	·33	—	1·85	·72	·19		9
10	·14	—	—	—	—	··5	—	·22	··4	··8	·32	·30		10
11	—	··6	·19	—	—	—	—	—	—	·20	··7	·60		11
12	—	··6	—	·21	—	—	—	—	·24	·15	—	··4		12
13	—	—	—	·27	—	·11	·93	—	··4	·16	··8	··5		13
14	1·15	—	—	··6	·10	·10	·85	—	—	·60	·11	··2		14
15	·42	—	—	··7	—	1·22	·21	—	—	·10	·24	—		15
16	·10	—	—	·15	··3	—	·77	—	—	—	·37	—		16
17	1·00	··8	—	—	—	·31	·60	—	—	—	·30	—		17
18	··4	··5	··5	—	—	—	·33	—	—	—	··4	—		18
19	·58	—	—	—	—	—	·51	·19	—	—	·80	··8		19
20	·60	—	—	—	—	·31	—	·40	—	—	··3	·17		20
21	··8	·31	·11	—	··3	·21	·30	·25	—	—	—	·10		21
22	1·13	·45	·14	··4	—	·40	·43	—	—	—	—	—		22
23	··5	—	··7	·40	—	—	··7	—	—	—	·78	—		23
24	·75	—	·10	·15	—	·58	—	—	—	··2	1·90	—		24
25	·29	·10	—	··4	—	··2	··7	·47	—	··9	—	—		25
26	—	··4	—	··7	—	—	··4	··5	—	··7	·78	—		26
27	—	·36	—	—	—	·13	··6	—	—	··3	·63	—		27
28	—	··8	—	—	—	··9	·22	—	—	—	·25	—		28
29	—	×	—	—	—	·32	·42	—	—	—	·42	—		29
30	—	×	—	·13	—	··9	·3	—	—	··9	·13	—		30
31	—	×	—	×	—	×	··8	·51	×	·10	×	—		31
TOTAL	8·39	3·02	1·95	3·09	1·52	4·10	8·64	3·67	·66	4·61	11·68	3·96	Year's Total 55·29	
* Days with .01 in. or more.	~~21~~	~~13~~	~~11~~	~~16~~	~~6~~	~~16~~	~~23~~	~~14~~	~~4~~	~~16~~	~~26~~	~~16~~	~~182~~	
* Days with .04 in. or more.	20	13	11	15	4	14	22	13	4	14	25	15	170	

† Spare column, no entries required.

(Signed) J Loader

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1944

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Pentillie Castle

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	··9	—	··5	·28	—	—	—	—	—	·22	—		1
2	—	·18	—	·41	—	—	··6	—	—	—	1·40	··4		2
3	·10	1·12	—	—	—	—	—	—	—	··3	1·08	·27		3
4	—	·16	—	·11	—	—	··8	—	—	·36	·22	··9		4
5	··5	··6	—	—	—	—	—	—	—	·13	·55	·34		5
6	·98	1·40	—	—	—	—	·23	—	—	·56	··5	·47		6
7	·19	··4	—	—	—	—	·16	—	·10	··5	—	··7		7
8	—	—	—	—	··3	~~·3~~	··6	—	—	·52	·85	·53		8
9	—	—	—	—	—	—	·65	··9	—	·14	·46	·46		9
10	—	—	—	··2	—	—	·36	··2	—	·18	·22	·43		10
11	—	··7	—	—	—	—	·10	—	—	—	1·91	··5		11
12	—	—	·25	—	—	·15	·38	—	·59	—	·18	—		12
13	—	—	·36	—	—	—	—	—	—	·30	·90	1·02		13
14	—	—	—	··5	—	—	—	—	·27	·20	··4	·97		14
15	—	·13	—	—	—	—	·21	—	·22	··3	·73	··8		15
16	—	1·50	1·60	··6	—	—	·20	—	·25	—	·13	—		16
17	—	·39	·75	—	—	—	—	—	—	—	··9	—		17
18	—	·74	·28	·30	—	—	·20	—	·15	—	·12	·18		18
19	—	·11	·17	·10	—	—	··3	—	·65	·15	·63	—		19
20	—	—	··2	·10	·15	—	—	—	—	·16	·14	—		20
21	—	—	··3	—	—	·53	—	··7	—	—	·55	—		21
22	—	—	·13	·11	—	—	—	—	··5	··7	··6	—		22
23	—	·11	·33	··3	—	—	·28	—	—	·21	··6	—		23
24	—	—	··8	—	·66	—	—	—	—	—	—	—		24
25	·40	—	·33	··7	·55	··5	—	—	—	—	—	—		25
26	·70	1·08	—	·25	·40	··6	—	—	—	—	··3	—		26
27	·43	·19	··7	—	·26	—	—	—	—	—	—	—		27
28	·68	·12	—	·38	—	—	—	—	—	—	··4	—		28
29	·15	··6	·36	1·00	—	·10	—	—	—	·18	—	·48		29
30	··4	✕	—	·12	··5	—	—	—	—	1·05	—	·30		30
31	—	✕	··2	✕	—	✕	—	—	✕	·79	✕	·76		31
TOTAL	3·72	7·55	4·78	3·16	2·38	·89	3·00	··18	2·28	5·11	10·66	6·54	Year's Total 50·25	✓ d
* Days with .01 in. or more.	~~10~~	~~18~~	~~15~~	~~16~~	~~8~~	~~5~~	~~14~~	~~3~~	~~8~~	~~18~~	~~24~~	~~17~~	~~156~~	✓ "
* Days with .04 in. or more.	10	18	12	14	7	5	13	2	8	16	23	17	145	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Loader [P.T.O.

1944/8

FORM 1090. **B** Monthly Summa

1944/8
GUNNISLAKE, ALBASTON
1933 —— 40

780311

*** The following register of monthly to
&c., is NOT required if daily or wee
values are given on the other side.

and also the space for

gister should be sent:—

RAINFALL IN 1933

At Gunnislake (Drakewalls)

In the County of Cornwall

in Summer

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 573 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·00	1·28	2	14	13
FEB.	4·48	·92	23	19	14
MAR.	4·25	1·23	16	15	14
APRIL	3·58	·71	24	10	10
MAY	1·91	·51	5	16	12
JUNE	2·39	·67	2	11	10
JULY	4·40	1·18	15	14	14
AUG.	2·92	1·27	11	14	10
SEPT.	2·03	·61	22	13	9
OCT.	5·94	1·51	10	21	17
NOV.	1·72	·40	19	12	9
DEC.	2·46	1·12	1	9	7
Total	~~[illegible]~~ ~~[illegible]~~ 40·08	print +		168	139

Signature J. D. Woolcock Esq.

V.G. Record OK print

*See Instruction 2 (*f*) below.

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from the records of the Cornwall Rainfall Assocⁿ
A. Pearse Jenkin. Hon. Sec. 15/3/34 J.W.O.

[illegible] Sent avg. 66·613
28/3/34

D INSTRUCTIONS

Nearest Railway Stn. Gunnislake Distance ¼ mile Direction from Gauge N.E.

,, Parish Church Calstock 1½ miles ,, S E

Diameter of Funnel of Gauge 5 in Height of top of Gauge above ground 1 ft.

Height of ground above Sea Level 573 Pattern of Gauge B

Nature of Objects nearest to Gauge Wall + House

Height of Objects 5 ft. wall House 25 ft

Distance from Gauge 9 ft 50 ft.

Direction ,, ,, E SE

From J.D. Woolcock Drakewalls Gunnislake Cornwall

(*2507) Wt. 27196—7732 125 3/31 T.S. 118

certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

1944/8

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Gunnislake (Drakewalls)

In the County of Cornwall

Rain Gauge:
Diameter of Funnel 5 in
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 573 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·00	1·28	2	14	13
FEB.	4·48	·92	23	19	14
MAR.	4·25	1·23	16	15	14
APRIL	3·58	·71	24	10	10
MAY	1·91	·51	5	16	12
JUNE	2·39	·67	2	11	10
JULY	4·40	1·18	15	14	14
AUG.	2·92	1·27	11	14	10
SEPT.	2·03	·61	22	13	9
OCT.	5·94	1·51	10	21	17
NOV.	1·72	·40	19	12	9
DEC.	2·46	1·12	1	9	7
Total	40·98 ✓	print A		168	139

Signature J. D. Woolcock Esq

V.G. Record

OK print

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from the records of the Cornwall Rainfall Assocⁿ
A. Pearse Jenkin. Hon. Sec. 15/3/34 J.W.O.

[illegible] Sent [illegible] 660613
28/3/34

D INSTRUCTIONS

Nearest Railway Stn. Gunnislake Distance 1/4 mile Direction from Gauge N.E.

,, Parish Church Calstock 1½ miles ,, S E

Diameter of Funnel of Gauge 5 in Height of top of Gauge above ground 1 ft.

Height of ground above Sea Level 573 Pattern of Gauge B

Nature of Objects nearest to Gauge Wall + House

Height of Objects 5 ft. wall house 25 ft

Distance from Gauge 9 ft 50 ft.

Direction ,, ,, E SE

From J. D. Woolcock
Drakewalls
Gunnislake
Cornwall.

(*2507) Wt. 27196—7732 125 3/31 T.S. 118

certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

N

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1944/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Drakewalls

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 573 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21		·11					1·11	·09	·02	·21	1·53		1
2	·11		·04					·02	1·18	·09	·24	·43		2
3	·04		·29					·39	·01	·55		·85		3
4	·22			·03	·48			·09	·03	·23		·63		4
5			·38		·47	·32		1·16		·14	·01	·83		5
6	·29			·12	·59			·03	·18	·44		·79		6
7	·09							·09	·02	·41	·03	1·43		7
8	·11				·12			·04	·03	·04	·45	1·35		8
9		·02	·40					·02			·43	·20		9
10	·65	·02	·51	·08				·06			·09	·38		10
11	·82		·05	·68				·05			·01	·67		11
12	·11			·02			·18	·22				·34		12
13	·58			·57			·01	·02		·01	·12	·51		13
14	·68		·53	·02			·01			·05		·47		14
15	·17		·20	·04	·12				·04	·14	·03	·45		15
16	·31		·37	·01					·57	·07		·28		16
17	·37		·08	·09	·02		·02		·05	·09		·59		17
18	·17		·37	·48	·01	·09			·03	·02		·72		18
19			·18	·05	·02	·04		·08	·18	·01		·18		19
20				·19	·03				·06	·04	·04	·11		20
21			·17			·33		·07	·03	·57	·03	·49		21
22	·31	·01	·02			·01		·02	·58	·04	·01	·18		22
23	·10		·01	·17		·32			·53	·05		·39		23
24	·02		·09	·14		·23	·11		·02	·41		·17		24
25	·28	·15		·66		·58			·03	·42		1·18		25
26	·21		·08	·06		·30			·27	·05	·04	·31		26
27	·04					·19		·04	·15	·11	·07	·42		27
28						·08	·02	·51	·35	·05	·02	1·32		28
29								·08	·10	·10	·02	·15		29
30		×					·02	·11	·40	·21	·01	·39		30
31	·01	×		×		×	·19	·03	×	·18	×	·08		31
TOTAL	5·90	·20	3·88	3·41	1·86	2·49	·56	4·24	493	4·54	1·86	17·82	Year's Total. 51·69	
* Days with .01 in. or more.	23	4	18	17	10	11	8	21	23	27	18	31	211	
* Days with .04 in. or more.	21	1	16	12	5	10	3	15	15	23	8	31	160	

40-9999

† Spare column, no entries required.

(*Signed*) J. D. Woolcock

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1944/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Drakewalls

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 573 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·05	·70			·10	·03		·38	·23	·02	·41		1
2	·	·02	·06			·19	·02		·57	·72	·14	·21		2
3	·06	·01	·15	·02	·28	·26			·26	·13	·22	·22		3
4	·	·13	·06	·08		·29			·08	·40	·23	·26		4
5	·	·38	·08	·17		1·25			·26	1·52	·08	·13		5
6	·		·06	·90						·06	·11	·15		6
7	·			·68						·52	·12	·06		7
8	·			·17			·01			·12	·50	·07		8
9	·			·94						·98	1·02			9
10	·13			·21		·15	·05			·06	·02			10
11	·22	·08		·03		·80			·28	·02	·83			11
12	·17	·45		·11		·24		·07	·13		·12			12
13	·07	·11		·10		·66			·04	·08	·42			13
14		·26		·20		·17			·39	·09	1·64	·37		14
15		·17		·65	·09				·09	·01	·31	·11		15
16		·28	·07	·33					·55	·15	·89	·01		16
17		·19		·03	Snow ·60	·56		·06	·19	·02	·06			17
18		·30	·03	·53	·05			·10	·61	·16	·05	·11		18
19		·04		·15	·48	·20	·14		·21	·38	·33			19
20		·74		·58	·11	·15	·09		·04	·10	·19			20
21		·82	·09	·12		·02	·06		·14	·04				21
22		·09	·03	·22					·11	·17				22
23		·21	·08	·20				·21	·40	·40		·38		23
24	·12	·51	·01	·20	·04			·22	·33			·37		24
25	·27	·39		·22		·45						·20		25
26		·79				·04		·31	·45	·05	·01	·57		26
27		·12					·01	·09	·38	·04	·20	·40		27
28		·10					·03	·18	·48	·02	·06	·03		28
29						·07		·11	·33	·10	·41	·91		29
30		×				·10		·68	·18	·08	1·01	1·01		30
31	·01	×		×		×		·14	×	1·03	×	·41		31
TOTAL	1·14	6·24	1·42	6·84	1·60	5·70	·44	2·17	6·88	7·68	8·99	6·29	Year's Total. 55·49	
* Days with .01 in. or more.	9	23	12	23	7	18	9	11	24	28	25	21	210	
* Days with .04 in. or more.	8	21	9	20	7	17	4	11	24	24	22	19	189	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. D. Worlock

P.T.O.

FORM 1090. **B** Monthly Summary.

C Particulars of Station Copy by B.R.O. 1944/8

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Gunnislake (Drakewalls)

In the County of ....

Rain Gauge
Diameter of Funnel..........................in.
Height of Top above Ground.........ft............in.
Height of Ground above Sea Level..................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·90	·85	28	26	26
FEB.	2·99	·62	10	21	19
MAR.	5·93	1·30	28	20	18
APRIL	2·73	·54	21	13	10
MAY	·50	·19	15	7	4
JUNE	2·01	·65	21	14	10
JULY	11·22	1·28	1	30	26
AUG.	·79	·17	19	13	7
SEPT.	3·47	·67	3	17	13
OCT.	2·11	·46	25	15	12
NOV.	5·30	·96	6 & 11	20	15
DEC.	7·02	1·32	13	23	18
TOTAL	52·97 ✓	✓		219 ✓	178 ✓

J.D. Woolcock. *

*Signature** Cornish Rainfall Association

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

J. D. Woolcock Esq.

....

Hour of observation by the clock—in Winter.....................in Summer....................

Nearest Railway Station.................................... **Distance**.............. Direction from gauge...............

Nearest Parish Church at.................................... **Distance**.............. Direction from gauge...............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1944/8

FORM 1090. **B** Monthly Summary.

C Particulars of Station.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~8~~7

At Gunnislake (Drakewalls)

In the County of Cornwall

Rain Gauge
Diameter of Funnel..........in.
Height of Top above Ground.........ft...........in.
Height of Ground above Sea Level..........ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9·73	1·20	12	27	23
FEB.	10·72	1·66	2	25	23
MAR.	6·36	·75	25	21	19
APRIL	3·71	·61	15	16	15
MAY	3·96	·79	8	14	12
JUNE	1·35	·45	12	15	9
JULY	2·79	1·07	5	12	9
AUG.	1·44	·73	13	9	5
SEPT.	4·25	·71	21	18	16
OCT.	4·21	1·01	24	13	11
NOV.	3·29	·81	22	10	9
DEC.	5·86	1·17	20	17	16
TOTAL	5~~8~~7·67			197	167

Signature Per Cornish Rainfall Association.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— J. D. Woodcote Esq

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1944/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ALBASTON, GUNNISLAKE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 573 ft.

Totals. √8

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	0.20	-	-	-	0.73	0.45	0.58	-	0.94	0.10	0.06		1
2	-	0.01	-	0.04	-	-	0.01	-	-	0.25	0.07	0.14		2
3	·	-	·	-	0.10	-	-	(HAIL) 2.60	-	0.74	0.39	0.04		3
4	·	-	-	-	-	·	0.38	0.32	-	0.34	0.01	0.41		4
5	0.07	-	-	-	·	0.09	0.34	0.17	-	0.29	0.05	0.07		5
6	0.25	-	-	·	-	0.24	1.32	0.08	0.38	0.24	0.05	0.10		6
7	0.10	-	·	-	-	-	0.30	-	0.05	0.05	0.06	0.34		7
8	1.02	0.10	-	·	-	-	0.32	-	-	0.59	-	0.05		8
9	0.28	0.11	0.01	-	-	0.02	0.01	0.12	-	0.01	0.05	0.99		9
10	0.32	-	-	-	-	0.03	0.10	0.35	-	0.02	0.56	0.51		10
11	0.42	-	-	-	-	-	0.12	-	-	·	-	0.64		11
12	0.50	0.02	·	-	0.75	-	-	-	-	0.61	0.83	0.06		12
13	0.28	-	·	·	1.06	-	0.03	-	-	0.24	0.03	0.96		13
14	0.82	-	-	-	0.27	-	0.29	-	-	-	0.01	-		14
15	0.50	-	-	-	0.15	-	0.03	0.09	-	0.33	0.52	0.61		15
16	0.48	-	0.11	-	0.02	-	-	0.06	-	-	0.19	0.03		16
17	-	-	0.04	-	0.50	-	-	-	0.24	0.28	0.06	0.04		17
18	0.35	-	-	-	0.02	-	-	0.28	0.32	0.18	0.56	-		18
19	·	-	·	-	·	-	0.05	0.12	0.34	-	1.18	·		19
20	0.03	-	-	-	-	-	-	-	0.10	-	0.19	-		20
21	0.05	-	-	-	-	-	-	0.06	0.17	0.06	0.41	-		21
22	0.04	-	-	0.01	-	0.11	-	0.94	0.02	-	0.41	-		22
23	-	-	-	0.04	-	·	-	0.01	-	-	0.15	-		23
24	-	0.18	0.22	-	0.03	0.03	-	0.02	-	-	0.42	-		24
25	0.28	0.91	0.01	-	0.11	-	0.43	-	-	0.13	1.38	-		25
26	0.48	0.26	0.02	-	1.10	0.10	0.03	-	-	0.16	0.02	0.19		26
27	0.41	0.20	-	-	0.12	0.09	0.46	0.99	·	0.09	0.44	-		27
28	0.25	0.22	-	-	0.10	0.21	0.02	0.47	0.11	0.15	0.03	0.05		28
29	0.38	-	·	-	0.54	-	0.01	-	0.21	0.41	0.74	0.02		29
30	0.10	✕	0.01	-	0.03	0.11	0.10	-	0.31	-	0.19	-		30
31	0.62	✕	0.01	✕	0.31	✕	-	-	✕	0.41	✕	0.41		31
TOTAL	8.03	2.27	0.43	0.09	5.21	1.76	4.80	7.26	2.25	6.52	9.10	5.72	Year's Total 53.44	✓
* Days with .01 in. or more.	23	10	8	3	16	11	20	17	11	22	28	20	189	✓
* Days with .04 in. or more.	22	8	3	2	16	8	13	15	10	20	23	18	158	✓

† Spare column, no entries required.

(Signed) J. Bolt

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1944/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ALBASTON , GUNNISLAKE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 573 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.31	-	0.07	0.11	-	-	0.01	0.11	-	-	0.40	0.21		1
2	0.15	-	-	0.49	-	-	0.01	0.43	0.30	-	0.11	0.08		2
3	0.49	-	0.24	0.46	-	-	-	0.03	0.07	-	0.44	0.61		3
4	-	-	0.80	0.66	0.69	-	0.65	0.03	-	0.30	0.57	0.22		4
5	-	-	0.01	0.08	0.21	-	0.23	-	-	0.45	1.38	0.09		5
6	0.59	0.04	0.09	0.22	-	-	1.35	×	-	0.22	0.21	-		6
7	0.13	0.48	-	-	0.06	-	0.21	-	-	-	0.14	1.17		7
8	0.18	0.51	0.01	-	0.04	0.05	0.10	×	-	1.04	0.08	0.11		8
9	0.08	0.03	0.08	-	-	-	-	0.55×	-	0.40	0.71	0.25		9
10	0.10	-	-	-	-	0.04	-	0.09	0.01	0.11	0.02	0.54		10
11	0.03	0.09	0.18	-	-	-	-	-	-	-	0.07	-		11
12	0.08	0.10	-	0.21	-	-	-	-	0.24	-	0.06	-		12
13	-	-	-	0.23	-	0.21	0.98	-	0.05	0.67	0.18	0.07		13
14	1.14	-	-	0.01	0.09	0.06	1.47	-	-	0.58	0.12	0.03		14
15	0.31	-	-	0.05	0.09	1.10	0.45	-	-	0.01	0.26	-		15
16	0.19	0.01	0.01	0.15	0.01	-	0.44	-	-	-	0.25	-		16
17	1.24	0.08	-	-	-	0.24	0.56	-	-	-	0.09	-		17
18	0.05	-	0.07	-	-	-	0.30	-	-	-	0.81	0.10		18
19	0.59	-	-	-	-	-	0.61	1.02	-	-	-	0.23		19
20	0.58	-	-	-	-	0.42	0.01	0.42	-	-	-	0.17		20
21	0.41	0.36	0.08	-	0.03	0.14	0.41	-	-	-	-	-		21
22	1.05	0.39	0.19	0.05	-	0.46	0.40	-	-	-	0.76	-		22
23	0.03	0.01	0.12	0.46	-	-	0.03	-	-	0.08	1.59	-		23
24	0.65	0.02	-	0.05	-	0.58	0.01	-	-	0.13	-	-		24
25	0.23	0.27	0.12	0.06	-	0.04	0.03	0.39	-	0.11	0.74	-		25
26	0.02	0.06	-	0.07	-	-	0.01	-	-	0.07	0.75	0.02		26
27	-	0.33	-	-	-	0.20	0.05	0.03	-	-	0.04	-		27
28	-	0.05	-	-	-	0.05	0.20	-	-	-	0.35	-		28
29	-	-	-	-	-	0.07	0.44	-	-	0.12	0.10	-		29
30	-	✕	-	0.13	-	0.02	0.19	0.04	-	0.09	0.08	-		30
31	-	✕	-	✕	-	✕	0.12	0.70	✕	0.41	✕	-		31
TOTAL	8.73	2.83	2.07	3.49	1.22	3.68	9.27	3.84	0.67	4.79	10.31	3.90	Year's Total 5680	
* Days with .01 in. or more.	23	16	14	17	8	15	26	14 +2	5	16	26	15	195	
* Days with .04 in. or more.	20	12	11	16	6	14	19	11 8	4	15	25	13	166	

† Spare column, no entries required.

(*Signed*) J. J. Bolt.

*See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1944/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at ALBASTON, GUNNISLAKE

in the County of CORNWALL

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 573 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	0.05	-	0.01	- ✗	-	-	-	-	-	0.24	- ✓		1
2	-	0.12	-	- ✗	-	-	0.03	-	-	-	1.26	- ✓		2
3	-	0.76	-	- ✗	-	-	- ✓	-	-	0.03	0.94	- ✓ ~~0.22~~		3
4	-	0.06	-	- ✗	-	-	0.10	-	-	0.30	0.14	0.22 ~~0.25~~		4
5	0.02	0.02	-	-	-	-	0.02	-	-	0.11	0.32	0.25 ~~0.48~~		5
6	1.12	1.23	-	-	-	-	0.04	-	-	- ✗	0.30	0.48 ✓		6
7	0.14	0.03	-	- ✓	-	-	0.18	-	0.05	0.17	-	- ~~0.28~~		7
8	-	-	-	-	-	-	0.11	-	- ✗	0.41	0.54	0.28 ~~0.48~~		8
9	-	-	-	-	-	-	0.68	0.06	- ✓	0.15	0.75	0.48		9
10	-	-	-	-	-	-	0.09	-	0.03	0.06	0.14	0.34		10
11	-	- ✓	0.09	- ✓	-	- ✗	0.18	-	-	-	1.64	- ✗		11
12	-	-	0.14	- ✓	-	- ✓	0.37	-	0.38	-	0.08	-		12
13	-	-	0.30	-	-	-	- ✗	-	- ✓	0.11	0.73	1.36		13
14	-	- ✗	-	- ✓	-	-	-	- ✓	0.37	0.30	0.06	0.94		14
15	-	0.15	-	0.09	-	-	-	-	0.22	-	0.39	- ✓		15
16	-	1.56	1.22	0.10	-	-	0.30	-	0.17	-	0.08	- ✗		16
17	-	0.31	0.77	-	-	-	0.23	-	- ✓	-	0.13	-		17
18	-	0.44	0.18	0.39	-	-	0.08	0.13	0.20	0.02	0.08	0.24		18
19	0.48 (SNOW)	- ✗	-	0.18	-	-	0.10	-	- ✗	0.11	0.42	- ✓		19
20	-	-	-	- ✓	-	-	0.01	0.02	0.01	-	0.12	-		20
21	-	-	0.10	-	0.11	- ✗	-	0.06	-	- ✗	0.43	-		21
22	-	-	0.09	- ✓	-	0.51	-	-	0.09	- ✗	0.03	-		22
23	-	- ✗	0.25	- ✓	-	-	- ✓	-	-	0.04	0.03	-		23
24	0.20 (SNOW)	-	0.02	- ✓	0.05	0.01	0.29	-	-	-	-	-		24
25	0.08	-	0.20	- ✓	0.68	0.09	-	-	-	-	-	-		25
26	0.78	1.07	-	0.52	0.15	0.01	- ✗	-	-	-	0.03	-		26
27	0.25	0.18	-	-	0.46	- ✓	-	-	-	-	- ✓	-		27
28	0.36	0.16	-	0.30	0.14	-	-	- ✓	-	-	-	- ✓		28
29	0.08	- ✗	0.22	1.09	-	0.09	-	-	-	0.24	-	- ✗		29
30	0.07	✕	0.01	-	0.03	-	-	-	-	1.05	- ✓	0.55		30
31	0.08	✕	0.01	✕	-	✕	-	-	✕	0.51	✕	- ✗		31
TOTAL	3.66	6.14	3.60	2.68	1.62	0.71	2.81	0.27	1.52	3.61	8.88	5.14	Year's Total 40.64	
* Days with .01 in. or more.	12	19 ~~14~~	14	20 ~~8~~	8 ~~7~~	9 ~~6~~	20 ~~16~~	6 ~~4~~	14 ~~9~~	18 ~~15~~	25 ~~23~~	20 ~~12~~	~~137~~	185
* Days with .04 in. or more.	11	16 ~~12~~	11	10 ~~7~~	6	5 ~~8~~	15 ~~13~~	3	9	16 ~~13~~	20	14 ~~12~~	~~116~~	136

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. J. Bolt

[P.T.O.

1945

Section **A** for the entry of Dai

AIR MINISTRY.—

FORM 1090.

REGISTE

FOR OFFICIAL USE.

ORGANIZATION.

1945

STOKE CLEMSLAND SCH.

1931 — 39

7R0311

Kept at Stoke Climsl

in the County of Co

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITE Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06"	✓	✓		✓	·03"	·04"	·01	·53	·05	·01	·01	1
2	·19"	·01"	·01"	·37	✓	✓	·01"		·25	✓	·28	·72	2
3	·42"	✓	·14"	·20"	·04"	✓		✓	·10	✓	2·39	·22	3
4	✓	·01"	·07"	·04"	·03"	✓		·31	·41	·13	·06	✓	4
5	✓	[illegible]	·08	·01"	·01"	✓	·58"	[illegible]	·11		✓	·84	5
6	✓	✓	✓	·06"	·11"	✓	·70"	✓	·01	·41	✓	✓	6
7	✓	✓	✓	·61"	·25"	✓		·15	·00	·14	✓	✓	7
8	✓	·22"	✓	·19"		·62	·58	·19	✓	✓	1·09	·08	8
9	✓	·37"	✓	·02"		·14"	·02"	·02	✓	✓	·37	·06	9
10	✓	·07"	✓		·34"	·09"	·04"	·19		✓	·37		10
11	·20"	·36"	✓		·03"	·35"		✓	✓	✓	·14		11
12	·08"	·04	✓				1·07	[illegible]	·11	·01	1·11		12
13	·01"		✓		·23"		·28	[illegible]	·02	·42	✓		13
14	·03"		✓		·24"	·24"	·78	·14	·05	·06	✓		14
15	·01"	·14"	·06"	·01"	·35	·05"	·05	·35	·05	✓	✓		15
16		·22"	✓	·02"		1·14"	·04	·08	✓	✓	✓		16
17		·01"	✓			·02"			✓		✓		17
18		·01"	·02"			·20"		1·05	✓	✓	·41		18
19	·03	·16"	·30	·05			·15	·67	✓	✓			19
20				·01"			·01	·59	✓	✓			20
21			✓	·01"	·24"	·11"	·04	·01	✓	✓			21
22	·5		·59	·19"				✓	✓	✓	·79		22
23		·01"		·32"				✓	✓	✓	1·45		23
24								·17	✓	✓	·02	·02	24
25					·85"			✓	✓	✓	·70	·04	25
26				·77"			1·12	1	✓	✓	1·40		26
27	·03"			·03"	1·33		·11	✓	✓	·06	✓		27
28	·01"			·02"	·03"	·03"	·01	·05	✓	✓	✓	·20	28
29	·04"						·14	1·33	·05	✓	·68	·05	29
30		×	·02"				✓	✓	·17	✓	-	·05	30
31	1·00"	×	·05"	×	·38"	×	·02	✓	×	·06	×	·09	31
TOTAL	3·75	2·52	2·39	2·44	5·96	3·04	7·95	5·41	2·43	1·34	11·27	2·38	YEAR'S TOTAL 50·88
*Days with ·01 in. or more.	~~19~~	~~19~~	~~11~~	~~18~~	~~15~~	~~12~~	~~20~~	~~18~~	~~13~~	~~9~~	~~16~~	~~12~~	~~182~~
*Days with ·04 in. or more.	~~13~~	~~12~~	~~8~~	~~10~~	~~13~~	~~8~~	~~15~~	~~15~~	~~10~~	~~8~~	~~14~~	~~11~~	~~184~~

40-9999

(Signed) Thomas Oates

P.T.O.

*See Instruction 2 (*f*) on other side.

1945

Section **A** for the entry of Dai FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stoke Climsland School

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. ...... in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06"	✓	✓		✓	·03"	·04"	·01	·53	·05	·01	·01	1
2	·19"	·01"	·01"	·37	✓	✓	·01"		·25	✓	·28	·72	2
3	·42"	✓	·44"	·20"	·04"	✓		✓	·60	✓	2·39	·22	3
4	✓	·01	·03"	·04"	·03"	✓		·31	·44	·13	·06	–	4
5	✓	·11	·2	·01"	·01"	✓	·58"	·07	·11		–	·84	5
6	✓	✓	✓	·06"	·11"	✓	·70"	✓	·01	·41	–	–	6
7	✓	✓	✓	·51"	·25"	✓		·15	·00	·04	–	–	7
8	✓	·22"	✓	·19"		·62	·38	·19	✓	✓	1·09	·08	8
9	✓	·18"	✓	·02"		·14"	·02"	·02	✓	✓	·37	·06	9
10	✓	·02"	✓		·34"	·09"	·04"	19		✓	37		10
11	·20"	·36"	✓		·03"	·35"		✓	✓	✓	·04		11
12	·18"	·04	✓		1"		1·07	·03	11	·01	1·11		12
13	·01"		✓		·23"		·28	[illegible]	·02	·42	✓		13
14	·02"		✓		·26"	·24"	·78	·14	·05	·06	✓		14
15	·01"	·14"	·06"	·01"	·35"	·05"	·05	·38	·05	✓	–		15
16		·22"	✓	·02"		1·14"	·04	·08	✓	✓	–		16
17		·01"	✓			·02"			✓	✓	–		17
18	·01	·01"	·02"			·20"	·05	1·05	✓	✓	·41		18
19	[illegible]	·16"	·30"	·05			·15	·67	✓	✓			19
20	[illegible]			·01"			·01	·50	✓	✓	–		20
21	[illegible]		–	·01"	·24"	·11"	·04	·01	✓	✓			21
22	·5	[illegible]	·59	·19"				✓	✓	✓	·79		22
23		·01"		·32"				✓	✓	✓	1·45		23
24	·07	·02						·17	✓	✓	·02	·02	24
25	·09	·02"			·85"			✓	✓	✓	·70	·04	25
26		·04"		·77"			1·12	1	✓	✓	1·40		26
27	·07"			·03"	1·33		·11	✓	✓	·06	–		27
28	·01"	·15"		·02"	·03"	·03"	·01	·05	✓	✓	–	·20	28
29	·04"		·29"				·14	1·33	·05	–	·68	·05	29
30		✗	·32"				✓	✓	·17	✓	–	·05	30 d
31	1·00"	✗	·05	✗	·38"	✗	·02	✓	✗	·06	✗	·09	31
TOTAL	3·75	2·52	2·39	2·44	5·96	3·04	7·95	5·41	2·43	1·34	11·27	2·38	YEAR'S TOTAL 50·88
*Days with ·01 in. or more.	~~19~~	~~19~~	~~11~~	~~18~~	~~15~~	~~12~~	~~20~~	~~18~~	~~13~~	~~9~~	~~16~~	~~12~~	~~182~~
*Days with ·04 in. or more.	~~13~~	~~12~~	~~8~~	~~10~~	~~12~~	~~9~~	~~15~~	15	10	8	14	~~11~~	~~134~~

40-9999

(Signed) Thomas Oates

P.T.O.

*See Instruction 2 (*f*) on other side.

1945

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 1945.

Kept at Stoke Climsland School

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level 450 ft.

Nov 4th [illegible]

Station No. 9503.

Obs agrees to adjustment f663177/26.

File Reference 663177/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	0		·21	0	✓	·21	·16	·02			1
2	·07	0	·04		0	0	✓ ·05	·03	·45	·01	·03	✓	2
3	·03	0	·03	·21	0	✓	✓	0	·36	0	✓	·46 ✓	3
4	[illegible]	·01		0	0	✓ ·40	·14	·06	0	·01	~~9·40~~ ·37 ✓	✓	4
5	·81	0	✓ ·04	0	0	0	·03	0	·25		✓	·02	5
6	·65	0	✓	·15	0	0	·22	·01	·33	2·36	0	0	6
7	·17	0	0	·02	✓	0	·03	0	1·05		0	0	7
0 8	✓	0	·16	·56	·26	0	0	·01	·05	·30	0		8
0 9	✓ 1·63	0	0	✓ ·56	·04	0	0	0	✓	·04	0	1·56	9
0 10	✓	0	0	✓	·0[illegible]	✓	0	0	·17	·32	✓		10
11	[illegible]	0	0	·10	[illegible]	0 ·02	0	0	✓	·82	0 ✓	·08	11
12	1·09	0	0	0	·94	✓	·01	0	·01		✓	·20	12
13	·13	0	0	·30	✓	0	·05	·14	0	·20	0	·08	13
14	·24	0	0	·20	·33	0	·01	·07	0		0	·13	14
15	✓	0	0	✓		0	✓	0	0	·04	0		15
16	✓ ·43	0	0	✓ ·05		0	✓ ·14	·01	✓	0	0	·03	16
17	✓	0	0	✓	·21	0	✓	0	✓ ·19	·55	·21		17
18	·04	0	0	·01	·70	0	·01	0	✓	1·00	✓	·02	18
19	·01	0	0	·09	·44	0	0	·12	·05		✓	·11	19
20	·01	0	0	·04	✓	0	·01	·41	·01	2·49	·10	·40	20
21	·05	0	·03	·02	✓	0	✓	·03	1·00		·44		21
22	0	0	0	0	✓ ·54	0	✓ 1·25	·02	·41	·06	·12	·15	22
23	0	·01			✓	0	✓	0	·14	·46	·11		23
24	0	·01		·04	·14	0	·22	0	·04	·16	✓	·32	24
25	·01	0	·15	·08	0	0	·18	0	0	·45	·49 ✓		25
26	·01	0	·14	·29	·06	0	·12	0	0	✓	✓	0	26
27	0	0	·30	·13	✓	0	·10	·01	·41	1·10 ✓	·07	·35	27
28	0	0	·34	✓	✓ ·06	0	·16	·01	·77	✓	·45	·09	28
29	0	0	·50	·31	✓	·74	·13	·41		·07	·92	·03	29
30	0	×	·17	✓	·03	·94	·63	·05		·01	·12	·01	30
31	0	×		×	·1[illegible]	×	·19	0	×	·01	×	·23	31 "d"
TOTAL	5·41	·04	1·98	2·68	4·25	2·10	3·68	1·69	5·79	10·44	~~6·71~~ 3·38	4·27	YEAR'S TOTAL 45·71
*Days with ·01 in. or more.	~~23~~	~~2~~	~~11~~	~~23~~	~~Regret unable owing to [illegible]~~								
*Days with ·04 in. or more.			~~to supply data required by these lines~~										

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) T. Oates

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 194.5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stoke Climsland

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 450 ft.

File No. 663177/26

Do

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·03	·2	·11	·1	·53				0	·05		1
2	1·69	·61	·21		·15		0	0		0	·02		2
3	·09	·96		0	·11	·73	0	0	0	0		1·1	3
4	·16	·02	1·14	0	·22		0	0		0	·01		4
5	0			0		0	0		0	0		·06	5
6		·06	·11	0	·19	0	0	0	0		0	0	6
7	·12		·01			0		1	0	·07	0	0	7
8	0	·47	0	0	·04	·65	·1	0			0	0	8
9	·02	·05	0		·04			·01	0	·66	·09		9
10	·04	·02		0	0	0	·03	·02		1·53		0	10
11	·03		0	·02	0		·02		0	·07	·34		11
12				·14		·29	·38	·82	·25	0			12
13	·81			0	·03	·1	·21		0		·09	0	13
14						0		·2	0	·35	·31	0	14
15	0		·1	0	0	0	·4	0			·24	0	15
16	·21		1·0		0			0	·34	·11	0	0	16
17	·14			0	0	·19	·02	·16		0		0	17
18	·26		1·39	0	0		·25		·01	~~·24~~	·24		18
19	·08			0		·05	0	·08	·1	·14		·31	19
20			·01	0	·05	·3	0		·13		·09	0	20
21	0		0			·25		·46	0	·27	0	0	21
22	0		0	·56	0	0	0	·17			0		22
23	0		0		0		0	·03	·62	·85	0	0	23
24	0			·45	0	·37	0	0		·16			24
25	0	·05	0	·19	·05		0		·12	·135	0	·19	25
26	0	0		·22		0	0	0	0	0		0	26
27	0	·29	0	·09	·05	0	0		0		0	·78	27
28	0	·23	0			0		·02	0	1·05	0	·01	28
29	·03	0	·05	1·08	0	0	·22	0			0		29
30	0	×	·13		0			0	·49	·08	0	·13	30
31	0	×		×	·04	×	0	0	×	·09	×		31
TOTAL	3·84	2·59	3·30	2·92	2·06	3·46	2·93	1·99	2·56	6·085	1·48	2·28	YEAR'S TOTAL 35·49
*Days with ·01 in. or more.	14												125
*Days with .04 in. or more.	11												102

Revised & found correct in totals for months

40-9999 14 11 10 9 12 10 9 11 7 15 7

*See Instruction 2 (*f*) on other side.

11 8 8 8 11 10 6 7 5 15 8 5

D

(Signed) Thomas Oates

P.T.O.

35.49" total.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 194.5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at STOKE CLIMSLAND

in the County of CORNWALL.

File No. 66 3177/26

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	0	·06	0	·0	0	·07	1·05	·04	·01	·3		1
2	·06	0		0	0	0	·0	·02	1·2	·05		2·02	2
3	·07	0	·28	0	·09	0	·0	·15	·01	·29	·17	·91	3
4	·21	0		·15		0	·0	·07	·07	·44		1·	4
5		0	·18	0	1·09	·18	·0	1·6	0		·02	1·	5
6	·33	0	·29			·18	-	·66	·10	1·21	·01	·54	6
7		0	·01	·2	0	·18	0	·07	0		·02		7
8	0	0	0		[illegible]	0		·03	·01	0	·3	3·2	8
9	·08			·01	0	0	0	·02	0	0			9
10	·76	·03	·97	·36	0	0	0	·15	0	0	·55	·16	10
11	·68			·71		0	0	·05	0	0		·86	11
W.E 12		0	0	·01	0	·06	·17	·31	0		0	·2	12
13	1·24	0	0			0		0	0	·04	·11	·21	13
14		0	·72	·85	·01	0	·02	0	·07		0		14
15	·31	·01	·05		·01			0	0	·22		1·15	15
16	·31			·05	0	0	0	0	0	·01			16
17	·5	·02	1·23	·01			0	0	·1	·06	·06	·75	17
18	·23			·55		·1	0	0	·08	·01		·65	18
19		·01	·15	·01	0	·13	0	·09	·11		0	·1	19
20	·01	0	0		0	·0		0	·08	[illegible]	·09	·05	20
21		·01	·94	·16		·25	0	·08			·05	·25	21
22	·22	·01	·04		·1			·02	1·04	·02	·01	·28	22
23	·11			·16	0	·74	0	0		·11		·47	23
24	·01	·16	·07	·12	0		·12	·02	·01	·51	0	·2	24
25	·49			·52	0	·14	·1	0	·02			1·28	25
26		0	·07	·02	0	·4	·0	0	·41	·2	·01	·28	26
27	·02	0	0		0	·12		·15	·11		0	·11	27
28		0	0	·21	0	·18	0	·6	[illegible]	·05		1·03	28
29	·0		0		0	–		·02	1·11	·31	·07	·15	29
30	·01	×	0	0	0	~	·04	·07				1·05	30
31	·01	×	0	×	0	×	·34	·02	×	·17	×	·02	31
TOTAL	5·84	·25	4·36	3·97	2·39	2·61	·86	5·22	5·07	4·38	1·71	17·92	YEAR'S TOTAL 54·58
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

weekend, Friday, Saturday, Sunday

40-9999 W.E. weekend. (Saturday Sunday with Friday preceding)

*See Instruction 2 (*f*) on other side. (Signed) Thomas Cates

P.T.O.

Section **A** for the entry of Daily Observations.

1945

FOR OFFICIAL USE

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

f 663177

Kept at STOKE CLIMSLAND SCHOOL
in the County of CORNWALL
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			0	0			0	·39	·13		0	1
2	0	·03	1·24	0	0			0	·16	·56	·53	·11	2
3	·03			·01		·11		0	·19	·26		·34	3
4	0	·12	·03	·04		·18		·01	·05		·19	·32	4
5	·02	·23	·03		·29	·13		·01	·17	2·15	·14	·09	5
6	0	0	0	1·69		·21		0					6
7	0	0	0		0			·01	0	·52	·08	·22	7
8	0			·51	0			0		·12			8
9	0	0	·02	·84	0	·39			0	·92	·91	0	9
10	·03			·2				0	0	·06		0	10
11		·03	0	0	0	0			·28		·72	0	11
12	·48	·34	0			0	0	·21	·10	·11	1·0	0	12
13		·10	0	·52	0	0	0	0			1·0		13
14	0	·03	0		0	0	0	0	·8	·05		·33	14
15	0			·90	·07	0	0	0		·04	·68		15
16	0	·30	0	·21	0	0	0	0	·22	·04		0	16
17	0			·05	·23	0	0	·01	·06	·02	·04	0	17
18		·28	·01	·67	0	·1	·1	·06	·71		·37	·15	18
19	0	·07	0	·33		0		0		·50	·14	·25	19
20		·84	0			·02	·27	0	·25			0	20
21	0	1·02	0	1·40	1·45			0		·12	0	0	21
22	0					·13	0	0	·17	·25		·07	22
23	0	·94	·2	·29			0	·35	·35	·26	·34	0	23
24	·07			·15		0	0	·21	·21	·03	·03	0	24
25		·20	0	0	·77	·2	0	·33	0		·05		25
26	·88	1·12	0	0		·9	0		·26	·07	·07	·35	26
27		·13	0	0	0	0	0	·07	·17		·09		27
28	·02	·20	0	0	0		·03	1·36	·88	·02	·04	2·3	28
29	0	×		0	0		0	·03	·06	·04	1·56		29
30	·02	×	0	0	0		0	·85	·25	·05		0	30
31	0	×		×	·29	×	0	·09	×	·68	×	·12	31
TOTAL	1·61	~~5·64~~	1·53	~~2·91~~	3·10	2·37	·40	2·60	6·23	~~4·99~~	~~7·98~~	4·65	YEAR'S TOTAL ~~48·91~~
~~*Days with ·01 in. or more.~~				8·31						6·99	7·48		
~~*Days with ·04 in. or more.~~		5·88											51·15

Weekend Records taken. Daily Observation impossible

40-9999

(Signed) Thomas Oates

*See Instruction 2 (*f*) on other side

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1945

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stoke Climsland Council School

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·33	0	·79		·01	1·37	0	0	0		·01		1
2	·33		0	·03	0	·03	·32		·28	0	·18	0		2
3		0	·21			0		·05	·19		·08	·04		3
4	1·49	·09	·24	·1	0		·67	·03	·32	·01	·05			4
5		·38	·11		0	·06				0	·13	·40		5
6	·50		·90	0	0		·68	·04	·35	·01				6
7	·32			0	0		·03	·02	·0	·01	2·37	·03		7
8	·35	·38		0		·01	·40	·01	·06	0		·06		8
9	·06		·11	0	0		·46	0	·02		·17	·01		9
10		·33	0	0		0		0	·07	0	·21	·05		10
11	·61	·21	0	·03	0		·66	0	·06		1·0			11
12		0	0	0	0	·19		·02		·02	·15	1·65		12
13	·35	·02		0	0		·10	·02	·50	·10				13
14	0		0	·04	0	0	·66	·03	·17	·07	·68	·70		14
15	0	·2		0		0	·10	0	·02	·01		·70		15
16	0		0	·05	·34	0	·09	0	·01		·20	·40		16
17	0	1·2	0	·0		0		0	·01	·08	·03	1·27		17
18	0	·19	0	0	0	·05	1·45	0			·01			18
19	0	·32	·35	·23	0			0	·45	·01	0	1·0		19
20	·18	·5	·11	·09	0	·3	·12	·03	·02	0				20
21	·10			·2	0		·08	0	·02	·05	·02	·01		21
22	·05	·32	·3	0		0	·47	0	·01	·04		·05		22
23	·24			0	·16	0	·11	0	·10		·01	·02		23
24		·08	·06	·23		·05		0		·85	·01	·04		24
25	1·0	·02	·35	0	0	0	·70	0	·11		0	·01		25
26		·18	·52	0	0			0	·01	·10	0	0		26
27	1·05	·09		0	0	0	·37	0	·01	·19		·01		27
28		·15	1·08	0	0		·40	0	0	·04	·02	0		28
29	1·05			0		·05	0	·05	·02	·10		·65		29
30	·35	×	·6	0	·36	·35	·07	·01	0		0	·08		30
31	0	×	·75	×		×	·76	0	×	·15	×	·49	d	31
TOTAL	7·82	5·39	5·14	2·61	·84	1·08	9·47	·31	2·81	1·84	5·34	7·68	Year's Total. 50·3	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

1945

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 7.

Kept at Stoke Climsland School

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·5	·03	·27	·50	·0	·0	·01	·0	·05		·02	1·15	1
2	·13	1·34	·01	·0	·0	·0		·0	·01	·05	·0	·61	2
3	·11	·43	·0	·0	·0	·0	·17	·0	·0		·0		3
4	·09	·60	·0	·01	·12			·0	·0	·02	·0	1·45	4
5	·45			·16	·1	·0	·7	·0	0	·0			5
6	·08	·90	·43	·36	·02		·06	·0	·02	·0	·16	·03	6
7	·02			·18		·2	·04	·0	·05	·0		·01	7
8		·09	·02	·03	·7	·2	·21	·0	·0		·02	·0	8
9	·52	·44	·02			·05	·0	·0	·62	·01	·01	·02	9
10		·02	1·65	·81	·03	·22	·25	·0			·01		10
11	·02	·01	·31		·75			·02	·26	·0	·0	1·94	11
12	·36			·09	·35	·46	·15	·0		·0			12
13	1·19	32	·86	·10	·0		·01	·17	·24	·0	·0	·19	13
14	·02			·01	·01	·0	·0	·3	21	·0		95	14
15		·36	·57	·61	·0	·0	·0	·15	·38		·01	52	15
16	2·36	·09	·48	·15	·0	·01		·0	·11	·0	·30	01	16
17		·12	·41		·0	·0	·0	·0			·81		17
18	·11	·23	·38	·28	·0			·0	1·10	·0	·21	·11	18
19	·27				·07	·22	·0	·0		·0			19
20	·97	·14	1·0	·25	·78	·9	·01	·0	·03	·0	·45	2·7	20
21	·74			·03		·0	·06	·0	·61	·17		·11	21
22		·04	·07	0	1·34	·02	·19	·0	·09		·74	·34	22
23	1·03	·53	·01			·0	·0	·07	·0	2·16	·08	·03	23
24		·38	·09	·02	·03	·01	·03	·0			·03	·07	24
25	·04	1·14	·87		·03			0	·04	·17	·02	·03	25
26	·07		·07	·01	·0	·02	·0	·0		·01		0	26
27	·01	·92	·01	·0	·0		·0	·0	·0	·7	·0	0	27
28	·02		·02	·0		·01	·0	·0	·0	·07		0	28
29			·05	0	·0	·04	·0	·0	·0		·39	·01	29
30	·65	×	·01			·03	·0	·0	·01	1·15	·41	0	30
31		×	·05	×	·0	×	·0	·06	×		×	0	31
TOTAL	9·76	8·23	7·66	3·60	4·33	1·54	1·69	·77	3·83	4·51	3·67	9·98	YEAR'S TOTAL 59·77
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 9·76

*See Instruction 2 (*f*) on other side.

(*Signed*)..

[P.T.O.

A for the entry of Daily Observations. FOR OFFICIAL

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19238.

1945

Kept at Stoke Climsland School

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 450. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·10	·02		0	·67		1·09	0	·74	·11	·16	1
2	·02	·03	·01	·08	·01	·01	·07	·06	0		·01		2
3	0	0	·02		·06			1·36	0	·54	·36	·50	3
4	·06			·01	0		·38	1·21	·0	·35			4
5	·08	0	·01	·02	0	·50	·19	·19	·02	·47	·03	·18	5
6	·12			·01			1·66	·8	·15	·32		·19	6
7	·22	0	0	0	0		·50	0	·08		·06	·30	7
8	·82	·11	·02			·01		1·34	0	·43	0	·10	8
9	·23	·10	0	·01		·01	·29	·84			·07		9
10	·32	·01	0		0			·06	0	·02	·12	2·50	10
11	·34			0	·05	·09	·12	·01		0			11
12	·62	·03	0	0	2·18		0	·01	·01	·74	1·31	·37	12
13	·09			0		0	·02	0	0	·67		·19	13
14		·02	0	0		0	·36	·01	0		·01	0	14
15	1·85	·01	0	0	·87	0		·04	·01	·42	·42	·79	15
16		·05	·06	0		0	·01	·02			·06		16
17	0	·04	·03	0	·21			0	·60	·32	·02	0	17
18	·36			0	·01	·04	·02	·25		·24			18
19	0	·01	0	0	0		·04	·24	·24	·02	1·88	0	19
20	0			0		0	0	·04	·06	0		0	20
21		0	0	0	·01	0	0	·30	·22		·33	0	21
22	·11	0	0	·04		·07		·26		·04	·43	·15	22
23		·01	0	·03	0	·01	·05	·08	·05		·34	0	23
24	·12	·14	·68	0	·05			·01		·03	·45	0	24
25	·17			·02	·09	·12	·30	·01	·01	·21		·07	25
26	·57	1·06	·02	0	·80		·06	0	0	·13	2·20	0	26
27	·31			0		·12	·58	·95	0	·04		·03	27
28		·18	0	0	·67	·29	·01	·35	·01		·02	·16	28
29	·72		·01	0		·01	·06	0	·09	·49	·50	·03	29
30		×	·02	0	·03	·01	·08	0	·01		·21	·09	30
31	·63	×	0	×	·35	×	0	0	×	·47	×	·32	31
TOTAL	7·76	1·90	·89	·22	5·39	1·96	4·80	9·56	1·55	6·69	8·94	6·13	YEAR'S TOTAL 55·79 ✓
Days with ·01 in. or more.													
Days with ·04 in. or more.													

40-9999

(Signed) L Oates. ✓

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1945

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stoke Climsland

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	0		·24	0	0		0	0	0	·53			1
2	·34	0	·04	·5	0	0	·16	·09	·01	0	·23	1·43		2
3	·45			·88	04	0	·02	·1	·13	·07	·51			3
4	0	02	·78	·21	·72	0	·25	·12	0	·21		45		4
5	0			·04		0	47	0	0	·72	2·56	0		5
6	·34	0	·07	·4	·48	0	0	·12	0			0		6
7	·13	·35	·04	0		·04		0	0	1·82				7
8	·11	·26	·120	0	0	·05	64	·23	0		·24			8
9	·03	·04	·03	0	0			·16	0	·57	·12			9
10	·21			0	0	·04	0	·03	·02	·14				10
11	·03	·24	·24	0	0		·0	0	·01	·32	1·24			11
12	·1			·34		·02	0	0	·0	·21				12
13		·04	0	·26		·06	·09	0	0		·09			13
14	1·25	·02	·01	·13	·13	·09		0	0	1·0	·73			14
15		0	0	0		·16	2·2	0	0	0.	·12			15
16	·19	·01	0	·05	0			0	0	0	·43			16
17	1·17			0	·02	1·09	·6	0	0	0				17
18	·06	·13	·13	0	·04		45	0	0	0	·56			18
19	·56			0		·29	·34	0	0	0				19
20		0	·15	0	·25	·69	0	·5	0	0	0			20
21	2·4	·45	·03			·21		·63	·01	0	0			21
22		47	·15	·5	0	47	·75	·13	0	0	·46			22
23	·03	·02	·12		0			0	0	·15	·63			23
24	·25			·03	0	39	0	·21	0	·19				24
25	·27	·24	·12	·02	0		·1	·01	0	·03	·75			25
26	·03			·15		·01	·12	·21	·0	0				26
27		·53	0	·25	0	17	0	·02	0		·43			27
28	·01	·18	0			·09	·03	·01		·04	·26			28
29		24	0	25	0	·6	·42	12	0		·34			29
30	0	×	0		0	0	·51	·09		·42	·54			30
31	0	×		×	0	×	32	03	×	·57	×			31
TOTAL	8·09	~~[illegible]~~	~~[illegible]~~	4·01	1·66	4·47	4·47	2·72	·18	6·46	10·77	1·88	Year's Total ~~53·00~~	53·44
* Days with .01 in. or more.		3·	2·47											c
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

Section **A** for the entry of D
AIR MINISTRY.

COPY FOR ~~OFFICIAL~~ USE.
LL ORGANIZATION.

1945/5 [illegible]

FORM 1090.

REGIST J.

—
1945/5
LAUNCESTON, NORTH HILL
1931 — 40

7803 11

Kept at Launceston (
in the County of Corn
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	·03	·40	—	—	·04	—	·80	·04	—	—	1
·64 { 2	x ~~·64~~	·02	—	·27	·01	·01	—	—	·40	·08	·24	·58	2
3	x ~~·01~~	—	·84	—	·01	—	·08	—	1·62	·08	2.82	·41	3
4	·01	—	·17	·02	—	—	·77	~~·42~~	·89	·03	~~trace~~	·10	4
5	—	·61	·33	·33	·01	·26	·03	·85	·02	·01	·17	·34	5
6	—	·03	—	·02	·10	·32	·22	—	·07	·46	·02	·38	6
7	·02	·08	—	—	·32	·16	·38	·26	—	·12	·58	·13	7
8	—	·24	—	·22	—	·47	·06	·31	—	·01	·51	·11	8
9	—	·46	—	—	—	·13	·10	·04	—	·02	·14	·02	9
10	—	·10	—	—	·23	·09	·06	·33	trace	—	·50	·02	10
11	·59	·70	—	—	·10	·21	·70	·01	·21	—	·40	·01	11
12	—	·18	—	—	—	—	·31	—	·11	·34	·02	—	12
13	·08	·23	·06	—	·31	—	·44	·10	—	·07	·55	—	13
14	·05	·15	—	—	·23	·26	·92	·08	·05	—	·66	—	14
15	—	·18	—	·03	·18	·19	·02	·44	·01	—	·01	—	15
16	·29	·22	—	·14	·02	·98	·04	·21	·04	—	—	·02	16
17	·03	·13	—	·11	—	·04	·41	—	·01	—	—	—	17
18	—	—	~~·02~~	·03	—	·29	·28	·95	—	—	·42	—	18
19	·34	·13	·65	·02	—	·02	·26	·18	—	—	·61	·03	19
20	—	·24	·33	—	—	—	—	·92	—	—	·05	·02	20
21	·68	·03	·02	·03	·17	—	·01	—	—	—	·04	—	21
22	·96	·14	·03	x {	·43	—	~~·06~~	—	—	—	·14	trace	22
23	·32	·01	—	79 x {	·65	—	·06	·09	—	—	1·16	—	23
24	—	·06	—	·57	—	—	1.57	·48	—	—	·03	trace	24
25	—	·14	—	·09	—	—	·10	—	—	—	·21	trace	25
26	·70	·36	—	·10	—	—	·36	—	—	—	1.15	·04	26
27	—	·29	—	·04	·77	—	·06	·07	—	·06	·19	·02	27
28	·87	·31	·26	·02	·02	—	—	—	—	·04	·02	·55	28
29	—		·07	—	·05	—	·29	·60	~~·04~~	·10	·15	·19	29
30	·53	×	·01	—	·21	—	·03	·02	·20	·05	·01	·09	30 Snow
31	1.60	×	·10	×	2.94	×	·01	—	×	—	×	·33	31
TOTAL	7.29	5.04	2.92	3.14	6.76	3.43	7.61	5.81	4.47	1.51	10.80	3.39	YEAR'S TOTAL 62.17
*Days with ·01 in. or more.	18	24	14	19	19	14	28	19	14	15	26	19	238
*Days with ·04 in. or more.	15	20	9	12	14	12	22	17	11	11	20	12	175

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Mary E. Hale

[P.T.O.

Section **A** for the entry of D COPY FOR ~~OFFICIAL~~ USE.

194615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Cornwall 13

Kept at Launceston (North Hill)
in the County of Cornwall
Diameter of Funnel of Gauge ~~7~~ 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	·03	·40	—	—	·04	—	·80	·04	—	—	1
·64 { 2	~~·64~~	·02	—	·27	·01	·01	—	—	·40	·08	·24	·58	2
3	~~·01~~	—	·84	—	·01	—	·08	—	1·62	·08	2.82	·41	3
4	·01	—	·17	·02	—	—	·77	~~·42~~	·89	·03	~~trace~~	·10	4
5	—	·61	·33	·33	·01	·26	·03	·85	·02	·01	·17	·34	5
6	—	·03	—	·02	·10	·32	·22	—	·07	·46	·02	·38	6
7	·02	·08	—	—	·32	·16	·38	·26	—	·12	·58	·13	7
8	—	·24	—	·22	—	·47	·06	·31	—	·01	·51	·11	8
9	—	·46	—	—	—	·13	·10	·04	—	·02	·14	·02	9
10	—	·10	—	—	·23	·09	·06	·33	trace	—	·50	·02	10
11	·59	·70	—	—	·10	·21	·70	·01	·21	—	·40	·01	11
12	—	·18	—	—	—	—	·31	—	·11	·34	·02	—	12
13	·08	·23	·06	—	·31	—	·44	·10	—	·07	·55	—	13
14	—·05	·15	—	—	·23	·26	·92	·08	·05	—	·66	—	14
15	—	·18	—	·03	·18	·19	·02	·44	·01	—	·01	—	15
16	·29	·22	—	·14	·02	·98	·04	·21	·04	—	—	·02	16
17	·03	·13	—	·11	—	·04	·41	—	·01	—	—	—	17
18	—	—	·02	·03	—	·29	·28	·95	—	—	·42	—	18
19	·34	·13	·65	·02	—	·02	·26	·18	—	—	·61	·03	19
20	—	·24	·33	—	—	—	—	·92	—	—	·05	·02	20
21	·68	·03	·02	·03	·17	—	·01	—	—	—	·04	—	21
22	·96	·14	·03	✗ {	·43	—	~~·06~~	—	—	—	·14	Trace	22
23	·32	·01	—	·70 ✗	·65	—	·06	·09	—	—	1·16	—	23
24	—	·06	—	·57	—	—	1.57	·48	—	—	·03	Trace	24
25	—	·14	—	·09	—	—	·10	—	—	—	·21	Trace	25
26	·70	·36	—	·10	—	—	·36	—	—	—	1.15	·04	26
27	—	·29	—	·04	·77	—	·06	·07	—	·06	·19	·02	27
28	·87	·31	·26	·02	·02	—	—	—	—	·04	·02	·55	28
29	—		·07	—	·05	—	·29	·60	~~·04~~	·10	·15	·19	29
30	53	×	·01	—	·21	—	·03	·02	·20	·05	·01	·09	30 snow
31	1.60	×	·10	×	2.94	×	·01	—	×	—	×	·33	31
TOTAL	7.29	5.04	2.92	3.14	6.76	3.43	7.61	5.81	4.47	1.51	10.80	3.39	YEAR'S TOTAL 62.17
*Days with ·01 in. or more.	18	24	14	19	19	14	28	19	14	15	26	19	238
*Days with ·04 in. or more.	15	20	9	12	14	12	22	17	11	11	20	12	175

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) Mary E. Hale [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1945 | 5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at North Hill

in the County of Cornwall

Diameter of Funnel of Gauge 7 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	31	—	—	·21	—	—	·02	·07	·07	—	·02	·11	1
2	·35	—	·08	·12	Trace	—	·03	·02	·79	—	·05	·66	2
3	·18	—	·03	—	—	·29	·02	—	·45	·03	·06	·06	3
4	·07	·01	—	—	—	·04	·20	·08	·01	—	·53	·01	4
5	1.30	—	·15	—	—	—	—	Trace	·30	—	—	—	5
6	1.58	—	·06	·40	·01	—	·48	—	·60	·08	—	—	6
7	·24	—	·01	·01	—	—	·11	—	1.14	1.53	—	—	7
8	·06	—	·68	·23	·28	—	Trace	—	Trace	·45	—	—	8
9	1.38	—	—	·40	·05	—	—	—	·35	·01	—	—	9
10	·72	—	·01	·33	·05	—	—	—	·25	·56	—	—	10
11	05	—	—	·26	·15	—	·13	Trace	·02	·19	—	·15	11
12	1.36	—	—	·01	1.05	Trace	·01	·01	·08	·27	—	·10	12
13	·17	—	—	·50	·01	—	·07	—	·01	1.14	—	·43	13
14	·40	—	—	·03	·23	—	09	·16	—	·14	—	·05	14
15	·07	—	—	·01	—	—	·02	·05	—	·18	Trace	·04	15
16	·58	—	—	·07	—	—	·09	—	—	·16	—	·01	16
17	·03	—	—	·01	·60	—	·08	—	·13	·18	—	·01	17
18	·02	—	—	—	·45	—	—	—	·07	Trace	·21	·02	18
19	·01	—	—	·13	·54	—	—	—	·06	·81	·01	·02	19
20	·02	—	—	·08	·54	—	·01	·07	·01	1.05	·20	·17	20
21	·04	—	·02	·08	·01	—	·07	·41	·07	1.19	·15	·55	21
22	·01	—	·01	·09	·07	—	·08	·04	·47	·35	·76	·24	22
23	—	·03	·01	—	·01	—	·24	·02	—	·84	·19	·38	23
24	—	Trace	—	—	Trace	—	·50	—	·11	·32	·13	—	24
25	—	—	·21	·03	·09	—	·35	—	·10	·87	·35	·01	25
26	—	—	·32	·29	·02	—	·23	—	·18	·23	·22	—	26
27	—	—	·42	·54	·17	Trace	·17	—	—	·61	·05	·17	27
28	—	—	·34	·06	·08	·02	·53	·01	·01	·13	·01	·04	28
29	—	—	·66	·29	·09	·67	·13	·53	·40	·96	·33	1.25	29
30	—	×	·26	·15	·09	2.64	·71	·04	1.09	·25	·77	·01	30
31	—	×	·01	×	·12	×	·98	—	×	·03	×	·82	31
TOTAL	8.90	·4	3.28	4.33	4.71	3.66	5.35	1.51	6.77	12.56	4.04	5.31	YEAR'S TOTAL 60.46
*Days with ·01 in. or more.	22	2	17	24	22	5	25	13	24	26	17	23	220
*Days with .04 in. or more.	17	—	10	18	17	4	19	9	19	23	14	16	166

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Mary E. Hale (Miss)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1945/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~3

Kept at Trebartha Cottage - North Hill, Launceston
in the County of Cornwall
Diameter of Funnel of Gauge seven in.
Height of top of Gauge above Ground one ft. in.
,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan'.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~·44~~	1.00	·39	—	·05	·54	—	—	—	—	·03	1.16	·54	1
2	~~·46~~	·03	·90	—	·18	·60	—	—	—	—	·03	·16	1.01	2
3	~~·06~~	·16	·36	—	·26	·01	—	—	—	—	—	—	·09	3
4	~~·04~~	·06	—	—	·30	—	—	—	—	—	—	—	·17	4
5	~~—~~	·04	·85	—	·64	—	—	—	·01	·02	·01	—	·05	5
6	~~—~~	·64	·16	—	·30	—	Trace	—	—	·21	Trace	—	·08	6
7	~~—~~	·14	·01	—	·08	—	·23	·01	—	·10	—	—	·06	7
8	~~—~~	·08	—	Trace	·06	·04	·19	Trace	—	·02	—	—	·14	8
9	~~—~~	·04	—	—	·12	—	·40	·01	—	1.10	·27	—	—	9
10	~~—~~	·14	—	—	—	—	·06	·07	—	1.79	·25	—	·06	10
11	~~·15~~	—	—	14	—	—	·14	·48	Trace	·16	·27	Snow 01	·08	11
12	~~·10~~	·01	—	13	·03	·33	·49	Trace	·24	Trace	—	—	·01	12
13	~~·13~~	—	—	—	·09	·06	·38	·07	—	·19	·10	—	·05	13
14	~~·05~~	—	—	—	—	—	·48	·10	—	Trace	·30	—	·45	14
15	~~·04~~	—	·59	—	—	·04	·18	·10	—	·16	·19	—	·44	15
16	~~·01~~	·06	1.26	—	—	·12	—	—	·16	·09	—	—	—	16
17	~~·01~~	·06	·22	—	—	·10	·03	·17	·41	—	—	—	·29	17
18	~~·02~~	·04	·31	—	—	·50	·16	—	·01	·45	·03	—	·26	18
19	~~·02~~	—	·35	—	—	·26	—	·09	·27	·37	·28	—	·28	19
20	~~·17~~	·12	—	—	·07	·36	—	·11	·29	·01	·21	01	—	20
21	~~·55~~	·07	—	—	—	·06	—	·40	—	·21	·01	Trace	—	21
22	~~·47~~	—	—	·43	—	·04	—	·76	·43	·01	—	—	—	22
23	~~·38~~	1.02	—	·18	—	·13	—	·04	·09	·37	—	—	—	23
24	~~—~~	·09	—	·23	·01	·01	Trace	·01	·11	·35	—	—	—	24
25	~~·01~~	·39	—	·20	·05	·16	—	—	·15	—	—	·20	—	25
26	~~—~~	·15	—	·30	·09	—	—	—	—	·20	—	—	—	26
27	~~·17~~	·68	—	·03	·03	—	—	—	—	1.13	—	·97	—	27
28	~~·04~~	·66	—	·26	—	—	·60	·04	—	·54	—	·02	—	28
29	~~1.25~~	~~—~~	·02	·32	—	—	·08	—	·01	·05	—	·04	·06	29
30	~~·01~~	×	·21	·20	·01	—	·17	—	·29	·07	—	·05	·06	30
31	~~·32~~	×	·13	×	·11	×	Trace		×	·18	×	·01	·65	31
TOTAL	~~5.31~~	5.68	5.76	2.42	2.48	3.35	3.59	2.46	2.47	7.78	1.98	2.63	4.83	Years 45.43
*Days with ·01 in. or more.	~~23~~	22	14	11	18	17	·14	15	13	23	13	10	20	190
*Days with .04 in. or more.	~~16~~	20	12	10	14	15	·13	12	10	19	7	6	19	157

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Hale

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1945/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Trebartha Cottage - North Hill

in the County of Cornwall -

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	—	·02	—	—	—	—	1.27	·05	—	·21	2.00		1
2	·06	—	·07	—	—	—	—	·10	·98	·06	·19	·53		2
3	·12	·01	—	—	—	—	—	·05	·02	·45	—	·94		3
4	·37	—	·21	·16	·59	—	—	·05	—	·44	—	·78		4
5	·01	—	·17	·01	·62	·24	—	1.54	·05	·22	·06	·95		5
6	·19	—	·24	·20	·82	·06	—	—	·12	·36	·03	·45		6
7	·14	—	—	—	·05	—	—	—	—	·40	·09	1.19		7
8	—	—	—	—	—	—	—	·01	·31	·02	·48	1.75		8
9	·09	Trace	·39	—	—	—	—	·05	—	·02	·40	·13		9
10	·90	·02	·52	·38	—	—	—	·26	—	—	·15	·18		10
11	·81	—	·06	·97	—	—	—	·17	—	—	·03	·77		11
12	·08	—	—	·02	—	·01	·28	·26	—	—	Trace	·20		12
13	·87	—	·01	·73	—	—	·01	—	—	·06	·15	·16		13
14	1.29	—	·74	·02	—	—	—	—	·06	·11	—	·47		14
15	·37	—	·21	·01	·18	—	—	·01	Trace	·22	·07	·48		15
16	·25	—	·58	·01	·03	—	—	—	·33	·04	Trace	·33		16
17	·60	·01	·27	·17	·01	—	—	Trace	·09	·19	—	·48		17
18	·11	·01	·57	·61	Trace	·10	—	·02	·06	·04	—	·69		18
19	·02	—	·16	—	·04	·10	—	·07	·22	·05	—	·31		19
20	·01	·01	—	·24	·05	—	·01	—	·18	·03	·03	·12		20
21	—	—	·26	—	·05	·34	—	·17	·48	·46	·02	·09		21
22	·13	Trace	·10	·01	—	—	—	·06	—	·04	·04	·26		22
23	·10	—	·02	·36	—	·58	—	—	·20	·04	—	·31		23
24	·01	·19	·06	·04	—	·33	·10	—	·03	·66	—	·22		24
25	·41	·04	—	·62	—	·14	·01	—	·03	·78	—	1.27		25
26	·03	·01	·03	·07	—	·50	—	—	·37	·08	·02	·41		26
27	—	—	—	—	—	·31	—	·11	·13	·21	·04	·12		27
28	—	·02	—	—	—	·03	·16	·75	·29	·09	·01	1.21		28
29	—	—	—	—	—	—	·02	·06	·08	·10	·02	·14		29
30	·02	×	—	—	—	—	·06	·06	·21	·72	·03	·52		30
31	—	×	—	×	—	×	·04	·06	×	·32	×	·06		31
TOTAL	7.10	·32	4.69	4.63	2.44	2.74	·69	5.13	4.26	6.21	2.07	17.62	Year's Total 57.80	
*Days with ·01 in. or more.	25	·09	·20	·18	·10	·12	·09	·20	·21	·27	·19	·31	219	
*Days with ·04 in. or more.	·19	·02	·16	·06	·08	·10	·05	·17	·18	·24	·11	·31	149	

† Spare column, no entries required.

(*Signed*) Mary E. Hale

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1945/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Trebartha Cottage. North Hill. Launceston

in the County of Cornwall

Diameter of Funnel of Gauge as last year in.

Height of top of Gauge above Ground " ft " in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·32	·72	·02	—	·20	·01	—	·29	·25	·04	·53		1
2	·01	·14	·08	—	—	·31	·01	—	·04	·47	·18	·15		2
3	·05	·06	·07	·04	·18	·32	·02	—	·24	·23	·37	·38		3
4	trace	·53	·07	·20	—	·19	—	—	·13	·69	·25	·45		4
5	·08	·45	·05	·27	—	·20	—	—	·20	1.62	·11	·21		5
6	—	—	·01	·45	—	·70	—	—	—	·03	·15	·39		6
7	—	—	—	·64	—	·16	—	—	—	·49	·08	·17		7
8	—	—	—	·37	—	—	—	—	—	·20	·38	·09		8
9	·02	·02	—	·93	—	—	trace	—	—	1.17	·35	—		9
10	·03	—	·06	·21	—	·15	·03	—	—	·06	·02	—		10
11	·36	·05	·02	·01	—	·57	trace		·32	·09	·80	—		11
12	·21	·36	—	—	—	·29	—	·13	·13	trace	·23	—		12
13	·51	·32	—	·35	—	·06	—	—	·02	·13	·53	—		13
14	—	·25	trace	·20	—	·61	—	—	·54	·05	1.45	·36		14
15	—	·49	·01	1.01	·18	·97	—	—	·33	·03	·15	·16		15
16	—	·15	·10	·29	—	·01	·08	—	·79	·06	·52	·02		16
17	—	·01	·01	·08	—	·61	·01	·02	·14	·01	·03	—		17
18	—	·23	·01	·71	·58	—	—	·22	·77	·22	·04	·18		18
19	—	·09	—	·28	·14	·06	·23	—	·22	·34	·33	·05		19
20	—	·82	—	·20	·67	·01	·04	—	·01	·24	·16	—		20
21	—	·94	—	·18	—	—	·09	—	·06	·25	·01	—		21
22	—	·05	·42	·49	—	—	—	—	·11	·27	·01	—		22
23	—	·22	·27	·02	·05	—	—	·38	·41	·34	—	·32		23
24	·21	·59	·02	·12	·18	·36	—	·17	·24	·02	—	·36		24
25	·32	·41	—	·01	·08	·17	—	—	—	·05	trace	·18		25
26	07	·83	—	—	—	·21	—	·49	·28	·11	·11	·49		26
27	—	·22	—	—	—	—	·05	·16	·15	·06	·29	·37		27
28	·04	·16	—	—	·02	—	·07	·47	·25	·11	·13	·06		28
29	·02	—	—	—	·33	—	—	·02	·45	·11	·31	·88		29
30	·06	×	—	—	·01	—	—	1.06	·29	·09	1.52	1.14		30
31	—	×	—	×	—	×	—	·17	×	·73	×	·43		31
TOTAL	1·79	7·71	1.92	7.08	2.42	5.26	.64	3.29	6.41	8.52	8.55	7.37	Year's Total. 60.96	
* Days with .01 in. or more.	-16	-24	-15	-23	-11	-20	-11	-11	-24	-30	-27	·22	238	
* Days with .04 in. or more.	11	22	-9	-19	09	-18	-6	-10	22	26	23	21	156	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Hale

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No 1945/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at North Hill, Launceston
in the County of Cornwall
Diameter of Funnel of Gauge..........in. (as last year)
Height of top of Gauge above Ground.......ft.......in.
,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·16	·02	·31	—	·17	·88	·07	—	—	·24	·07		1
2	·01	·02	—	·03	—	·13	·24	·03	·42	—	·06	·02		2
3	·05	—	·08	·71	—	·05	·01	·03	·70	—	·06	·12		3
4	·02	·09	·16	Trace	—	·01	—	·02	·54	—	·10	·35		4
5	·34	·29	·17	—	·01	—	·50	·10	·09	—	·06	·35		5
6	·17	—	·06	—	·01	·05	·58	·07	·49	—	1·28	·02		6
7	·38	—	·27	—	—	·01	·02	·01	·05	—	1·24	·03		7
8	·60	—	·55	—	—	—	·44	—	·03	—	1·24	·12		8
9	·40	·46	·12	—	—	—	·84	—	·07	—	·39	—		9
10	·04	·66	—	—	—	—	·05	—	Trace	—	·26	·03		10
11	·52	·08	—	—	—	·13	·14	·09	·39	—	1·28	·30		11
12	·07	·02	—	·13	·01	·05	·90	—	·36	·03	·17	·08		12
13	·07	·05	—	·01	—	—	·10	·02	·06	·20	·23	1·78		13
14	Trace	·02	—	—	—	·14	·84	—	·17	·16	·03	·82		14
15	—	·07	—	·09	·10	—	·04	·01	Trace	—	·87	·64		15
16	·02	·20	—	·10	·02	·03	·14	—	—	·01	·56	·47		16
17	·43	1·45	—	—	·16	·03	1·00	—	—	·19	·11	1·28		17
18	·27	·14	·28	·05	—	—	1·35	·04	—	·02	—	·04		18
19	·80	·03	·11	·38	—	·01	·04	·21	—	—	—	·01		19
20	·10	·60	·03	·10	—	·08	·09	·01	·42	—	—	·06		20
21	·07	·21	·37	·52	—	·03	·07	—	—	·03	—	Trace		21
22	·53	·37	·04	—	·02	—	·47	—	—	·02	—	·03		22
23	·01	·53	·11	·16	·04	—	·06	·01	Trace	·16	·02	·02		23
24	·36	·07	·32	·10	(19) ·19	—	·04	—	·09	·54	—	·05		24
25	·38	—	·73	·24	—	—	·04	—	—	·44	—	—		25
26	·60	·14	·66	—	·05	—	·06	—	Trace	·32	—	—		26
27	·43	·23	·15	—	Trace	—	·33	—	·11	·20	·02	—		27
28	·69	·11	1·08	Trace	—	—	·11	—	—	·03	·01	·68		28
29	·07	·10	·12	—	—	1·38	Trace	—	—	·14	·08	·20		29
30	·51	✕	·06	—	·01	·79	·17	—	—	·08	·01	·01		30
31	·32	✕	·83	✕	·09	✕	·57	—	✕		✕	·78		31
													Year's Total	
TOTAL	8·41	6·10	6·32	2·93	·71	3·09	10·12	·72	3·99	2·57	8·32	8·36	61·64	
* Days with .01 in. or more.	29	24	22	14	12	16	29	14	15	16	22	26	239	
* Days with .04 in. or more.	25	21	20	12	6	10	27	6	14	10	17	17	185	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Mary E. Hale [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1945/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at North Hill Launceston

in the County of Cornwall

Diameter of Funnel of Gauge as last year in.

Height of top of Gauge above Ground as last year ft. in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·04	·27	·45	—	—	·01	—	·05	·06	—	·57		1
2	·48	1.55	·01	·36	—	—	—	—	·03	—	—	·18		2
3	·01	·67	—	·01	—	—	·24	Trace	—	—	—	·02		3
4	·25	·56	02	·06	·09	—	—	—	—	—	—	1.00		4
5	·95	·01	—	·25	—	—	·49	—	—	—	—	·15		5
6	·39	·44	·36	·47	·06	·10	·12	—	·02	—	—	·01		6
7	·01	·42	·18	·18	—	·13	—	—	·05	—	·31	·01		7
8	—	·17	·02	·02	·75	·13	·18	—	—	—	—	—		8
9	·18	·14	·32	·33	·05	·02	—	·10	·58	·01	—	·01		9
10	·34	·04	1.36	·56	·01	·22	·01	·01	—	—	—	·61		10
11	·26	·02	·39	·28	·60	·14	·70	·01	—	—	—	·58		11
12	1.24	·36	·27	·18	1.01	·32	·25	·14	36	—	·02	·70		12
13	—	·11	1.01	·12	—	·04	·01	·71	·46	—	—	·16		13
14	—	·04	·19	—	—	—	—	·03	·18	—	—	·67		14
15	1.09	·30	·54	·64	—	—	—	—	·44	—	Trace	·66		15
16	·59	·16	·62	·04	—	—	·10	·21	·17	—	·30	·01		16
17	1.76	·15	·41	—	—	—	·01	·01	·18	—	·88	—		17
18	·19	·64	·40	·02	—	·25	·01	·01	·70	—	·24	·12		18
19	·35	·19	·27	·50	·18	—	—	—	·37	—	·15	·02		19
20	1.20	·02	·21	·20	·78	—	—	—	·01	Trace	·08	1.19		20
21	1.07	1.31	·01	·08	·74	—	·10	—	·46	·15	·19	·03		21
22	·04	·02	·19	—	·34	Trace	·36	—	·05	·97	·92	·23		22
23	·42	·49	·03	—	·36	—	·01	—	—	·37	·06	·02		23
24	40	·80	·13	—	·02	—	·07	—	·02	·74	·01	·11		24
25	·02	1.31	·64	·05	·03	—	—	—	·01	·07	·01	·01		25
26	·09	·28	·07	·02	—	—	—	—	—	—	—	·01		26
27	·01	·57	·01	—	—	—	—	—	—	·69	—	—		27
28	·09	·73	·02	—	—	·03	—	—	—	·07	—	—		28
29	·04			—	—	·03	Trace		—	·68	·38	—		29
30	·32	✕		—	—	·17	Trace	Trace	·02	·10	·60	—		30
31	·23	✕	·01	✕	—	✕		—	✕	·63	✕	—		31
TOTAL	12.37	11.63 4.63	7.96	4.82	5.02	1.58	2.67	1.23	4.16	4.44	4.15	7.08	Year's Total 67.11	✓ ✓
* Days with .01 in. or more.	28	28	27	21	14	12	16	9	19	12	14	24	224	✓ ✓
* Days with .04 in. or more.	24	24	19	17	11	9	10	4	13	11	11	14	167	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Hale [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1945/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at North Hill Launceston

in the County of Coanwall (Cornwall)

Diameter of Funnel of Gauge..................in. (as last year)

Height of top of Gauge above Ground.........ft. " ....in.

,, Ground ,, Sea Level ....475....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·25	—	—	—	1·22	·16	·58	—	·78	·16	·26		1
2	—	·05	—	·19	·01	—	—	—	—	·56	·05	·10		2
3	—	·01	—	—	·11	·03	·05	1·91	—	1·07	·27	·01		3
4	·01	—	—	·02	·03	·02	·66	·26	—	·69	·01	·44		4
5	·06	—	—	—	—	·11	·22	·19	·10	·50	·02	·11		5
6	·34	—	—	—	—	·32	1·92	—	·10	·37	·02	·14		6
7	·15	—	—	—	—	—	·50	—	·02	·17	·06	·36		7
8	1·10	·24	·02	—	—	—	·54	—	—	·99	Trace	·07		8
9	·47	·08	Trace	—	—	·08	·03	·05	—	·04	·02	1·43		9
10	·72	—	—	—	—	—	·26	·05	—	·07	—	·39		10
11	·39	·01	—	—	·07	·06	·08	—	—	·01	·50	·96		11
12	·72	·02	—	—	·46	·02	—	—	—	·78	1·27	·20		12
13	·06	—	—	—	·88	—	—	—	—	·21	·10	·72		13
14	1·38	·01	—	—	·45	—	·17	·01	·01	Trace	·03	·01		14
15	·72	—	—	—	·13	—	—	·08	—	·22	1·05	·98		15
16	·67	·02	·14	—	·07	—	—	·12	—	Trace	·10	·07		16
17	—	·03	·02	—	06	—	·02	—	·81	·23	·03	·23		17
18	·47	—	—	—	·02	·02	·04	·40	·08	·15	·69	—		18
19	—	—	—	—	—	—	·02	·08	·40	·01	·77	—		19
20	·12	—	—	—	—	—	—	·03	·05	—	·40	—		20
21	·09	—	·10	—	—	—	—	·20	·32	·15	·45	—		21
22	·05	—	—	—	—	·13	—	1·06	·07	·01	·50	—		22
23	·01	—	—	Trace	—	·01	—	Trace	·07	—	·44	—		23
24	·10	·24	·22	—	·07	·01	·02	·01	·07	—	·69	—		24
25	·29	1·12	·02	—	·09	·01	·30	—	—	·22	1·64	·03		25
26	·63	·49	·11	—	·92	·23	·51	—	—	·51	·18	08		26
27	·57	·23	—	—	·20	·12	·62	1·06	—	·08	·60	—		27
28	·45	·28	·02	—	·15	·30	·03	·15	·08	·06	·08	·04		28
29	·55		·01	—	·42	·03	·01	—	·07	·36	·42	·08		29
30	·16	✕	·01	—	·09	·01	·01	—	·11	·02	·30	·07		30
31	·87	✕	Trace	✕	·46	✕	·01	—	✕	·56	✕	·60		31
TOTAL	11·15	3·08	·67	·21	4·69	2·73	6·18	6·24	2·36	8·82	10·85	7·38	Year's Total 64·36	✓
* Days with .01 in. or more.	26	15	10	2	19	18	22	17	15	26	28	23	221	✓
* Days with .04 in. or more.	24	9	4	1	16	8	14	14	13	22	22	20	167	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....Mary E. Hale........ (Miss)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 194015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Trebartha Cottage, North Hill Launceston

in the County of Cornwall

Diameter of Funnel of Gauge → in. } as last year

Height of top of Gauge above Ground ft. in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.44	—	.19	.01	.01	—	.02	.06	—	—	.48	.26		1
2	.11	—	.01	.46	—	—	—	.46	.33	—	.22	.20		2
3	.43	—	.27	.49	—	—	.13	.01	.46	—	.59	.56		3
4	.05	—	.75	.96	.63	—	1.08	.01	—	.29	1.02	.49		4
5	.01	Trace	.04	.12	.54	—	.37	—	—	.50	1.62	.11		5
6	.48	.02	.02	.45	.54	—	1.35	.04	—	.03	.32	.01		6
7	.10	.34	—	—	—	.09	.13	.13	—	Trace	.48	.93		7
8	.16	.59	.06	—	—	.02	.28	.03	—	1.33	.82	.26		8
9	.08	.05	.01	—	—	—	—	.28	—	.07	.14	.22		9
10	.32	.01	.12	—	—	—	—	.03	.24	.01	.06	1.06		10
11	.06	.07	.13	—	—	.02	—	—	—	.18	.01	.07		11
12	.16	.15	—	.21	—	—	—	—	.27	.02	.03	—		12
13	.01	—	—	.27	.02	.09	1.09	—	.04	.36	.24	.19		13
14	1.59	.01	—	.06	.11	.12	1.52	—	—	.08	.47	.06		14
15	.49	.02	—	.13	—	.76	.35	—	—	.13	.74	.02		15
16	.17	.04	.03	.14	.04	.08	.77	—	—	—	.96	—		16
17	1.03	.17	—	.01	—	.19	.56	—	—	—	.20	—		17
18	.13	.10	.06	—	—	—	.52	—	—	—	1.02	.10		18
19	.54	—	—	—	—	—	.10	.51	—	—	.01	.22		19
20	.86	—	—	—	—	.15	Trace	.46	—	—	—	.10		20
21	.31	.62	.26	.02	.08	.21	.96	.10	.01	—	—	—		21
22	1.54	.63	.28	.06	—	.81	.21	—	.01	—	.73	—		22
23	.05	.07	.24	.62	—	—	19	.03	—	.11	1.60	—		23
24	1.04	.06	.19	.08	—	.27	.02	—	—	.10	—	—		24
25	.28	.19	.01	.04	—	—	.01	.75	—	.14	1.32	—		25
26	.04	.07	—	.19	—	—	.05	.20	—	.08	1.13	.02		26
27	—	.80	.01	.01	—	.13	.03	.05	—	—	.20	.03		27
28	—	.32	.03	—	—	.18	.13	—	—	—	.67	.02		28
29	—	—	—	.10	—	.01	.25	—	—	.12	.47	—		29
30	—	✗	.04	.14	—	.05	.09	.01	—	.15	.20	—		30
31	—	✗	—	✗	—	✗	.18	.48	✗	.58	✗	.03		31
TOTAL	10.48	4.33	2.75	4.57	1.97	3.18	10.39	3.64	1.36	4.28	15.75	4.96	Year's Total 67.66	✓
* Days with .01 in. or more.	26	20	20	21	8	16	25	18	7	18	27	21	233	✓
* Days with .04 in. or more.	24	16	13	18	6	13	21	12	5	15	24	15	182	✓

† Spare column, no entries required.

(Signed) Mary E. Hale

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 1945/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40 (1940)

Kept at North Hill. Launceston

in the County of Cornwall

Diameter of Funnel of Gauge..........in. (as last year)

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	·08	·25	·01	—	—	—	—	·23	—		1
2	—	·15	—	·21	—	—	·08	—	—	—	1.70	—		2
3	·10	1·54	—	·04	—	—	—	—	—	—	1.97	·39		3
4	—	·27	—	·22	—	—	·13	—	—	·33	·17	·13		4
5	·03	·02	—	—	—	—	·09	—	—	·18	·89	·30		5
6	·74	1·26	—	—	—	—	·23	—	—	·50	·06	·60		6
7	·14	·11	—	—	—	—	·21	—	·06	·16	—	·05		7
8	·01	—	—	—	—	—	·02	—	—	·69	1.18	·86		8
9	—	—	—	—	—	—	·62	·12	·04	·26	·66	·50		9
10	—	·01	—	—	—	—	·07	—	·08	·49	·17	·40		10
11	—	·01	·06	·02	—	·03	·28	—	—	—	1.78	·01		11
12	—	—	·27	·04	—	·04	1.71	—	·73	—	·19	·01		12
13	—	—	·38	—	—	—	·56	·03	—	·33	1.74	1.54		13
14	—	·13	·02	·06	—	—	·01	·04	·34	·61	·13	·63		14
15	·06	·62	—	·08	—	—	·38	—	·19	·03	·67	·01		15
16	·04	2.00	·97	·13	—	—	·03	—	·27	·09	·04	·07		16
17	—	·40	·44	—	—	—	·47	—	—	—	·16	—		17
18	·65	1.06	·38	·48	—	—	·03	·05	·34	·01	·42	·26		18
19	—	·11	·25	·17	—	—	·76	—	·21	·24	·52			19
20	—	—	·07	·13	—	—	·06	—	—	·15	·27			20
21	—	—	Trace	—	·11	·25	—	·03	—	·01	·86			21
22	·02	·01	·15	·20	·01	·22	—	·01	·20	·02	·05			22
23	·02	·26	·29	—	·18	—	·12	—	—	·12	·09			23
24	·10	—	·04	—	·02	·03	—	—	—	—	·01			24
25	·28	—	·30	·03	·67	·22	—	—	—	—	Trace			25
26	·84	1.37	—	·09	·14	·08	·06	—	—	—	·07			26
27	·38	·40	·10	2.02	·83	·01	—	—	—	—	·09			27
28	·24	·12	·01	·33	·52	·01	—	·04	—	—	—			28
29	·20	·04	·38	·98	·01	·08	—	—	—	·19	—			29
30	·07	✕	·02	·01	·02	·01	—	—	—	·95	—	·46		30
31	·03	✕	·05	✕	—	✕	—	—	✕	·87	✕	·25		31
TOTAL	3.95	9.30	4.18	5.32	2.76	·99	5.92	·32	2.46	6.23	14.12	6.47	Year's Total 62.02	
* Days with .01 in. or more.	18	21	18	19	11	12	20	7	10	20	25	17	198	
* Days with .04 in. or more.	13	16	15	16	7	6	16	4	10	15	24	14	156	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mary E. Hale

[P.T.O.

1946

Section **A** for t

AIR

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090. R 93/ .

—

1946

LAUNCESTON – LANDUE

1931 – 1940

780311

Kept at Lan

in the County of

Diameter of Funnel of

Height of top of Gauge

,, Ground

THE MORNIN DAY.

An observer who does n the following year in the space on th

Jan. 1, following

Date	Jan.	Feb								Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	—	—	42	—	—	05	—	80	01	—	03	1
2	23	02	—	32	03	—	—	—	44	—	32	43	2
3	41	—	88	—	01	—	06	—	84	02	2.17	17	3
4	02	02	07	—	—	—	48	76	59	02	02	02	4
5	—	57	14	14	02	44	—	1.91	09	—	02	25	5
6	—	02	—	02	10	25	44	—	03	38	13	47	6
7	—	06	—	—	24	06	23	21	01	06	53	06	7
8	—	12	—	16	—	37	—	20	—	03	26	08	8
9	01	25	—	—	—	10	03	07	—	03	29	02	9
10	02	09	—	—	18	07	10	21	—	—	29	05	10
11	30	46	—	—	02	21	35	02	10	—	26	01	11
12	10	16	—	—	—	—	68	—	08	37	03	—	12
13	—	13	04	—	21	01	26	06	—	07	21	—	13
14	05	13	—	—	18	30	92	24	04	—	81	—	14
15	—	21	—	—	09	11	09	37	01	—	01	02	15
16	03	11	—	07	04	80	02	23	08	—	—	09	16
17	05	04	—	09	—	05	19	—	02	—	—	—	17
18	03	—	—	08	—	15	07	95	—	—	36	—	18
19	06	13	36	04	—	20	23	14	—	—	1.02	03	19
20	03	13	46	—	—	—	—	35	—	—	07	01	20
21	46	05	05	01	28	—	—	—	—	01	03	—	21
22	73	08	05	12	36	—	—	—	—	—	07	—	22
23	39	—	—	64	38	—	03	—	—	—	99	—	23
24	32	06	—	44	—	08	1.09	18	—	—	03	01	24
25	07	04	—	04	—	—	11	—	—	—	21	02	25
26	06	12	—	13	—	—	22	—	—	—	95	03	26
27	09	14	—	06	2.60	—	05	—	—	04	10	—	27
28	05	20	22	04	03	04	—	04	—	02	05	25	28
29	08	~~✕~~	05	—	07	—	08	37	04	05	13	17	29
30	10	✕	01	—	17	—	01	01	12	04	—	08	30
31	1.37	✕	08	✕	1.29	✕	02	—	✕	01	✕	11	31
TOTAL	5.08	3.34	2.41	2.77	6.30	3.24	5.81	6.36	3.29	1.16	9.36	2.34	YEAR'S TOTAL 51.44
*Days with ·01 in. or more.	25	24	12	17	19	16	24	[illegible]	15	15	26	22	233
*Days with ·04 in. or more.	18	21	11	14	14	15	19	16	11	7	20	11	177

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) For Miss S. E. Tregoning
J. S. T.

P.T.O.

1946

Section **A** for t

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

1946.

44·2

17 8/10

Kept at Landue

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	—	—	42	—	—	05	—	80	01	—	03	1
2	23	02	—	32	02	—	—	—	44	—	32	43	2
3	41	—	88	—	01	—	06	—	84	02	2.17	17	3
4	02	02	07	—	—	—	48	76	59	02	02	02	4
5	—	57	14	14	02	44	—	1.01	09	—	02	25	5
6	—	02	—	02	10	25	44	—	03	38	13	47	6
7	—	06	—	—	24	06	23	21	01	06	53	06	7
8	—	12	—	16	—	37	—	20	—	03	26	08	8
9	01	25	—	—	—	10	03	07	—	03	29	02	9
10	02	09	—	—	18	07	10	21	—	—	29	05	10
11	30	46	—	—	02	21	35	02	10	—	26	01	11
12	10	16	—	—	—	—	68	—	08	37	03	—	12
13	—	13	04	—	21	01	26	06	—	07	21	—	13
14	05	13	—	—	18	30	92	24	04	—	81	—	14
15	—	21	—	—	07	11	09	37	01	—	01	02	15
16	03	11	—	07	04	80	02	23	08	—	—	09	16
17	05	04	—	09	—	05	19	—	02	—	—	—	17
18	03	—	—	03	—	15	07	95	—	—	36	—	18
19	06	13	36	04	—	20	23	14	—	—	1.02	03	19
20	03	13	46	—	—	—	—	35	—	—	07	01	20
21	46	05	05	01	28	—	—	—	—	01	03	—	21
22	73	08	05	12	36	—	—	—	—	—	07	—	22
23	39	—	—	64	38	—	03	—	—	—	97	—	23
24	32	06	—	44	—	08	1.09	18	—	—	03	01	24
25	07	04	—	04	—	—	11	—	—	—	21	02	25
26	06	12	—	13	—	—	22	—	—	—	95	03	26
27	09	14	—	06	2.60	—	05	—	—	04	10	—	27
28	05	20	22	04	03	04	—	08	—	02	05	25	28
29	08	X	05	—	07	—	08	37	04	05	13	17	29
30	10	X	01	—	17	—	01	01	12	04	—	08	30
31	1.34	X	08	X	1.29	X	02	—	X	01	X	11	31
TOTAL	5.08	3.34	2.41	2.77	6.30	3.24	5.81	6.36	3.29	1.16	9.36	2.34	YEAR'S TOTAL 51.46
*Days with ·01 in. or more.	25	24	12	17	19	16	24	18	15	15	26	22	233
*Days with ·04 in. or more.	18	21	11	14	14	15	19	16	11	7	20	11	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) For Miss S. E. Tregoning
J. S. T.

P.T.O.

1946

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Landue

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	—	—	13	—	—	01	06	02	—	02	08	1
2	01	—	05	12	—	—	04	02	34	—	03	25	2
3	01	—	06	02	—	38	03	—	31	05	04	09	3
4	06	01	—	—	—	01	09	06	01	—	42	—	4
5	70	—	06	—	—	—	—	—	13	—	01	01	5
6	90	—	03	13	—	—	31	—	43	05	—	—	6
7	10	—	01	07	01	—	25	01	1.12	1.87	—	—	7
8	01	—	20	07	25	—	—	—	03	37	—	—	8
9	1.52	01	—	21	05	—	—	—	42	—	—	—	9
10	45	—	01	25	03	02	—	—	03	40	—	—	10
11	02	—	—	17	16	—	01	—	01	08	—	18	11
12	1.24	—	—	—	88	—	—	—	01	32	—	07	12
13	08	—	—	30	—	—	08	12	—	1.10	—	13	13
14	33	—	—	03	20	—	04	03	—	28	—	05	14
15	07	—	—	02	04	—	—	—	—	0.5	—	03	15
16	47	—	—	08	—	—	05	—	—	02	—	01	16
17	02	—	—	01	35	—	01	—	14	05	—	02	17
18	02	—	—	—	47	—	—	—	21	01	15	02	18
19	02	—	—	08	34	—	—	—	06	35	03	01	19
20	04	—	—	04	54	—	—	24	01	80	18	15	20
21	02	—	05	07	—	—	03	63	11	89	05	36	21
22	01	—	01	06	04	—	02	05	50	33	30	17	22
23	—	01	—	—	—	—	06	—	—	49	15	29	23
24	—	04	—	02	05	—	45	—	07	15	08	02	24
25	—	—	20	06	—	—	24	—	12	44	18	01	25
26	—	—	23	10	—	—	14	—	04	17	14	—	26
27	—	—	35	30	14	—	06	—	—	44	11	41	27
28	—	—	17	10	12	—	08	01	—	03	02	07	28
29	—	—	55	20	08	59	02	35	38	78	27	92	29
30	—	✕	31	21	03	1.88	64	02	74	30	58	—	30
31	—	✕	04	✕	08	✕	33	—	✕	04	✕	80	31
TOTAL	6.15	·07	2.33	2.85 2.85	3.86	2.88	2.99	1.60	5.24	9.86	2.76	4.15	YEAR'S TOTAL 44·74
*Days with ·01 in. or more.	27	4	16	25	19	5	22	12	23	26	15	23	215
*Days with ·04 in. or more.	13	1	12	20	16	3	5	4	16	23	13	15	154

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sophie D Tregonning

P.T.O.

1946

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1946

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Landue in Lezant
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 11 in.
,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·57	·27	—	·07	·47	—	—	01	—	06	·84		1
2	·44	05	57	—	19	66	—	—	01	—	03	16		2
3	·07	03	17	—	17	—	—	—	—	—	—	—		3
4	·19	03	—	—	20	—	—	—	—	—	—	—		4
5	·10	01	63	—	67	—	—	—	—	—	01	—		5
6	·04	44	06	—	33	—	—	—	—	18	01	—		6
7	·02	05	01	—	13	—	22	01	—	05	—	—		7
8	·02	01	—	—	06	22	14	—	—	—	—	—		8
9	—	03	—	—	07	—	38	01	—	70	18	—		9
10	·02	09	—	—	—	—	06	06	—	1.22	18	—		10
11	·09	—	—	06	—	—	08	46	—	05	14	02		11
12	·05	01	—	16	02	26	38	02	24	02	01	—		12
13	·08	—	—	—	04	08	23	07	—	11	09	—		13
14	·33	—	—	—	—	—	42	11	—	—	25	—		14
15	·44	—	42	—	—	—	24	02	—	13	25	—		15
16	—	04	96	—	—	03	—	01	03	09	01	—		16
17	·19	04	24	—	—	12	02	04	26	—	—	—		17
18	·23	06	27	—	—	08	02	—	02	10	02	—		18
19	·25	—	23	—	—	18	—	03	26	11	25	—		19
20	—	09	01	—	06	23	—	08	59	—	03	02		20
21	—	03	—	—	—	30	—	20	—	34	02	—		21
22	—	—	—	28	—	—	—	35	79	03	—	—		22
23	—	96	—	16	—	15	—	02	04	95	—	—		23
24	—	15	—	25	—	—	—	—	09	30	—	—		24
25	—	20	—	10	06	58	—	—	14	—	—	14		25
26	—	23	—	16	07	—	—	—	—	18	—	03		26
27	—	23	—	07	—	—	—	—	02	60	—	68		27
28	—	55	—	23	—	—	40	01	—	61	—	03		28
29	·04	X	05	25	—	—	03	01	—	06	—	05		29
30	·04	X	10	18	—	—	11	—	22	04	—	08		30
31	·40	X	—	X	03	X	—	—	X	06	X	01		31
													Year's Total	
TOTAL	3.89	3.90	3.99	1.90	2.17	3.36	2.73	1.51	2.72	5.93	1.54	2.06	35.70	
*Days with ·01 in. or more.	20	22	14	11	15	13	14	17	14	21	16	11	188	
*Days with .04 in. or more.	17	15	12	11	13	12	11	8	9	19	8	6	141	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) For S. E. Tregoning
J. T. T.

[P.T.O.

D

1946

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1946

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Landue in Lezant

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 225 ft.

File No. 664610/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12	–	02	–	–	–	–	59	02	–	30	1.04		1
2	08	–	07	–	–	–	–	07	88	05	14	14		2
3	04	01	tr	02	tr	–	–	–	01	36	–	71		3
4	14	–	13	23	46	–	–	01	–	48	–	70		4
5	01	tr	15	01	49	33	–	1.67	–	14	04	59		5
6	11	–	22	18	63	04	–	1.13	07	20	04	33		6
7	10	–	tr	–	–	–	–	08	11	28	03	1.07		7
8	–	–	–	–	09	–	–	03	13	02	21	1.50		8
9	06	–	35	–	–	–	–	01	–	01	36	16		9
10	63	02	37	43	–	–	–	09	–	–	11	19		10
11	57	–	03	79	–	–	tr	10	–	–	13	45		11
12	08	02	tr	–	–	03	15	48	–	tr	01	21		12
13	56	–	01	74	–	tr	–	–	–	01	07	11		13
14	69	tr	63	02	–	–	–	–	02	15	01	25		14
15	37	01	13	01	08	tr	–	–	01	23	09	39		15
16	12	tr	35	01	05	–	–	–	34	03	01	35		16
17	31	01	14	05	03	–	tr	–	04	10	–	35		17
18	06	tr	42	47	tr	06	–	–	04	03	tr	50		18
19	01	–	11	–	03	05	–	06	12	03	–	29		19
20	tr	01	tr	09	02	–	01	–	10	03	08	12		20
21	tr	tr	19	–	01	14	01	10	08	37	05	07		21
22	15	01	06	02	–	01	–	tr	30	02	05	25		22
23	04	–	03	16	–	44	–	02	26	05	02	24		23
24	tr	16	04	05	–	47	10	–	–	48	–	17		24
25	40	04	tr	34	–	01	–	tr	03	60	–	72		25
26	02	–	03	04	–	47	–	–	23	05	04	33		26
27	–	–	tr	–	–	18	–	04	08	08	06	16		27
28	tr	–	–	01	–	04	01	59	29	13	01	1.25		28
29	–	×	–	–	–	–	tr	04	07	06	02	13		29
30	02	×	–	–	tr	–	07	08	19	34	01	28		30
31	tr	×	–	×	–	×	20	06	×	25	×	03		31
TOTAL	4.69	·29	3.48	3.67	1.89	2.27	·55	5.25	3.42	4.58	1.89	13.08	Year's Total. 45.06	
* Days with .01 in. or more.	23	9	20	19	10	13	7	19	22	27	23	31	223	
* Days with .04 in. or more.	19	2	15	12	6	10	4	15	17	19	15	30	164	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) For S. E. Tregoning J. S. T.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1946

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Landue in Lezant

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	06	62	02	–	18	01	–	24	20	02	37		1
2	02	03	08	–	15	15	–	–	02	37	20	15		2
3	06	01	05	02	–	12	–	–	29	32	26	30		3
4	–	18	02	08	–	22	01	–	03	53	19	39		4
5	–	22	12	21	–	21	–	01	14	1.95	05	09		5
6	–	–	01	35	–	71	–	–	–	17	05	20		6
7	–	–	–	40	–	07	–	–	–	33	05	07		7
8	–	–	–	32	–	–	01	–	03	09	43	08		8
9	–	–	–	64	–	–	–	–	–	73	40	01		9
10	03	–	10	14	–	11	02	–	–	05	02	–		10
11	27	03	01	01	–	23	–	–	22	01	59	–		11
12	18	21	–	–	–	25	–	14	09	–	10	–		12
13	09	10	–	30	–	04	–	–	02	03	32	–		13
14	–	15	–	10	–	60	–	–	52	02	1.36	20		14
15	–	04	–	64	11	03	–	–	13	–	10	12		15
16	–	06	01	20	–	–	03	–	47	04	53	04		16
17	–	–	–	06	58	32	–	02	10	–	04	–		17
18	–	09	01	41	04	–	–	29	40	10	03	15		18
19	–	10	–	23	48	02	07	–	11	41	15	04		19
20	–	46	–	47	04	01	07	–	–	13	14	–		20
21	–	63	–	07	–	–	04	–	09	11	02	–		21
22	–	08	22	88	–	–	–	–	15	25	01	–		22
23	–	18	08	03	14	–	–	20	29	16	01	18		23
24	06	38	01	22	05	18	–	18	14	–	–	35		24
25	31	24	–	01	01	26	–	–	–	03	–	17		25
26	8	99	–	–	–	14	–	44	17	04	08	54		26
27	–	13	01	–	01	–	01	10	13	05	06	25		27
28	03	19	–	–	02	–	04	44	24	02	02	04		28
29	–	✕	–	–	–	–	–	01	27	04	22	65		29
30	04	✕	–	–	–	06	–	68	10	03	90	76		30
31	–	✕	–	✕	–	✕	–	07	✕	54	✕	35		31
													Year's Total	
TOTAL	1·24	4·56	1·35	5.81	1·63	3.91	·31	2.58	4·39	6·78	6·35	5.50	44·41	
* Days with .01 in. or more.	12	22	14	23	11	20	10	12	24	27	28	23	226	
* Days with .04 in. or more.	9	19	7	18	8	17	4	9	20	21	21	22	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) [illegible] Tregoning [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1946

664610/26

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Landue in Lezant

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·10	·03	·16	—	·12	·79	·02	—	—	·10	·03		1
2	01	04	—	03	—	15	31	—	·38	—	19	02		2
3	06	—	11	85	—	02	—	—	22	—	08	03		3
4	02	14	13	—	—	01	—	—	55	—	06	33		4
5	42	22	11	—	—	—	57	04	04	—	08	32		5
6	09	—	06	—	—	03	47	01	30	—	88	02		6
7	26	—	14	—	—	03	—	01	06	—	1.02	06		7
8	48	—	52	—	—	—	56	—	03	—	98	10		8
9	34	39	18	—	—	—	33	—	07	—	16	—		9
10	03	49	—	—	—	—	10	—	—	—	22	03		10
11	45	08	—	02	—	21	27	04	31	—	84	18		11
12	02	02	—	03	—	17	23	01	05	01	16	07		12
13	04	03	01	—	—	—	06	02	04	14	14	1.45		13
14	—	03	—	—	—	03	87	—	15	09	02	45		14
15	—	05	—	11	24	—	02	02	—	—	45	45		15
16	03	15	—	03	03	01	07	—	—	—	13	31		16
17	32	1.17	—	03	14	—	61	01	—	06	04	71		17
18	15	14	30	—	—	—	36	03	—	—	—	07		18
19	66	01	14	21	—	02	02	05	—	—	—	01		19
20	13	52	02	08	—	09	05	—	1.14	—	—	05		20
21	10	17	30	33	—	15	01	—	03	04	—	—		21
22	27	15	03	—	01	—	33	—	—	03	01	02		22
23	03	21	05	13	03	—	03	01	—	10	01	01		23
24	22	12	24	07	13	04	01	—	07	37	—	05		24
25	28	01	56	14	—	—	16	—	—	28	—	01		25
26	43	15	43	—	11	—	02	—	—	09	—	—		26
27	35	15	13	—	—	—	33	—	06	30	03	—		27
28	65	03	75	01	—	—	23	—	—	01	—	32		28
29	07	07	04	—	—	18	—	—	—	06	—	13		29
30	32	✕	02	—	03	53	07	—	—	03	—	01		30
31	20	✕	68	✕	06	✕	13	—	✕	—	✕	47		31
TOTAL	6·47	4·64	4·98	2.23	·78	1·79	7·01	·27	3·50	1.61	5.60	5.71	Year's Total 44·59	
* Days with .01 in. or more.	29	25	23	15	9	16	27	12	16	14	20	27	233	
* Days with .04 in. or more.	23	19	18	9	5	9	21	3	14	10	16	17	164	

† Spare column, no entries required.

(*Signed*) Fd Miss Tregoning [P.T.O.

J.S.T.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1946

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Landue in Lezant

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	20	05	46	28	–	–	–	tr	06	07	01	46		1
2	11	97	01	27	–	–	–	–	07	–	–	09		2
3	01	52	–	01	–	–	07	tr	–	–	–	01		3
4	17	45	01	tr	14	–	–	–	–	01	–	73		4
5	35	01	–	06	–	–	40	tr	–	–	–	05		5
6	06	26	28	37	04	10	04	tr	02	–	–	06		6
7	–	34	08	06	tr	09	–	–	04	–	11	03		7
8	–	03	01	01	43	10	08	–	–	–	01	06		8
9	12	14	04	20	03	–	01	12	54	–	tr	tr		9
10	25	03	1.42	32	04	21	02	03	–	–	tr	31		10
11	21	–	35	21	36	09	28	01	–	–	02	16		11
12	93	29	20	14	44	23	10	21	35	–	–	61		12
13	06	04	56	08	tr	09	01	67	20	–	–	19		13
14	01	02	17	tr	–	–	tr	04	07	–	–	38		14
15	75	26	47	42	–	–	–	–	44	–	–	40		15
16	45	12	48	02	–	–	04	08	15	–	16	04		16
17	1.30	16	34	–	–	–	01	–	15	–	34	–		17
18	10	18	35	–	–	20	02	–	59	–	13	10		18
19	22	02	45	20	08	–	–	–	75	–	10	02		19
20	95	01	59	13	67	–	–	–	02	–	–	83		20
21	84	71	02	01	53	–	03	01	25	18	24	03		21
22	08	03	09	–	28	03	20	–	03	46	56	10		22
23	46	33	02	–	30	–	–	01	04	35	13	02		23
24	33	54	09	tr	tr	–	01	tr	tr	70	tr	03		24
25	–	76	65	02	04	–	–	–	–	08	01	02		25
26	06	20	06	tr	–	–	–	–	–	–	–	01		26
27	01	30	–	–	–	–	–	–	–	74	tr	–		27
28	03	56	–	–	–	03	–	01	tr	09	–	–		28
29	04	X	–	–	–	03	02	–	–	59	16	–		29
30	24	✕	–	–	–	02	–	–	06	07	32	–		30
31	25	✕	–	✕	–	✕	–	–	✕	32	✕	–		31
TOTAL	8.59	7.33	7.20	2.81	3.38	1.22	1.34	1.19	3.83	3.66	2.30	4.74	Year's Total 47.59	✓ ✓
* Days with .01 in. or more.	28	27	24	18	13	12	16	10	18	12	14	24	216	✓ ✓
* Days with .04 in. or more.	24	20	19	13	12	8	8	5	15	11	10	16	161	✓ ✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Sophie E. Tregoning [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1946

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Landue in Lezant

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	15	01	—	—	71	13	63	—	59	10	38		1
2	—	03	—	07	02	—	02	—	—	44	03	06		2
3	—	01	01	—	06	04	02	2.49	—	67	14	01		3
4	—	—	01	—	—	02	46	29	—	37	01	18		4
5	08	—	—	01	—	07	07	15	03	42	01	10		5
6	19	—	—	—	—	27	1.39	—	33	17	02	06		6
7	12	—	—	—	—	—	43	—	—	18	04	29		7
8	70	09	—	—	—	—	20	—	—	38	—	11		8
9	25	07	—	—	—	03	01	55	—	03	01	87		9
10	24	—	—	—	—	—	08	45	—	05	—	31		10
11	20	01	—	—	05	02	12	—	—	—	44	90		11
12	53	02	—	—	33	02	—	—	01	45	95	08		12
13	04	—	—	—	.54	—	01	—	—	12	09	49		13
14	97	02	—	—	27	—	27	—	01	01	01	01		14
15	56	—	—	—	09	—	—	01	—	15	35	67		15
16	37	03	03	—	04	—	—	06	—	—	13	06		16
17	—	03	02	—	24	—	—	—	08	18	02	10		17
18	29	01	—	—	03	04	02	14	30	11	38	—		18
19	01	—	—	—	—	—	03	02	16	01	77	—		19
20	03	—	—	—	—	—	—	02	15	01	35	—		20
21	02	—	05	—	—	—	—	16	25	05	40	—		21
22	03	—	—	—	—	06	—	60	12	02	37	02		22
23	01	—	—	02	—	—	—	—	02	—	56	—		23
24	06	11	09	—	05	—	04	02	03	—	48	—		24
25	16	79	01	—	08	—	17	—	—	19	1.13	04		25
26	57	20	02	—	53	12	13	—	—	22	12	10		26
27	26	03	—	—	15	04	43	1.22	—	08	34	01		27
28	17	16	—	—	06	12	05	.28	04	18	03	04		28
29	29	×	—	—	27	03	—	—	10	22	30	03		29
30	05	✕	01	—	01	—	02	—	07	03	21	05		30
31	47	✕	02	✕	24	✕	—	—	✕	29	✕	30		31
TOTAL	6.61	1.76	.28	.10	3.06	1.59	4.10 ~~4.00~~	7.09	1.70	5.62	7.79	5.27	Year's Total ~~44.87~~	44.97
* Days with .01 in. or more.	26	16	11	3	18	14	21	16	15	27	28	25	220	
* Days with .04 in. or more.	21	7	2	1	18	9	14	12	10	21	20	20	152	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Spencer Tregoning

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1946

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Landue in Lezant

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	—	·11	·04	·02	—	·03	·05	—	—	·45	·11		1
2	·20	—	tr	·23	—	—	—	·37	·32	—	·25	·08		2
3	·26	—	·23	·44	—	—	·05	—	·90	—	·36	·57		3
4	·04	—	·48	1·21	·53	—	·53	·05	—	·36	·53	·33		4
5	·01	·01	·04	·06	·28	—	·33	—	—	·39	1·12	·11		5
6	·30	·05	·03	·33	·10	—	·94	·04	—	·05	·26	—		6
7	·04	·28	—	tr	—	tr	·06	·13	—	tr	·31	·59		7
8	·10	·48	·06	—	·07	·04	·15	·01	tr	·92	·38	·10		8
9	·02	·02	·05	—	tr	—	—	·15	—	·08	·06	·10		9
10	·27	—	·04	—	—	·02	—	·03	·05	·08	·02	·61		10
11	·08	·04	·10	—	—	—	—	—	—	·14	·04	·03		11
12	·10	·08	tr	·20	—	·62	—	—	·31	·02	·03	tr		12
13	—	·01	—	·24	·01	·06	·80	—	·07	·31	·13	·06		13
14	·96	·01	—	·09	·11	·08	1·16	—	—	·03	·26	·02		14
15	·60	·01	—	·03	tr	·53	·98	—	—	·06	·32	·02		15
16	·16	·01	·02	·10	·06	·05	·67	—	—	tr	·17	—		16
17	·85	·05	—	—	tr	·13	·41	—	—	tr	·02	tr		17
18	·04	·06	·06	—	—	tr	·37	—	—	tr	·65	·07		18
19	·40	—	tr	—	—	—	·59	1·03	—	tr	·02	·32		19
20	·64	—	—	—	—	·53	·01	·47	—	—	tr	·13		20
21	·25	·55	·09	·03	·05	·13	·45	·11	·02	—	tr	tr		21
22	·43	·40	·32	·65	—	·76	·39	·04	·02	—	·35	·01		22
23	·03	·02	·11	·41	—	tr	·20		—	·03	1·20	tr		23
24	·70	·04	·14	·18	—	·28	·01	·02	—	·10	·02	—		24
25	·30	·16	·02	·02	—	·01	·01	·28	—	·27	·47	·01		25
26	·05	·09	—	·20	—	—	·03	·11	—	—	·48	·01		26
27	—	·40	—	—	—	·11	·02	·01	—	—	·12	·02		27
28	—	·16	·05	·03	—	·08	·09	—	—	—	·25	·01		28
29	—	X	~~tr~~	·04	—	·02	·20	—	—	·13	·04	—		29
30	—	✕	·02	·14	—	·03	·02	tr	—	·04	·02	—		30
31	—	✕	—	✕	—	✕	·13	·25	✕	·40	✕	tr		31
													Year's Total	
TOTAL	7·55	2·93	1·97	4·07	1·23	2·88	8·63	3·15	1·69	3·41	8·33	3·31	49·15	
* Days with .01 in. or more.	25	21	18	20	9	17	26	17	7	17	28	21	226	
* Days with .04 in. or more.	22	14	14	16	7	12	19	13	5	14	22	13	171	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Sophie V Tregonus

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1946

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Landue, in Lezant
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	02	–	04	23	–	–	–	–	–	.31	02		1
2	–	08	–	09	–	–	02	–	tr	–	87	–		2
3	14	96	–	02	–	–	tr	–	–	05	93	20		3
4	01	26	–	14	–	–	08	–	01	18	24	04		4
5	02	05	tr	–	–	–	06	tr	–	09	58	20		5
6	51	80	–	–	–	–	05	–	–	26	09	58		6
7	05	03	–	02	–	–	14	–	07	05	tr	07		7
8	02	tr	–	–	–	–	02	–	21	55	102	46		8
9	tr	–	–	–	–	–	65	15	02	16	73	40		9
10	–	–	tr	–	–	–	25	tr	tr	16	16	32		10
11	–	04	04	02	–	33	16	–	–	tr	107	04		11
12	–	–	18	02	–	03	80	–	29	–	15	tr		12
13	–	tr	34	01	–	–	52	01	02	15	84	112		13
14	–	07	01	10	–	–	02	04	30	45	11	57		14
15	03	tr	tr	04	–	–	–	–	12	03	52	01		15
16	07	153	53	03	–	–	23	–	15	tr	02	06		16
17	–	18	53	tr	tr	–	28	–	03	–	07	01		17
18	63	49	39	41	–	–	02	05	18	05	14	16		18
19	08	10	23	22	–	–	67	–	21	13	32	01		19
20	–	01	03	07	–	–	03	02	02	13	12	tr		20
21	–	–	03	11	09	25	–	08	–	02	59	–		21
22	–	–	17	tr	02	25	–	–	22	03	01	–		22
23	02	12	27	02	05	–	03	–	–	16	03	–		23
24	02	tr	13	–	02	02	18	–	–	–	01	–		24
25	20	–	20	01	52	11	03	–	–	–	tr	–		25
26	56	74	–	08	10	06	04	–	–	–	03	–		26
27	21	21	14	24	36	01	–	–	–	–	03	–		27
28	12	06	02	15	38	tr	–	04	–	–	tr	01 tr		28
29	14	02	25	98	–	03	–	–	–	10	tr	15		29
30	06	✕	02	–	tr	–	–	–	–	74	01	17		30
31	04	✕	04	✕	–	✕	–	tr	✕	57	✕	64		31
TOTAL	2.93	5.77	3.55	2.82	1.77	1.09	4.28	.39	1.85	4.06	9.00	5.24	Year's Total 42.75	
* Days with .01 in. or more.	19	19	19	21	9	9	21	7	14	20	26	21	205	
* Days with .04 in. or more.	13	15	14	13	7	5	14	5	9	17	19	16	147	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Sophie V. Legonne [P.T.O.

Section **A** for the entry of
AIR MINISTRY
FORM 1090.
REGIST

1948

LAUNCESTON, PENDRUCCOMBE

780311

1948

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
931.

Kept at Pendruccombe
in the County of Cornw
126

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	·01	trace	·29	—	trace	·03	—	·73	·02	—	trace	1
2	·18	·01	trace	·21	trace	—	trace	—	·71	trace	·20	·43	2
3	·49	—	·99	—	·02	—	·03	—	1·64	trace	2·51	·20	3
4	·01	·01	·08	} ·23	·02	—	·64	1·29	·59	·02	—	·02	4
5	—	·50	·21		·01	·37	trace	·87	·17	trace	·02	·30	5
6	—	·01	·05	·06	·08	·33	·52	—	·03	·36	·17	·49	6
7	—	·03	—	trace	·27	·09	·25	·30	—	·11	·42	·06	7
8	—	·10	—	·09	trace	·37	·02	·18	—	trace	·18	·07	8
9	—	·28	—	—	—	·13	·05	·05	—	·02	·45	·03	9
10	·04	·10	—	—	·12	·05	·06	·27	·07	trace	·64	·06	10
11	·36	·49	—	trace	·02	·21	·42	·05	·11	—	·31	trace	11
12	·03	·15	·04	trace	trace	—	·39	trace	·11	·32	·01	—	12
13	trace	·11	—	—	·24	trace	·21	·05	—	·08	·20	—	13
14	·08	·14	trace	—	·19	·36	·88	·04	·02	trace	·93	—	14
15	·02	·18	—	trace	·05	·11	·02	·41	—	—	trace	Trace	15
16	·02	·05	—	·11	·04	·81	·01	·25	·12	—	trace	·01	16
17	·01	·02	—	·08	—	·02	·28	—	·01	—	trace	—	17
18	·03	—	·01	·01	—	·28	·13	·85	—	—	·34	—	18
19	·11	·14	·34	·02	—	·31	·09	·12	trace	trace	·81	·03	19
20	·03	·12	·37	trace	—	—	trace	·58	—	—	·07	trace	20
21	·99	·07	·01	·02	·19	—	—	—	—	trace	·06	—	21
22	·59	·06	·01	·07	·39	—	—	trace	—	—	·08	trace	22
23	·41	·01	—	·66	·34	trace	·03	trace	—	trace	1·02	trace	23
24	·40	·06	trace	·34	trace	trace	1·23	·23	—	—	·02	trace	24
25	·11	·02	—	·06	·01	—	·07	—	—	—	·15	·02	25
26	·04	·09	—	·17	—	—	·39	—	—	—	1·03	·04	26
27	·12	·18	—	·03	1·96	trace	·05	—	—	·04	·17	trace	27
28	·08	·22	·13	·04	·01	·03	trace	·06	—	·02	·02	·25	28
29	·04	×	·05	—	·05	—	·11	·25	·03	·11	·17	·19	29
30	·08	×	·01	—	·17	—	·01	trace	·11	·07	trace	trace	30
31	1·29	×	·03	×	2·08	×	trace	—	×	trace	×	·19	31
TOTAL	5·61	3·16	2·33	2·54	6·26	3·47	5·92	5·85	4·50	1·17	9·98	2·39	YEAR'S TOTAL 53·18
*Days with ·01 in. or more.	24	26	14	17	20	14	24	17	14	11	24	16	221
*Days with ·04 in. or more.	17	18	9	13	14	12	17	17	10	7	20	11	165

40-9999

(Signed) Leo C. Sleecombe

P.T.O.

*See Instruction 2 (*f*) on other side.

1948

Section **A** for the entry of Daily Observations. Station No. 1948 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Pentruccombe, Launceston

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 469 ft.

422. 126

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	·01	trace	·29	—	trace	·03	—	·73	·02	—	trace	1
2	·18	·01	trace	·21	trace	—	trace	—	·71	trace	·20	·43	2
3	·49	—	·99	—	·02	—	·03	—	1·69	trace	2·51	·20	3
4	·01	·01	·08	} ·23	·02	—	·64	1·29	·59	·02	—	·02	4
5	—	·50	·21		·01	·37	trace	·87	·17	trace	·02	·30	5
6	—	·01	·05	·06	·08	·33	·52	—	·03	·36	·17	·49	6
7	—	·03	—	trace	·27	·09	·25	·30	—	·11	·42	·06	7
8	—	·10	—	·09	trace	·37	·02	·18	—	trace	·18	·07	8
9	—	·28	—	—	—	·13	·05	·05	—	·02	·45	·03	9
10	·04	·10	—	—	·12	·05	·06	·27	·07	trace	·64	·06	10
11	·36	·49	—	trace	·02	·21	·42	·05	·11	—	·31	trace	11
12	·03	·15	·04	trace	trace	—	·39	trace	·11	·32	·01	—	12
13	trace	·11	—	—	·24	trace	·21	·05	—	·08	·20	—	13
14	·08	·14	trace	—	·14	·36	·88	·04	·02	trace	·93	—	14
15	·02	·18	—	trace	·05	·11	·02	·41	—	—	trace	trace	15
16	·02	·05	—	·11	·04	·81	·01	·25	·12	—	trace	·01	16
17	·01	·02	—	·08	—	·02	·28	—	·01	—	trace	—	17
18	·03	—	·01	·01	—	·28	·13	·85	—	—	·34	—	18
19	·11	·14	·34	·02	—	·31	·09	·12	trace	trace	·81	·03	19
20	·03	·12	·37	trace	—	—	trace	·58	—	—	·07	trace	20
21	·99	·07	·01	·02	·19	—	—	—	—	trace	·06	—	21
22	·59	·06	·01	·07	·39	—	—	trace	—	—	·08	trace	22
23	·41	·01	—	·66	·34	trace	·03	trace	—	trace	1·02	trace	23
24	·40	·06	trace	·34	trace	trace	1·23	·23	—	—	·02	trace	24
25	·11	·02	—	·06	·01	—	·07	—	—	—	·15	·02	25
26	·04	·09	—	·17	—	—	·39	—	—	—	1·03	·04	26
27	·12	·18	—	·03	1·96	trace	·05	—	—	·04	·17	trace	27
28	·08	·22	·13	·04	·01	·03	trace	·06	—	·02	·02	·25	28
29	·09	×	·05	—	·05	—	·11	·25	·03	·11	·17	·19	29
30	·08	×	·01	—	·17	—	·01	trace	·11	·07	trace	trace	30
31	1·29	×	·03	×	2·08	×	trace	—	×	trace	×	·19	31
													YEAR'S TOTAL
TOTAL	5·61	3·16	2·33	2·54	6·26	3·47	5·92	5·85	4·50	1·17	9·98	2·39	53·18
*Days with ·01 in. or more.	24	26	14	17	20	14	24	17	14	11	24	16	221
*Days with ·04 in. or more.	17	18	9	13	14	12	17	17	10	7	20	11	165

40-9999

(Signed) Leo C. Seccombe

P.T.O.

*See Instruction 2 (*f*) on other side.

1948

Section **A** for the entry of Daily Observations. Station No. 1948 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pendruccombe, Launceston

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 469 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	trace	–	·16	–	–	·04	·06	·05	trace	·01	·08	1
2	·04	–	·08	·08	trace	–	·03	·02	·62	trace	·07	·36	2
3	·01	trace	–	·07	–	·67	·05	–	·27	·06	·03	·06	3
4	·06	trace	·02	trace	–	–	·09	·06	trace	trace	·47	trace	4
5	·84	–	·03	trace	–	–	·03	trace	·16	–	trace	–	5
6	·83	–	·03	·22	–	–	·24	trace	·56	·07	–	–	6
7	·19	–	·01	·02	trace	–	·50	–	·83	1·57	–	–	7
8	trace	–	·23	·06	·24	–	trace	–	trace	·42	–	–	8
9	1·71	·01	–	·30	·07	–	trace	trace	·26	trace	–	–	9
10	·50	–	trace	·28	·22	trace	trace	–	·07	·55	–	–	10
11	·03	–	–	·11	trace	–	–	trace	trace	·18	trace	·19	11
12	1·19	trace	–	trace	·81	trace	·03	–	·03	·35	trace	·06	12
13	·15	–	–	·21	trace	trace	·07	·18	trace	·96	–	·19	13
14	·37	–	–	·01	·20	–	·21	·02	trace	·07	–	·02	14
15	·05	–	–	·02	·02	–	trace	–	–	·08	trace	·02	15
16	·40	–	–	·07	trace	–	·12	–	–	·01	–	trace	16
17	trace	–	–	trace	·25	–	·02	–	trace	·05	–	·02	17
18	trace	–	trace	–	·45	–	–	–	·46	trace	·15	·04	18
19	·03	–	trace	·09	–	trace	–	–	·12	·40	·02	trace	19
20	·03	–	–	·06	·48	–	·02	·24	trace	·88	·31	1·40	20
21	·02	trace	·05	·03	–	–	·01	1·29	·12	1·15	·06	·42	21
22	·01	trace	·01	·07	·04	–	·05	·03	·55	·23	·38	·19	22
23	trace	·03	–	–	trace	–	·07	–	trace	·57	·23	·35	23
24	trace	·01	–	·01	·06	–	·35	–	·08	·17	·10	trace	24
25	trace	trace	·19	·01	trace	–	·35	–	·14	·47	·15	trace	25
26	–	–	·19	·18	·07	–	·16	–	trace	·21	·24	trace	26
27	–	–	·41	·25	·17	trace	·05	–	trace	·43	·08	·19	27
28	–	–	·21	·13	·14	–	·11	trace	trace	·03	trace	·01	28
29	–	–	·56	·18	·07	·50	trace	·40	·36	·86	·25	·98	29
30	–	×	·08	·17	·04	2·11	·59	trace	·62	·20	·61	trace	30
31	–	×	trace	×	·06	×	·29	trace	×	·03	×	·71	31
TOTAL	6·56	0.05	2·10	2·79	3·39	3·28	3·48	2·30	5·30	10·0	3·16	5·29	YEAR'S TOTAL 47·70
*Days with ·01 in. or more.	19	3	14	24	17	3	23	9	17	25	16	18	188
*Days with ·04 in. or more.	13	0	9	18	16	3	17	6	16	22	13	14	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Geo Cleccombe.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1948

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pendruccombe, Launceston

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 469 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·49	·59	·25	–	·06	·45	–	–	·02	–	·06	·60		1
2	·78	·04	·55	–	·17	·54	–	–	–	–	·02	·10		2
3	·07	·04	·17	–	·10	–	–	–	–	–	–	–		3
4	·31	·02	·01	–	·19	–	–	–	–	–	–	–		4
5	·06	trace	·71	–	·54	–	–	–	–	trace	·02	trace		5
6	·01	·41	·03	–	·40	–	trace	–	–	·17	trace	–		6
7	·03	·04	–	–	·13	–	·16	·02	–	·04	–	–		7
8	·03	·02	trace	trace	·10	trace	·20	trace	–	trace	–	–		8
9	–	·02	–	trace	·08	–	·28	trace	–	·87	·25	–		9
10	·05	·05	–	–	trace	trace	·07	·10	–	1·54	·16	–		10
11	·11	–	–	·04	–	trace	·08	·27	–	·04	·10	·02		11
12	trace	–	–	·16	·02	·33	·31	·01	·22	trace	trace	trace		12
13	·10	–	trace	–	·06	·06	·16	·07	–	·07	·14	–		13
14	·19	–	–	–	trace	–	·19	·09	–	–	·33	–		14
15	·35	–	·43	–	–	·01	·32	trace	–	·18	·14	trace		15
16	·03	·04	1·10	–	–	·01	trace	trace	·03	·14	trace	trace		16
17	·17	·05	·22	–	–	·09	·01	·05	·21	–	trace	–		17
18	·23	·02	·25	–	–	·14	–	·02	·01	·05	·01	–		18
19	·22	trace	·41	–	–	·25	–	·02	·11	·11	·22	trace		19
20	–	·10	–	–	·06	·27	–	·15	·37	–	·02	trace		20
21	–	·01	–	–	–	·08	–	·37	trace	·31	trace	–		21
22	–	trace	–	·21	·01	·01	–	·46	·43	trace	–	–		22
23	–	·71	–	·18	–	·20	trace	·03	·10	·78	–	–		23
24	–	·10	–	·18	·02	trace	trace	trace	·16	·32	–	trace		24
25	–	24	–	·10	·05	·09	–	–	·20	trace	–	·11		25
26	–	·15	–	·16	·04	–	–	–	trace	·33	–	–		26
27	–	·20	–	·02	trace	–	trace	–	trace	·54	–	·56		27
28	–	·56	–	·16	–	–	·34	·03	–	·62	–	trace		28
29	·05	×	·02	·40	–	–	·02	trace	–	·06	–	·06		29
30	·09	×	·10	·05	–	–	·09	–	·17	·05	–	·06		30
31	·42	×	·02	×	·04	×	trace	–	×	·10	×	trace		31
TOTAL	3·79	3·41	4·27	1·66	2·07	2·53	2·23	1·69	2·03	6·32	1·47	1·51	Year's Total 32·98	
*Days with ·01 in. or more.	20	20	14	11	17	14	13	14	12	19	12	7	173	
*Days with .04 in. or more.	16	15	10	10	14	11	11	8	9	19	8	6	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Leo Seccombe.

[P.T.O.

COPY FOR OFFICIAL USE. f 680007/26

Section **A** for the entry of Daily Observations. Station No 1948

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

wp. 1933

Kept at (Pendruccombe) Launceston

in the County of Cornwall.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 469 ft.

Sent Circ. D.3 18/6 1935.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	-	trace	-	-	-	-	·69	·05	trace	·37	·78		1
2	·07	-	·08	-	-	-	-	·06	·75	·04	·10	·19		2
3	·05	·01	trace	·06	-	-	-	·02	trace	·30	trace	·72		3
4	·18	-	trace	·19	·59	-	-	·01	-	·45	trace	·67		4
5	-	-	·20	-	·53	·28	-	·88	-	·18	·04	·61		5
6	·07	-	·20	·16	·80	trace	-	1·37	·06	·08	·05	·35		6
7	·07	trace	-	-	-	-	-	·08	-	·25	·04	·98		7
8	trace	-	-	trace	·10	trace	-	·01	·18	·02	·13	1·67		8
9	·04	-	·21	-	-	-	-	trace	-	·11	·37	·15		9
10	·81	trace	·47	·38	-	-	trace	·23	-	-	·12	·12		10
11	·70	trace	·01	·78	-	-	·22	·10	-	trace	·09	·33		11
12	·08	trace	-	·01	-	·06	-	·32	-	trace	trace	·19		12
13	·58	trace	trace	·66	-	trace	-	trace	-	trace	·04	·08		13
14	1·00	trace	·73	trace	-	·01	trace	-	-	·14	trace	·29		14
15	·45	trace	·11	trace	·11	trace	-	trace	trace	·14	·06	·39		15
16	·13	trace	·30	-	·07	-	-	-	·50	trace	trace	·37		16
17	·41	·01	·19	·04	-	-	·02	-	·13	·10	-	·35		17
18	·08	trace	·34	·39	-	·06	trace	trace	trace	·02	-	·47		18
19	trace	trace	·11	trace	·02	·06	trace	·04	·20	·03	-	·33		19
20	trace	trace	·01	·09	·03	-	trace	-	·07	·03	}	·08		20
21	-	-	·16	·03	·01	·21	-	·09	·14	·34	} ·15	·04		21
22	·16	·01	·04	·02	-	trace	·01	·01	}	trace	·04	·25		22
23	·02	trace	·01	·15	-	·41	trace	trace	} ·68	·01	trace	·21		23
24	trace	·12	·04	·08	-	·49	·11	trace	·01	·42	-	·14		24
25	·37	·03	trace	·32	-	trace	trace	-	·02	·65	-	1·33		25
26	·05	trace	·02	·13	-	·37	-	-	·09	·02	·06	·30		26
27	trace	-	-	-	-	·17	trace	·05	·07	·07	·09	·10		27
28	trace	-	-	-	-	trace	·01	·80	·33	·12	·01	1·10		28
29	-		-	-	-	-	trace	·07	·07	·09	·01	·06		29
30	·01	×	-	-	trace	-	·06	·11	·14	·16	·01	·30		30
31	trace	×	-	×	·01	×	·02	·10	×	·28	×	·04	4	31
TOTAL	5·48 ✓	0·18 ✓	3·23 ✓	3·49 ✓	2·27 ✓	2·12 ✓	·45 ✓	5·04 ✓	3·49 ✓	4·05 ✓	1·78 ✓	12 ~~11~~·99	Year's Total 4~~3~~·57	
*Days with ·01 in. or more.	21	5	18	16	10	10	7	19	18	24	19	31	198	
*Days with .04 in. or more.	19	1	14	13	6	9	3	15	16	18	16	31	161	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) Mrs H. W. Suttie

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations.

Station No. 1948

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

To: MO 7
WITH
RECEIVED -3 MAR 1936
TIME
INITIALS IF ACKNOW
RELEVANT FILE & LATEST TRA
FILE No.

Kept at Pendruccombe, Launceston

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 469 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
on

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·08	·53	·01	trace	·06	trace	–	·25	·36	·15	·31		1
2	·04	·09	·07	–	–	·38	trace	–	·01	·26	·17	·09		2
3	trace	trace	·06	·01	·19	·11	–	–	·71	·32	·26	·42		3
4	·05	·20	–	·11	·01	·20	trace	–	·03	·60	·19	·32		4
5	·04	·25	·15	·14	–	·28	–	trace	·12	1·80	·11	·06		5
6	–	–	trace	·31	–	·62	–	–	–	·22	·04	·17		6
7	–	–	–	·43	–	·11	–	–	–	·30	·08	·07		7
8	–	–	–	·30	–	–	trace	–	–	·14	·32	·08		8
9	–	trace	–	·74	trace	–	–	–	–	·89	·37	–		9
10	·01	–	·14	·17	–	·06	·06	–	·01	·03	·01	–		10
11	·25	·01	trace	–	–	·37	–	–	·15	·02	·62	trace		11
12	trace	·23	–	–	–	·19	–	·08	·06	trace	·09	–		12
13	·10	·14	trace	·20	trace	·06	trace	–	·08	·03	·49	–		13
14	–	·18	–	·09	trace	·54	–	–	·12	·02	1·14	·22		14
15	–	·08	–	·58	·11	·05	–	–	·02	·01	·11	·18		15
16	–	·11	·01	1·90	–	trace	·01	–	·70	·02	·51	·02		16
17	–	trace	trace	·06	·58	·29	trace	} ·16	·15	·01	·10	trace		17
18	–	·10	trace	·46	·10	–	trace		·59	·10	·03	·10		18
19	–	·06	–	·25	·35	·02	·07	–	·16	·26	·10	–		19
20	–	·48	trace	·57	trace	·01	·02	–	trace	·09	·15	·01		20
21	–	·60	·01	·03	–	trace	·03	–	·10	·10	·01	trace		21
22	–	·05	·19	·44	–	–	–	trace	·11	·25	trace	·03		22
23	–	·16	·11	trace	·03	–	–	·21	·25	·23	–	·14		23
24	·07	·36	·02	·12	·01	·05	–	·19	·06	trace	–	·30		24
25	·20	·28	trace	–	trace	·26	–	–	trace	·01	trace	·14		25
26	·08	·78	trace	–	–	·11	–	·31	·18	·02	·08	·50		26
27	trace	·13	–	–	·02	trace	trace	·03	·10	·03	·10	·23		27
28	·01	·15	–	–	–	–	·03	·23	·21	·02	·02	·05		28
29	–	×	–	–	trace	trace	–	trace	·33	·05	·25	·58		29
30	·04	×	–	–	–	·07	–	·62	·20	·07	·90	·74		30
31	trace	×	–	×	–	×	–	·06	×	·56	×	·35		31
TOTAL	·90	4·52	1·29	6·92	1·40	3·84	·22	1·89	4·70	6·82	6·40	5·11	Year's Total 44·01	
* Days with .01 in. or more.	12	21	10	20	9	20	6	10	24	29	26	23	210	
* Days with .04 in. or more.	9	20	7	17	5	18	2	9	20	18	22	20	167	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H. W. Suttie

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1948

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Pendruccombe, Launceston
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 469 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·14	·01	·12	–	·16	·66	·03	–	–	·13	·01		1
2	trace	·03	–	·02	–	·20	·43	·02	·39	–	·14	·01		2
3	·09	trace	·05	·75	–	trace	trace	·01	·47	–	·07	·04		3
4	trace	·09	·13	trace	–	trace	trace	trace	·33	–	·09	·48		4
5	·43	·14	·19	–	trace	–	·53	·06	·02	–	·10	·19		5
6	·09	–	·05	–	trace	·03	·49	·01	·33	–	·89	·01		6
7	·23	–	·13	–	–	·01	trace	trace	·04	–	·69	·08		7
8	·33	–	·50	–	–	·01	·62	trace	·07	–	·94	·09		8
9	·36	·47	·11	–	–	–	·86	–	·16	–	·27	–		9
10	·04	·43	–	–	–	–	·02	–	–	–	·15	·03		10
11	·36	·09	–	·01	trace	·18	·13	·01	·37	–	·90	·07		11
12	trace	trace	–	·08	·10	·15	·35	trace	·11	·02	·21	·13		12
13	–	·05	–	trace	–	–	·04	·02	·07	·09	·08	1·31		13
14	trace	·03	–	–	–	·04	·77	trace	·31	·07	·02	·61		14
15	–	·04	–	·07	·25	–	·09	·01	·01	–	·40	·37		15
16	·02	·15	–	·06	·02	trace	·07	–	–	–	·13	·19		16
17	·38	·90	–	·02	·12	·01	·70	trace	–	·05	·03	·70		17
18	·14	·18	·26	–	–	trace	1·28	·02	–	trace	trace	·05		18
19	·52	–	·12	·16	–	·01	trace	·10	·01	–	–	trace		19
20	·16	·19	trace	·10	–	·05	·03	·01	1·48	trace	–	·03		20
21	·06	·25	·28	·29	–	·80	trace	–	·01	·03	–	trace		21
22	·33	·10	·01	–	trace	–	·29	–	trace	·01	trace	–		22
23	·01	·24	·04	·07	·06	–	·03	trace	trace	·05	trace	–		23
24	·19	·12	·01	·10	·05	trace	–	–	·06	·39	–	·06		24
25	·38	·05	·40	·20	–	–	·11	–	trace	·35	–	–		25
26	·45	·13	·10	–	·04	–	–	–	trace	·06	–	trace		26
27	·35	·22	·44	–	–	–	·22	–	·06	·22	·03	–		27
28	·49	·02	·77	trace	–	–	·92	–	trace	·01	trace	·29		28
29	·04	·04	·03	–	trace	·08	–	–	–	·08	·02	·13		29
30	·34	✕	·03	–	·02	1·29	·10	–	–	·02	–	trace		30
31	·23	✕	·57	✕	·01	✕	·24	–	✕	trace	✕	·44		31
TOTAL	6·04	4·10	4·23	2·05	0·67	3·02	8·98	0·30	4·30	1·45	5·29	5·32	Year's Total 45·75	
* Days with .01 in. or more.	25	23	21	14	9	14	23	11	18	14	19	22	213	
* Days with .04 in. or more.	22	20	16	11	6	9	20	2	14	9	15	17	164	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. W. Suttie
(Mrs.)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1948.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pendruccombe, Launceston

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 469 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·02	–	·19	–	–	trace	–	·02	·06	trace	·42		1
2	·17	·93	–	·27	–	trace	–	–	·05	–	trace	·10		2
3	trace	·40	–	–	–	–	·08	–	–	–	trace	trace		3
4	·13	·32	–	–	·09	trace	trace	–	–	–	–	·76		4
5	·48	·02	–	·03	trace	–	·48	–	–	–	–	·06		5
6	·09	·28	·18	·33	·03	·09	·02	trace	·02	trace	–	·01		6
7	–	·33	·08	·29	–	·15	trace	–	·01	–	·10	·02		7
8	–	·02	trace	–	·40	·22	·09	–	·01	–	trace	–		8
9	·10	·17	·20	·21	·08	trace	trace	·13	·65	trace	trace	–		9
10	·23	·05	1·03	·45	·14	·17	trace	–	trace	–	–	·13		10
11	·23	–	·44	·22	·37	·13	·46	–	–	–	·01	·21		11
12	·91	·34	·10	·28	1·27	·20	·16	·32	·43	–	trace	·29		12
13	·02	·06	·35	·08	–	trace	trace	·88	·21	–	–	·23		13
14	trace	·03	·13	–	–	–	–	trace	·07	–	–	·30		14
15	·73	·23	·38	·50	–	–	trace	–	·23	–	–	·44		15
16	·42	·09	·54	·01	–	trace	·04	·13	·12	–	·08	·09		16
17	1·25	·18	·40	–	–	–	trace	trace	·09	–	·25	·02		17
18	·11	·20	·30	·05	–	·19	trace	–	·51	–	·14	·07		18
19	·17	·03	·35	·21	·08	–	–	–	·72	trace	·22	·02		19
20	1·03	–	–	·14	·58	–	–	–	trace	–	trace	·29		20
21	·82	·69	·01	·01	·36	–	·03	trace	·22	·16	·16	·13		21
22	·03	·02	·11	–	·25	trace	·16	–	·02	·54	·54	·12		22
23	·37	·25	trace	–	·25	–	–	–	trace	·43	·09	·06		23
24	·41	·56	·16	trace	trace	–	·02	–	·03	·53	trace	·07		24
25	·02	·82	·65	·01	·03	–	–	–	–	·05	–	·04		25
26	·03	·19	·03	–	–	trace	trace	–	–	trace	trace	·04		26
27	trace	·59	–	trace	–	–	–	–	–	·79	–	·02		27
28	·03	·23	–	–	–	·01	–	–	–	·06	trace	·01		28
29	·04	·27	–	–	–	·01	–	–	–	·74	·13	·01		29
30	·34	✕	–	–	–	·02	–	–	·05	·05	·45	·01		30
31	·19	✕	–	✕	–	✕	–	–	✕	·23	✕	·01		31
TOTAL	8·60	7·32	5·44	3·28	3·93	1·19	1·54	1·46	3·46	3·64	2·17	3·98	Year's Total 46·01	✓
* Days with ·01 in. or more.	26	27	18	17	13	10	10	4	18	11	11	28	193	✓
* Days with ·04 in. or more.	21	21	16	13	11	7	7	4	12	11	10	19	152	✓

† Spare column, no entries required.

(*Signed*) H. W. Suttie [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1948

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pendruccombe, Launceston

in the County of Cornwall /3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 469 ft.

Gauge leaking August. See file. Mended 15.8.~~38~~ 39

notes on 10yr Sheet.

Rainfall May–Aug estimated from nearby stations as gauge was leaking

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	trace	·23	·09	–	–	·16	·18	·16	–	·51	·05	·23		1
2	trace	·11	·03	·07	trace	trace	–	1·78	–	·33	·01	·06		2
3	trace	·07	·01	–	·03	·10	·04	·18	trace	·69	·12	–		3
4	trace	·02	·01	–	–	–	·06	·14	–	·35	trace	·15		4
5	·03	–	–	·01	–	·07	·05	–	·08	·59	trace	·02		5
6	·07	–	–	–	–	·03	·39	·09	·35	·16	·01	·06		6
7	·30	trace	–	–	–	trace	·08	·01	·03	·14	·03	·24		7
8	·41	·07	trace	–	–	trace	·12	·07	trace	·44	trace	·05		8
9	·30	·03	trace	–	–	·02	·06	·06	–	·02	trace	·83		9
10	·21	trace	–	–	–	·03	·01	–	–	·03	–	·24		10
11	·25	·01	–	–	·05	·02	·10	–	–	trace	·45	·70		11
12	·28	trace	–	–	·08	·01	–	trace	trace	·42	·99	·03		12
13	·19	–	–	–	·18	–	trace	trace	–	·08	·10	·42		13
14	·49	trace	–	–	·17	–	·02	·02	trace	trace	–	trace		14
15	·56	trace	–	–	·12	–	–	·03	trace	·08	·29	·78		15
16	·37	trace	·05	–	·06	–	–	–	–	–	·11	·24		16
17	·23	trace	·02	–	·07	·01	·01	·18	·10	·16	·01	·10		17
18	·28	–	–	–	·04	·02	·02	·05	·52	·05	·46	–		18
19	·12	–	–	–	–	–	·22	·01	·17	trace	·50	trace		19
20	·12	–	trace	–	·01	–	trace	·15	·05	–	·33	trace		20
21	·07	–	·14	–	trace	trace	–	·79	·35	·04	·42	trace		21
22	·06	–	–	trace	trace	·06	–	trace	·14	·01	·35	trace		22
23	·03	–	–	trace	–	trace	–	trace	·04	–	·37	–		23
24	·04	·06	·09	–	·07	trace	·01	trace	·03	–	·60	–		24
25	·09	·18	trace	–	·07	trace	·11	–	trace	·19	1·10	·02		25
26	·28	·16	·02	–	·15	·10	·31	1·00	–	·16	·13	·25		26
27	·28	·03	trace	–	·08	·06	·33	·13	–	·05	·34	–		27
28	·23	·09	trace	–	·03	·02	·21	–	·02	·17	·06	·01		28
29	·22	×	trace	–	·09	·05	·22	–	·04	·26	·29	·01		29
30	·14	×	·01	–	·03	trace	trace	–	·04	·01	·29	·02		30
31	·35	×	·01	×	·05	×	trace	–	×	·32	×	·34		31
TOTAL	6·00	1·06	0·48	0·08	(3·00) ~~1·38~~	(1·80) ~~0·75~~	(4·40) ~~2·35~~	(6·80) ~~4·85~~	1·96	5·26	7·41	4·80	Year's Total (43·05) ~~[illegible]~~	
* Days with .01 in. or more.	27	12	11	2	18	15	20	17	14	24	24	21	205	98
* Days with .04 in. or more.	25	8	4	1	14	7	14	13	11	20	20	15	152	14/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. W. Suttie

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1948

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pendrucombe, Launceston
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 469 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	-	·12	·03	trace	-	trace	·33	-	-	·37	·19		1
2	·15	-	-	·16	-	-	trace	-	·28	-	·24	·07		2
3	·32	-	·26	·43	-	-	·04	·02	1·23	-	·24	·41		3
4	·05	-	·55	·53	·39	-	·54	-	trace	·32	·67	·34		4
5	trace	trace	·03	·07	·44	-	·23	·04	-	·67	1·05	·12		5
6	·39	trace	·04	·34	·03	-	·89	·09	-	trace	·27	-		6
7	·02	·17	-	-	-	·11	·10	·01	-	-	·31	·39		7
8	·05	·51	·05	-	·05	trace	·17	·18	trace	·78	·62	·10		8
9	trace	·02	·03	-	-	-	-	·15	-	·05	·11	·09		9
10	·25	trace	·04	-	-	·02	-	-	·07	·09	·03	·58		10
11	·10	·03	·10	-	-	-	trace	-	-	·13	·03	·03		11
12	·14	·05	-	·12	-	trace	-	-	·29	·01	·03	trace		12
13	trace	-	-	·18	·01	·06	·71	-	·04	·29	·09	·01		13
14	1·11	·01	-	·03	·08	·14	1·34	-	trace	·12	·26	·01		14
15	·54	trace	-	·05	-	·49	·69	-	·01	·10	·41	·01		15
16	·11	-	·01	·11	·06	·05	·52	-	-	-	·21	-		16
17	·64	·07	-	-	trace	·12	·37	-	-	trace	·02	-		17
18	·01	·05	·05	-	-	trace	·38	·49	-	-	·95	·03		18
19	·28	trace	-	-	-	-	·12	·32	-	-	·01	·08		19
20	·66	-	-	-	-	·05	trace	·34	-	-	-	·09		20
21	·20	·45	·08	-	·07	·08	·77	·11	·01	-	-	-		21
22	·69	·39	·22	·04	-	·46	·33	-	·01	-	·28	trace		22
23	·03	trace	·08	·29	-	trace	·32	-	-	·03	1·01	trace		23
24	·54	·01	·16	·07	-	·25	·01	·26	-	·10	-	trace		24
25	·20	·18	trace	·03	-	trace	·01	·23	-	·12	·45	trace		25
26	·03	·06	-	·16	-	-	·01	trace	-	·08	·49	·01		26
27	trace	·62	-	trace	-	·09	trace	-	-	trace	·16	-		27
28	trace	·15	·09	·02	-	·08	·10	-	-	-	·27	·02		28
29	-	×	-	·06	-	trace	·17	trace	-	·09	·07	-		29
30	-	×	trace	·12	-	·02	·09	trace	-	·06	·03	trace		30
31	-	×	-	×	-	×	·11	·25	×	·41	×	-		31
TOTAL	6·87	2·77	1·91	2·84	1·13	2·02	8·02	2·82	1·94	3·45	8·68	2·58	Year's Total 45.03	
* Days with .01 in. or more.	23	15	16	19	8	14	23	14	8	17	27	18	202	
* Days with .04 in. or more.	19	11	13	15	6	11	20	12	5	15	21	11	159	

† Spare column, no entries required.

(*Signed*) pp. H. W. Suttie
EMC.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1948 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Pendruccombe, Launceston
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 469 ft.

up to 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (1941) ·05 (Snow)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	trace	trace	·02	·22	trace	–	–	–	–	·26	–		1
2	–	·04	–	·12	trace	–	·02	–	–	–	1·07	·02		2
3	·13	·93	–	·01	–	–	·03	–	–	·04	1·11	·23		3
4	trace	·08	–	·11	–	–	·09	–	–	·18	·19	·03		4
5	·01	trace	–	trace	–	–	·09	–	–	·09	·61	·21		5
6	·39	·59	–	–	–	–	·05	trace	–	·32	·16	·31		6
7	·07	·03	–	·01	–	–	·20	–	·04	·09	–	·07		7
8	·02	–	–	–	–	–	·02	–	·15	·39	1·08	·49		8
9	–	–	–	–	–	trace	·71	·13	·02	·28	·82	·27		9
10	–	–	trace	–	–	–	·73	–	trace	·14	·25	·15		10
11	–	·02	·03	·01	–	–	·24	–	–	trace	1·12	·05		11
12	–	trace	·16	·01	–	trace	1·20	–	·43	trace	·16	–		12
13	–	–	·36	–	–	–	·24	trace	trace	·11	·66	·93		13
14	–	·13	·01	·08	–	–	·18	·01	·35	·43	·09	·52		14
15	·01	trace	·01	·07	trace	trace	–	–	·13	·03	·53	trace		15
16	·06	1·36	·42	trace	–	·02	·24	trace	·13	–	·05	·05		16
17	–	·17	·33	–	trace	–	·20	–	·02	–	·08	trace		17
18	·38	·55	·28	·30	trace	–	trace	·08	·13	·01	·12	·15		18
19	–	·11	·22	·08	–	–	·79	trace	·09	·12	·27	trace		19
20	–	trace	·02	·09	–	–	·02	·01	trace	·13	·10	trace		20
21	–	trace	·03	trace	·06	·21	trace	·01	trace	trace	·62	–		21
22	–	trace	·13	·10	·06	·25	–	trace	·24	·02	·01	–		22
23	·01	·06	·19	trace	·12	–	·03	trace	–	·05	·02	–		23
24	·03	–	·10	·01	·01	trace	·15	–	–	–	–	trace		24
25	·17	trace	·19	·01	·47	·14	–	–	–	–	–	–		25
26	·54	·67	–	·08	·13	·07	·11	trace	trace	–	·01	–		26
27	·21	·18	·09	·23	·33	trace	–	–	–	–	·03	·02		27
28	·15	·06	trace	·14	·24	trace	–	·01	–	–	–	trace		28
29	·18	·03	·20	1·26	trace	·03	–	–	–	·10	trace	·13		29
30	·04	✕	·01	trace	trace	–	–	–	–	·60	–	·15		30
31	·05	✕	·04	✕	trace	✕	–	–	✕	·61	✕	·40		31
TOTAL	2·45	5·01	2·82	2·74	1·64	0.72	5·34	0.25	1·73	3·74	9·42	4·18	Year's Total 40·04	
* Days with .01 in. or more.	17	16	19	19	9	6	20	6	11	19	24	18	184	
* Days with .04 in. or more.	12	13	13	12	8	4	15	2	9	16	20	15	139	

WS
WH.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) pp. H. W. Suttie
EMC.

[P.T.O.

1947

1947
HEXWORTHY
1931—40
780311

Section **A** for the entry of
AIR MINISTRY … FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST … 31.

Kept at Hexworthy

in the County of Cornwa

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	trace	·33	—	—	·05	—	·80	·01	—	·02	1
2	·20	·02	—	·29	·04	—	—	—	·37	—	·33	·45	2
3	·43	—	·86	—	·01	—	·03	—	1·03	—	2·60	·20	3
4	·02	·01	·04	—	trace	—	·48	·85	·51	·01	·01	·02	4
5	—	·51	·16	·15	trace	·40	—	2·07	·15	—	—	·30	5
6	—	·03	·02	·03	·10	·31	·31	—	·02	·37	·12	·52	6
7	—	—	—	—	·24	·08	·29	·26	·01	·09	·60	·06	7
8	·04	·08	—	·14	·01	·39	·02	·17	—	·03	·19	·06	8
9	—	·26	—	trace	—	·10	·02	·05	—	·02	·35	·02	9
10	·02	·11	—	—	·17	·08	·06	·22	·01	·01	·31	·04	10
11	·34	·58	—	—	·03	·20	·36	·04	·11	—	·31	—	11
12	·03	·20	—	—	—	—	·72	—	·08	·34	·01	—	12
13	—	·10	·05	—	·21	—	·29	·05	—	·05	·18	—	13
14	·05	·14	—	—	·17	·38	·76	·30	·04	—	·82	—	14
15	·01	·16	—	—	·10	·11	·06	·38	trace	—	·02	—	15
16	·02	·08	—	·10	·06	·84	·02	·34	·12	—	—	—	16
17	·02	·05	—	·16	—	·07	·23	—	·01	—	—	—	17
18	·01	—	·02	·02	—	·17	·06	·90	—	—	·35	·01	18
19	·08	·14	·32	·03	—	·19	·23	·15	—	—	·08	·02	19
20	·02	·13	·42	—	—	·01	·01	·44	—	·01	·07	—	20
21	·41	·06	·04	·03	·26	—	—	—	—	·01	·03	—	21
22	·74	·05	·02	·12	·36	—	—	—	—	—	·07	—	22
23	·37	·01	—	·67	~~trace~~ ·36	—	·02	—	—	—	1·06	—	23
24	·37	·06	—	·42	trace	·04	1·03	·13	—	—	·02	—	24
25	·05	·02	—	·04	—	—	·09	—	—	—	·15	·01	25
26	·03	·09	—	·13	—	—	·22	—	—	—	1·03	·03	26
27	·07	·16	—	·03	1·31	—	·07	—	—	·04	·20	—	27
28	·06	·22	·17	·02	·03	·02	—	·06	—	·04	·02	·23	28
29	·06		·04	—	·05	—	·07	·30	·03	·06	·14	·26	29
30	·08	✕	·01	—	·12	—	·02	trace	·11	·04	—	—	30
31	1·47	✕	·05	✕	1·35	✕	·02	—	✕	—	✕	·15	31
TOTAL	5·01	3·26	2·16	2·71	4·98	3·39	5·54	6·71	3·40	1·13	9·07	2·40	YEAR'S TOTAL 49·76
*Days with ·01 in. or more.	26	24	14	17	19	16	26	17	15	15	25	17	231
*Days with ·04 in. or more.	16	19	10	11	15	14	18	17	10	8	19	10	167

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. B. Ruse

[P.T.O.

1947

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Hexworthy 61·no 1947

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

113%

438

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	trace	·33	—	—	·05	—	·80	·01	—	·02	1
2	·20	·02	—	·29	·04	—	—	—	·37	—	·33	·45	2
3	·43	—	·86	—	·01	—	·03	—	1·03	—	2·60	·20	3
4	·02	·01	·04	—	trace	—	·48	·85	·51	·01	·01	·02	4
5	—	·51	·16	·15	trace	·40	—	2·07	·15	—	—	·30	5
6	—	·03	·02	·03	·10	·31	·31	—	·02	·37	·12	·52	6
7	—	—	—	—	·24	·08	·29	·26	·01	·09	·60	·06	7
8	·04	·08	—	·14	·01	·39	·02	·17	—	·03	·19	·06	8
9	—	·26	—	trace	—	·10	·02	·05	—	·02	·35	·02	9
10	·02	·11	—	—	·17	·08	·06	·22	·01	·01	·31	·04	10
11	·34	·58	—	—	·03	·20	·36	·04	·11	—	·31	—	11
12	·03	·20	—	—	—	—	·72	—	·08	·34	·01	—	12
13	—	·10	·05	—	·21	—	·29	·05	—	·05	·18	—	13
14	·05	·14	—	—	·17	·38	·76	·30	·04	—	·82	—	14
15	·01	·16	—	—	·10	·11	·06	·38	trace	—	·02	—	15
16	·02	·08	—	·10	·06	·84	·02	·34	·12	—	—	—	16
17	·02	·05	—	·16	—	·07	·23	—	·01	—	—	—	17
18	·01	—	·02	·02	—	·17	·06	·90	—	—	·35	·01	18
19	·08	·14	·32	·03	—	·19	·23	·15	—	—	·08	·02	19
20	·02	·13	·42	—	—	·01	·01	·44	—	·01	·07	—	20
21	·41	·06	·04	·03	·26	—	—	—	—	·01	·03	—	21
22	·74	·05	·02	·12	·36	—	—	—	—	—	·07	—	22
23	·37	·01	—	·67	~~trace~~ ·36	—	·02	—	—	—	1·06	—	23
24	·37	·06	—	·42	trace	·04	1·03	·13	—	—	·02	—	24
25	·05	·02	—	·04	—	—	·09	—	—	—	·15	·01	25
26	·03	·09	—	·13	—	—	·22	—	—	—	1·03	·03	26
27	·07	·16	—	·03	1·31	—	·07	—	—	·04	·20	—	27
28	·06	·22	·17	·02	·03	·02	—	·06	—	·04	·02	·23	28
29	·06		·04	—	·05	—	·07	·30	·03	·06	·14	·26	29
30	·08	×	·01	—	·12	—	·02	trace	·11	·04	—	—	30
31	1·47	×	·05	×	1·35	×	·02	—	×	—	×	·15	31
TOTAL	5·01	3·26	2·16	2·71	4·98	3·39	5·54	6·71	3·40	1·13	9·07	2·40	YEAR'S TOTAL 49·76
*Days with ·01 in. or more.	26	24	14	17	19	16	26	17	15	15	25	17	231
*Days with ·04 in. or more.	16	19	10	11	15	14	18	17	10	8	19	10	167

40-9999

(Signed) R. B. Prosser

[P.T.O.

*See Instruction 2 (*f*) on other side.

1947

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1947

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	–	·12	·01	–	·02	·08	·03	–	·02	·05	1
2	·01	–	·06	·09	–	–	·04	·02	·42	–	·04	·30	2
3	–	–	·05	·03	–	·42	·02	–	·31	·04	·03	·04	3
4	·06	–	·01	–	–	–	·11	·05	·01	–	·43	–	4
5	·84	–	·03	–	–	–	–	–	·11	–	–	–	5
6	·93	–	·02	·20	–	–	·26	·01	·46	·04	–	–	6
7	·10	–	·03	·05	trace	–	·21	–	1·13	2·13	–	–	7
8	·01	–	·23	·07	·23	–	–	–	·03	·37	–	–	8
9	1·54	Snow ·01	–	·22	·06	–	–	–	·50	–	–	–	9
10	·50	–	–	·28	·03	–	–	–	·04	·44	–	–	10
11	·02	–	–	·15	·17	–	·02	–	·02	·12	–	·18	11
12	1·22	–	–	–	·83	–	·03	–	·03	·32	–	·05	12
13	·12	–	–	·40	·02	–	·05	·13	–	·98	–	·15	13
14	·33	–	–	·02	·21	–	·03	·02	–	·10	–	·02	14
15	·06	–	–	·01	·03	–	–	–	–	·07	–	·02	15
16	·49	–	–	·06	–	–	·03	–	–	·02	–	trace	16
17	·01	–	–	trace	·27	–	trace	–	·13	·04	–	·01	17
18	·01	–	–	–	·46	–	–	–	·21	–	·16	·01	18
19	·02	–	–	·07	·44	–	–	–	·06	·35	·01	trace	19
20	·02	–	–	·03	·47	–	–	·18	–	·81	·20	·12	20
21	·02	–	·05	·08	–	–	–	·81	·08	·95	·06	·37	21
22	–	–	·01	·06	·03	–	·03	·06	·46	·32	·34	·16	22
23	–	trace	–	·01	–	–	–	–	·02	·50	·20	·30	23
24	–	·02	–	·04	·04	–	·45	–	·07	·22	·09	·02	24
25	–	–	·18	·02	–	–	·23	–	·14	·40	·16	–	25
26	·01	–	·16	·10	·02	–	·12	–	·01	·15	·19	–	26
27	–	–	·34	·30	·13	–	·05	trace	–	·46	·05	·42	27
28	–	–	·14	·06	·14	–	·08	trace	–	·02	·03	·06	28
29	–	–	·59	·15	·08	·54	·01	·34	·37	·99	·25	·94	29
30	–	×	·24	·20	·02	1·88	·68	·02	·72	·22	·70	·01	30
31	–	×	·05	×	·08	×	·54	–	×	·03	×	·74	31
TOTAL	6·37	·03	2·19	2·82	3·77	2·84	3·01	1·72	5·36	10·09	2·96	3·97	YEAR'S TOTAL 45·13
*Days with ·01 in. or more.	21	2	16	25	21	3	20	11	23	25	17	20	204
*Days with .04 in. or more.	12	0	11	19	14	3	12	7	16	22	13	14	143

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. B. Boyle

P.T.O.

1947

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1947~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·59	·26	–	·04	·50	–	–	·01	–	·04	·79		1
2	·78	·03	·59	–	·13	·57	–	–	–	–	·01	·11		2
3	·07	·03	·20	–	·16	–	–	–	–	–	–	–		3
4	·18	·02	·01	–	·17	–	–	–	–	–	–	–		4
5	·05	trace	·66	–	·67	–	–	–	–	–	·02	–		5
6	·02	·46	·05	–	·37	–	–	–	–	·16	·01	–		6
7	·02	·05	–	–	·15	–	·22	·01	–	·02	–	–		7
8	·02	–	–	–	·07	·08	·16	trace	–	·01	–	–		8
9	–	·03	–	–	·08	–	·41	–	–	·36	·16	–		9
10	·01	·08	–	–	–	–	·05	·06	–	1·60	·15	–		10
11	·08	–	–	·03	–	–	·07	·36	–	·07	·08	·01	Snow	11
12	·01	–	–	·17	·02	·27	·40	·02	·21	·01	–	·01		12
13	·07	–	–	–	·03	·02	·28	·07	–	·10	·14	–		13
14	·26	–	–	–	–	–	·54	·12	–	·01	·23	–		14
15	·39	–	·45	–	–	–	·21	·01	–	·15	·23	–		15
16	·02	·04	1·08	–	–	·02	·01	·01	·03	·07	–	–		16
17	·27	·13	·25	–	–	·09	·01	·04	·25	–	–	–		17
18	·22	·01	·29	–	–	·13	–	trace	·01	·07	·02	–		18
19	24	–	·34	–	–	·25	–	·03	·29	·08	·26	–		19
20	–	·09	–	–	·04	·23	–	·09	·66	–	·02	–		20
21	–	01	–	–	–	·10	–	·35	–	·31	–	–		21
22	–	·01	–	·26	·01	·01	–	·44	·48	·01	–	–		22
23	–	·88	–	·13	–	·17	–	·01	·13	·70	–	–		23
24	–	·12	–	·25	–	·01	–	trace	·06	·30	–	–		24
25	–	·25	–	·11	·06	·45	–	–	·18	–	–	·11		25
26	–	·12	–	·20	·06	–	–	–	·01	·19	–	–		26
27	–	·20	–	·05	·02	–	–	–	·01	·70	–	·68		27
28	–	·62	–	·17	–	–	·36	·01	–	·53	–	·01		28
29	·04		·03	27	–	–	·01	·01	–	·02	–	·02		29
30	·05	×	·07	·12	–	–	·10	–	·15	·03	–	·07		30
31	·46	×	·06	×	·02	×	–	–	×	·07	×	–		31
TOTAL	3·71	3·77	4·34	1·76	2·10	2·90	2·83	1·64	2·48	5·57	1·37	1·81	Year's Total 34·28	
*Days with ·01 in. or more.	21	13	14	11	17	15	14	16	14	23	13	9	180	
*Days with ·04 in. or more.	15	7	12	10	12	11	11	8	9	16	8	5	124	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.** 1947

FORM 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. no 1947

Register of Rainfall in 1924.

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...... ft. ...... in.

„ Ground „ Sea Level ...... ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	—	·01	—	—	—	~~[illegible]~~	·60	·01	—	·50	1.00	1
2	·08	—	·07	—	—	—	—	·07	·80	·03	·10	·15	2
3	·04	·01	·01	—	·01	—	—	·01	·01	·41	—	·71	3
4	·16	—	·11	·21	·43	—	—	·03	—	·01	—	·65	4
5	—	—	·12	—	·52	·23	—	1.58	—	·10	·03	·61	5
6	·04	—	·22	·12	·68	·02	—	1·29	·07	·21	·04	·35	6
7	·09	—	—	·01	—	—	—	·06	·04	·27	·04	1·06	7
8	—	—	—	—	·09	—	—	·03	·12	·02	·21	1·73	8
9	·04	—	·34	—	—	—	—	·01	trace	·04	·33	·18	9
10	·77	trace	·37	·31	—	—	—	·11	—	—	·10	·18	10
11	·66	—	·01	·72	—	—	—	·09	·12	—	·10	·44	11
12	·09	—	—	—	—	trace	·26	·41	—	—	—	·22	12
13	·66	—	—	·68	—	—	—	trace	—	trace	·03	·10	13
14	·86	—	·60	·01	—	·01	—	—	·06	·15	—	·27	14
15	·58	—	·14	trace	·08	trace	—	—	·03	·16	·09	·40	15
16	·11	—	·37	—	·04	—	—	—	·40	·01	—	·35	16
17	·50	—	·19	·04	·01	—	—	—	·03	·09	—	·38	17
18	·07	—	·38	·49	—	·06	—	—	·02	·01	—	·62	18
19	·01	—	·12	—	·02	·05	—	·06	·13	·02	—	·31	19
20	·01	—	—	·12	·02	·01	·01	—	·11	·01	·04	·08	20
21	—	—	·15	—	trace	·17	trace	·08	·10	·38	·03	·05	21
22	·12	—	·04	·02	—	·01	—	trace	·28	·02	·02	·31	22
23	·04	—	·01	·19	—	·36	—	—	·26	·03	—	·19	23
24	—	·12	·04	·05	—	·36	·07	—	·01	·40	—	·13	24
25	·43	·01	—	·32	—	trace	—	—	·02	·61	—	·76	25
26	·02	—	·04	·08	—	·44	—	—	·22	·03	·04	·36	26
27	—	—	—	—	—	·11	—	·03	·05	·05	·07	·15	27
28	—	—	—	·01	—	·01	·01	·68	·29	·10	·01	1·16	28
29	—		—	—	—	—	·01	·04	·06	·08	·01	·15	29
30	·01	X	—	—	trace	trace	·07	·26	·18	·22	·01	·36	30
31	—	X	—	X	·01	X	·35	·05	X	·15	X	·03	31
TOTAL	4·89	·14	3·34	3.38	1.91	1·84	·78	5.49	3·42	3·61	1.80	13·44	YEAR'S TOTAL 44·04
Days with ·01 in. or more.	23	3	20	16	11	13	7	19	24	26	19	31	212
Days with ·04 in. or more.	19	1	16	12	6	8	4	14	17	16	12	30	150

(Signed) R. B. Rogers

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1947

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·10	·67	—	—	·10	·01	—	·28	·36	·09	·30		1
2	·01	·04	·05	·02	—	·17	·01	—	·03	·32	·22	·20		2
3	·04	·01	·07	·02	·20	·13	—	—	·29	·36	·29	33		3
4	tr.	·20	·01	·07	—	23	—	—	·03	·54	27	·34		4
5	·05	·28	·18	·18	—	·02	—	—	·10	1·72	·10	·08		5
6	—	·01	·01	·36	—	·77	—	—	—	·15	·04	·13		6
7	—	—	—	·43	—	·06	—	—	—	36	·04	·10		7
8	—	—	—	·30	—	·01	—	—	—	·08	·41	·07		8
9	·01	—	—	·75	—	—	—	—	tr	·86	·44	—		9
10	·01	—	·06	·11	—	·08	·01	—	—	·05	·02	—		10
11	·25	·01	02	—	—	·23	—	—	·18	·01	·67	—		11
12	·18	·20	—	—	—	·28	—	·11	·06	·03	·07	—		12
13	·09	·11	—	·23	—	·03	—	—	01	·02	·42	—		13
14	—	·12	—	·10	—	·50	—	—	·53	·01	1·54	·19		14
15	—	·08	—	·59	·11	·06	—	—	·22	tr	·10	·15		15
16	—	·09	·01	·24	—	tr	·02	—	·60	·03	·59	·02		16
17	—	tr	tr.	·05	·61 snow	·36	—	·01	·07	tr	·08	—		17
18	—	·09	tr	·44	·07	—	—	·15	·53	·09	·02	·13		18
19	—	·07	—	·21	·46	·03	·07	—	·12	·27	·16	·01		19
20	—	·54	—	·53	·04	·01	·07	—	tr	·10	·20	—		20
21	—	·66	tr	·05	—	tr	·04	—	·11	·10	·02	—		21
22	—	·05	·28	·64	—	—	—	—	·11	·22	·01	—		22
23	—	·14	·11	·03	·06	—	—	·16	·30	·20	·	·18		23
24	·10	·40	·01	·23	·02	·04	—	·15	·11	·02	—	·40		24
25	·26	·32	—	·01	—	·25	—	—	—	·01	·01	·18		25
26	·08	·93	—	—	—	·10	—	·38	·16	·03	·07	·54		26
27	·01	·18	—	—	·01	·01	tr	·12	·13	·05	·07	·27		27
28	·02	·20	—	—	·01	—	·02	·22	·23	·03	·02	·10		28
29	·01		—	—	tr.	—	—	—	·27	·03	·21	·71		29
30	·05	×	—	—	—	·06	—	·73	·12	·04	1·00	·82		30
31	—	×	—	×	—	×	—	·04	×	·59	×	·37		31
TOTAL	1·28	4·83	1·43	5·59	1·59	3·53	·25	2·07	4·59	6·68	7·11	5·62	Year's Total. 44·57	
* Days with .01 in. or more.	16	23	12	22	10	22	8	10	23	29	28	22	225	
* Days with .04 in. or more.	10	20	7	18	7	16	3	9	20	19	21	20	170	

40-9999

† Spare column, no entries required.

(*Signed*) R. B. [illegible]

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1947

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hexworthy, Launceston

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·06	·02	·27	—	·10	·86	·01	—	—	·13	·01		1
2	·01	·01	—	·01	—	·12	·34	·01	·37	—	·16	—		2
3	·05	—	·11	·76	—	·01	·02	tr	·24	—	·06	·03		3
4	·01	·08	·13	—	—	tr	—	tr	·42	—	·06	·44		4
5	·51	·17	·12	·01	—	—	·55	·04	·02	—	·07	·24		5
6	·14	—	·04	—	—	·02	·57	·01	·31	—	·92	·01		6
7	·21	—	·11	—	—	·01	·01	·01	·06	—	·99	·07		7
8	·54	—	·50	—	—	—	·52	—	·02	—	1·08	·11		8
9	·37	·50	·17	—	—	—	·50	—	·11	—	·16	—		9
10	·02	·40	—	—	—	—	·03	—	·01	—	·20	·02		10
11	·40	·10	—	—	—	·23	·16	·02	·27	—	·87	·14		11
12	·01	·03	—	·03	·02	·09	·38	tr	·02	·01	·16	·05		12
13	·03	·02	—	—	—	tr	·09	·01	·03	·09	·11	1·69		13
14	—	·02	—	—	—	·03	·81	—	·28	·11	·02	·63		14
15	—	·02	—	·07	·33	—	·04	tr	·01	—	·43	·50		15
16	·02	·13	—	·08	·02	—	·06	—	—	—	·15	·07		16
17	·30	1·00	—	·05	·10	tr	·66	·01	—	·04	·04	·90		17
18	·13	·15	·20	—	—	—	·45	·02	—	·01	—	·04		18
19	·64	·01	·11	·15	—	·01	·03	·06	—	—	—	·01		19
20	·09	·50	·01	·07	—	·04	·02	—	·83	—	—	·03		20
21	·10	·06	·29	·35	—	·27	tr	—	—	·03	—	—		21
22	·26	·23	·02	—	·01	—	·29	—	·01	—	—	·01		22
23	·02	·22	·05	·12	·04	—	·04	—	·04	·10	—	—		23
24	·21	·10	·21	·06	·09	·17	·01	—	—	·38	—	·05		24
25	·32	—	·43	·16	—	—	·21	—	·01	·29	—	—		25
26	·47	·15	·41	—	·06	—	·01	—	—	·09	—	—		26
27	·36	·21	·08	—	·02	—	·32	—	·10	·25	·01	—		27
28	·57	·01	·79	·01	—	—	·53	—	—	·01	—	·31		28
29	·04	·10	·03	—	—	·42	—	—	—	·07	·01	·11		29
30	·32	✕	·01	—	—	·50	·02	—	—	·02	—	—		30
31	·20	✕	·55	✕	·03	✕	·19	—	✕	—	✕	·50		31
TOTAL	6·40	4·28	4·39	2·20	·72	2·02	7·72	·20	3·16	1·50	5·63	6·07	Year's Total ~~44·29~~	44·29
* Days with .01 in. or more.	29	24	22	15	10	14	28	8	19	14	19	23	225	
* Days with .04 in. or more.	22	17	17	11	5	9	20	2	11	9	16	16	155	

40-9999.

† Spare column, no entries required.

(*Signed*) R. B.

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1947

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·05	·34	·75	–	–	tr	–	·03	·04	–	·43		1
2	·19	1·09	·01	·26	–	–	–	–	·06	·07	–	·08		2
3	–	·55	–	–	–	–	·09	–	–	–	–	–		3
4	·12	·44	·01	–	·11	–	–	–	–	–	–	·72		4
5	·44	–	–	·04	–	–	·43	–	–	–	–	·07		5
6	·10	·25	·24	·36	·02	·01	·04	–	·01	–	–	–		6
7	–	·35	·06	·22	·01	·16	–	–	·02	–	·10	·09		7
8	–	·08	–	–	·43	·10	·08	–	–	–	·01	–		8
9	·11	·16	·20	·22	·03	–	·01	·13	·55	–	–	–		9
10	·24	·02	1·07	·36	tr	·19	–	·01	–	–	–	·37		10
11	·20	–	·39	·22	·30	·09	·35	·02	–	–	·01	·18		11
12	1·01	·30	·18	·14	·59	·20	·13	·14	·52	–	–	·64		12
13	·01	·07	·41	·01	–	·02	–	·80	·18	–	–	·15		13
14	–	·02	·27	·01	–	–	–	·01	·10	–	–	·38		14
15	·75	·27	·44	·45	–	–	–	–	·37	–	–	·59		15
16	·46	·13	·53	·01	–	–	·05	·08	·14	–	·12	–		16
17	1·38	·17	·36	–	–	–	–	–	·09	–	·38	–		17
18	·10	·22	·35	·02	–	·15	·02	tr	·52	–	·14	06		18
19	·20	·03	·39	·18	·08	–	–	–	·53	–	·13	·01		19
20	1·15	–	·35	·16	·81	–	–	–	·01	–	tr	·64		20
21	·72	·82	·01	·01	·53	–	·03	–	·20	·20	·22	·02		21
22	·03	·02	·09	–	·30	tr	·17	–	·52	·56	·62	·11		22
23	·54	·30	tr.	[illegible]	·28	–	·01	–	–	·45	·12	·01		23
24	·48	–	·09	–	·01	–	·02	–	·03	·68	–	–		24
25	·03	·99	·66	tr	·02	–	–	–	–	·12	–	·01		25
26	·03	·20	·05	–	–	–	–	–	–	–	–	–		26
27	–	·78	–	–	–	–	–	–	–	·74	–	–		27
28	·03	·34	–	–	–	·03	–	–	–	·07	–	–		28
29	·02		–	–	–	tr	–	–	–	·62	·15	–		29
30	·25	×	–	–	–	·02	–	–	·04	·06	·34	–		30
31	·25	×	–	×	–	×	–	–	×	·28	×	–		31
TOTAL	9·00	7·60	6·50	2·91	3·52	·97	1·43	1·09	3·92	3·29	2·34	4·56	Year's Total 47·13	✓ ✓
* Days with .01 in. or more.	26	24	22	17	14	10	13	7	18	12	12	18	193	✓ ✓
* Days with .04 in. or more.	20	19	19	12	9	6	8	4	13	11	10	14	145	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1947

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" Ground " Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·14	–	–	–	·87	·30	·60	–	·56	·11	·39		1
2	–	·02	–	·08	·01	–	–	–	–	·40	·02	·06		2
3	–	–	–	–	·04	·03	·03	2·37	tr	·81	·12	–		3
4	–	–	–	–	tr	·01	·59	·28	–	·37	·01	·16		4
5	·04	–	–	·01	–	·06	·11	·15	·02	·50	·01	·08		5
6	·15	–	–	–	–	·32	1·44	tr	·33	·16	·01	–		6
7	·14	–	–	–	–	–	·40	–	·01	·18	·03	·27		7
8	·80	·09	–	–	–	–	·37	–	–	·49	–	·05		8
9	·30	·07	–	–	–	·01	·03	·58	–	·02	–	·96		9
10	·29	–	–	–	–	–	·10	·25	tr	·03	–	·38		10
11	·23	·01	–	–	·03	·01	·10	–	tr	tr	·51	·74		11
12	·58	·01	–	–	·26	·04	tr	–	–	·44	1·10	·06		12
13	·05	–	–	–	·57	–	tr	–	–	·18	·10	·50		13
14	·97	·01	–	–	·26	–	·30	–	·01	tr	–	–		14
15	·48	–	–	–	·07	–	–	·01	–	·12	·32	·68		15
16	·38	·02	·02	–	·01	–	–	·10	tr	–	·13	·18		16
17	·01	·02	–	–	·26	–	–	–	·08	·17	·01	·08		17
18	·29	–	–	–	·01	·04	tr	·10	·30	·06	·42	–		18
19	·01	–	–	–	–	–	·01	·08	·12	–	·83	–		19
20	·02	–	–	–	–	–	–	·02	·05	–	·35	·01		20
21	·02	–	·10	–	–	–	–	·18	·20	·03	·41	–		21
22	·01	–	–	tr	–	·06	–	·74	·10	·02	·35	–		22
23	·01	–	–	·01	–	·01	–	–	·02	–	·51	–		23
24	·05	·09	·10	–	·07	–	·02	·01	·02	–	·52	–		24
25	·16	·68	·02	–	·08	–	·17	–	–	·18	1·19	–		25
26	·64	·22	–	–	·54	·13	·02	–	–	·46	·10	·05		26
27	·31	·03	–	–	·12	·05	·46	1·22	–	·05	·33	–		27
28	·33	·17	–	–	·04	·16	·02	·17	·01	·03	·03	·02		28
29	·29		tr	–	·27	·02	·01	–	·07	·23	·32	·02		29
30	·04	✕	·01	–	·01	–	·01	–	·05	·01	·26	·04		30
31	·60	✕	·01	✕	·24	✕	–	–	✕	·35	✕	·34		31
TOTAL	7·20	1·58	·26	·10	2·99	1·82	4·49	6·86	1·39	5·65	8·10	5·07	Year's Total 45·51	✓ ✓
* Days with .01 in. or more.	27	14	6	3	18	15	19	16	15	24	26	20	203	✓ ✓
* Days with .04 in. or more.	21	7	2	1	13	9	11	13	9	19	19	17	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1947

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ~~270~~ 1 ft. .... in.

,, Ground 1' ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	—	·14	·02	·01	—	·01	·02	tr	—	·42	·15		1
2	·15	—	·01	·18	—	—	—	·42	·31	—	·21	·07		2
3	·28	—	·23	·40	—	—	·01	·01	1·00	—	·28	·55		3
4	·05	—	·44	1·11	·46	—	·50	·05	—	·22	·44	·38		4
5	—	—	·04	·04	·24	—	·31	—	—	·28	1·09	·15		5
6	—	·01	·01	·24	·02	—	·98	·02	—	·03	·30	—		6
7	·02	·21	—	—	—	—	·05	·11	—	tr	·30	·53		7
8	·08	·57	·03	—	·01	·01	·47	·01	—	·85	·51	·11		8
9	·01	·01	·03	—	—	—	—	·13	—	·06	·04	·10		9
10	·25	—	·02	—	—	·01	—	·02	·05	·03	·01	·69		10
11	·05	·02	·09	—	—	—	—	—	—	—	·03	·02		11
12	—	·05	—	·10	·01	—	—	—	·29	—	·03	—		12
13	·01	—	—	·25	tr	·03	·52	—	·03	·28	·15	·01		13
14	1·08	—	—	·06	·06	·05	1·03	—	tr	·02	·25	·01		14
15	·75	—	—	·02	·01	·53	·77	—	tr	·04	·08	—		15
16	·13	—	·01	·10	·03	·03	·50	—	—	—	·30	—		16
17	·86	·03	—	·01	—	·15	·40	—	—	—	·02	—		17
18	·01	·06	·01	—	—	·02	·39	—	—	—	·91	·21		18
19	·33	—	—	—	—	—	·63	1·55	—	—	·01	·18		19
20	·57	—	—	—	—	·10	·01	·46	—	—	—	·10		20
21	·24	·56	·12	—	·03	·09	·45	·13	tr	—	—	—		21
22	1·02	·45	·26	·02	tr	·56	·38	·05	·01	—	·30	—		22
23	·03	·01	·10	·38	—	—	·24	—	—	—	1·14	—		23
24	·74	·01	·11	·13	—	·27	·01	—	—	·08	—	—		24
25	·29	·14	·01	·02	—	—	·01	·28	—	·10	·65	—		25
26	·03	·07	—	·17	—	—	·02	·15	—	·10	·60	·02		26
27	—	·39	—	—	—	·10	tr	·01	—	—	·13	—		27
28	—	·16	·03	·01	—	·06	·06	—	—	—	·25	·01		28
29	—		—	·02	—	·01	·20	—	—	·08	·04	—		29
30	—	✕	—	·11	—	·03	·04	tr	—	·03	·02	—		30
31	—	✕	—	✕	—	✕	·10	·20	✕	·39	✕	—		31
TOTAL	7·35	2·75	1·69	3·39	·88	2·05	8·09	3·62	1·69	2·59	8·51	3·26	Year's Total 45·87	
* Days with .01 in. or more.	23	16	18	20	10	16	25	17	6	15	27	17	210	
* Days with .04 in. or more.	17	10	9	13	3	9	19	11	4	11	21	12	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1947

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Hexworthy

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·01	—	·02	·31	—	—	—	—	—	·24	—		1
2	·01	·05	—	·06	·01	—	·03	—	—	—	1·16	·01		2
3	·09	·86	—	·01	—	—	·01	—	—	·03	1·11	23		3
4	—	26	—	·12	—	—	·11	—	—	·16	·23	·03		4
5	—	·03	—	·01	—	—	·05	—	—	·04	·62	·25		5
6	·44	·65	—	·01	—	—	·01	—	—	·33	·06	·48		6
7	·03	·02	—	·01	—	—	·21	—	·66	·05	·01	·10		7
8	·01	—	—	—	—	—	·02	·01	·24	·53	·93	·49		8
9	·01	—	—	—	—	—	·69	·11	·02	·20	·86	·38		9
10	—	—	—	—	—	—	·46	—	·01	·12	·22	·30		10
11	—	·01	·02	·01	—	·16	·18	—	—	—	1·30	·06		11
12	—	—	·15	·01	—	·02	1·08	—	·35	—	·15	·01		12
13	—	—	·35	—	—	—	·35	—	·01	·14	·83	·95		13
14	—	·08	—	·09	—	—	tr	·01	·35	·43	·06	·54		14
15	—	·01	—	·06	—	—	—	—	·13	·02	·57	—		15
16	tr	1·54	·46	—	—	—	·23	—	·15	—	·01	·05		16
17	—	·20	·53	—	—	—	·28	—	·03	—	·11	·01		17
18	·86	·53	·40	·34	—	—	·01	·05	·18	·01	·10	·18		18
19	—	·09	·34	·31	—	—	·76	tr	·15	·09	·30	—		19
20	—	tr	·03	·05	—	—	·03	·01	·02	·13	·12	—		20
21	—	—	·03	—	·06	·22	—	·01	·01	·02	·57	—		21
22	·02	—	·13	·01	·02	·24	—	tr	·21	·03	·01	—		22
23	—	·13	·25	·01	·02	—	·02	—	·01	·12	·03	—		23
24	tr	—	·11	·01	·01	·02	·17	—	—	—	·01	—		24
25	—	—	·13	·01	·50	·16	tr	—	—	—	—	—		25
26	·59	·62	—	·03	·10	·08	·13	—	—	—	·02	—		26
27	·18	·15	tr 10	·17	·37	·01	—	—	—	—	·03	—		27
28	·12	·04	—	·12	·36	—	—	·02	—	—	·01	·01		28
29	·11	·01	·20	·94	tr	·03	—	—	—	·07	—	·14		29
30	·05	✕	tr	—	tr	—	—	—	—	·74	—	·19		30
31	·03	✕	·01	✕	—	✕	—	—	✕	·75	✕	·55		31
TOTAL	2·56	5·29	3·24	2·41	1·76	·94	4·83	·22	1·93	4·01	9·67	4·96	Year's Total 41·82	
* Days with .01 in. or more.	14	19	16	22	10	9	20	7	16	20	27	20	200	
* Days with .04 in. or more.	8	13	12	10	6	5	13	2	9	14	19	15	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) R. B. Rogers

[P.T.O.

1949

1949

EGLOSKERRY, TREGEARE

1931 — 40

78031I

FORM 1090. **B** Mon
Sum

⁎ The following register of monthly
&c., is NOT required if daily or
values are given on the other sid

tion and also the space for

his register should be sent:—

e

unceston Cornwall

RAINFALL IN 1931

At Tregeare

In the County of Cornw

in Summer

ance 2 m: Direction from gauge East

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 6 *in.*
Height of Ground above Sea Level 575 *ft.*

Nearest Parish Church at Egloskerry Distance 2 m Direction from gauge "

Nature of objects nearest to gauge	nothing near			
Heights of objects				
Distances ..				
Directions from gauge ..				

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5.09				
FEB.	3.77				
MAR.	2.80				
APRIL	2.56				
MAY	4.21				
JUNE	3.09				
JULY	7.09				
AUG.	6.16				
SEPT.	3.30				
OCT.	1.08				
NOV.	9.18				
DEC.	2.61				
Total	50.94				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

33 years average 47.71

Signature C C Baron Lethbridge

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 1949

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Tregeare

In the County of Cornwall

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level 575 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5.09				
FEB.	3.77				
MAR.	2.80				
APRIL	2.56				
MAY	4.21				
JUNE	3.09				
JULY	7.09				
AUG.	6.16				
SEPT.	3.30				
OCT.	1.08				
NOV.	9.18				
DEC.	2.61				
Total	50.94				

Signature E C Baron Lethbridge

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
E. C. Baron Lethbridge
Tregeare near Launceston Cornwall

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station Egloskerry Distance 2 m: Direction from gauge East

Nearest Parish Church at Egloskerry Distance 2 m Direction from gauge "

Nature of objects nearest to gauge	nothing near			
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move................. Distance................. Direction.................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

33 years average 47.71

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1949

FORM 1090. **B** Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Tregeare nr Launceston

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft* .... *in.*
Height of Ground above Sea Level 613 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	6·77				
FEB.	0·01				
MAR.	2·79				
APRIL	3·84				
MAY	(~~3·50~~ 4·00)				
JUNE	3·58				
JULY	3·50				
AUG.	(2·50)				
SEPT.	6·80				
OCT.	11·37				
NOV.	3·36				
DEC.	4·07				
Total	5 (52·~~0~~9)	adjusted			

Signature for Mrs Lethbridge
A Pearse Jenkin
Hon. Sec. Cornwall Rainfall Association

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

May & Aug est by surr stns

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

Copy by B.R.O.

1949

FORM 1090. **B** Monthly Summary. **C** Particulars of Station.

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933.

At Egloskerry, Tregeare

In the County of Cornwall

Rain Gauge { Diameter of Funnel..........in.

Height of Top above Ground.......*ft*.......*in*.

Height of Ground above Sea Level 513 *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·38				
FEB.	4·15				
MAR.	4·07				
APRIL	1·34				
MAY	2·29				
JUNE	2·04				
JULY	2·81				
AUG.	1·48				
SEPT.	2·21				
OCT.	7·21				
NOV.	1·49				
DEC.	(1·50)				
Total	(34·97)				

Signature Mrs Sethbridge

per Cornwall Rainfall Association

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.......in Summer.......

Nearest Railway Station....... Distance....... Direction from gauge.......

Nearest Parish Church at....... Distance....... Direction from gauge.......

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move....... Distance....... Direction.......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Dec values?

Dec estimated by surrounding stations.

Dec [illegible] by near station check

October misplotted as 15 instead of 72.
Nov, Dec, and Year not plotted
Above values for these months appear O.K.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1949

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At (Tregeare) Egloskerry.

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft* .... *in.*
Height of Ground above Sea Level 587 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·11				
FEB.	·25				
MAR.	2·50			Monthly record	
APRIL	3·50				
MAY	2·50				
JUNE	1·98				
JULY	·23				
AUG.	4·77				
SEPT.	3·75				
OCT.	5·00				
NOV.	1·62				
DEC.	14·86				
Total	47·07 ✓				

Signature for Mrs Lethbridge
A Pearse Jenkin

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

received 27/6/35

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\ \cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1949

Form 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Egloskerry (Tregeare)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel……………in.
- *Height of Top above Ground*………*ft*………*in.*
- *Height of Ground above Sea Level* 513 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	1·89				
Feb.	5·75				
Mar.	1·50				
April	5·64				
May	2·00				
June	3·88				
July	·55				
Aug.	2·70				
Sept.	5·17				
Oct.	8·20				
Nov.	6·63				
Dec.	5·33				
Total	49·24				

Signature pp. Mrs Lethbridge.

Copied in M.O.7. per C.R.A.

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

……………………………………………

……………………………………………

Hour of observation by the clock—in Winter……………in Summer……………

Nearest Railway Station……………Distance……………Direction from gauge……………

Nearest Parish Church at……………Distance……………Direction from gauge……………

Nature of objects nearest to gauge				
Height of objects				
Distances …				
Directions from gauge …				

If gauge has been moved during the year state –

Date of move……………Distance……………Direction……………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

……………………………………………

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

C Particulars of Station. Copy by B.R.O. 1949.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Egloskerry (Tregeare)

In the County of Cornwall.

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·35				
FEB.	5·38				
MAR.	4·52				
APRIL	2·92				
MAY	·88				
JUNE	2·28				
JULY	9·07				
AUG.	·46				
SEPT.	3·40				
OCT.	~~18·00~~	1·80			
NOV.	5·57				
DEC.	5·57				
TOTAL	~~62·40~~ 46·20				

Mrs Lethbridge *

~~Signature~~ ow* Cornish Rainfall Association.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— Mrs Lethbridge.

....

Hour of observation by the clock—in Winter.........................in Summer....................

Nearest Railway Station.. Distance.................. Direction from gauge.............

Nearest Parish Church at.. Distance.................. Direction from gauge.............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

1949

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~8~~7

At ....Eglos kerry (Tregeare)

In the County of ....

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level..................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·80				
FEB.	10·50				
MAR.	7·67				
APRIL	4·33				
MAY	3·36				
JUNE	1·70				
JULY	2·33				
AUG.	1·26				
SEPT.	4·36				
OCT.	3·65				
NOV.	3·10				
DEC.	5·10				
TOTAL	55·16				

Signature Per Cornish Rainfall Association.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Mrs Lethbridge

....

Hour of observation by the clock—in Winter......................in Summer...................

Nearest Railway Station.................................. Distance.................Direction from gauge..............

Nearest Parish Church at.................................. Distance.................Direction from gauge..............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

Copy by B.R.O. 1949

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Egloskerry (Tregeare)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 10 *in.*
- *Height of Ground above Sea Level* 517 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	8·29				
FEB.	2·27				
MAR.	·48				
APRIL	·16				
MAY	1·84				
JUNE	1·97				
JULY	3·65				
AUG.	5·37				
SEPT.	1·76				
OCT.	7·91				
NOV.	9·70				
DEC.	6·45				
TOTAL	(49·85) M.				

Signature Miss Lethbridge *

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

~~[illegible]~~

Annual total given in brackets on summary.

* per Cornwall R. A.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Egloskerry (Tregeare)

In the County of CORNWALL

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 517 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	8·16	(no daily [illegible])			
FEB.	3·64				
MAR.	2·51				
APRIL	3·80				
MAY	1·51				
JUNE	2·40				
JULY	7·90				
AUG.	(3·00)				
SEPT.	0·68				
OCT.	3·60				
NOV.	(9·25)				
DEC.	(3·50)				
TOTAL	(49·95)				

Too much estimation

[illegible]

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

1949.

COPY BY B.R.O.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Miss Lethbridge

~~per~~ Cornwall Rainfall Association

Hour of observation by the clock—in Winter.......................in Summer...................

Nearest Railway Station.................................. Distance..................Direction from gauge..............

Nearest Parish Church at.................................. Distance..................Direction from gauge..............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Aug Nov & Dec. not recd. from C.R.A.

up imp.

Aug. Nov. & Dec: values estimated from nearby stns.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1949

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Egloskerry (Tregeare)

In the County of Cornwall

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 10 *in.*
- *Height of Ground above Sea Level* 517 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·80				
FEB.	5·52				
MAR.	3·40				
APRIL	2·95				
MAY	2·26				
JUNE	·85	·40	22		3
JULY	4·59				
AUG.	·49				
SEPT.	2·48				
OCT.	4·65				
NOV.	11·65				
DEC.	5·42 ~~11·42~~				
TOTAL	~~44·06~~ ~~43·06~~	48·06			

Put wt ~~Sig~~nature Miss Lethbridge* Dec pt est'd fr nearby stns.

x per C.R.A.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Up too much estimation 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

1950

Section **A** for the e
AIR MI

OPY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

RE

1950

DAVIES NORTH TAMERTON

1931 – 40

780311

Kept at Davies N
in the County of Co

Diameter of Funnel of Gau
Height of top of Gauge abov
„ Ground „

THE MORNING M

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	03		09			15		40				1
2	13	02		20		04			50	03	08	17	2
3			143				05		32		127	11	3
4		tr	24	02	15		70	61	59	04		04	4
5		45	11	62		54	39		05			18	5
6		03		30	12	23	21		06	51		49	6
7		02			36	14	12	31	06	02	54	18	7
8		11		13		31	01	13			01	11	8
9		33		01		08	14	04			75	09	9
10		08			10	03		35	11		54	04	10
11	57	36				20	31	05	12		90		11
12	07	27					83	03	28	18			12
13		11	03		24		20	04			03		13
14	08	23			05	35	92	03	06		94		14
15	10	17			12	02	01	38	tr			tr.	15
16	23	11		15	05	85	02	09	07				16
17		02		14		06	33		09				17
18	20			04		20	19	57			38		18
19	40	21	40	04		10	06	09			42	09	19
20		18	30				–	63				03	20
21	22	01	03	03	10	01					10		21
22	29	04	09	09	26			22			03		22
23	23			18	18		06	13			44		23
24	07	14		62			104	24				03	24
25	07	12		07			22				05	10	25
26	02	20		35			45				98	11	26
27	22	28		02	130	tr	02			09	15		27
28	07	14	15	04		04		07		08	05	10	28
29		×	16		08		10	27		06	15	16	29
30	09	×			10		06	01	06	12	02		30
31	152	×	03	×	133	×	03		×		×	30	31
TOTAL	460	366	297	314	454	320	662	429	277	113	783	233	YEAR'S TOTAL 4708
*Days with ·01 in. or more.	19	24	11	19	15	16	25	20	14	9	20	17	209
*Days with ·04 in. or more.	17	18	8	15	15	13	20	17	14	7	16	15	175

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) N Sidney Bray

[P.T.O.

1950

Section **A** for the … OPY FOR OFFICIAL USE.
AIR M… AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Davies. North Tamerton
in the County of Cornwall
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
,, Ground ,, Sea Level 340 ft.

Station No 1950 BR

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	03		09			15		40				1
2	13	02		20		04			50	03	08	17	2
3			143				05		32		127	11	3
4		tr	24	02	15		70	61	59	04		04	4
5		45	11	62		54	39		05			18	5
6		03		30	12	23	21		06	51		49	6
7		02			36	14	12	31	06	02	54	18	7
8		11		13		31	01	13			01	11	8
9		33		01		08	14	04			75	09	9
10		08			10	03		35	11		54	04	10
11	57	36				20	31	05	12 -		90		11
12	07	27					83	03	28	18			12
13		11	03		24		20	04			03		13
14	08	23			05	35	92	03	06		94		14
15	10	17			12	02	01	38	tr			tr.	15
16	23	11		15	05	85	02	09	07				16
17		02		14		06	33		09				17
18	20			04		20	19	57			38		18
19	40	21	40	04		10	06	09			42	09	19
20		18	30				–	63				03	20
21	22	01	03	03	10	01					10		21
22	29	04	09	09	26			22			03		22
23	23			18	18		06	13			44		23
24	07	14		62			104	24				03	24
25	07	12		07			22				05	10	25
26	02	20		35			45				98	11	26
27	22	28		02	130	tr	02			09	15		27
28	07	14	15	04		04		07		08	05	10	28
29		×	16		08		10	27		06	15	16	29
30	09	×			10		06	01	06	12	02		30
31	152	×	03	×	133	×	03		×		×	30	31
TOTAL	460	366	297	314	454	320	662	429	277	113	783	233	YEAR'S TOTAL 4706
*Days with ·01 in. or more.	19	24	11	19	15	16	25	20	14	9	20	17	209
*Days with ·04 in. or more.	17	18	8	15	15	13	20	17	14	7	16	15	173

40-9999

(Signed) N Sidney Bray [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Davies, Nth Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 390 ft.

File Ref: 896022/29

Station No 1950

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15			10			07	10	03	Tr	11	Tr	1
2	25		02	07			03	5	28	01	04	35	2
3	09		04			05	06		75	08	03	04	3
4	01				04		03	10			56	03	4
5	42		06						21				5
6	68		03	28			04	06	68	06			6
7	73								126	122			7
8	02		36	05	40				35	26			8
9	38			25	10				14	07			9
10	53			31	02				06	89			10
11	24			15	28			03	05	25		16	11
12	47				56			01	13	36		05	12
13	18			08	03			07	10	122		42	13
14	08			03	20			03	02	19		02	14
15				10	03					19		02	15
16	08			09			15		Tr	03			16
17				01			05		08	07			17
18				03	25		05		33		20	02	18
19	Tr		Tr	03	12				19	38	01		19
20					79			03	01	62	34	07	20
21	03		13	05			04	120	11	70	11	37	21
22	03		08	08	13				44	21	31	06	22
23					03		29		Tr	67	52	36	23
24		03					48		16	26	12	03	24
25			07				50		18	72	21		25
26			07	30			41		04	17	21		26
27			32	09	24		07			63	02	10	27
28			07	09	10		27			07	03	03	28
29			34	14	27	29	Tr	31	43	65	03	75	29
30		×	20	11	05	80	72	05	45	27	42	03	30
31		×		×	12	×	56		×	02	×	52	31
TOTAL	437	·03	179	244	376	114	382	204	648	1027	327	343	YEAR'S TOTAL 4284
*Days with ·01 in. or more.	17	1	13	21	19	3	17	12	24	27	17	19	190
*Days with .04 in. or more.	13	0	11	17	15	3	15	8	21	24	12	12	151

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W Sidney Bray

P.T.O.

1950

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Davies, North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 4 ft 1 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	30	51	18		09	05			05		10	75		1
2	32		29		21	32					07	26		2
3	01	12	17		04									3
4	18	01	01		16									4
5	05	Tr	27		13						03			5
6		38	02		29					15				6
7	07	12	01		14		09	14		04	01			7
8	05	03			04		20	06		05				8
9		Tr			25		20	Tr		67	08			9
10		10			01			Tr		202	35			10
11	15						15	36		06	01	01		11
12				14	03	30	32	05	24	05				12
13	15				26	8	20	11		05	21			13
14						01	05	11		05	21			14
15	34		25			01	47	06		23	03			15
16		05	84			09		01		09				16
17	03	15	39			17	01		10					17
18	28		19			09				02	01			18
19			15			32			15	08	23			19
20					11	21		34	20	01				20
21		14				12		23		24		01		21
22		02		10				42	37	02				22
23		38		14		18		10	56	42				23
24		07		09		02	02	Tr	15	55		12		24
25		18		07	11	03			11					25
26		22		29	14				01	25				26
27		22								62		65		27
28		43		25	02		25	05		72		04		28
29	18	×		11			01	02		04		10		29
30	22	×	09	07	02		07		19	01		08		30
31	18	×	08	×	01	×			×	08	×	02		31
TOTAL	251	313	294	126	206	200	204	206	213	652	134	204	Year's Total 3003	
*Days with ·01 in. or more.	15	17	14	9	18	15	13	14	11	24	12	10	172	
*Days with .04 in. or more.	13	14	11	9	13	11	10	12	10	20	7	7	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. Sidney Bray

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Davies North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground Four ft one in.

,, Ground ,, Sea Level 390 ft.

File No 896022/29.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	10				01			58	03	05	59	68		1
2	04		07					22	49	02	14	28		2
3	06			01				02	04	18		51		3
4	20	01	14	19	40			06	40	34		40		4
5	01		05	02	65			71		06	10	96		5
6	05		34	15	83	38		26	03	40	12	41		6
7	19							07		29	15	74		7
8					16			10	09	08	35	216		8
9	04		16					Tr	01		36	12		9
10	84	03	35	28				07			16	08		10
11	97		01	101				19	Tr	01	01	26		11
12	22						04	22			03	08		12
13	52			62		06				23	03	05		13
14	56		42	01						15	02	19		14
15	16		10		21			01	52	23	03	23		15
16	13	01	43		02					02		42		16
17	43		07	10					15	35		16		17
18	23	03	38	47		03		06	09	03		35		18
19		02	24			06	02	04	24	07	[illegible]	47		19
20			Tr	23	06		26		24	02	06	07		20
21			24	02	06	28		14		24	14	03		21
22	23	03	04					13	67		07	32		22
23	04	13	02	15		57			19	02		12		23
24	Tr.		12	03		47	17	09	05	29		03		24
25	40	01	Tr	44		57	05		04	62	Tr	71		25
26	05		10	10		52	02		20	06	17	13		26
27				03		05			05	06	14	13		27
28							15	65	28	21		84		28
29		×					02	26	11	07	02	03		29
30	06	×					01	10	15	29		21		30
31	Tr	×		×		×	05	09	×	31	×	05		31
TOTAL	553	27	328	386	240	299	79	407	407	470	269	1122	Year's Total 4587	
*Days with ·01 in. or more.	22	8	18	17	8	10	10	21	21	26	19	31	211	
*Days with ·04 in. or more.	21	1	16	11	6	9	6	19	18	21	13	28	169	

† Spare column, no entries required.

(Signed) Sidney Bray

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** Station No. 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Davies, North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

„ Ground „ Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	18	23	65	04	—	—	04	—	13	10	01	29		1
2	01	09	07	—	—	10	—	—	01	37	17	09		2
3	05	02	11	—	09	07	01	—	111	21	23	22		3
4	—	41	01	13	06	37	—	—	08	91	20	62		4
5	07	30	12	10	—	13	—	—	24	170	19	08		5
6	—	—	02	42	—	31	—	—	tr	23	13	—		6
7	—	—	—	69	—	39	—	—	—	33	13	09		7
8	—	—	—	37	—	—	10	—	—	42	18	13		8
9	02	—	—	74	—	—	—	—	—	91	35	—		9
10	02	—	08	11	—	27	10	—	—	07	07	—		10
11	30	03	01	—	—	14	—	—	06	01	49	—		11
12	32	19	—	26	—	39	—	—	03	—	14	—		12
13	24	22	—	11	—	08	—	—	—	05	45	—		13
14	tr	37	—	—	—	15	—	—	22	04	93	32		14
15	—	tr	—	64	17	20	—	—	—	tr	09	11		15
16	—	—	04	28	—	—	04	05	27	09	45	03		16
17	—	—	—	13	71	25	03	01	72	07	05			17
18	—	04	02	48	06	01	16	11	47	17	—	13		18
19	—	04	—	11	20	—	13	—	23	21	05	—		19
20	—	60	—	58	13	07	08	—	01	21	35	—		20
21	—	53	05	17	—	—	33	—	20	06	01	—		21
22	—	06	08	18	—	—	—	—	14	18	tr	—		22
23	—	10	15	01	—	—	—	43	11	20	—	13		23
24	20	26	14	—	06	25	—	20	05	02	—	34		24
25	22	45	—	—	06	26	—	—	—	02	02	01		25
26	09	91	tr	—	—	06	—	34	27	05	—	22		26
27	04	24	—	—	01	01	19	35	35	05	06	18		27
28	—	30	—	—	—	—	20	34	22	09	20	—		28
29	—	✕	—	—	—	—	—	—	25	11	39	59		29
30	14	✕	—	—	—	03	—	62	17	10	88	54		30
31	tr	✕	—	✕	—	✕	—	09	✕	65	✕	44		31
TOTAL	190	539	155	555	155	354	141	254	534	763	622	456	Year's Total 4718	
* Days with .01 in. or more.	14	20	14	19	10	20	12	10	22	29	28	19	214	
* Days with .04 in. or more.	11	18	10	18	9	17	10	9	19	26	22	17	186	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W Sidney Bray

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1936

Kept at Davies, North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·21	tr	·24	—	·16	112	·01	—	—	·25	·05		1
2	·01	·05	—	·02	—	·26	·70	·04	·19	—	·12	·02		2
3	—	—	·07	·77	—	·01	·12	·07	165	—	·08	·15		3
4	·01	·04	·20	—	—	—	·01	tr	·41	—	·08	·31		4
5	·44	·26	·08	—	—	—	·46	·05	·01	—	·02	·12		5
6	·06	—	·01	—	·03	·05	·60	·12	·20	—	·68	—		6
7	·20	—	·10	—	—	·02	·09	tr	·06	—	·60	·06		7
8	·37	—	·45	—	—	—	·55	tr	—	—	·85	·30		8
9	·49	·41	·08	—	—	·04	·64	—	·21	—	·15	·01		9
10	—	·26	tr	—	—	—	·03	—	—	—	·14	·03		10
11	·40	·01	—	—	—	·16	·06	·08	·28	—	·65	·18		11
12	tr	—	—	—	·03	·15	·52	·01	·58	—	·18	·05		12
13	·09	·05	—	—	—	—	·12	·01	·16	·20	·08	125		13
14	—	tr	—	—	—	·07	·56	·01	·09	·13	·01	·59		14
15	—	·02	·05	·03	·14	—	·10	·01	·02	— tr	·40	·05		15
16	—	·05	—	·15	·15	—	·10	—	—	—	·29	·15		16
17	·21	·46	—	—	·09	·09	·45	·04	—	·17	·13	·51		17
18	·18	—	·10	—	—	—	·48	tr	—	·04	—	·05		18
19	·50	·01	·20	·29	—	·09	·06	·08	·02	·16	—	·01		19
20	·15	·41	·01	·15	—	·04	·21	·05	·45	·01	—	·02		20
21	·02	·01	—	·55	—	·32	—	—	·01	·04	—	—		21
22	·18	32	·20	—	·06	—	·12	—	—	tr	·01	·05		22
23	tr	·08	·02	·11	·01	—	·05	—	—	·12	—	·04		23
24	·09	·10	·10	—	·02	—	—	—	·09	·48	·02	·06		24
25	·40	tr	·21	·26	—	·41	·02	—	·07	·33	—	—		25
26	·49	·08	·35	—	—	—	·02	—	·01	·10	—	—		26
27	·20	·17	·12	—	—	—	·11	—	·06	·22	·07	—		27
28	·51	·05	·55	·02	—	—	·19	—	—	·02	·01	·29		28
29	·02	·11	·02	—	—	·12	·01	—	·01	·23	·26	22		29
30	·40	✕	·03	—	·05	·35	·04	—	·01	·08	·04	tr		30
31	·20	✕	·42	✕	·07	✕	103	—	✕	—	✕	·46		31
TOTAL	569	316	337	259	·65	234	857	·58	459	233	512	503	Year's Total 4402	
* Days with .01 in. or more.	24	21	21	11	10	16	29	13	21	15	23	25	229	
* Days with .04 in. or more.	20	17	16	8	6	14	24	8	14	13	18	20	178	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) W. Sidney Bray

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Davies North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	—	·16	·07	—	—	tr	—	·13	·06	·02	·54		1
2	·12	·67	·01	·25	—	—	—	—	·05	tr	·02	·22		2
3	·01	·26	·01	—	—	—	·17	—	—	—	·01	·01		3
4	·35	·24	—	·10	·03	—	·04	·01	—	·04	—	·62		4
5	·60	—	—	·06	—	—	·34	~~tr~~ ·02	·02	—	—	·14		5
6	·44	·33	·30	·41	·11	·01	·28	·01	·03	·01	—	—		6
7	·02	·46	·12	·08	·01	·20	—	—	·10	—	·08	—		7
8	—	·05	·01	—	·37	·15	·03	—	—	—	·03	—		8
9	·06	·11	·13	·17	·10	·04	·05	·21	·91	—	·01	·02		9
10	·16	·05	1·15	·25	·02	·11	tr	·07	tr	—	—	·29		10
11	·18	—	·25	·23	·52	·14	1·20	·58	—	—	·01	·18		11
12	·38	·46	·18	·17	·45	·20	·22	·12	·49	—	—	·25		12
13	tr	·16	·54	·13	·01	·21	·01	·50	·32	—	·01	·30		13
14	—	·04	—	·02	—	—	—	·08	·15	—	—	·40		14
15	·55	·20	·22	·73	—	—	—	—	·32	—	—	·45		15
16	·45	·06	·82	·12	tr	·02	·05	·34	·10	—	—	—		16
17	1·10	·12	~~[illegible]~~ 45	—	—	—	·02	·03	·29	tr	·18	—		17
18	·18	·53	·40	·01	—	·19	—	tr	·32	·02	·35	·19		18
19	·13	·23	·25	·35	·09	—	—	—	·79	·03	·24	tr		19
20	1·15	·02	·17	·33	·35	—	—	—	·12	tr	·02	·45		20
21	·83	·80	·01	·05	·31	—	·07	·01	·18	·10	·10	tr		21
22	·09	03	·10	—	·15	·02	·23	—	·01	·62	·40	·06		22
23	·38	27	·03	—	·21	—	·02	—	·01	·63	·19	—		23
24	·46	·55	·07	·01	tr	—	—	—	·07	·39	·01	·09		24
25	·06	·50	·66	—	—	—	tr	—	·02	·15	—	·01		25
26	·03	·33	·04	—	·04	·01	—	·02	—	tr	—	·01		26
27	—	·45	·01	·01	—	—	—	—	—	·61	·02	—		27
28	·02	·20	—	—	—	·01	—	·01	·02	·02	—	tr		28
29	·04	×	—	—	—	~~[illegible]~~ 03	—	—	—	·91	·20	—		29
30	·20	×	—	—	—	~~[illegible]~~ 12	—	·01	·02	·09	·34	·01		30
31	·21	×	—	×	—	×	—	—	×	·10	×	tr		31
TOTAL	8·41	7·12	6·09	3·55	2·77	1·45	2·73	2·02	4·47	3·78	2·24	4·24	Year's Total 48·87	
* Days with .01 in. or more.	27	25	24	20	15	10	14	13	22	15	19	19	228	
* Days with .04 in. or more.	23	24	18	16	11	9	10	7 ~~8~~	15	11	9	14	167	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W Sidney Bray

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Davies North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·14	—	—	—	·20	·01	·47	Tr	·42	·06	·43		1
2	—	·08	·02	·25	—	·63	·04	—	—	·38	·04	·19		2
3	·01	·01	·01	—	·03	·07	·35	1·25	—	·61	·05	·01		3
4	—	—	—	—	·03	·01	·09	1·07	—	·29	·01	·25		4
5	·04	—	·01	·07	—	·05	·99	—	·18	·35	·02	·02		5
6	·28	—	·02	—	—	·21	—	·19	·34	·07	·01	·08		6
7	·24	—	—	—	—	·05	·35	·03	·19	·14	·02	·23		7
8	·70	·09	·01	—	—	—	·26	·05	·01	·37	Tr	·11		8
9	·37	·13	·03	—	—	—	·01	·04	—	·10	Tr	1·04		9
10	·51	Tr	Tr	·01	—	—	·25	·40	—	·05	—	·27		10
11	·14	Tr	—	—	—	·09	·08	—	·01	·02	·41	·55		11
12	·49	·02	·01	—	·27	—	·02	·01	·01	·60	·63	·12		12
13	·02	—	—	·01	·19	—	Tr	—	Tr	·12	·07	·55		13
14	·94	—	·01	—	·25	·01	·37	·02	·04	·01	Tr	·01		14
15	·32	—	—	—	·06	—	·01	·07	—	·05	·24	·65		15
16	·50	—	·02	—	·06	—	—	—	·01	·01	·16	·02		16
17	Tr	·14	Tr	—	·09	—	·07	—	·10	·22	·02	·15		17
18	·23	—	—	·01	·15	·05	·07	·06	·33	·07	·40	—		18
19	Tr	—	—	—	—	—	·03	·19	·31	·01	·44	—		19
20	·01	—	—	—	—	—	·01	·03	·03	—	·39	—		20
21	·10	—	·01	—	—	·02	—	·15	·09	·03	·48	—		21
22	—	—	—	·01	·01	·10	—	1·03	·08	·05	·23	—		22
23	Tr	—	—	·01	—	·03	—	·02	·02	—	·45	—		23
24	·01	·06	·19	—	·08	—	·04	·01	·05	—	·34	—		24
25	·30	·31	·16	—	·11	—	·07	·01	·01	·01	·81	—		25
26	·61	·26	Tr	—	·50	·01	·18	·53	—	·20	·19	·21		26
27	·47	·07	—	—	·32	·17	·23	·10	—	·15	·37	Tr		27
28	·21	·25	·03	—	·16	·20	·01	Tr	·10	·09	·30	·05		28
29	·31	X	·06	—	·20	·10	Tr	Tr	·13	·38	·27	·12		29
30	·07	✕	·05	—	·15	·02	Tr	01	·05	—	·37	·04		30
31	·50	✕	·03	✕	·25	✕	·04	·01	✕	·38	✕	·40		31
TOTAL	7·38	1·56	·67	·37	2·91	2·02	3·58	5·75	2·09	5·18	6·78	5·50	Year's Total 43·79	✓
* Days with .01 in. or more.	24	12	16	7	18	16	23	23	20	27	26	22	236	✓
* Days with .04 in. or more.	20	10	4	2	15	12	16	14	13	21	21	18	166	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Sidney Bray [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Davies, North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 1 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·60	—	·07	—	tr	—	—	·02	—	—	·30	·08		1
2	·09	—	—	·12	—	—	·06	·64	·24	—	·12	·02		2
3	·22	—	·18	·35	—	—	—	—	·01	—	·15	·51		3
4	·01	—	·38	·32	·28	—	·60	·01	—	·20	·52	·42		4
5	·02	·02	·01	·07	·84	—	·45	—	—	·34	·75	·23		5
6	·61	—	·01	·19	tr	—	·54	·11	—	—	·18	—		6
7	·02	·11	—	[illegible]	—	—	·17	·10	—	·02	·46	·55		7
8	·02	41 [illegible]	·06	—	·08	·06	·06	·03	·01	·54	·50	·35		8
9	·02	05 [illegible]	·05	—	·02	—	—	·08	—	·24	·24	·20		9
10	·30	— [illegible]	·02	—	—	—	—	·11	·32	·11	— [illegible]	·66		10
11	·13	—	·15	—	—	—	—	—	[illegible]	·19	·01	·11		11
12	·11	·06	—	·03	—	—	—	·01	·35	·20	·03	—		12
13	—	·05	—	·30	·01	·10	·57	—	·09	·20	·15	—		13
14	·51	—	—	·21	·09	·12	·67	[illegible]	—	·01	·24	—		14
15	·95	·04	—	·13	—	·42	·36	—	·04	·03	·26	·01		15
16	·06	·06	—	—	·05	—	·12	—	—	·01	·84	—		16
17	·90	·04	—	—	·02	·08	·42	—	—	—	·17	—		17
18	·01	—	·08	—	—	—	·45	—	—	—	1·09	·01		18
19	·27	—	—	—	—	—	·40	·35	—	—	·05	·32		19
20	—	—	—	—	—	·19	·04	·66	—	—	tr	·04		20
21	·08	·32	·08	·05	·14	·08	1·02	·01	·03	—	·01	—		21
22	·59	·39	·14	·03	—	·18	·20	·46	·03	—	·30	·01		22
23	·06	·04	·12	·17	·02	·06	·34	—	— [illegible]	·11	1·10	—		23
24	·44	·01	·22	·11	—	·08	·09	—	—	·23	—	—		24
25	·55	·22	—	—	—	·01	·05	·15	—	·20	·56	—		25
26	·13	·03	[illegible] —	·22	—	—	·03	·66	—	—	1·14	·04		26
27	—	·30	·02	[illegible] —	—	·06	·04	—	—	·01	·23	[illegible]3		27
28	—	·02	·01	—	—	·07	·24	·04	—	—	·68	·01		28
29	—	×	—	·07	·01	·07	·10	—	—	·06	·23	—		29
30	—	×	·02	·25	—	·02	·22	—	—	—	·09	—		30
31	—	×	—	×	—	×	·16	·14	×	·62	×	—		31
TOTAL	6·70	2·17	1·62	2·62	1·56	1·60	7·40	3·58	1·12	3·32	10·40	3·60	Year's Total 45·69	
* Days with .01 in. or more.	24	17	13	16	11	15	25	17	9	18	27	18	214	
* Days with .04 in. or more.	18	13	11	14	6	13	24	12	5	13	24	12	165	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. Sidney Bray

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1950

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Davies North Tamerton

in the County of Cornwall

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 4 ft. 1 in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·04	—	·04	·33	—	—	—	—	—	·32	—		1
2	—	·04	—	·20	Tr	·01	·06	—	—	—	·24	·06		2
3	·02	·59	—	·07	—	—	—	—	—	·03	·88	—		3
4	·02	·13	—	·13	—	—	·09	—	·01	·21	1·24	·24		4
5	·01	·08	—	—	—	—	·02	—	—	·23	·18	—		5
6	·37	·34	—	—	—	—	·04	—	—	·27	·44	·18		6
7	·02	·10	—	·01	—	—	·30	—	·07	·03	·12	·30		7
8	—	—	—	—	—	—	—	·03	·03	·26	·01	·02		8
9	—	—	—	—	—	—	·64	·12	·11	·33	·25	·54		9
10	—	—	·01	—	—	—	·46	·05	—	·17	1·02	—		10
11	—	—	·01	·12	—	—	·76	—	—	·02	·61	—		11
12	—	—	·13	·15	—	·03	1·54	—	·74	—	·39	—		12
13	·02	—	·63	—	—	—	·36	—	·04	·06	·66	·16		13
14	—	·06	·06	·08	—	—	·05	·10	·59	·35	·16	·27		14
15	·02	·01	—	·15	—	—	—	—	·24	·13	·67	·58		15
16	·06	·72	·51	·03	—	—	·29	·01	·14	·02	·03	—		16
17	—	·27	·66	·09	—	—	·36	—	—	·02	·12	·09		17
18	·09	·79	·30	·68	—	—	·14	·09	·11	·01	·07	·25		18
19	—	·15	·12	·05	—	—	·67	Tr	·12	·01	·24	—		19
20	—	—	·06	·02	—	—	·03	—	·18	·20	·09	—		20
21	—	·01	—	—	·24	·03	—	—	—	·01	·44	—		21
22	—	·01	·20	·04	·18	·44	—	Tr	·13	·04	·02	—		22
23	—	·17	·24	·05	·13	—	—	—	—	·16	·04	—		23
24	·06	—	·02	—	—	—	·18	—	—	—	—	—		24
25	·15	—	·11	·05	·12	·31	—	—	—	—	—	—		25
26	·66	·27	—	·22	·51	—	·06	—	·02	—	·04	—		26
27	·74	·17	·04	·09	·39	—	·02	—	—	—	·01	·07		27
28	·30	·03	·02	·19	·20	—	—	—	—	—	·02	Tr		28
29	·15	·06	·16	·88	·02	·15	—	·05	—	·06	·01	·15		29
30	·02	×	—	—	·02	—	—	—	—	·44	Tr	·24		30
31	·08	×	·05	×	·01	×	—	—	×	·73	×	·58		31
TOTAL	2·79	4·04	3·33	3·34	2·15	·97	6·07	·45	2·53	3·79	8·32	3·73	Year Total 41·51	
* Days with .01 in. or more.	17	20	18	21	11	6	19	7	14	23	27	15	196	
* Days with .04 in. or more.	10	16	14	18	8	3	16	5	11	15	21	14	151	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Sidney Bray

[P.T.O.]